

DECEMBER 1998
PASS-THRU STATUS REPORT
Report Date: January 1, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|---|------------------------------|------------------------------------|--------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/01/1998 | 200.0 | 276,452 | 39.8% | 90.0 | 169,171 | 70.1% | 445,623 | 47.6% |
| 01/01/1999 (6am Reading) | 205.2 | 361,697 | 52.0% | 91.0 | 186,263 | 77.2% | 547,960 | 58.5% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 12/31/1998 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 526 | 20,104 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | | | | | | 391 | 15,457 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 157 | 5,818 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 6 | 237 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 34 | 1,104 |
| Release from Choke Canyon | | | | | | | 66 | 2,031 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 623 | 24,128 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 12/31/1998 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 4,500 |
| November Inflow Credit / (-Deficit) | Carry over amount on 12/01/1998: 2,250 | | | | | | | 0 |
| Return Flow Credit | 12/01/1998 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | | | | | | 216 | 11,471 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 12/11/1998 | | | | | | | 3375 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 6,971 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 12/31/1998 | 73 | 41 | 0.05 | 75 | 30 | 0.06 | 71 | 0.11 |
| MTD | | 2,718 | 0.65 | | 3,163 | 0.80 | 5,881 | 1.45 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 2, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/02/1998 | 200.0 | 276,452 | 39.8% | 90.0 | 168,667 | 69.9% | 445,119 | 47.5% |
| 01/02/1999 (6am Reading) | 205.2 | 361,873 | 52.0% | 91.0 | 186,263 | 77.2% | 548,136 | 58.5% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/01/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 522 | 522 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | | | | | | 393 | 393 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 161 | 161 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 6 | 6 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 34 | 34 |
| Release from Choke Canyon | | | | | | | 66 | 66 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 623 | 623 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/01/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | | | | | | 266 | 266 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 | | | | | | | 0 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 0 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/01/1999 | 79 | 103 | 0.15 | 78 | 193 | 0.37 | 296 | 0.52 |
| MTD | | 103 | 0.15 | | 193 | 0.37 | 296 | 0.52 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 3, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/03/1998 | 200.0 | 276,301 | 39.7% | 89.9 | 168,165 | 69.7% | 444,466 | 47.5% |
| 01/03/1999 (6am Reading) | 205.2 | 361,873 | 52.0% | 91.0 | 186,263 | 77.2% | 548,136 | 58.5% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/02/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 518 | 1,040 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | | | | | | 387 | 780 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 161 | 322 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 6 | 12 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 34 | 67 |
| Release from Choke Canyon | | | | | | | 66 | 131 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 620 | 1,243 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/02/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | | | | | | 373 | 639 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 | | | | | | | 0 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 0 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/02/1999 | 57 | 195 | 0.00 | 56 | 203 | 0.00 | 398 | 0.00 |
| MTD | | 298 | 0.15 | | 396 | 0.37 | 694 | 0.52 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 4, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/04/1998 | 200.0 | 276,000 | 39.7% | 89.9 | 167,830 | 69.6% | 443,830 | 47.4% |
| 01/04/1999 (6am Reading) | 205.2 | 361,873 | 52.0% | 91.0 | 186,263 | 77.2% | 548,136 | 58.5% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/03/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 510 | 1,550 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | | | | | | 379 | 1,159 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 159 | 480 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 6 | 18 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 34 | 101 |
| Release from Choke Canyon | | | | | | | 66 | 197 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 609 | 1,852 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/03/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | | | | | | 377 | 1,016 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 | | | | | | | 0 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 0 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/03/1999 | 47 | 103 | 0.00 | 47 | 101 | 0.00 | 204 | 0.00 |
| MTD | | 401 | 0.15 | | 497 | 0.37 | 898 | 0.52 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 5, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/05/1998 | 199.9 | 276,000 | 39.7% | 89.9 | 167,663 | 69.5% | 443,663 | 47.4% |
| 01/05/1999 (6am Reading) | 205.2 | 361,697 | 52.0% | 91.0 | 186,263 | 77.2% | 547,960 | 58.5% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/04/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 504 | 2,054 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | | | | | | 371 | 1,530 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 157 | 637 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 6 | 24 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 34 | 135 |
| Release from Choke Canyon | | | | | | | 66 | 262 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 601 | 2,454 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/04/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | | | | | | 282 | 1,298 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 | | | | | | | 0 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 0 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/04/1999 | 46 | 0 | 0.00 | 43 | 81 | 0.00 | 81 | 0.00 |
| MTD | | 401 | 0.15 | | 578 | 0.37 | 979 | 0.52 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 6, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/06/1998 | 199.9 | 276,000 | 39.7% | 89.9 | 167,663 | 69.5% | 443,663 | 47.4% |
| 01/06/1999 (6am Reading) | 205.2 | 361,521 | 52.0% | 91.0 | 186,263 | 77.2% | 547,784 | 58.5% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/05/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 500 | 2,555 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | | | | | | 365 | 1,896 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 153 | 790 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 6 | 30 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 36 | 171 |
| Release from Choke Canyon | | | | | | | 66 | 328 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 594 | 3,047 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/05/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | | | | | | 197 | 1,495 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 | | | | | | | 0 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 0 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/05/1999 | 64 | 103 | 0.00 | 64 | 20 | 0.00 | 123 | 0.00 |
| MTD | | 504 | 0.15 | | 598 | 0.37 | 1,102 | 0.52 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 7, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/07/1998 | 199.9 | 276,000 | 39.7% | 89.9 | 167,997 | 69.6% | 443,997 | 47.4% |
| 01/07/1999 (6am Reading) | 205.2 | 361,345 | 52.0% | 91.0 | 186,263 | 77.2% | 547,608 | 58.5% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/06/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 496 | 3,051 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | | | | | | 361 | 2,257 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 151 | 941 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 6 | 36 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 36 | 206 |
| Release from Choke Canyon | | | | | | | 66 | 393 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 588 | 3,635 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/06/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | | | | | | 234 | 1,729 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 | | | | | | | 0 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 0 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/06/1999 | 68 | 103 | 0.00 | 76 | 91 | 0.00 | 194 | 0.00 |
| MTD | | 607 | 0.15 | | 689 | 0.37 | 1,296 | 0.52 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 8, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/08/1998 | 199.9 | 275,699 | 39.7% | 89.9 | 167,997 | 69.6% | 443,696 | 47.4% |
| 01/08/1999 (6am Reading) | 205.2 | 361,345 | 52.0% | 91.0 | 186,263 | 77.2% | 547,608 | 58.5% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/07/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 494 | 3,545 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | | | | | | 369 | 2,626 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 153 | 1,094 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 6 | 42 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 36 | 242 |
| Release from Choke Canyon | | | | | | | 66 | 459 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 588 | 4,223 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/07/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | | | | | | 212 | 1,941 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 | | | | | | | 0 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 0 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/07/1999 | 78 | 82 | 0.00 | 78 | 122 | 0.00 | 204 | 0.00 |
| MTD | | 689 | 0.15 | | 811 | 0.37 | 1,500 | 0.52 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 9, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|---------------------------------|-------------------------------|-----------------|---------------------------|--------------------------------------|-----------------|---------------------------|-----------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/09/1998 | 199.9 | 275,699 | 39.7% | 89.9 | 168,165 | 69.7% | 443,864 | 47.4% |
| 01/09/1999 (6am Reading) | 205.1 | 361,169 | 51.9% | 91.0 | 186,263 | 77.2% | 547,432 | 58.5% |

| RESERVOIR SYSTEM INFLOWS | | | |
|--|---|---------------------|--------------|
| GAUGING STATION | 24-hour average flow ending at 12am | 01/08/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | 500 | 4,045 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | 365 | 2,991 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | 153 | 1,247 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | 6 | 48 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | 36 | 278 |
| Release from Choke Canyon | | 66 | 524 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | 594 | 4,816 |

| ESTUARY STATISTICS | | | |
|--|---|---------------------|--------------|
| ITEM | | 01/08/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | 0 |
| Return Flow Credit | 01/01/1999 | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | 179 | 2,120 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 | | 0 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | 0 |

| WEATHER RELATED INFORMATION | | | | | | | | |
|------------------------------------|-------------------------------|----------------------|----------------------|--------------------------------------|----------------------|----------------------|----------------------|----------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/08/1999 | 80 | 205 | 0.00 | 79 | 253 | 0.00 | 458 | 0.00 |
| MTD | | 894 | 0.15 | | 1,064 | 0.37 | 1,958 | 0.52 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 10, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|-----------------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/10/1998 | 199.9 | 275,549 | 39.6% | 90.0 | 168,500 | 69.8% | 444,049 | 47.4% |
| 01/10/1999 (6am Reading) | 205.1 | 361,169 | 51.9% | 91.0 | 186,263 | 77.2% | 547,432 | 58.5% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/09/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 494 | 4,540 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | | | | | | 345 | 3,337 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 147 | 1,393 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 6 | 54 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 36 | 314 |
| Release from Choke Canyon | | | | | | | 66 | 590 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 582 | 5,398 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/09/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | | | | | | 312 | 2,432 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 | | | | | | | 0 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 0 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/09/1999 | 52 | Pan froze | 0.00 | 52 | 193 | 0.00 | 193 | 0.00 |
| MTD | | 894 | 0.15 | | 1,257 | 0.37 | 2,151 | 0.52 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 11, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|---------------------------------|-------------------------------|-----------------|---------------------------|--------------------------------------|-----------------|---------------------------|-----------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/11/1998 | 199.9 | 275,549 | 39.6% | 90.0 | 169,171 | 70.1% | 444,720 | 47.5% |
| 01/11/1999 (6am Reading) | 205.1 | 361,169 | 51.9% | 91.0 | 186,263 | 77.2% | 547,432 | 58.5% |

| RESERVOIR SYSTEM INFLOWS | | | |
|--|---|---------------------|--------------|
| GAUGING STATION | 24-hour average flow ending at 12am | 01/10/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | 474 | 5,014 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | 318 | 3,654 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | 143 | 1,536 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | 6 | 60 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | 36 | 349 |
| Release from Choke Canyon | | 66 | 655 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | 557 | 5,955 |

| ESTUARY STATISTICS | | | |
|--|---|---------------------|--------------|
| ITEM | | 01/10/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | 0 |
| Return Flow Credit | 01/01/1999 | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | 260 | 2,692 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 01/11/1999 | | 1250 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | 192 |

| WEATHER RELATED INFORMATION | | | | | | | | |
|------------------------------------|-------------------------------|----------------------|----------------------|--------------------------------------|----------------------|----------------------|----------------------|----------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/10/1999 | 64 | 215 | 0.00 | 63 | 112 | 0.00 | 327 | 0.00 |
| MTD | | 1,109 | 0.15 | | 1,369 | 0.37 | 2,478 | 0.52 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 12, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/12/1998 | 199.9 | 275,549 | 39.6% | 90.0 | 169,003 | 70.1% | 444,552 | 47.5% |
| 01/12/1999 (6am Reading) | 205.1 | 361,169 | 51.9% | 91.0 | 186,263 | 77.2% | 547,432 | 58.5% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/11/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 451 | 5,465 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | | | | | | 290 | 3,944 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 145 | 1,681 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 5 | 65 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 36 | 385 |
| Release from Choke Canyon | | | | | | | 66 | 721 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 535 | 6,491 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/11/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | | | | | | 222 | 2,914 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 01/11/1999 | | | | | | | 1250 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 414 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/11/1999 | 73 | 92 | 0.00 | 72 | 112 | 0.00 | 204 | 0.00 |
| MTD | | 1,201 | 0.15 | | 1,481 | 0.37 | 2,682 | 0.52 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 13, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/13/1998 | 199.9 | 275,398 | 39.6% | 90.0 | 168,835 | 70.0% | 444,233 | 47.4% |
| 01/13/1999 (6am Reading) | 205.1 | 361,169 | 51.9% | 91.0 | 186,263 | 77.2% | 547,432 | 58.5% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/12/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 437 | 5,901 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | | | | | | 294 | 4,238 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 149 | 1,830 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 5 | 70 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 36 | 421 |
| Release from Choke Canyon | | | | | | | 66 | 786 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 525 | 7,016 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/12/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | | | | | | 250 | 3,164 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 01/11/1999 | | | | | | | 1250 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 664 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/12/1999 | 79 | 133 | 0.00 | 79 | 213 | 0.00 | 346 | 0.00 |
| MTD | | 1,334 | 0.15 | | 1,694 | 0.37 | 3,028 | 0.52 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 14, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|---------------------------------|-------------------------------|-----------------|---------------------------|--------------------------------------|-----------------|---------------------------|-----------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/14/1998 | 199.9 | 275,398 | 39.6% | 90.0 | 168,835 | 70.0% | 444,233 | 47.4% |
| 01/14/1999 (6am Reading) | 205.1 | 361,169 | 51.9% | 91.0 | 186,263 | 77.2% | 547,432 | 58.5% |

| RESERVOIR SYSTEM INFLOWS | | | |
|--|---|---------------------|--------------|
| GAUGING STATION | 24-hour average flow ending at 12am | 01/13/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | 435 | 6,336 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | 302 | 4,540 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | 151 | 1,981 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | 6 | 76 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | 34 | 455 |
| Release from Choke Canyon | | 66 | 852 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | 526 | 7,541 |

| ESTUARY STATISTICS | | | |
|--|---|---------------------|--------------|
| ITEM | | 01/13/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | 0 |
| Return Flow Credit | 01/01/1999 | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | 260 | 3,424 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 01/11/1999 | | 1250 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | 924 |

| WEATHER RELATED INFORMATION | | | | | | | | |
|------------------------------------|-------------------------------|----------------------|----------------------|--------------------------------------|----------------------|----------------------|----------------------|----------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/13/1999 | 73 | 123 | 0.00 | 73 | 426 | 0.80 | 549 | 0.80 |
| MTD | | 1,457 | 0.15 | | 2,120 | 1.17 | 3,577 | 1.32 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 15, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/15/1998 | 199.9 | 275,248 | 39.6% | 90.0 | 168,500 | 69.8% | 443,748 | 47.4% |
| 01/15/1999 (6am Reading) | 205.1 | 361,169 | 51.9% | 91.0 | 186,263 | 77.2% | 547,432 | 58.5% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/14/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 463 | 6,799 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | | | | | | 302 | 4,841 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 151 | 2,132 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 5 | 81 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 32 | 486 |
| Release from Choke Canyon | | | | | | | 66 | 917 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 553 | 8,094 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/14/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | | | | | | 326 | 3,750 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 01/11/1999 | | | | | | | 1250 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 1,250 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/14/1999 | 60 | 92 | 0.00 | 57 | 132 | 0.00 | 224 | 0.00 |
| MTD | | 1,549 | 0.15 | | 2,252 | 1.17 | 3,801 | 1.32 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 16, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|---------------------------------|-------------------------------|-----------------|---------------------------|--------------------------------------|-----------------|---------------------------|-----------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/16/1998 | 199.9 | 274,948 | 39.5% | 89.9 | 168,165 | 69.7% | 443,113 | 47.3% |
| 01/16/1999 (6am Reading) | 205.1 | 361,169 | 51.9% | 91.0 | 186,263 | 77.2% | 547,432 | 58.5% |

| RESERVOIR SYSTEM INFLOWS | | | |
|--|---|---------------------|--------------|
| GAUGING STATION | 24-hour average flow ending at 12am | 01/15/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | 0 | 6,799 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | 0 | 4,841 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | 0 | 2,132 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | 0 | 81 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | 0 | 486 |
| Release from Choke Canyon | | 66 | 983 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NRTT, ARWT, FRTT and SMTT. | 0 | 7,541 |

| ESTUARY STATISTICS | | | |
|--|---|---------------------|--------------|
| ITEM | | 01/15/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | 0 |
| Return Flow Credit | 01/01/1999 | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | 0 | 3,750 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 01/11/1999 | | 1250 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | 1,250 |

| WEATHER RELATED INFORMATION | | | | | | | | |
|------------------------------------|-------------------------------|----------------------|----------------------|--------------------------------------|----------------------|----------------------|----------------------|----------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/15/1999 | 69 | 92 | 0.00 | 64 | 81 | 0.00 | 173 | 0.00 |
| MTD | | 1,641 | 0.15 | | 2,333 | 1.17 | 3,974 | 1.32 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 17, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|---|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/17/1998 | 199.8 | 274,798 | 39.5% | 89.9 | 167,830 | 69.6% | 442,628 | 47.3% |
| 01/17/1999 (6am Reading) | 205.1 | 361,169 | 51.9% | 91.0 | 186,263 | 77.2% | 547,432 | 58.5% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/16/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi* | | | | | | 0 | 6,799 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx* | | | | | | 0 | 4,841 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir* | | | | | | 0 | 2,132 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir* | | | | | | 0 | 81 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi* | | | | | | 0 | 486 |
| Release from Choke Canyon | | | | | | | 0 | 983 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 0 | 8,029 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/16/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam* | | | | | | 0 | 3,750 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 01/11/1999 | | | | | | | 1250 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 1,250 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/16/1999 | 77 | 113 | 0.00 | 77 | 112 | 0.00 | 225 | 0.00 |
| MTD | | 1,754 | 0.15 | | 2,445 | 1.17 | 4,199 | 1.32 |

* Denotes missing reading(s) from USGS database

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 18, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/18/1998 | 199.8 | 274,647 | 39.5% | 89.9 | 167,830 | 69.6% | 442,477 | 47.2% |
| 01/18/1999 (6am Reading) | 205.1 | 360,993 | 51.9% | 91.0 | 186,263 | 77.2% | 547,256 | 58.4% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/17/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi* | | | | | | 0 | 6,799 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx* | | | | | | 0 | 4,841 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir* | | | | | | 0 | 2,132 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir* | | | | | | 0 | 81 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi* | | | | | | 0 | 486 |
| Release from Choke Canyon | | | | | | | 0 | 983 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 0 | 8,029 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/17/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam* | | | | | | 0 | 3,750 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 01/11/1999 | | | | | | | 1250 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 1,250 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/17/1999 | 81 | 133 | 0.00 | 80 | 172 | 0.00 | 305 | 0.00 |
| MTD | | 1,887 | 0.15 | | 2,617 | 1.17 | 4,504 | 1.32 |

* Denotes missing reading(s) from USGS database

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 19, 1999

MISSING

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 20, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/20/1998 | 199.8 | 274,198 | 39.4% | 89.9 | 167,496 | 69.4% | 441,694 | 47.2% |
| 01/20/1999 (6am Reading) | 205.1 | 360,993 | 51.9% | 91.0 | 186,263 | 77.2% | 547,256 | 58.4% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/19/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi* | | | | | | 0 | 6,799 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx* | | | | | | 0 | 4,841 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir* | | | | | | 0 | 2,132 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir* | | | | | | 0 | 81 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi* | | | | | | 0 | 486 |
| Release from Choke Canyon | | | | | | | 0 | 983 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 0 | 8,029 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/19/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam* | | | | | | 0 | 3,750 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 01/11/1999 | | | | | | | 1250 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 1,250 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/19/1999 | 80 | 113 | 0.00 | 79 | 91 | 0.00 | 204 | 0.00 |
| MTD | | 2,143 | 0.15 | | 2,840 | 1.17 | 4,983 | 1.32 |

* Denotes missing reading(s) from USGS database

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 21, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/21/1998 | 199.8 | 274,198 | 39.4% | 89.9 | 167,329 | 69.4% | 441,527 | 47.1% |
| 01/21/1999 (6am Reading) | 205.1 | 360,993 | 51.9% | 91.0 | 186,263 | 77.2% | 547,256 | 58.4% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/20/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi* | | | | | | 397 | 7,603 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx* | | | | | | 242 | 5,338 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir* | | | | | | 143 | 2,418 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir* | | | | | | 7 | 94 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi* | | | | | | 32 | 550 |
| Release from Choke Canyon | | | | | | | 66 | 1,114 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 481 | 9,001 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/20/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam* | | | | | | 193 | 4,161 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 01/11/1999 | | | | | | | 1250 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 1,661 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/20/1999 | 85 | 154 | 0.00 | 85 | 182 | 0.00 | 336 | 0.00 |
| MTD | | 2,297 | 0.15 | | 3,022 | 1.17 | 5,319 | 1.32 |

* Denotes missing reading(s) from USGS database

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 22, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/22/1998 | 199.8 | 274,048 | 39.4% | 89.9 | 167,329 | 69.4% | 441,377 | 47.1% |
| 01/22/1999 (6am Reading) | 205.1 | 360,993 | 51.9% | 91.0 | 186,263 | 77.2% | 547,256 | 58.4% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/21/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi* | | | | | | 383 | 7,986 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx* | | | | | | 232 | 5,570 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir* | | | | | | 139 | 2,557 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir* | | | | | | 6 | 100 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi* | | | | | | 32 | 582 |
| Release from Choke Canyon | | | | | | | 66 | 1,179 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 462 | 9,463 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/21/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam* | | | | | | 216 | 4,377 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 01/11/1999 | | | | | | | 1250 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 1,877 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/21/1999 | 83 | 205 | 0.00 | 84 | 223 | 0.00 | 428 | 0.00 |
| MTD | | 2,502 | 0.15 | | 3,245 | 1.17 | 5,747 | 1.32 |

* Denotes missing reading(s) from USGS database

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 23, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/23/1998 | 199.8 | 274,048 | 39.4% | 89.9 | 167,162 | 69.3% | 441,210 | 47.1% |
| 01/23/1999 (6am Reading) | 205.1 | 360,993 | 51.9% | 91.0 | 186,263 | 77.2% | 547,256 | 58.4% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/22/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi* | | | | | | 369 | 8,355 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx* | | | | | | 226 | 5,796 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir* | | | | | | 137 | 2,694 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir* | | | | | | 5 | 105 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi* | | | | | | 32 | 613 |
| Release from Choke Canyon | | | | | | | 66 | 1,245 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 445 | 9,909 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/22/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam* | | | | | | 256 | 4,633 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 01/11/1999 | | | | | | | 1250 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 2,133 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/22/1999 | 69 | 246 | 0.00 | 84 | 335 | 0.00 | 581 | 0.00 |
| MTD | | 2,748 | 0.15 | | 3,580 | 1.17 | 6,328 | 1.32 |

* Denotes missing reading(s) from USGS database

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 24, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/24/1998 | 199.8 | 273,898 | 39.4% | 89.9 | 167,162 | 69.3% | 441,060 | 47.1% |
| 01/24/1999 (6am Reading) | 205.1 | 360,993 | 51.9% | 91.0 | 185,394 | 76.9% | 546,387 | 58.3% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/23/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi* | | | | | | 359 | 8,714 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx* | | | | | | 222 | 6,019 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir* | | | | | | 137 | 2,831 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir* | | | | | | 4 | 109 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi* | | | | | | 32 | 645 |
| Release from Choke Canyon | | | | | | | 66 | 1,310 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 435 | 10,343 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/23/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam* | | | | | | 316 | 4,949 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 01/11/1999 | | | | | | | 1250 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 2,449 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/23/1999 | 72 | 154 | 0.00 | 71 | 243 | 0.00 | 397 | 0.00 |
| MTD | | 2,902 | 0.15 | | 3,823 | 1.17 | 6,725 | 1.32 |

* Denotes missing reading(s) from USGS database

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 25, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/25/1998 | 199.8 | 273,748 | 39.4% | 89.9 | 166,995 | 69.2% | 440,743 | 47.1% |
| 01/25/1999 (6am Reading) | 205.1 | 360,817 | 51.9% | 90.9 | 185,220 | 76.8% | 546,037 | 58.3% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/24/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 431 | 10,850 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | | | | | | 218 | 7,343 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 137 | 3,543 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 2 | 139 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 30 | 802 |
| Release from Choke Canyon | | | | | | | 66 | 1,572 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 505 | 12,960 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/24/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | | | | | | 198 | 6,044 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 01/11/1999 | | | | | | | 1250 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 3,544 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/24/1999 | 80 | 184 | 0.00 | 78 | 152 | 0.00 | 336 | 0.00 |
| MTD | | 3,086 | 0.15 | | 3,975 | 1.17 | 7,061 | 1.32 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 26, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|---|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|-----------------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/26/1998 | 199.8 | 273,599 | 39.4% | 89.9 | 166,828 | 69.2% | 440,427 | 47.0% |
| 01/26/1999 (6am Reading) | 205.1 | 360,817 | 51.9% | 90.9 | 185,046 | 76.7% | 545,863 | 58.3% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/25/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 351 | 11,201 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | | | | | | 218 | 7,561 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 135 | 3,678 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 3 | 142 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 30 | 832 |
| Release from Choke Canyon | | | | | | | 66 | 1,638 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 424 | 13,384 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/25/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | | | | | | 195 | 6,239 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 01/11/1999 | | | | | | | 1250 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 3,739 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/25/1999 | 78 | 123 | 0.00 | 76 | 142 | 0.00 | 265 | 0.00 |
| MTD | | 3,209 | 0.15 | | 4,117 | 1.17 | 7,326 | 1.32 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 27, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/27/1998 | 199.8 | 273,449 | 39.3% | 89.8 | 166,661 | 69.1% | 440,110 | 47.0% |
| 01/27/1999 (6am Reading) | 205.1 | 360,817 | 51.9% | 90.9 | 185,220 | 76.8% | 546,037 | 58.3% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/26/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 351 | 11,553 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | | | | | | 222 | 7,783 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 131 | 3,809 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 3 | 145 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 30 | 861 |
| Release from Choke Canyon | | | | | | | 66 | 1,703 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 420 | 13,804 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/26/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999:1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | | | | | | 171 | 6,410 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 01/11/1999 | | | | | | | 1250 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 3,910 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/26/1999 | 80 | 256 | 0.00 | 77 | 334 | 0.00 | 590 | 0.00 |
| MTD | | 3,465 | 0.15 | | 4,451 | 1.17 | 7,916 | 1.32 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 28, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/28/1998 | 199.7 | 273,150 | 39.3% | 89.8 | 166,328 | 68.9% | 439,478 | 46.9% |
| 01/28/1999 (6am Reading) | 205.1 | 360,641 | 51.9% | 90.9 | 184,873 | 76.6% | 545,514 | 58.2% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/27/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 443 | 11,995 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | | | | | | 226 | 8,009 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 127 | 3,936 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 3 | 148 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 30 | 891 |
| Release from Choke Canyon | | | | | | | 66 | 1,769 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 508 | 14,311 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/27/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | | | | | | 117 | 6,527 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 01/11/1999 | | | | | | | 1250 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 4,027 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/27/1999 | 80 | 172 | 0.00 | 78 | 152 | 0.00 | 324 | 0.00 |
| MTD | | 3,637 | 0.15 | | 4,603 | 1.17 | 8,240 | 1.32 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 29, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/29/1998 | 199.7 | 273,000 | 39.3% | 89.8 | 165,662 | 68.7% | 438,662 | 46.8% |
| 01/29/1999 (6am Reading) | 205.1 | 360,641 | 51.9% | 90.9 | 184,873 | 76.6% | 545,514 | 58.2% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/28/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 421 | 12,416 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | | | | | | 230 | 8,240 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 127 | 4,063 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 3 | 152 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 30 | 921 |
| Release from Choke Canyon | | | | | | | 66 | 1,834 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 486 | 14,797 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/28/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | | | | | | 71 | 6,598 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 01/11/1999 | | | | | | | 1250 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 4,098 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/28/1999 | 79 | 102 | 0.00 | 78 | 131 | 0.00 | 233 | 0.00 |
| MTD | | 3,739 | 0.15 | | 4,734 | 1.17 | 8,473 | 1.32 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 30, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|---------------------------------|-------------------------------|-----------------|---------------------------|--------------------------------------|-----------------|---------------------------|-----------------|---------------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/30/1998 | 199.7 | 272,851 | 39.2% | 89.8 | 165,164 | 68.5% | 438,015 | 46.8% |
| 01/30/1999 (6am Reading) | 205.1 | 360,465 | 51.8% | 90.9 | 184,699 | 76.6% | 545,164 | 58.2% |

| RESERVOIR SYSTEM INFLOWS | | | |
|--|---|---------------------|--------------|
| GAUGING STATION | 24-hour average flow ending at 12am | 01/29/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | 363 | 12,779 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | 244 | 8,484 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | 127 | 4,190 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | 1 | 153 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | 30 | 951 |
| Release from Choke Canyon | | 66 | 1,900 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | 426 | 15,223 |

| ESTUARY STATISTICS | | | |
|--|---|---------------------|--------------|
| ITEM | | 01/29/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | 0 |
| Return Flow Credit | 01/01/1999 | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | 50 | 6,648 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 01/11/1999 | | 1250 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | 4,148 |

| WEATHER RELATED INFORMATION | | | | | | | | |
|------------------------------------|-------------------------------|----------------------|----------------------|--------------------------------------|----------------------|----------------------|----------------------|----------------------|
| | CHOKE CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/29/1999 | 76 | 205 | 0.00 | 78 | 253 | 0.00 | 458 | 0.00 |
| MTD | | 3,944 | 0.15 | | 4,987 | 1.17 | 8,931 | 1.32 |

JANUARY 1999
PASS-THRU STATUS REPORT
Report Date: January 31, 1999

| RESERVOIR STATISTICS | | | | | | | | |
|--|--|----------------------|---------------------------|--------------------------------------|----------------------|---------------------------|----------------------|---------------------------|
| | CHOKO CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Elev. (Feet) | Volume (A-F) | Percent of Capacity | Volume (A-F) | Percent of Capacity |
| FULL | 220.5 | 695,271 | 100.0% | 94.0 | 241,241 | 100.0% | 936,512 | 100.0% |
| 01/31/1998 | 199.7 | 272,702 | 39.2% | 89.7 | 164,832 | 68.3% | 437,534 | 46.7% |
| 01/31/1999 (6am Reading) | 205.1 | 360,465 | 51.8% | 90.9 | 184,699 | 76.6% | 545,164 | 58.2% |
| RESERVOIR SYSTEM INFLOWS | | | | | | | | |
| GAUGING STATION | 24-hour average flow ending at 12am | | | | | | 01/30/1999 (A-F) | MTD (A-F) |
| NTRT: Nueces River @ Three Rivers, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 375 | 13,155 |
| NRTT: Nueces River @ Tilden, Tx | Measured flows above Three Rivers, Tx going into Nueces River at Three Rivers, Tx | | | | | | 238 | 8,722 |
| FRTT: Frio River @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 125 | 4,315 |
| SMTT: San Miguel Creek @ Tilden, Tx | Measured flows going directly into Choke Canyon Reservoir | | | | | | 2 | 155 |
| ARWT: Atascosa River @ Whitsett, Tx | Measured flows above Three Rivers, Tx going directly into Lake Corpus Christi | | | | | | 30 | 981 |
| Release from Choke Canyon | | | | | | | 66 | 1,965 |
| Reservoir System Inflow Computed As: | The sum of the flows measured at NTRT, FRTT, and SMTT less the release from Choke Canyon. | | | | | | 436 | 15,659 |
| ESTUARY STATISTICS | | | | | | | | |
| ITEM | | | | | | | 01/30/1999 (A-F) | MTD (A-F) |
| Pass-Thru Target | Established by TNRCC Agreed Operating Order | | | | | | | 2,500 |
| December Inflow Credit / (-Deficit) | Carry over amount on 01/01/1999: 1,250 | | | | | | | 0 |
| Return Flow Credit | 01/01/1999 | | | | | | | 500 |
| Nueces Estuary Inflow | Measured on Nueces River at Calallen Salt Water Barrier Dam | | | | | | 54 | 6,702 |
| Salinity Relief Credit | Measured at the Nueces Bay control station SALT 03 01/11/1999 | | | | | | | 1,250 |
| Nueces Estuary Inflow Status | Inflow Credit to Date | | | | | | | 4,202 |
| WEATHER RELATED INFORMATION | | | | | | | | |
| | CHOKO CANYON RESERVOIR | | | LAKE CORPUS CHRISTI RESERVOIR | | | COMBINED | |
| | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Air Temp °F | Evaporation (A-F) | Rainfall (Inches) | Evaporation (A-F) | Rainfall (Inches) |
| 01/30/1999 | 68 | 174 | 0.00 | 69 | 242 | 0.00 | 416 | 0.00 |
| MTD | | 4,118 | 0.15 | | 5,229 | 1.17 | 9,347 | 1.32 |