Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 1, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity			Volume (AcFt)	- -	ercent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	10	0%	94.0	241,2	241	100%	936,51	2 100%	
02/01/1999	205.1	360,465	51.	.8%	90.9	184,3	353	76.4%	544,81	8 58.2%	
02/01/2000	201.1	293,801	42.	.3%	88.5	144,9	981	60.1%	438,78	2 46.9%	
			W	eather Rela	ted Ir	nformatio	n				
		Choke Can	yon Reservoir	r		Lake C	Corpus C	hristi Reserv	voir	Combined	
Date	Air Te	•	poration AcFt)	Rainfall (Inches)		r Temp (°F)		oration AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/31/200	00 58		55	0.00		60		73	0.00	128	
MTD			3,581	1.25				4,217	1.41	7,798	

STREAM FLOWS

Gauging Station	01/31/2000 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	91	2,765				
NRTT: Nueces River at Tilden, Texas	1	88				
FRTT: Frio River at Tilden, Texas	42	1,596				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	5	182				
Release from Choke Canyon Reservoir	66	2,031				
NCAT: Nueces River at Calallen, Texas	30	1,938				
Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	67	2,330				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	57
Wastewater Return Flow Credit (Effective: 01/01/2000)	500
Required Passthru Target: 2,500 Reservoir Inflow: 2,330	2,330
Estuary Inflows (Measured at NCAT)	1,938
PassThru Surplus / -Deficit:	164

Report Generated: 02/18/2000 at 11:37:36 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 2, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevat		Volume (AcFt)	e Percei Capa		Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	10	0%	94.0	241,2	41	100%	936,512	2 100%		
02/02/1999	205.1	360,290	51.	8%	90.9	184,5	26	76.5%	544,810	5 58.2%		
02/02/2000	201.1	294,113	42.	3%	88.5	144,8	24	60.0%	438,937	46.9%		
			W	eather Rela	ted Ir	nformation	ı					
		Choke Can	yon Reservoir			Lake C	orpus Christi	Reserv	oir	Combined		
Date	Air Te		poration AcFt)	Rainfall (Inches)		Temp (°F)	Evaporati (AcFt)	on	Rainfall (Inches)	Evaporation (AcFt)		
02/01/200	00 68		36	0.38		66		119	0.16	155		
MTD			36	0.38				119	0.16	155		

STREAM FLOWS

Gauging Station	02/01/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	91	91
NRTT: Nueces River at Tilden, Texas	1	1
FRTT: Frio River at Tilden, Texas	38	38
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	5
Release from Choke Canyon Reservoir	66	66
NCAT: Nueces River at Calallen, Texas	11	11
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	64	64

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Wastewater Return Flow Credit (Effective: 02/01/2000)	500
Required Passthru Target: 2,500 Reservoir Inflow: 64	64
Estuary Inflows (Measured at NCAT)	11
PassThru Surplus / -Deficit:	0

Report Generated: 02/18/2000 at 11:44:15 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 3, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevat		Volume (AcFt)		Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	10	0%	94.0	241,2	241	100%	936,512	2 100%		
02/03/1999	205.1	360,290	51.	8%	90.9	184,5	526	76.5%	544,810	5 58.2%		
02/03/2000	201.2	295,053	42.	4%	88.5	144,6	567	60.0%	439,720	0 47.0%		
			W	eather Rela	ted Ir	nformatio	n					
		Choke Can	yon Reservoir			Lake C	Corpu	ıs Christi Reserv	voir	Combined		
Date	Air Te		poration AcFt)	Rainfall Inches	Aiı	r Temp (°F)	E	Cvaporation (AcFt)	Rainfall Inches	Evaporation (AcFt)		
02/02/200	00 48		46	0.69		54		27	0.19	73		
MTD			82	1.07				146	0.35	228		

STREAM FLOWS

Gauging Station	02/02/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	97	189
NRTT: Nueces River at Tilden, Texas	2	3
FRTT: Frio River at Tilden, Texas	40	77
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	7	12
Release from Choke Canyon Reservoir	66	131
NCAT: Nueces River at Calallen, Texas	48	59
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	71	135

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit:0 Effective:		2,500
Credit / -Deficit From Previous Month	Date Deficit Satisfied:	164
Wastewater Return Flow Credit	Effective 02/01/2000	500
Required Passthru Target: 2,500 Reservoir Inflow:135		135
Estuary Inflows (Measured at NCAT)		59
PassThru Surplus / -Deficit:		0

Report Generated: 02/03/2000 at 8:56:27 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 4, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	f Elevat (Ft)		Volume (AcFt)	-	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	10	0%	94.0	241,2	241	100%	936,51	2 100%		
02/04/1999	205.1	359,938	51.	8%	90.9	184,5	526	76.5%	544,464	4 58.1%		
02/04/2000	201.2	294,896	42.	4%	88.5	144,6	667	60.0%	439,56	3 46.9%		
			W	eather Rela	ted Ir	nformatio	n					
		Choke Can	yon Reservoii			Lake C	Corpus	s Christi Reserv	oir	Combined		
Date	Air Te	-	poration AcFt)	Rainfall Inches	Aiı	Temp (°F)	Ev	(AcFt)	Rainfall Inches	Evaporation (AcFt)		
02/03/200	00 72		64	0.00		73		128	0.00	192		
MTD			146	1.07				274	0.35	420		

STREAM FLOWS

Gauging Station	02/03/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	99	288
NRTT: Nueces River at Tilden, Texas	1	5
FRTT: Frio River at Tilden, Texas	42	119
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	7	19
Release from Choke Canyon Reservoir	66	197
NCAT: Nueces River at Calallen, Texas	42	101
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	75	210

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit:0 Effective:		2,500
Credit / -Deficit From Previous Month	Date Deficit Satisfied:	164
Wastewater Return Flow Credit	Effective 02/01/2000	500
Required Passthru Target: 2,500 Reservoir Inflow:210		210
Estuary Inflows (Measured at NCAT)		101
PassThru Surplus / -Deficit:		0

Report Generated: 02/04/2000 at 8:30:47 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 5, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevat (Ft		Volume (AcFt)		ent of acity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	10)%	94.0	241,2	41	100%	936,51	2 100%	
02/05/1999	205.1	359,938	51.	8%	90.9	184,5	26	76.5%	544,46	4 58.1%	
02/05/2000	201.1	294,583	42.	4%	88.5	144,8	24	60.0%	439,40	7 46.9%	
			W	eather Rela	ted Ir	nformation	n				
		Choke Can	yon Reservoir			Lake C	orpus Chris	ti Reserv	oir	Combined	
Date	Air Te	•	poration AcFt)	Rainfall Inches		Temp (°F)	Evapora (AcF		Rainfall Inches	Evaporation (AcFt)	
02/04/200	00 68		182	0.00		73		201	0.00	383	
MTD			328	1.07				475	0.35	803	

STREAM FLOWS

Gauging Station	02/04/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	95	383
NRTT: Nueces River at Tilden, Texas	1	6
FRTT: Frio River at Tilden, Texas	40	159
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	7	27
Release from Choke Canyon Reservoir	66	262
NCAT: Nueces River at Calallen, Texas	64	164
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	69	280

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit:0 Effective:		2,500
Credit / -Deficit From Previous Month	Date Deficit Satisfied:	164
Wastewater Return Flow Credit	Effective 02/01/2000	500
Required Passthru Target: 2,500 Reservoir Inflow:280		280
Estuary Inflows (Measured at NCAT)		164
PassThru Surplus / -Deficit:		0

Report Generated: 02/05/2000 at 9:11:32 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 6, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevat		Volume (AcFt)	-	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	10	0%	94.0	241,2	241	100%	936,512	2 100%	
02/06/1999	205.1	359,938	51.	8%	90.9	184,5	526	76.5%	544,464	4 58.1%	
02/06/2000	201.1	294,270	42.	3%	88.5	144,6	667	60.0%	438,937	7 46.9%	
			W	eather Rela	ted Iı	nformation	n				
		Choke Can	yon Reservoir			Lake C	Corpu	s Christi Reserv	oir	Combined	
Date	Air Te		poration AcFt)	Rainfall Inches	Aiı	r Temp (°F)	E	vaporation (AcFt)	Rainfall Inches	Evaporation (AcFt)	
02/05/200	00 62		137	0.00		61		164	0.00	301	
MTD			465	1.07				639	0.35	1,104	

STREAM FLOWS

Gauging Station	02/05/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	93	476
NRTT: Nueces River at Tilden, Texas	1	6
FRTT: Frio River at Tilden, Texas	42	200
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	6	32
Release from Choke Canyon Reservoir	66	328
NCAT: Nueces River at Calallen, Texas	15	179
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	69	349

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit:0 Effective:		2,500
Credit / -Deficit From Previous Month	Date Deficit Satisfied:	164
Wastewater Return Flow Credit	Effective 02/01/2000	500
Required Passthru Target: 2,500 Reservoir Inflow:349		349
Estuary Inflows (Measured at NCAT)		179
PassThru Surplus / -Deficit:		0

Report Generated: 02/06/2000 at 8:54:14 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 7, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevat		Volume (AcFt)	-	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	10	0%	94.0	241,2	241	100%	936,51	2 100%	
02/07/1999	205.1	359,938	51.	8%	90.9	184,6	599	76.6%	544,63	7 58.2%	
02/07/2000	201.1	294,426	42.	3%	88.5	144,3	354	59.8%	438,78	0 46.9%	
			W	eather Rela	ted Iı	nformation	n				
		Choke Can	yon Reservoir			Lake C	Corpu	ıs Christi Reserv	voir	Combined	
Date	Air Te (°F			Rainfall Inches	Aiı	Air Temp (°F)		Cvaporation (AcFt)	Rainfall Inches	Evaporation (AcFt)	
02/06/200	00 71		73	0.00		71		82	0.00	155	
MTD			538	1.07				721	0.35	1,259	

STREAM FLOWS

Gauging Station	02/06/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	93	570
NRTT: Nueces River at Tilden, Texas	1	7
FRTT: Frio River at Tilden, Texas	46	246
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	38
Release from Choke Canyon Reservoir	66	393
NCAT: Nueces River at Calallen, Texas	28	207
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	73	423

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit:0 Effective:		2,500
Credit / -Deficit From Previous Month	Date Deficit Satisfied:	164
Wastewater Return Flow Credit	Effective 02/01/2000	500
Required Passthru Target: 2,500 Reservoir Inflow:423		423
Estuary Inflows (Measured at NCAT)		207
PassThru Surplus / -Deficit:		0

Report Generated: 02/07/2000 at 9:08:32 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 8, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevat		Volume (AcFt)		Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	10	0%	94.0	241,2	241	100%	936,512	2 100%	
02/08/1999	205.1	359,938	51.	8%	90.9	184,8	373	76.6%	544,81	1 58.2%	
02/08/2000	201.1	294,270	42.	3%	88.5	144,5	511	59.9%	438,78	46.9%	
			W	eather Rela	ted Ir	nformation	n				
		Choke Can	yon Reservoir			Lake C	Corpus	Christi Reserv	oir	Combined	
Date	Air Te	-	poration AcFt)	Rainfall Inches		Temp (°F)		vaporation (AcFt)	Rainfall Inches	Evaporation (AcFt)	
02/07/200	0 77		119	0.00		80		119	0.00	238	
MTD			657	1.07				840	0.35	1,497	

STREAM FLOWS

Gauging Station	02/07/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	91	661
NRTT: Nueces River at Tilden, Texas	1	8
FRTT: Frio River at Tilden, Texas	46	292
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	9	46
Release from Choke Canyon Reservoir	66	459
NCAT: Nueces River at Calallen, Texas	38	245
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	71	494

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit:0 Effective:		2,500
Credit / -Deficit From Previous Month	Date Deficit Satisfied:	164
Wastewater Return Flow Credit	Effective 02/01/2000	500
Required Passthru Target: 2,500 Reservoir Inflow:494		494
Estuary Inflows (Measured at NCAT)		245
PassThru Surplus / -Deficit:		0

Report Generated: 02/08/2000 at 8:37:12 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 9, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	f Elevat (Ft)		Volume (AcFt)	-	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	10	0%	94.0	241,2	241	100%	936,51	2 100%	
02/09/1999	205.1	359,938	51.	8%	90.9	184,8	373	76.6%	544,81	1 58.2%	
02/09/2000	201.1	294,113	42.	3%	88.5	144,1	98	59.8%	438,31	1 46.8%	
			W	eather Rela	ted Iı	nformation	n				
		Choke Can	yon Reservoir			Lake C	Corpu	ıs Christi Reserv	oir	Combined	
Date	Air Te (°F	-	poration AcFt)	Rainfall Inches	Aiı	Temp (°F)	Ε	vaporation (AcFt)	Rainfall Inches	Evaporation (AcFt)	
02/08/200	0 77		100	0.00		76		109	0.00	209	
MTD			757	1.07				949	0.35	1,706	

STREAM FLOWS

Gauging Station	02/08/2000 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	91	752				
NRTT: Nueces River at Tilden, Texas	1	8				
FRTT: Frio River at Tilden, Texas	48	339				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	7	53				
Release from Choke Canyon Reservoir	66	524				
NCAT: Nueces River at Calallen, Texas	0	245				
Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	73	568				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit:0 Effective:		2,500
Credit / -Deficit From Previous Month	Date Deficit Satisfied:	164
Wastewater Return Flow Credit	Effective 02/01/2000	500
Required Passthru Target: 2,500 Reservoir Inflow:568		568
Estuary Inflows (Measured at NCAT)		245
PassThru Surplus / -Deficit:		0

Report Generated: 02/09/2000 at 8:41:39 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 10, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent o Capacity			Volume (AcFt)		Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	10	00%	94.0	241,2	241	100%	936,51	2 100%	
02/10/1999	205.1	359,938	51	.8%	90.9	184,8	373	76.6%	544,81	1 58.2%	
02/10/2000	201.1	293,801	42	.3%	88.4	143,7	729	59.6%	437,53) 46.7%	
			W	eather Rela	ted Ir	nformation	n				
		Choke Can	yon Reservoi	r		Lake C	Corpus	Christi Reserv	voir	Combined	
Date	Air Te	-	poration AcFt)	Rainfall (Inches)	Aiı	Temp (°F)		aporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/09/200	00 80		137	0.00		80		173	0.00	310	
MTD			894	1.07				1,122	0.35	2,016	

STREAM FLOWS

Gauging Station	02/09/2000 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	93	846					
NRTT: Nueces River at Tilden, Texas	1	9					
FRTT: Frio River at Tilden, Texas	48	387					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	6	59					
Release from Choke Canyon Reservoir	66	590					
NCAT: Nueces River at Calallen, Texas	0	245					
Reservoir Inflow							
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	75	643					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Wastewater Return Flow Credit (Effective: 02/01/2000)	500
Required Passthru Target: 2,500 Reservoir Inflow: 643	643
Estuary Inflows (Measured at NCAT)	245
PassThru Surplus / -Deficit:	0

Report Generated: 02/18/2000 at 11:22:36 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 11, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity			Volume (AcFt)	-	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	10	0%	94.0	241,2	241	100%	936,512	2 100%	
02/11/1999	205.1	359,938	51.	.8%	90.9	184,8	373	76.6%	544,81	1 58.2%	
02/11/2000	201.1	293,644	42.	.2%	88.4	143,5	572	59.5%	437,210	6 46.7%	
			W	eather Rela	ted Ir	nformatio	n				
		Choke Can	yon Reservoir	r		Lake C	Corpus	s Christi Reserv	voir	Combined	
Date	Air Te (°F		poration AcFt)	Rainfall (Inches)		Temp (°F)	Ev	vaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/10/200	00 86		137	0.00		87		227	0.00	364	
MTD			1,031	1.07				1,349	0.35	2,380	

STREAM FLOWS

Gauging Station	02/10/2000 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	93	939				
NRTT: Nueces River at Tilden, Texas	0	10				
FRTT: Frio River at Tilden, Texas	50	437				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	5	65				
Release from Choke Canyon Reservoir	183	772				
NCAT: Nueces River at Calallen, Texas	0	245				
Reservoir Inflow						
Computed as: NRTT+FRTT+SMTT+ARWT	55	698				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Wastewater Return Flow Credit (Effective: 02/01/2000)	500
Required Passthru Target: 2,500 Reservoir Inflow: 698	698
Estuary Inflows (Measured at NCAT)	245
PassThru Surplus / -Deficit:	210

Report Generated: 02/18/2000 at 11:30:13 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 12, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevat (Ft)		Volume (AcFt)	-	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100)%	94.0	241,2	241	100%	936,51	2 100%	
02/12/1999	205.1	359,763	51.7	7%	90.9	184,8	373	76.6%	544,63	6 58.2%	
02/12/2000	201.0	293,020	42.1	۱%	88.4	143,7	729	59.6%	436,74	9 46.6%	
			We	eather Rela	ted Iı	nformatio	n				
		Choke Can	yon Reservoir			Lake C	Corpus	s Christi Reserv	oir	Combined	
Date	Air Te		poration AcFt)	Rainfall Inches	Aiı	r Temp (°F)		vaporation (AcFt)	Rainfall Inches	Evaporation (AcFt)	
02/11/200	00 86		155	0.00		85		127	0.00	282	
MTD			1,186	1.07				1,476	0.35	2,662	

STREAM FLOWS

Gauging Station	02/11/2000 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	385	1,324					
NRTT: Nueces River at Tilden, Texas	0	10					
FRTT: Frio River at Tilden, Texas	48	484					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	5	69					
Release from Choke Canyon Reservoir	496	1,268					
NCAT: Nueces River at Calallen, Texas	0	245					
Reservoir Inflow							
Computed as: NRTT+FRTT+SMTT+ARWT	53	751					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit:0 Effective:		2,500
Credit / -Deficit From Previous Month	Date Deficit Satisfied:	164
Wastewater Return Flow Credit	Effective 02/01/2000	500
Required Passthru Target: 2,500 Reservoir Inflow:751		751
Estuary Inflows (Measured at NCAT)		245
PassThru Surplus / -Deficit:		158

Report Generated: 02/12/2000 at 8:38:23 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 13, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevat		Volume (AcFt)	-	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100)%	94.0	241,2	241	100%	936,51	2 100%	
02/13/1999	205.1	359,587	51.2	7%	90.9	184,6	599	76.6%	755,28	6 58.1%	
02/13/2000	201.0	292,707	42.	1%	88.5	144,0	041	59.7%	436,74	8 46.6%	
			W	eather Rela	ted Ir	nformation	n				
		Choke Can	yon Reservoir			Lake C	Corpus	Christi Reserv	voir	Combined	
Date	Air Te	•	poration AcFt)	Rainfall Inches		Temp (°F)		aporation (AcFt)	Rainfall Inches	Evaporation (AcFt)	
02/12/200	00 76		136	0.00		76		155	0.00	291	
MTD			1,322	1.07				1,631	0.35	2,953	

STREAM FLOWS

Gauging Station	02/12/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	453	1,777
NRTT: Nueces River at Tilden, Texas	0	10
FRTT: Frio River at Tilden, Texas	48	532
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	73
Release from Choke Canyon Reservoir	496	1,765
NCAT: Nueces River at Calallen, Texas	40	284
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	755

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit:0 Effective:		2,500
Credit / -Deficit From Previous Month	Date Deficit Satisfied:	164
Wastewater Return Flow Credit	Effective 02/01/2000	500
Required Passthru Target: 2,500 Reservoir Inflow:755		755
Estuary Inflows (Measured at NCAT)		284
PassThru Surplus / -Deficit:		193

Report Generated: 02/13/2000 at 8:46:13 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 14, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	f Elevat (Ft		Volume (AcFt)	-	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	10	0%	94.0	241,2	241	100%	936,512	2 100%		
02/14/1999	205.0	359,236	51.	7%	90.9	184,3	353	76.4%	543,58	9 58.0%		
02/14/2000	201.0	292,240	42.	0%	88.5	144,0)41	59.7%	436,28	1 46.6%		
			W	eather Rela	ted Ir	nformatio	n					
		Choke Can	yon Reservoir			Lake C	Corpu	ıs Christi Reserv	/oir	Combined		
Date	Air Te		poration AcFt)	Rainfall Inches		r Temp (°F)	E	Cvaporation (AcFt)	Rainfall Inches	Evaporation (AcFt)		
02/13/200	00 85		182	0.00		83		155	0.00	337		
MTD			1,504	1.07				1,786	0.35	3,290		

STREAM FLOWS

Gauging Station	02/13/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	453	2,229
NRTT: Nueces River at Tilden, Texas	0	11
FRTT: Frio River at Tilden, Texas	46	578
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	76
Release from Choke Canyon Reservoir	496	2,261
NCAT: Nueces River at Calallen, Texas	34	318
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	757

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit:0 Effective:		2,500
Credit / -Deficit From Previous Month	Date Deficit Satisfied:	164
Wastewater Return Flow Credit	Effective 02/01/2000	500
Required Passthru Target: 2,500 Reservoir Inflow:757		757
Estuary Inflows (Measured at NCAT)		318
PassThru Surplus / -Deficit:		225

Report Generated: 02/14/2000 at 8:37:18 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 15, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevat (Ft		Volume (AcFt)	- 1 -	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	100)%	94.0	241,2	241	100%	936,512	2 100%	
02/15/1999	205.0	359,236	51.7	7%	90.9	184,1	.79	76.3%	543,41	5 58.0%	
02/15/2000	201.0	291,772	42.0)%	88.4	143,7	29	59.6%	435,50	1 46.5%	
			We	eather Rela	ted I	nformation	n				
		Choke Can	yon Reservoir			Lake C	Corpus C	Christi Reserv	oir	Combined	
Date	Air Te		poration AcFt)	Rainfall Inches	Aiı	Temp (°F)		poration AcFt)	Rainfall Inches	Evaporation (AcFt)	
02/14/200	0 85		172	0.00		87		209	0.00	381	
MTD			1,676	1.07				1,995	0.35	3,671	

STREAM FLOWS

Gauging Station	02/14/2000 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	451	2,680				
NRTT: Nueces River at Tilden, Texas	0	11				
FRTT: Frio River at Tilden, Texas	44	621				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	3	80				
Release from Choke Canyon Reservoir	496	2,757				
NCAT: Nueces River at Calallen, Texas	73	391				
Reservoir Inflow						
Computed as: NRTT+FRTT+SMTT+ARWT	47	804				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit:0 Effective:		2,500
Credit / -Deficit From Previous Month	Date Deficit Satisfied:	164
Wastewater Return Flow Credit	Effective 02/01/2000	500
Required Passthru Target: 2,500 Reservoir Inflow:804		804
Estuary Inflows (Measured at NCAT)		391
PassThru Surplus / -Deficit:		251

Report Generated: 02/15/2000 at 8:25:28 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 16, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	f Elevat (Ft		Volume (AcFt)		Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	10	0%	94.0	241,2	241	100%	936,512	2 100%	
02/16/1999	205.0	358,885	51.	6%	90.9	183,8	333	76.2%	542,71	3 58.0%	
02/16/2000	200.9	291,461	41.	9%	88.4	143,5	572	59.5%	435,03	3 46.5%	
			W	eather Rela	ted Ir	nformatio	n				
		Choke Can	yon Reservoii			Lake C	Corpu	us Christi Reserv	/oir	Combined	
Date	Air Te (°F)		poration AcFt)	Rainfall Inches		Temp (°F)	E	Evaporation (AcFt)	Rainfall Inches	Evaporation (AcFt)	
02/15/200	00 86		172	0.00		83		200	0.00	372	
MTD			1,848	1.07				2,195	0.35	4,043	

STREAM FLOWS

Gauging Station	02/15/2000 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	435	3,114				
NRTT: Nueces River at Tilden, Texas	0	11				
FRTT: Frio River at Tilden, Texas	44	665				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	3	83				
Release from Choke Canyon Reservoir	463	3,220				
NCAT: Nueces River at Calallen, Texas	91	483				
Reservoir Inflow						
Computed as: NRTT+FRTT+SMTT+ARWT	47	851				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit:0 Effective:		2,500
Credit / -Deficit From Previous Month	Date Deficit Satisfied:	164
Wastewater Return Flow Credit	Effective 02/01/2000	500
Required Passthru Target: 2,500 Reservoir Inflow:851		851
Estuary Inflows (Measured at NCAT)		483
PassThru Surplus / -Deficit:		295

Report Generated: 02/16/2000 at 9:20:56 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 17, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake C	Corpus Chr	Combined	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	f Elevat (Ft)		Volume (AcFt)		Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	10	0%	94.0	241,2	100	% 936,51	2 100%	
02/17/1999	205.0	358,710	51.	6%	90.9	183,6	660 76.1	% 542,37	0 57.9%	
02/17/2000	200.9	290,373	41.	8%	88.4	143,7	29 59.6	% 434,10	2 46.4%	
			W	eather Rela	ted Ir	nformatio	n			
		Choke Can	yon Reservoir			Lake C	orpus Christi Rese	rvoir	Combined	
Date	Air Te	-	poration AcFt)	Rainfall Inches		r Temp (°F)	Evaporation (AcFt)	Rainfall Inches	Evaporation (AcFt)	
02/16/200	0 87		199	0.00		84	191	0.00	390	
MTD			2,047	1.07			2,386	0.35	4,433	

STREAM FLOWS

Gauging Station	02/16/2000 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	564	3,678				
NRTT: Nueces River at Tilden, Texas	0	11				
FRTT: Frio River at Tilden, Texas	42	707				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	4	86				
Release from Choke Canyon Reservoir	738	3,959				
NCAT: Nueces River at Calallen, Texas	30	513				
Reservoir Inflow						
Computed as: NRTT+FRTT+SMTT+ARWT	45	896				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit:0 Effective:		2,500
Credit / -Deficit From Previous Month	Date Deficit Satisfied:	164
Wastewater Return Flow Credit	Effective 02/01/2000	500
Required Passthru Target: 2,500 Reservoir Inflow:896		896
Estuary Inflows (Measured at NCAT)		513
PassThru Surplus / -Deficit:		281

Report Generated: 02/17/2000 at 8:51:33 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 18, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity			Volume (AcFt)	e Percent of Capacity	2	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	10	0%	94.0	241,2	41 10	0%	936,512	100%		
02/18/1999	205.0	358,710	51.	6%	90.8	183,4	.87 76.	1%	542,197	57.9%		
02/18/2000	200.8	289,753	41.	7%	88.4	143,7	2 9 5 9.	6%	433,482	46.3%		
			W	eather Rela	ted Ir	nformation	n					
		Choke Can	yon Reservoii			Lake C	orpus Christi Res	serv	oir	Combined		
Date	Air Te		poration AcFt)	Rainfall (Inches)		Temp (°F)	Evaporation (AcFt)			Evaporation (AcFt)		
02/17/200	00 84		190	0.00		83	20)0	0.00	390		
MTD			2,237	1.07			2,58	36	0.35	4,823		

STREAM FLOWS

Gauging Station	02/17/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	808	4,486
NRTT: Nueces River at Tilden, Texas	0	11
FRTT: Frio River at Tilden, Texas	42	748
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	90
Release from Choke Canyon Reservoir	496	4,455
NCAT: Nueces River at Calallen, Texas	0	513
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	353	1,345

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Wastewater Return Flow Credit (Effective: 02/01/2000)	500
Required Passthru Target: 2,500 Reservoir Inflow: 1,345	1,345
Estuary Inflows (Measured at NCAT)	513
PassThru Surplus / -Deficit:	-168

Report Generated: 02/20/2000 at 10:36:31 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 19, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity			Volume (AcFt)		Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	10	0%	94.0	241,2	241	100%	936,51	2 100%		
02/19/1999	205.0	358,359	51.	5%	90.8	183,3	314	76.0%	541,67	3 57.8%		
02/19/2000	200.8	289,443	41.	6%	88.5	144,0)41	59.7%	433,48	4 46.3%		
			W	eather Rela	ted I1	nformatio	n					
		Choke Can	yon Reservoii	r		Lake C	Corpu	us Christi Reserv	/oir	Combined		
Date	Air Te	-	poration AcFt)	Rainfall (Inches)	Aiı	r Temp (°F)	E	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
02/18/200	0 85		253	0.00		87		273	0.02	526		
MTD			2,490	1.07				2,859	0.37	5,349		

STREAM FLOWS

Gauging Station	02/18/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	510	4,996
NRTT: Nueces River at Tilden, Texas	11	23
FRTT: Frio River at Tilden, Texas	40	788
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	94
Release from Choke Canyon Reservoir	496	4,951
NCAT: Nueces River at Calallen, Texas	0	513
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	54	1,399

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Wastewater Return Flow Credit (Effective: 02/01/2000)	500
Required Passthru Target: 2,500 Reservoir Inflow: 1,399	1,399
Estuary Inflows (Measured at NCAT)	513
PassThru Surplus / -Deficit:	-222

Report Generated: 02/19/2000 at 10:43:55 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 20, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	f Elevat (Ft		Volume (AcFt)	-	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	10	0%	94.0	241,2	241	100%	936,51	2 100%	
02/20/1999	205.0	358,359	51.	5%	90.8	183,1	141	75.9%	541,50	57.8%	
02/20/2000	200.8	288,668	41.	5%	88.5	144,1	198	59.8%	432,86	6 46.2%	
			W	eather Rela	ted Ir	nformatio	n				
		Choke Can	yon Reservoii			Lake C	Corpu	ıs Christi Reserv	voir	Combined	
Date	Air Te		poration AcFt)	Rainfall (Inches)		Temp (°F)	E	Cvaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/19/200	00 85		207	0.00		68		246	0.00	453	
MTD			2,697	1.07				3,105	0.37	5,802	

STREAM FLOWS

Gauging Station	02/19/2000 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	441	5,437				
NRTT: Nueces River at Tilden, Texas	13	36				
FRTT: Frio River at Tilden, Texas	38	826				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	4	98				
Release from Choke Canyon Reservoir	496	5,447				
NCAT: Nueces River at Calallen, Texas	10	522				
Reservoir Inflow						
Computed as: NRTT+FRTT+SMTT+ARWT	55	1,454				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Wastewater Return Flow Credit (Effective: 02/01/2000)	500
Required Passthru Target: 2,500 Reservoir Inflow: 1,454	1,454
Estuary Inflows (Measured at NCAT)	522
PassThru Surplus / -Deficit:	-267

Report Generated: 02/20/2000 at 10:43:28 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 21, 2000

RESERVOIR STATISTICS

	Cho	ke Canyon Re	servoir	I	Lake C	Corpus Chr	risti I	Reservoir	Combined	Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevat		Volume (AcFt)	-	Percent of Capacity	Volume (AcFt)	Percent of Capacity	
FULL	220.5	695,271	10	0%	94.0	241,2	241	100%	936,51	2 100%	
02/21/1999	205.0	358,359	51.	5%	90.8	183,1	141	75.9%	541,50	57.8%	
02/21/2000	200.7	288,050	41.	4%	88.4	143,8	385	59.6%	431,93	5 46.1%	
			W	eather Rela	ted Iı	nformatio	n				
		Choke Can	yon Reservoir			Lake C	Corpu	ıs Christi Reserv	voir	Combined	
Date	Air Te		poration AcFt)	Rainfall (Inches)	Aiı	Temp (°F)	E	Cvaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/20/200	00 70		135	0.00		69		91	0.00	226	
MTD			2,832	1.07				3,196	0.37	6,028	

STREAM FLOWS

Gauging Station	02/20/2000 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	443	5,880					
NRTT: Nueces River at Tilden, Texas	12	48					
FRTT: Frio River at Tilden, Texas	36	861					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	4	101					
Release from Choke Canyon Reservoir	496	5,944					
NCAT: Nueces River at Calallen, Texas	85	608					
Reservoir Inflow							
Computed as: NRTT+FRTT+SMTT+ARWT	51	1,505					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Wastewater Return Flow Credit (Effective: 02/01/2000)	500
Required Passthru Target: 2,500 Reservoir Inflow: 1,505	1,505
Estuary Inflows (Measured at NCAT)	608
PassThru Surplus / -Deficit:	-233

Report Generated: 02/21/2000 at 9:34:40 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 22, 2000

RESERVOIR STATISTICS

	Cho	Choke Canyon Reservoir			Lake Corpus Christi Reservoir		Lake Corpus Christi Reservoir				Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevat		Volume (AcFt)	Percent of Capacity		Volume (AcFt)	Percent of Capacity			
FULL	220.5	695,271	10	0%	94.0	241,2	41 10)%	936,512	2 100%			
02/22/1999	205.0	358,009	51.	5%	90.8	182,9	68 75.	8%	540,977	57.8%			
02/22/2000	200.7	287,278	41.	3%	88.4	143,8	85 59.	5%	431,163	46.0%			
			W	eather Rela	ted Ir	nformation	n						
		Choke Can	yon Reservoir			Lake C	orpus Christi Res	ervo	oir	Combined			
Date	Air Te	•	poration AcFt)	Rainfall (Inches)		Temp (°F)	Evaporation (AcFt)	_	Rainfall (Inches)	Evaporation (AcFt)			
02/21/200	00 82		135	0.00		80	16	4	0.00	299			
MTD			2,967	1.07			3,36	0	0.37	6,327			

STREAM FLOWS

Gauging Station	02/21/2000 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	443	6,322					
NRTT: Nueces River at Tilden, Texas	10	58					
FRTT: Frio River at Tilden, Texas	36	897					
SMTT: San Miguel Creek at Tilden, Texas	0	0					
ARWT: Atascosa River at Whitsett, Texas	3	104					
Release from Choke Canyon Reservoir	496	6,440					
NCAT: Nueces River at Calallen, Texas	46	653					
Reservoir Inflow							
Computed as: NRTT+FRTT+SMTT+ARWT	49	1,554					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Wastewater Return Flow Credit (Effective: 02/01/2000)	500
Required Passthru Target: 2,500 Reservoir Inflow: 1,554	1,554
Estuary Inflows (Measured at NCAT)	653
PassThru Surplus / -Deficit:	-236

Report Generated: 02/22/2000 at 9:49:04 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 23, 2000

RESERVOIR STATISTICS

	Cho	ke Canyon Re	servoir	I	Lake C	Corpus Chr	risti I	Reservoir	Combined	Reservoir System
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevat		Volume (AcFt)	-	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	10	0%	94.0	241,2	241	100%	936,512	2 100%
02/23/1999	205.0	357,833	51.	5%	90.8	182,7	795	75.8%	540,62	3 57.7%
02/23/2000	200.7	286,970	41.	3%	88.5	144,3	354	59.8%	431,32	4 46.1%
			W	eather Rela	ted I	oformation	n			
		Choke Can	yon Reservoir			Lake C	Corpu	ıs Christi Reserv	/oir	Combined
Date	Air Te		poration AcFt)	Rainfall (Inches)	Aiı	Temp (°F)	E	Cvaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/22/200	00 82		90	0.00		80		219	0.00	309
MTD			3,057	1.07				3,579	0.37	6,636

STREAM FLOWS

Gauging Station	02/22/2000 (AcFt)	MTD (AcFt)			
NTRT: Nueces River at Three Rivers, Texas	363	6,685			
NRTT: Nueces River at Tilden, Texas	11	68			
FRTT: Frio River at Tilden, Texas	36	933			
SMTT: San Miguel Creek at Tilden, Texas	0	0			
ARWT: Atascosa River at Whitsett, Texas	3	107			
Release from Choke Canyon Reservoir	226	6,666			
NCAT: Nueces River at Calallen, Texas	15	668			
Reservoir Inflow					
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	173	1,726			

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Wastewater Return Flow Credit (Effective: 02/01/2000)	500
Required Passthru Target: 2,500 Reservoir Inflow: 1,726	1,726
Estuary Inflows (Measured at NCAT)	668
PassThru Surplus / -Deficit:	-394

Report Generated: 02/23/2000 at 1:02:11 PM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 24, 2000

RESERVOIR STATISTICS

	Cho	ke Canyon Re	servoir	I	Lake C	Corpus Chr	isti F	Reservoir	Combined	Reservoir System
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	f Elevat (Ft		Volume (AcFt)	-	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	10	0%	94.0	241,2	241	100%	936,51	2 100%
02/24/1999	204.9	357,483	51.	4%	90.8	182,6	522	75.7%	540,10	5 57.7%
02/24/2000	200.7	286,970	41.	3%	88.4	143,7	29	59.6%	430,69	9 46.0%
			W	eather Rela	ted Ir	nformatio	n			
		Choke Can	yon Reservoii			Lake C	Corpu	ıs Christi Reserv	/oir	Combined
Date	Air Te		poration AcFt)	Rainfall (Inches)		Temp (°F)	E	vaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/23/200	00 83		189	0.00		80		118	0.00	307
MTD			3,246	1.07				3,697	0.37	6,943

STREAM FLOWS

Gauging Station	02/23/2000 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	105	6,791				
NRTT: Nueces River at Tilden, Texas	11	79				
FRTT: Frio River at Tilden, Texas	36	969				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	2	109				
Release from Choke Canyon Reservoir	66	6,732				
NCAT: Nueces River at Calallen, Texas	0	668				
Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	75	1,802				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Wastewater Return Flow Credit (Effective: 02/01/2000)	500
Required Passthru Target: 2,500 Reservoir Inflow: 1,802	1,802
Estuary Inflows (Measured at NCAT)	668
PassThru Surplus / -Deficit:	-469

Report Generated: 02/24/2000 at 8:57:58 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 25, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevat		Volume (AcFt)	-	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	10	0%	94.0	241,2	241	100%	936,51	2 100%		
02/25/1999	204.9	357,308	51.4	4%	90.8	182,4	150	75.6%	539,75	8 57.6%		
02/25/2000	200.6	286,662	41.2	2%	88.4	143,2	260	59.4%	429,92	2 45.9%		
			W	eather Rela	ted I	nformation	n					
		Choke Can	yon Reservoir			Lake C	Corpu	s Christi Reserv	oir	Combined		
Date	Air Te		poration AcFt)	Rainfall (Inches)	Aiı	Temp (°F)	E	vaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
02/24/200	0 78		224	0.00		81		255	0.00	479		
MTD			3,470	1.07				3,952	0.37	7,422		

STREAM FLOWS

Gauging Station	02/24/2000 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	97	6,888				
NRTT: Nueces River at Tilden, Texas	10	89				
FRTT: Frio River at Tilden, Texas	36	1,004				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	2	111				
Release from Choke Canyon Reservoir	66	6,797				
NCAT: Nueces River at Calallen, Texas	4	673				
Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	67	1,869				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Wastewater Return Flow Credit (Effective: 02/01/2000)	500
Required Passthru Target: 2,500 Reservoir Inflow: 1,869	1,869
Estuary Inflows (Measured at NCAT)	673
PassThru Surplus / -Deficit:	-532

Report Generated: 02/25/2000 at 8:43:42 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 26, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	f Elevat (Ft		Volume (AcFt)	-	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	10	0%	94.0	241,2	241	100%	936,512	2 100%		
02/26/1999	204.9	356,958	51.	3%	90.8	182,2	277	75.6%	539,23	5 57.6%		
02/26/2000	200.7	287,124	41.	3%	88.4	143,4	416	59.4%	430,54	46.0%		
			W	eather Rela	ted Ir	nformatio	n					
		Choke Can	yon Reservoii			Lake C	Corpus	Christi Reserv	/oir	Combined		
Date	Air Te		poration AcFt)	Rainfall (Inches)		Temp (°F)		vaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
02/25/200	0 91		216	0.00		88		309	0.00	525		
MTD			3,686	1.07				4,261	0.37	7,947		

STREAM FLOWS

Gauging Station	02/25/2000 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	101	6,989				
NRTT: Nueces River at Tilden, Texas	8	98				
FRTT: Frio River at Tilden, Texas	34	1,038				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	3	114				
Release from Choke Canyon Reservoir	66	6,863				
NCAT: Nueces River at Calallen, Texas	81	754				
Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	69	1,939				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Wastewater Return Flow Credit (Effective: 02/01/2000)	500
Required Passthru Target: 2,500 Reservoir Inflow: 1,939	1,939
Estuary Inflows (Measured at NCAT)	754
PassThru Surplus / -Deficit:	-521

Report Generated: 02/26/2000 at 8:57:58 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 27, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	f Elevat (Ft)		Volume (AcFt)	-	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	10	0%	94.0	241,2	241	100%	936,51	2 100%		
02/27/1999	204.9	356,958	51.	3%	90.8	182,1	104	75.5%	539,062	2 57.6%		
02/27/2000	200.6	286,354	41.	2%	88.4	142,9	948	59.3%	429,30	2 45.8%		
			W	eather Rela	ted Ir	nformation	n					
		Choke Can	yon Reservoii			Lake C	Corpus	Christi Reserv	voir	Combined		
Date	Air Te	•	poration AcFt)	Rainfall (Inches)		Temp (°F)		aporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
02/26/200	0 79		305	0.00		76		300	0.04	605		
MTD			3,991	1.07				4,561	0.41	8,552		

STREAM FLOWS

Gauging Station	02/26/2000 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	99	7,088				
NRTT: Nueces River at Tilden, Texas	7	105				
FRTT: Frio River at Tilden, Texas	30	1,068				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	2	116				
Release from Choke Canyon Reservoir	66	6,928				
NCAT: Nueces River at Calallen, Texas	185	939				
Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	64	2,002				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Wastewater Return Flow Credit (Effective: 02/01/2000)	500
Required Passthru Target: 2,500 Reservoir Inflow: 2,002	2,002
Estuary Inflows (Measured at NCAT)	939
PassThru Surplus / -Deficit:	-399

Report Generated: 02/27/2000 at 8:39:11 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 28, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	f Elevat (Ft		Volume (AcFt)	-	Percent of Capacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	10	0%	94.0	241,2	241	100%	936,51	2 100%		
02/28/1999	204.9	356,958	51.	3%	90.8	181,9	932	75.4%	538,89	57.5%		
02/28/2000	200.6	285,738	41.	1%	88.4	142,4	481	59.1%	428,21	9 45.7%		
			W	eather Rela	ted Ir	nformatio	n					
		Choke Can	yon Reservoii			Lake C	Corpus	s Christi Reserv	voir	Combined		
Date	Air Te		poration AcFt)	Rainfall (Inches)		Temp (°F)	Ev	vaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)		
02/27/200	0 78		224	0.00		76		336	0.00	560		
MTD			4,215	1.07				4,897	0.41	9,112		

STREAM FLOWS

Gauging Station	02/27/2000 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	93	7,182				
NRTT: Nueces River at Tilden, Texas	7	112				
FRTT: Frio River at Tilden, Texas	30	1,098				
SMTT: San Miguel Creek at Tilden, Texas	0	0				
ARWT: Atascosa River at Whitsett, Texas	2	119				
Release from Choke Canyon Reservoir	66	6,994				
NCAT: Nueces River at Calallen, Texas	256	1,195				
Reservoir Inflow						
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	58	2,060				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Wastewater Return Flow Credit (Effective: 02/01/2000)	500
Required Passthru Target: 2,500 Reservoir Inflow: 2,060	2,060
Estuary Inflows (Measured at NCAT)	1,195
PassThru Surplus / -Deficit:	-201

Report Generated: 02/28/2000 at 8:44:44 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: February 29, 2000

RESERVOIR STATISTICS

	Cho	ke Canyon Re	servoir	I	Lake C	Corpus Chr	isti Reserv	voir	Combined	Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	f Elevat (Ft)		Volume (AcFt)	.	cent of pacity	Volume (AcFt)	Percent of Capacity		
FULL	220.5	695,271	10	0%	94.0	241,2	41	100%	936,51	2 100%		
02/28/1999	204.9	356,958	51.	3%	90.8	181,9	32	75.4%	538,89	0 57.5%		
02/29/2000	200.6	285,738	41.	1%	38.32	142,0)14	58.9%	427,75	2 45.7%		
Weather Related Information												
		Choke Can	yon Reservoir			Lake C	orpus Chr	isti Reserv	rvoir Combined			
Date	Air Te	•	poration AcFt)	Rainfall (Inches)		Temp (°F)	Evapor (Acl		Rainfall (Inches)	Evaporation (AcFt)		
02/28/200	00 80		179	0.00		78		226	0.00	405		
MTD			4,394	1.07				5,123	0.41	9,517		

STREAM FLOWS

Gauging Station	02/28/2000 (AcFt)	MTD (AcFt)			
NTRT: Nueces River at Three Rivers, Texas	77	7,259			
NRTT: Nueces River at Tilden, Texas	8	120			
FRTT: Frio River at Tilden, Texas	30	1,128			
SMTT: San Miguel Creek at Tilden, Texas	0	0			
ARWT: Atascosa River at Whitsett, Texas	2	121			
Release from Choke Canyon Reservoir	66	7,060			
NCAT: Nueces River at Calallen, Texas	240	1,435			
Reservoir Inflow					
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	41	2,101			

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Wastewater Return Flow Credit (Effective: 02/01/2000)	
Required Passthru Target: 2,500 Reservoir Inflow: 2,101	2,101
Estuary Inflows (Measured at NCAT)	1,435
PassThru Surplus / -Deficit:	2

Report Generated: 02/29/2000 at 13:19:54 PM