

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 1, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/01/1999	204.9	356,958	51.3%	90.7	181,587	75.3%	538,545	57.5%
03/01/2000	200.6	285,584	41.1%	88.3	141,703	58.7%	427,287	45.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/29/2000	85	188	0.00	85	154	0.00		342
MTD		4,582	1.07		5,277	0.41		9,859

STREAM FLOWS

Gauging Station	02/29/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	77	7,337
NRTT: Nueces River at Tilden, Texas	9	130
FRTT: Frio River at Tilden, Texas	30	1,157
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	2	123
Release from Choke Canyon Reservoir	66	7,125
NCAT: Nueces River at Calallen, Texas	141	1,576
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	42	2,143

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	164
Wastewater Return Flow Credit (Effective: 02/01/2000)	500
Required Passthru Target: 2,500 Reservoir Inflow: 2,143	2,143
Estuary Inflows (Measured at NCAT)	1,576
PassThru Surplus / -Deficit:	97

Report Generated: 03/01/2000 at 9:15:41 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 2, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/02/1999	204.9	356,958	51.3%	90.7	181,243	75.1%	538,201	57.5%
03/02/2000	200.6	285,431	41.1%	88.3	141,393	58.6%	426,824	45.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/01/2000	85	152	0.00	82	172	0.00	324	
MTD		152	0.00		172	0.00	324	

STREAM FLOWS

Gauging Station	03/01/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	77	77
NRTT: Nueces River at Tilden, Texas	8	8
FRTT: Frio River at Tilden, Texas	30	30
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	3	3
Release from Choke Canyon Reservoir	66	66
NCAT: Nueces River at Calallen, Texas	18	18
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	42	42

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 42	42
Estuary Inflows (Measured at NCAT)	18
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 3, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/03/1999	204.9	356,609	51.3%	90.7	180,898	75.0%	537,507	57.4%
03/03/2000	200.5	285,277	41.0%	88.3	141,083	58.5%	426,360	45.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/02/2000	89	215	0.00	88	298	0.00	513	
MTD		367	0.00		470	0.00	837	

STREAM FLOWS

Gauging Station	03/02/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	77	155
NRTT: Nueces River at Tilden, Texas	8	16
FRTT: Frio River at Tilden, Texas	32	62
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	3	6
Release from Choke Canyon Reservoir	66	131
NCAT: Nueces River at Calallen, Texas	1	18
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	44	85

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 85	85
Estuary Inflows (Measured at NCAT)	18
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 4, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/04/1999	204.8	355,910	51.2%	90.7	180,382	74.8%	536,292	57.3%
03/04/2000	200.5	284,817	41.0%	88.3	140,928	58.4%	425,745	45.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/03/2000	83	313	0.00	78	217	0.00	530	
MTD		680	0.00		687	0.00	1,367	

STREAM FLOWS

Gauging Station	03/03/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	79	234
NRTT: Nueces River at Tilden, Texas	7	23
FRTT: Frio River at Tilden, Texas	38	99
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	3	8
Release from Choke Canyon Reservoir	66	197
NCAT: Nueces River at Calallen, Texas	19	37
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	52	137

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 137	137
Estuary Inflows (Measured at NCAT)	37
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 5, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/05/1999	204.8	355,561	51.1%	90.6	180,039	74.6%	535,600	57.2%
03/05/2000	200.5	284,663	40.9%	88.2	140,309	58.2%	424,972	45.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/04/2000	75	206	0.00	73	207	0.00	413	
MTD		886	0.00		894	0.00	1,780	

STREAM FLOWS

Gauging Station	03/04/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	75	310
NRTT: Nueces River at Tilden, Texas	6	29
FRTT: Frio River at Tilden, Texas	40	139
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	3	11
Release from Choke Canyon Reservoir	66	262
NCAT: Nueces River at Calallen, Texas	42	79
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	50	187

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 187	187
Estuary Inflows (Measured at NCAT)	79
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 6, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/06/1999	204.8	355,561	51.1%	90.6	179,523	74.4%	535,084	57.1%
03/06/2000	200.5	284,663	40.9%	88.2	139,845	58.0%	424,508	45.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/05/2000	76	116	0.00	72	81	0.00	197	
MTD		1,002	0.00		975	0.00	1,977	

STREAM FLOWS

Gauging Station	03/05/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	75	385
NRTT: Nueces River at Tilden, Texas	6	35
FRTT: Frio River at Tilden, Texas	38	177
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	3	14
Release from Choke Canyon Reservoir	66	328
NCAT: Nueces River at Calallen, Texas	71	151
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	48	234

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 234	234
Estuary Inflows (Measured at NCAT)	151
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 7, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/07/1999	204.8	355,561	51.1%	90.6	179,180	74.3%	534,741	57.1%
03/07/2000	200.5	284,356	40.9%	88.2	139,536	57.8%	423,892	45.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/06/2000	80	134	0.00	83	198	0.00	332	
MTD		1,136	0.00		1,173	0.00	2,309	

STREAM FLOWS

Gauging Station	03/06/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	75	461
NRRT: Nueces River at Tilden, Texas	6	41
FRTT: Frio River at Tilden, Texas	36	212
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	2	16
Release from Choke Canyon Reservoir	66	393
NCAT: Nueces River at Calallen, Texas	48	198
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	46	280

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 280	280
Estuary Inflows (Measured at NCAT)	198
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 8, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/08/1999	204.8	355,212	51.1%	90.6	178,838	74.1%	534,050	57.0%
03/08/2000	200.5	284,203	40.9%	88.2	139,382	57.8%	423,585	45.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/07/2000	87	187	0.04	84	252	0.00	439	
MTD		1,323	0.04		1,425	0.00	2,748	

STREAM FLOWS

Gauging Station	03/07/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	73	534
NRTT: Nueces River at Tilden, Texas	6	47
FRTT: Frio River at Tilden, Texas	34	246
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	2	18
Release from Choke Canyon Reservoir	66	459
NCAT: Nueces River at Calallen, Texas	52	250
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	42	322

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 322	322
Estuary Inflows (Measured at NCAT)	250
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 9, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/09/1999	204.8	355,212	51.1%	90.6	178,666	74.1%	533,878	57.0%
03/09/2000	200.5	284,203	40.9%	88.1	139,228	57.7%	423,431	45.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/08/2000	80	116	0.00	83	144	0.11	260	
MTD		1,439	0.04		1,569	0.11	3,008	

STREAM FLOWS

Gauging Station	03/08/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	73	607
NRTT: Nueces River at Tilden, Texas	5	52
FRTT: Frio River at Tilden, Texas	32	278
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	2	20
Release from Choke Canyon Reservoir	66	524
NCAT: Nueces River at Calallen, Texas	28	278
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	361

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 361	361
Estuary Inflows (Measured at NCAT)	278
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 10, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/10/1999	204.8	355,037	51.1%	90.6	178,495	74.0%	533,532	57.0%
03/10/2000	200.5	284,050	40.9%	88.1	138,920	57.6%	422,970	45.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/09/2000	89	223	0.00	87	179	0.00	402	
MTD		1,662	0.04		1,748	0.11	3,410	

STREAM FLOWS

Gauging Station	03/09/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	73	681
NRTT: Nueces River at Tilden, Texas	5	57
FRTT: Frio River at Tilden, Texas	32	310
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	2	23
Release from Choke Canyon Reservoir	66	590
NCAT: Nueces River at Calallen, Texas	20	297
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	401

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 401	401
Estuary Inflows (Measured at NCAT)	297
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 11, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/11/1999	204.8	355,037	51.1%	90.5	178,324	73.9%	533,361	57.0%
03/11/2000	200.5	283,897	40.8%	88.1	138,612	57.5%	422,509	45.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/10/2000	91	250	0.00	89	260	0.04	510	
MTD		1,912	0.04		2,008	0.15	3,920	

STREAM FLOWS

Gauging Station	03/10/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	73	754
NRTT: Nueces River at Tilden, Texas	4	61
FRTT: Frio River at Tilden, Texas	32	341
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	3	25
Release from Choke Canyon Reservoir	66	655
NCAT: Nueces River at Calallen, Texas	32	329
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	441

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 441	441
Estuary Inflows (Measured at NCAT)	329
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 12, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/12/1999	204.8	355,037	51.1%	90.5	177,982	73.8%	533,019	56.9%
03/12/2000	200.4	283,744	40.8%	88.1	137,997	57.2%	421,741	45.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/11/2000	70	250	0.00	67	313	0.00	563	
MTD		2,162	0.04		2,321	0.15	4,483	

STREAM FLOWS

Gauging Station	03/11/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	71	826
NRRT: Nueces River at Tilden, Texas	3	64
FRTT: Frio River at Tilden, Texas	30	371
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	2	28
Release from Choke Canyon Reservoir	66	721
NCAT: Nueces River at Calallen, Texas	60	389
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	476

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 476	476
Estuary Inflows (Measured at NCAT)	389
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 13, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/13/1999	204.8	355,561	51.1%	90.5	177,640	73.6%	533,201	56.9%
03/13/2000	200.4	283,132	40.7%	88.0	137,384	56.9%	420,516	44.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/12/2000	74	187	0.00	71	214	0.00	401	
MTD		2,349	0.04		2,535	0.15	4,884	

STREAM FLOWS

Gauging Station	03/12/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	69	895
NRTT: Nueces River at Tilden, Texas	2	66
FRTT: Frio River at Tilden, Texas	30	401
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	2	29
Release from Choke Canyon Reservoir	66	786
NCAT: Nueces River at Calallen, Texas	38	426
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	34	510

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 510	510
Estuary Inflows (Measured at NCAT)	426
PassThru Surplus / -Deficit:	418

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 14, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/14/1999	204.8	355,735	51.2%	90.5	177,469	73.6%	533,204	56.9%
03/14/2000	200.4	282,979	40.7%	88.0	137,078	56.8%	420,057	44.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/13/2000	76	116	1.30	73	107	0.10		223
MTD		2,465	1.34		2,642	0.25		5,107

STREAM FLOWS

Gauging Station	03/13/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	67	963
NRTT: Nueces River at Tilden, Texas	2	68
FRTT: Frio River at Tilden, Texas	30	431
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	2	31
Release from Choke Canyon Reservoir	66	852
NCAT: Nueces River at Calallen, Texas	58	484
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	32	542

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 542	542
Estuary Inflows (Measured at NCAT)	484
PassThru Surplus / -Deficit:	444

Report Generated: 03/14/2000 at 8:35:36 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 15, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/15/1999	204.8	355,212	51.1%	90.5	177,127	73.4%	532,339	56.8%
03/15/2000	200.5	285,277	41.0%	88.5	144,824	60.0%	430,101	45.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/14/2000	64	72	1.64	68	Pan overflow	3.45		71
MTD		2,537	2.98		2,641	3.70		5,178

STREAM FLOWS

Gauging Station	03/14/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	599	1,562
NRTT: Nueces River at Tilden, Texas	10	78
FRTT: Frio River at Tilden, Texas	66	496
SMTT: San Miguel Creek at Tilden, Texas	97	97
ARWT: Atascosa River at Whitsett, Texas	7	38
Release from Choke Canyon Reservoir	66	917
NCAT: Nueces River at Calallen, Texas	141	625
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	697	1,239

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 1,239	1,239
Estuary Inflows (Measured at NCAT)	625
PassThru Surplus / -Deficit:	-112

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 16, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/16/1999	204.8	354,340	51.0%	90.4	176,615	73.2%	530,955	56.7%
03/16/2000	200.6	286,354	41.2%	88.5	145,138	60.2%	431,492	46.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/15/2000	79	135	0.00	77	174	0.00	309	
MTD		2,672	2.98		2,815	3.70	5,487	

STREAM FLOWS

Gauging Station	03/15/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	411	1,973
NRRT: Nueces River at Tilden, Texas	36	114
FRTT: Frio River at Tilden, Texas	1,090	1,586
SMTT: San Miguel Creek at Tilden, Texas	50	147
ARWT: Atascosa River at Whitsett, Texas	14	52
Release from Choke Canyon Reservoir	66	983
NCAT: Nueces River at Calallen, Texas	1,223	1,848
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,485	2,723

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 2,723	2,723
Estuary Inflows (Measured at NCAT)	1,848
PassThru Surplus / -Deficit:	-374

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 17, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/17/1999	204.7	354,166	50.9%	90.4	176,104	73.0%	530,270	56.6%
03/17/2000	200.5	284,817	41.0%	88.5	145,138	60.2%	429,955	45.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/16/2000	85	286	0.00	82	265	0.00	551	
MTD		2,958	2.98		3,080	3.70	6,038	

STREAM FLOWS

Gauging Station	03/16/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	133	2,106
NRTT: Nueces River at Tilden, Texas	16	130
FRTT: Frio River at Tilden, Texas	464	2,051
SMTT: San Miguel Creek at Tilden, Texas	2	149
ARWT: Atascosa River at Whitsett, Texas	12	64
Release from Choke Canyon Reservoir	66	1,048
NCAT: Nueces River at Calallen, Texas	732	2,580
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	534	3,257

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 3,257	3,257
Estuary Inflows (Measured at NCAT)	2,580
PassThru Surplus / -Deficit:	-175

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 18, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/18/1999	204.7	353,817	50.9%	90.4	175,763	72.9%	529,580	56.5%
03/18/2000	200.5	284,663	40.9%	88.5	145,138	60.2%	429,801	45.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/17/2000	54	71	0.00	58	91	0.00	162	
MTD		3,029	2.98		3,171	3.70	6,200	

STREAM FLOWS

Gauging Station	03/17/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	123	2,229
NRTT: Nueces River at Tilden, Texas	248	379
FRTT: Frio River at Tilden, Texas	85	2,136
SMTT: San Miguel Creek at Tilden, Texas	0	149
ARWT: Atascosa River at Whitsett, Texas	9	73
Release from Choke Canyon Reservoir	66	1,114
NCAT: Nueces River at Calallen, Texas	171	2,751
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	143	3,400

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 3,400	3,400
Estuary Inflows (Measured at NCAT)	2,751
PassThru Surplus / -Deficit:	-147

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 19, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/19/1999	204.7	353,469	50.8%	90.4	175,423	72.7%	528,892	56.5%
03/19/2000	200.5	284,356	40.9%	88.6	145,609	60.4%	429,965	45.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/18/2000	72	125	0.11	69	92	0.37	217	
MTD		3,154	3.09		3,263	4.07	6,417	

STREAM FLOWS

Gauging Station	03/18/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	252	2,481
NRTT: Nueces River at Tilden, Texas	719	1,097
FRTT: Frio River at Tilden, Texas	52	2,187
SMTT: San Miguel Creek at Tilden, Texas	0	149
ARWT: Atascosa River at Whitsett, Texas	22	95
Release from Choke Canyon Reservoir	66	1,179
NCAT: Nueces River at Calallen, Texas	75	2,826
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	238	3,638

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 3,638	3,500
Estuary Inflows (Measured at NCAT)	2,826
PassThru Surplus / -Deficit:	-172

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 20, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/20/1999	204.7	353,469	50.8%	90.4	175,423	72.7%	528,892	56.5%
03/20/2000	200.5	284,203	40.9%	88.6	145,609	60.4%	429,812	45.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/19/2000	74	241	0.00	70	275	0.00	516	
MTD		3,395	3.09		3,538	4.07	6,933	

STREAM FLOWS

Gauging Station	03/19/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	734	3,216
NRTT: Nueces River at Tilden, Texas	500	1,597
FRTT: Frio River at Tilden, Texas	42	2,229
SMTT: San Miguel Creek at Tilden, Texas	0	149
ARWT: Atascosa River at Whitsett, Texas	95	190
Release from Choke Canyon Reservoir	66	1,245
NCAT: Nueces River at Calallen, Texas	149	2,975
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	711	4,349

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 4,349	3,500
Estuary Inflows (Measured at NCAT)	2,975
PassThru Surplus / -Deficit:	-23

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 21, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/21/1999	204.7	354,166	50.9%	90.4	175,423	72.7%	529,589	56.5%
03/21/2000	200.5	283,897	40.8%	88.6	145,923	60.5%	429,820	45.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/20/2000	76	170	0.07	76	293	0.37	463	
MTD		3,565	3.16		3,831	4.44	7,396	

STREAM FLOWS

Gauging Station	03/20/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	647	3,863
NRTT: Nueces River at Tilden, Texas	155	1,752
FRTT: Frio River at Tilden, Texas	42	2,271
SMTT: San Miguel Creek at Tilden, Texas	0	149
ARWT: Atascosa River at Whitsett, Texas	40	230
Release from Choke Canyon Reservoir	66	1,310
NCAT: Nueces River at Calallen, Texas	145	3,120
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	623	4,972

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 4,972	3,500
Estuary Inflows (Measured at NCAT)	3,120
PassThru Surplus / -Deficit:	122

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 22, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/22/1999	204.7	353,817	50.9%	90.3	174,913	72.5%	528,730	56.5%
03/22/2000	200.5	283,897	40.8%	88.6	145,609	60.4%	429,506	45.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/21/2000	85	178	0.00	82	183	0.00	361	
MTD		3,743	3.16		4,014	4.44	7,757	

STREAM FLOWS

Gauging Station	03/21/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	304	4,167
NRRT: Nueces River at Tilden, Texas	69	1,822
FRTT: Frio River at Tilden, Texas	42	2,313
SMTT: San Miguel Creek at Tilden, Texas	0	149
ARWT: Atascosa River at Whitsett, Texas	22	252
Release from Choke Canyon Reservoir	66	1,376
NCAT: Nueces River at Calallen, Texas	75	3,196
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	280	5,252

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 5,252	3,500
Estuary Inflows (Measured at NCAT)	3,196
PassThru Surplus / -Deficit:	198

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 23, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/23/1999	204.7	353,643	50.9%	90.3	174,573	72.4%	528,216	56.4%
03/23/2000	200.4	283,744	40.8%	88.6	145,766	60.4%	429,510	45.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/22/2000	82	205	0.00	81	174	0.00	379	
MTD		3,948	3.16		4,188	4.44	8,136	

STREAM FLOWS

Gauging Station	03/22/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	189	4,355
NRTT: Nueces River at Tilden, Texas	46	1,867
FRTT: Frio River at Tilden, Texas	38	2,350
SMTT: San Miguel Creek at Tilden, Texas	0	149
ARWT: Atascosa River at Whitsett, Texas	14	267
Release from Choke Canyon Reservoir	66	1,441
NCAT: Nueces River at Calallen, Texas	30	3,225
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	161	5,413

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 5,413	3,500
Estuary Inflows (Measured at NCAT)	3,225
PassThru Surplus / -Deficit:	227

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 24, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/24/1999	204.7	353,992	50.9%	90.3	174,743	72.4%	528,735	56.5%
03/24/2000	200.5	283,897	40.8%	88.6	146,238	60.6%	430,135	45.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/23/2000	85	134	0.00	83	174	0.00	308	
MTD		4,082	3.16		4,362	4.44	8,444	

STREAM FLOWS

Gauging Station	03/23/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	153	4,508
NRTT: Nueces River at Tilden, Texas	26	1,893
FRTT: Frio River at Tilden, Texas	36	2,386
SMTT: San Miguel Creek at Tilden, Texas	0	149
ARWT: Atascosa River at Whitsett, Texas	11	277
Release from Choke Canyon Reservoir	66	1,507
NCAT: Nueces River at Calallen, Texas	34	3,259
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	123	5,536

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 5,536	3,500
Estuary Inflows (Measured at NCAT)	3,259
PassThru Surplus / -Deficit:	261

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 25, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/25/1999	204.7	353,121	50.8%	90.4	175,083	72.6%	528,204	56.4%
03/25/2000	200.4	283,744	40.8%	88.6	145,923	60.5%	429,667	45.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/24/2000	85	178	0.00	85	330	0.00	508	
MTD		4,260	3.16		4,692	4.44	8,952	

STREAM FLOWS

Gauging Station	03/24/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	133	4,641
NRTT: Nueces River at Tilden, Texas	16	1,909
FRTT: Frio River at Tilden, Texas	34	2,420
SMTT: San Miguel Creek at Tilden, Texas	0	149
ARWT: Atascosa River at Whitsett, Texas	8	285
Release from Choke Canyon Reservoir	66	1,572
NCAT: Nueces River at Calallen, Texas	4	3,263
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	101	5,637

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 5,637	3,500
Estuary Inflows (Measured at NCAT)	3,263
PassThru Surplus / -Deficit:	265

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 26, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/26/1999	204.7	353,121	50.8%	90.4	175,593	72.8%	528,714	56.5%
03/26/2000	200.5	283,897	40.8%	88.6	145,766	60.4%	429,663	45.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/25/2000	83	116	0.00	83	165	0.00	281	
MTD		4,376	3.16		4,857	4.44	9,233	

STREAM FLOWS

Gauging Station	03/25/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	117	4,758
NRTT: Nueces River at Tilden, Texas	10	1,919
FRTT: Frio River at Tilden, Texas	32	2,451
SMTT: San Miguel Creek at Tilden, Texas	0	149
ARWT: Atascosa River at Whitsett, Texas	6	290
Release from Choke Canyon Reservoir	66	1,638
NCAT: Nueces River at Calallen, Texas	2	3,264
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	83	5,720

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 5,720	3,500
Estuary Inflows (Measured at NCAT)	3,264
PassThru Surplus / -Deficit:	266

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 27, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/27/1999	204.7	353,295	50.8%	90.4	175,763	72.9%	529,058	56.5%
03/27/2000	200.4	283,744	40.8%	88.6	145,766	60.4%	429,510	45.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/26/2000	86	250	0.00	85	238	0.00	488	
MTD		4,626	3.16		5,095	4.44	9,721	

STREAM FLOWS

Gauging Station	03/26/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	103	4,861
NRTT: Nueces River at Tilden, Texas	6	1,925
FRTT: Frio River at Tilden, Texas	30	2,481
SMTT: San Miguel Creek at Tilden, Texas	0	149
ARWT: Atascosa River at Whitsett, Texas	4	295
Release from Choke Canyon Reservoir	66	1,703
NCAT: Nueces River at Calallen, Texas	3	3,268
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	67	5,788

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 5,788	3,500
Estuary Inflows (Measured at NCAT)	3,268
PassThru Surplus / -Deficit:	270

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 28, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/28/1999	204.9	357,308	51.4%	90.5	177,127	73.4%	534,435	57.1%
03/28/2000	200.4	283,744	40.8%	88.5	145,295	60.2%	429,039	45.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/27/2000	88	134	0.00	82	128	0.00	262	
MTD		4,760	3.16		5,223	4.44	9,983	

STREAM FLOWS

Gauging Station	03/27/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	95	4,957
NRTT: Nueces River at Tilden, Texas	5	1,930
FRTT: Frio River at Tilden, Texas	28	2,509
SMTT: San Miguel Creek at Tilden, Texas	0	149
ARWT: Atascosa River at Whitsett, Texas	4	298
Release from Choke Canyon Reservoir	66	1,769
NCAT: Nueces River at Calallen, Texas	0	3,268
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	58	5,846

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 5,846	3,500
Estuary Inflows (Measured at NCAT)	3,268
PassThru Surplus / -Deficit:	270

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 29, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/29/1999	204.9	356,958	51.3%	90.7	181,415	75.2%	538,373	57.5%
03/29/2000	200.4	283,591	40.8%	88.5	145,138	60.2%	428,729	45.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/28/2000	89	187	0.00	85	283	0.00		470
MTD		4,947	3.16		5,506	4.44		10,453

STREAM FLOWS

Gauging Station	03/28/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	87	5,044
NRRT: Nueces River at Tilden, Texas	3	1,933
FRTT: Frio River at Tilden, Texas	28	2,537
SMTT: San Miguel Creek at Tilden, Texas	0	149
ARWT: Atascosa River at Whitsett, Texas	3	301
Release from Choke Canyon Reservoir	66	1,834
NCAT: Nueces River at Calallen, Texas	0	3,268
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	50	5,895

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 5,895	3,500
Estuary Inflows (Measured at NCAT)	3,268
PassThru Surplus / -Deficit:	270

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 30, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/30/1999	205.0	358,009	51.5%	90.8	182,277	75.6%	540,286	57.7%
03/30/2000	200.4	283,438	40.8%	88.5	144,824	60.0%	428,262	45.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/29/2000	94	321	0.00	90	274	0.00	595	
MTD		5,268	3.16		5,780	4.44	11,048	

STREAM FLOWS

Gauging Station	03/29/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	83	5,127
NRTT: Nueces River at Tilden, Texas	2	1,935
FRTT: Frio River at Tilden, Texas	28	2,565
SMTT: San Miguel Creek at Tilden, Texas	0	149
ARWT: Atascosa River at Whitsett, Texas	3	305
Release from Choke Canyon Reservoir	66	1,900
NCAT: Nueces River at Calallen, Texas	0	3,268
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	46	5,941

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 5,941	3,500
Estuary Inflows (Measured at NCAT)	3,268
PassThru Surplus / -Deficit:	270

Report Generated: 03/30/2000 at 8:37:32 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: March 31, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/31/1999	205.0	358,359	51.5%	91.0	186,263	77.2%	544,622	58.2%
03/31/2000	200.4	283,132	40.7%	88.5	144,667	60.0%	427,799	45.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/30/2000	94	267	0.00	84	283	0.00		550
MTD		5,535	3.16		6,063	4.44		11,598

STREAM FLOWS

Gauging Station	03/30/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	79	5,207
NRTT: Nueces River at Tilden, Texas	1	1,936
FRTT: Frio River at Tilden, Texas	28	2,592
SMTT: San Miguel Creek at Tilden, Texas	0	149
ARWT: Atascosa River at Whitsett, Texas	3	307
Release from Choke Canyon Reservoir	66	1,965
NCAT: Nueces River at Calallen, Texas	0	3,268
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	42	5,983

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 5,983	3,500
Estuary Inflows (Measured at NCAT)	3,268
PassThru Surplus / -Deficit:	270