Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 1, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Perce Capa		Elevation (Ft)	Volu (Ac	ume :Ft)	Percent of Capacity			Percent of Capacity	
FULL	220.5	695,271		100%	94.0	241	1,241	100	% 936,5	12	100%	
04/01/1999	205.0	358,885	5	1.6%	91.1	188	3,355	78.1	% 547,2	40	58.4%	
04/01/2000	200.3	282,062	4	0.6%	88.5	.5 144,511		59.9	% 426,573		45.5%	
			Wea	ather R	elated Info	orma	tion					
	Cho	ke Canyor	Reser	voir	Lal	ce Co	rpus (Christi Res	ervoir	(Combined	
Date	Air Temp	Evapor (Acl		Rainfa (Inche				poration AcFt)	Rainfall (Inches)	E	vaporation (AcFt)	
03/31/2000	79		142	0.	08 80			192	0.00		334	
MTD			5,677	3.	24			6,255	4.44		11,932	

STREAM FLOWS

Gauging Station	03/31/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	75	5,282
NRTT: Nueces River at Tilden, Texas	1	1,937
FRTT: Frio River at Tilden, Texas	28	2,620
SMTT: San Miguel Creek at Tilden, Texas	0	149
ARWT: Atascosa River at Whitsett, Texas	2	309
Release from Choke Canyon Reservoir	66	2,031
NCAT: Nueces River at Calallen, Texas	0	3,268
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	38	6,020

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru	
Monthly Target: 3,500	3,500
Salinity Relief Credit: 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2
Wastewater Return Flow Credit (Effective: 03/01/2000)	500
Required Passthru	
Target: 3,500	3,500
Reservoir Inflow: 6,020	
Estuary Inflows (Measured at NCAT)	3,268
PassThru Surplus / -Deficit:	270

Report Generated: 04/01/2000 at 9:20:58 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 2, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Comb	Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Perce Capa			ation (t)	Volu (Ac		Percent of Capacity			Percent of Capacity	
FULL	220.5	695,271		100%		94.0	241	,241	100	6 936,512		100%	
04/02/1999	205.0	359,060	5	1.6%		91.0	186	5,263	77.2	% 545,3	23	58.2%	
04/02/2000	200.3	282,062	4	0.6%		88.5	88.5 144,198		59.8	% 426,260		45.5%	
			Wea	ather R	Relate	ed Info	orma	tion					
	Cho	ke Canyor	Reser	voir		Lal	ce Co	rpus (Christi Res	ervoir		Combined	
Date	Air Temp	Evapor (Acl		Rainf (Inch		Air Temp			poration AcFt)	Rainfall (Inches)	E	vaporation (AcFt)	
04/01/2000	83		98	0	0.02	82			109	0.03		207	
MTD			98	0	0.02				109	0.03		207	

STREAM FLOWS

Gauging Station	04/01/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	73	73
NRTT: Nueces River at Tilden, Texas	1	1
FRTT: Frio River at Tilden, Texas	26	26
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	2	2
Release from Choke Canyon Reservoir	66	66
NCAT: Nueces River at Calallen, Texas	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	34	34

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 34	34
Estuary Inflows (Measured at NCAT)	0
PassThru Surplus / -Deficit:	0

Report Generated: 04/02/2000 at 9:38:44 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 3, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Perce Capa		Clevation (Ft)	Volu (Ac	ume :Ft)	Percent of Capacity			Percent of Capacity	
FULL	220.5	695,271		100%	94.0	.0 241,241		100	% 936,5	12	100%	
04/03/1999	205.0	359,236	5	1.7%	91.0	91.0 186,26		77.2	% 545,4	99	58.2%	
04/03/2000	200.4	282,520	4	0.6%	88.5	88.5 144,041		59.7	% 426,5	61	45.5%	
			Wea	ather Re	elated Inf	orma	tion					
	Cho	ke Canyor	Reser	voir	Lal	ke Co	rpus (Christi Res	ervoir	(Combined	
Date	Air Temp (°F)	Evapor (Ac)		Rainfa (Inches	1	-		poration AcFt)	Rainfall (Inches)	E	vaporation (AcFt)	
04/02/2000	73		125	0.0	63 71			118	0.10		243	
MTD			223	0.0	65			227	0.13		450	

STREAM FLOWS

Gauging Station	04/02/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	73	147
NRTT: Nueces River at Tilden, Texas	1	1
FRTT: Frio River at Tilden, Texas	50	75
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	2	4
Release from Choke Canyon Reservoir	66	131
NCAT: Nueces River at Calallen, Texas	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	58	91

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 91	91
Estuary Inflows (Measured at NCAT)	0
PassThru Surplus / -Deficit:	0

Report Generated: 04/03/2000 at 9:05:00 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 4, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Cor	pus C	hristi		Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Perce Capa		Elevation (Ft)	Volu (Ac		Percent of Capacity	_		Percent of Capacity
FULL	220.5	695,271		100%	94.0	241	1,241	100	% 936,5	12	100%
04/04/1999	205.0	359,411	5	1.7%	91.1	187	7,831	77.9	% 547,2	42	58.4%
04/04/2000	200.4	282,368	4	0.6%	88.5	88.5 144,04		59.7	% 426,4	09	45.5%
			Wea	ather R	elated Inf	orma	tion				
	Cho	ke Canyor	Reser	voir	Lal	ke Co	rpus (Christi Res	ervoir	(Combined
Date	Air Temp (°F)	Evapor (Acl		Rainfa (Inche				poration AcFt)	Rainfall (Inches)	E	vaporation (AcFt)
04/03/2000	81		258	0.	00 79)		246	0.00		504
MTD			481	0.	65			473	0.13		954

STREAM FLOWS

Gauging Station	04/03/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	75	222
NRTT: Nueces River at Tilden, Texas	1	2
FRTT: Frio River at Tilden, Texas	64	139
SMTT: San Miguel Creek at Tilden, Texas	381	381
ARWT: Atascosa River at Whitsett, Texas	6	10
Release from Choke Canyon Reservoir	66	197
NCAT: Nueces River at Calallen, Texas	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	455	546

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 546	546
Estuary Inflows (Measured at NCAT)	0
PassThru Surplus / -Deficit:	0

Report Generated: 04/04/2000 at 8:56:47 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 5, 2000

RESERVOIR STATISTICS

	Choke	r	Lake Cor	pus C	hristi		Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Perce Capa				ume :Ft)	Percent of Capacity	_		Percent of Capacity
FULL	220.5	695,271		100%	94.0	94.0 241,2		100	% 936,5	12	100%
04/05/1999	205.1	359,938	5	1.8%	91.0	91.0 186,437		77.3	% 546,3	75	58.3%
04/05/2000	200.4	282,368	4	0.6%	88.4	143	3,572	59.5	% 425,9	40	45.5%
			Wea	ather Ro	elated Inf	orma	tion				
	Cho	ke Canyor	Reser	voir	Lake Corpus Christi Reservoir					(Combined
Date	Air Temp (°F)	Evapor (Ac)		Rainfa (Inche				poration AcFt)	Rainfall (Inches)	E	vaporation (AcFt)
04/04/2000	81		205	0.0	00 73			246	0.00		451
MTD			686	0.0	65			719	0.13		1,405

STREAM FLOWS

Gauging Station	04/04/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	81	304
NRTT: Nueces River at Tilden, Texas	1	3
FRTT: Frio River at Tilden, Texas	590	728
SMTT: San Miguel Creek at Tilden, Texas	40	421
ARWT: Atascosa River at Whitsett, Texas	141	151
Release from Choke Canyon Reservoir	66	262
NCAT: Nueces River at Calallen, Texas	16	17
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	645	1,191

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru	
Monthly Target: 3,500	3,500
Salinity Relief Credit: 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru	
Target: 3,500	1,191
Reservoir Inflow: 1,191	
Estuary Inflows (Measured at NCAT)	17
PassThru Surplus / -Deficit:	-404

Report Generated: 04/05/2000 at 8:31:36 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 6, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir					Lake Corpus Christi Reservoir						Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity				ation Ft)	Volu (Ac		Percent of Capacity	_		Percent of Capacity
FULL	220.5	695,271		100%		94.0 241,		,241	100	% 936,5	12	100%		
04/06/1999	205.1	360,465	5	1.8%		91.0 186,611		77.4	% 547,0	76	58.4%			
04/06/2000	200.4	282,673	4	0.7%	% 8		143	3,104	59.3	% 425,7	77	45.5%		
			Wea	ather R	Relat	ed Info	orma	tion						
	Cho	ke Canyor	Reser	voir	Lake Corpus Christi Reservoir Co					Combined				
Date	Air Temp (°F)	Evapor (Acl		n Rainfall (Inches)		Air Temp			poration AcFt)	Rainfall (Inches)	E	vaporation (AcFt)		
04/05/2000	82		249	249 (.00 80			282	0.00		531		
MTD			935	0).65				1,001	0.13		1,936		

STREAM FLOWS

Gauging Station	04/05/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	169	472
NRTT: Nueces River at Tilden, Texas	48	51
FRTT: Frio River at Tilden, Texas	397	1,125
SMTT: San Miguel Creek at Tilden, Texas	8	429
ARWT: Atascosa River at Whitsett, Texas	85	237
Release from Choke Canyon Reservoir	66	328
NCAT: Nueces River at Calallen, Texas	8	25
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	508	1,699

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru	
Monthly Target: 3,500	3,500
Salinity Relief Credit: 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru	
Target: 3,500	1,699
Reservoir Inflow: 1,699	
Estuary Inflows (Measured at NCAT)	25
PassThru Surplus / -Deficit:	-905

Report Generated: 04/06/2000 at 8:36:58 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 7, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir					Lake Corpus Christi Reservoir						Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity				vation Ft)	Volu (Ac		Percent of Capacity			Percent of Capacity
FULL	220.5	695,271		100%		94.0 241,2		,241	100	% 936,5	512	100%		
04/07/1999	205.1	360,641	5	1.9%		91.0 186,785		77.4	% 547,4	126	58.5%			
04/07/2000	200.4	282,520	4	0.6%		88.4	142	2,637	59.1	% 425,	157	45.4%		
			Wea	ather I	Rela	ted Info	orma	tion						
	Cho	ke Canyor	Reser	voir	Lake Corpus Christi Reservoir Combin					Combined				
Date	Air Temp (°F)	Evapor (Acl				r			poration AcFt)	Rainfall (Inches)	E	vaporation (AcFt)		
04/06/2000	87		320	320		84			290	0.00		610		
MTD			1,255	C).65				1,291	0.13		2,546		

STREAM FLOWS

Gauging Station	04/06/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	141	613
NRTT: Nueces River at Tilden, Texas	48	98
FRTT: Frio River at Tilden, Texas	220	1,346
SMTT: San Miguel Creek at Tilden, Texas	1	430
ARWT: Atascosa River at Whitsett, Texas	36	272
Release from Choke Canyon Reservoir	66	393
NCAT: Nueces River at Calallen, Texas	10	35
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	297	1,996

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 1,996	1,996
Estuary Inflows (Measured at NCAT)	35
PassThru Surplus / -Deficit:	-1,192

Report Generated: 04/07/2000 at 8:33:16 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 8, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir					Lake Corpus Christi Reservoir						Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity		Elevation (Ft)		ume :Ft)	Percent of Capacity	-		Percent of Capacity		
FULL	220.5	695,271		100%		94.0 241,241		100	% 936,5	12	100%			
04/08/1999	205.1	360,114	5	1.8%		91.0	91.0 186,263		77.2	% 546,3	77	58.3%		
04/08/2000	200.3	282,062	4	0.6%	88.3		142	2,325	59.0	% 424,3	87	45.3%		
			Wea	ather F	Relat	ed Info	orma	tion						
	Cho	ke Canyor	Reser	voir	Lake Corpus Christi Reservoir					ervoir	Combined			
Date	Air Temp (°F)	Evapor (Acl		Rainf (Inch		Air Temp (°F)		l .	poration AcFt)	Rainfall (Inches)	E	vaporation (AcFt)		
04/07/2000	92		329	329 0.		93			326	0.02		655		
MTD			1,584	0).65				1,617	0.15		3,201		

STREAM FLOWS

Gauging Station	04/07/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	147	760
NRTT: Nueces River at Tilden, Texas	28	126
FRTT: Frio River at Tilden, Texas	107	1,453
SMTT: San Miguel Creek at Tilden, Texas	0	430
ARWT: Atascosa River at Whitsett, Texas	22	294
Release from Choke Canyon Reservoir	66	459
NCAT: Nueces River at Calallen, Texas	0	35
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	189	2,185

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 2,185	2,185
Estuary Inflows (Measured at NCAT)	35
PassThru Surplus / -Deficit:	-1,380

Report Generated: 04/08/2000 at 8:49:18 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 9, 2000

RESERVOIR STATISTICS

	Choke	r	Lake Cor	pus C	Christi		Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Perce Capa		Elevation (Ft)			Percent of Capacity	_		Percent of Capacity
FULL	220.5	695,271		100%	94.0	241	1,241	100	% 936,5	12	100%
04/09/1999	205.1	359,938	5	1.8%	91.0	186	5,611	77.4	% 546,5	49	58.4%
04/09/2000	200.4	282,368	4	0.6%	88.3	141	1,703	58.7	% 424,0	71	45.3%
			Wea	ather R	elated Inf	orma	tion				
	Cho	ke Canyor	Reser	voir	Lal	ke Co	rpus (Christi Res	ervoir	Co	ombined
Date	Air Temp	Evapor (Acl		Rainfa (Inche			I	poration AcFt)	Rainfall (Inches)		aporation (AcFt)
04/08/2000	74		356	0.	00 73			398	0.00		754
MTD			1,940	0.	65			2,015	0.15		3,955

STREAM FLOWS

Gauging Station	04/08/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	135	895
NRTT: Nueces River at Tilden, Texas	12	138
FRTT: Frio River at Tilden, Texas	66	1,519
SMTT: San Miguel Creek at Tilden, Texas	0	430
ARWT: Atascosa River at Whitsett, Texas	19	314
Release from Choke Canyon Reservoir	66	524
NCAT: Nueces River at Calallen, Texas	0	35
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	135	2,320

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 2,320	2,320
Estuary Inflows (Measured at NCAT)	35
PassThru Surplus / -Deficit:	-1,515

Report Generated: 04/09/2000 at 8:37:16 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 10, 2000

RESERVOIR STATISTICS

	Choke	r	Lake Co	rpus (Christi		Combined Reservoir System				
Date	Elevation (Ft)	Volume (AcFt)	Perce Capa				lume cFt)	Percent of Capacity	-		Percent of Capacity
FULL	220.5	695,271		100%	94.0	24	1,241	100	% 936,5	12	100%
04/10/1999	205.1	359,938	5	51.8%	91.0	18	6,437	77.3	% 546,3	75	58.3%
04/10/2000	200.3	282,215	4	40.6%		14	1,238	58.5	% 423,453		45.2%
			Wea	ather R	Related In	forma	ation				
	Cho	ke Canyor	Reser	voir	L	ake C	orpus	Christi Res	ervoir	(Combined
Date	Air Temp (°F)	Evapor (Acl		Rainfa (Inche		Air Temp		poration AcFt)	Rainfall (Inches)	E	vaporation (AcFt)
04/09/2000	78		267	267 0.0		6		253	0.00		520
MTD			2,207	0	.65			2,268	0.15		4,475

STREAM FLOWS

Gauging Station	04/09/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	111	1,006
NRTT: Nueces River at Tilden, Texas	17	155
FRTT: Frio River at Tilden, Texas	44	1,562
SMTT: San Miguel Creek at Tilden, Texas	0	430
ARWT: Atascosa River at Whitsett, Texas	15	329
Release from Choke Canyon Reservoir	66	590
NCAT: Nueces River at Calallen, Texas	0	35
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	89	2,409

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 2,409	2,409
Estuary Inflows (Measured at NCAT)	35
PassThru Surplus / -Deficit:	-1,605

Report Generated: 04/10/2000 at 8:26:50 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 11, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir					Lake Corpus Christi Reservoir						Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity				ume :Ft)	Percent of Capacity	-		Percent of Capacity		
FULL	220.5	695,271		100%		94.0	94.0 241,241		100	% 936,5	12	100%		
04/11/1999	205.1	359,938	5	51.8%		91.0	186,437		77.3	% 546,3	75	58.3%		
04/11/2000	200.3	282,062	4	40.6%		88.2	140,773		58.4	% 422,835		45.1%		
			Wea	ather F	Relat	ed Inf	orma	tion						
	Cho	ke Canyor	Reser	voir		Lal	ce Co	rpus (Christi Res	ervoir		Combined		
Date	Air Temp (°F)	Evapor (Acl		1		Air Temp		l .	poration AcFt)	Rainfall (Inches)	E	vaporation (AcFt)		
04/10/2000	82		231	231 0.00		80			180	0.00		411		
MTD			2,438	0).65				2,448	0.15		4,886		

STREAM FLOWS

Gauging Station	04/10/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	95	1,102
NRTT: Nueces River at Tilden, Texas	32	187
FRTT: Frio River at Tilden, Texas	32	1,594
SMTT: San Miguel Creek at Tilden, Texas	0	430
ARWT: Atascosa River at Whitsett, Texas	11	340
Release from Choke Canyon Reservoir	66	655
NCAT: Nueces River at Calallen, Texas	3	37
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	62	2,471

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 2,471	2,471
Estuary Inflows (Measured at NCAT)	37
PassThru Surplus / -Deficit:	-1,664

Report Generated: 04/11/2000 at 8:34:56 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 12, 2000

RESERVOIR STATISTICS

	Choke	r	Lake C	ous C	hristi		Combined Reservoir System					
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity				ıme Ft)	Percent of Capacity	_		Percent of Capacity
FULL	220.5	695,271		100%	94	.0	241	,241	100	% 936,5	12	100%
04/12/1999	205.1	359,938	5	51.8%		.0	186	5,263	77.2	% 546,2	01	58.3%
04/12/2000	200.3	282,062	4	40.6%		.2	140),618	58.3	% 422,68		45.1%
			Wea	ather R	Related I	nfo	rma	tion				
	Cho	ke Canyor	Reserv	voir		Lak	e Co	rpus (Christi Res	ervoir		Combined
Date	Air Temp (°F)	Evapor (Acl		Rainfa (Inche		Air Temp			poration AcFt)	Rainfall (Inches)	E	vaporation (AcFt)
04/11/2000	84		258	258 0.20		82	2 Par		overflow	0.51		257
MTD			2,696	0.	.85				2,447	0.66		5,143

STREAM FLOWS

Gauging Station	04/11/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	95	1,197
NRTT: Nueces River at Tilden, Texas	22	209
FRTT: Frio River at Tilden, Texas	24	1,618
SMTT: San Miguel Creek at Tilden, Texas	0	430
ARWT: Atascosa River at Whitsett, Texas	8	347
Release from Choke Canyon Reservoir	66	721
NCAT: Nueces River at Calallen, Texas	17	54
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	54	2,524

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 2,524	2,524
Estuary Inflows (Measured at NCAT)	54
PassThru Surplus / -Deficit:	-1,700

Report Generated: 04/12/2000 at 8:58:30 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 13, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Perce Capa		Elevation (Ft)	Volu (Ac		Percent of Capacity	_		Percent of Capacity	
FULL	220.5	695,271		100%	94.0	241	1,241	100	% 936,5	12	100%	
04/13/1999	205.1	359,587	5	1.7%	91.0	186	5,263	77.2	% 545,8	50	58.3%	
04/13/2000	200.3	281,910	4	0.5%	88.3	140),928	58.4	% 422,8	38	45.2%	
			Wea	ather Ro	elated Inf	orma	tion					
	Cho	ke Canyor	Reser	voir	Lal	ke Co	rpus (Christi Res	ervoir	(Combined	
Date	Air Temp (°F)	Evapor (Acl		Rainfa (Inche				poration AcFt)	Rainfall (Inches)	E	vaporation (AcFt)	
04/12/2000	74		107	0.0	00 71			90	0.10		197	
MTD			2,803	0.3	85			2,537	0.76		5,340	

STREAM FLOWS

Gauging Station	04/12/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	93	1,290
NRTT: Nueces River at Tilden, Texas	17	226
FRTT: Frio River at Tilden, Texas	20	1,638
SMTT: San Miguel Creek at Tilden, Texas	0	430
ARWT: Atascosa River at Whitsett, Texas	8	355
Release from Choke Canyon Reservoir	66	786
NCAT: Nueces River at Calallen, Texas	44	98
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	48	2,572

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 2,572	2,572
Estuary Inflows (Measured at NCAT)	98
PassThru Surplus / -Deficit:	-1,704

Report Generated: 04/13/2000 at 11:28:51 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 14, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Perce Capa		Elevation (Ft)	1	ume cFt)	Percent of Capacity	_		Percent of Capacity	
FULL	220.5	695,271		100%	94.0	24	1,241	100	% 936,5	12	100%	
04/14/1999	205.0	359,236	5	1.7%	91.0	18	6,263	77.2	% 545,4	99	58.2%	
04/14/2000	200.3	281,605	4	0.5%	88.2	140	0,463	58.2	% 422,0	68	45.1%	
			Wea	ather R	Related In	forma	tion					
	Cho	ke Canyor	Reser	voir	La	ke Co	rpus (Christi Res	ervoir	(Combined	
Date	Air Temp (°F)	Evapor (Acl				Air Temp Ev		poration AcFt)	Rainfall (Inches)	Ev	aporation (AcFt)	
04/13/2000	81		186	0	.00 7	7		171	0.00		357	
MTD			2,989	0	.85			2,708	0.76		5,697	

STREAM FLOWS

Gauging Station	04/13/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	87	1,378
NRTT: Nueces River at Tilden, Texas	13	238
FRTT: Frio River at Tilden, Texas	22	1,659
SMTT: San Miguel Creek at Tilden, Texas	0	430
ARWT: Atascosa River at Whitsett, Texas	7	361
Release from Choke Canyon Reservoir	66	852
NCAT: Nueces River at Calallen, Texas	64	162
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	44	2,616

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 2,616	2,616
Estuary Inflows (Measured at NCAT)	162
PassThru Surplus / -Deficit:	-1,684

Report Generated: 04/14/2000 at 8:54:30 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 15, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity		Elevation (Ft)		lume cFt)	Percent of Capacity	_	1	Percent of Capacity	
FULL	220.5	695,271		100%	94.0	24	1,241	100	% 936,5	12	100%	
04/15/1999	205.0	359,236	5	1.7%	91.0	18	6,263	77.2	% 545,4	99	58.2%	
04/15/2000	200.3	281,453	4	0.5%	88.2	2 14	0,463	58.2	% 421,9	16	45.1%	
			Wea	ather R	Related In	form	ation					
	Cho	ke Canyor	Reser	voir	L	ake C	orpus	Christi Res	ervoir	(Combined	
Date	Air Temp	Evapor (Acl		Rainfa (Inche		Air Temp E		poration AcFt)	Rainfall (Inches)	Ev	vaporation (AcFt)	
04/14/2000	83		213	0	.00	1		234	0.00		447	
MTD			3,202	0	.85			2,942	0.76		6,144	

STREAM FLOWS

Gauging Station	04/14/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	81	1,459
NRTT: Nueces River at Tilden, Texas	12	250
FRTT: Frio River at Tilden, Texas	20	1,679
SMTT: San Miguel Creek at Tilden, Texas	0	430
ARWT: Atascosa River at Whitsett, Texas	7	368
Release from Choke Canyon Reservoir	66	917
NCAT: Nueces River at Calallen, Texas	52	213
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	2,651

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 2,651	2,651
Estuary Inflows (Measured at NCAT)	213
PassThru Surplus / -Deficit:	-1,668

Report Generated: 04/15/2000 at 9:33:27 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 16, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Perce Capa	-	Elevation (Ft)	Volu (Ac	ume :Ft)	Percent of Capacity	_	1	Percent of Capacity	
FULL	220.5	695,271		100%	94.0	241	1,241	100	% 936,5	12	100%	
04/16/1999	205.0	358,534	5	51.6%	91.0	185	5,394	76.9	% 543,9	28	58.1%	
04/16/2000	200.3	281,300	4	10.5%	88.2	140	0,000	58.0	% 421,3	00	45.0%	
			Wea	ather R	elated Inf	orma	tion					
	Cho	ke Canyor	Reser	voir	La	ke Co	rpus (Christi Res	ervoir	(Combined	
Date	Air Temp	Evapor (Acl		Rainfa (Inche		Air Temp F		poration AcFt)	Rainfall (Inches)	E	vaporation (AcFt)	
04/15/2000	83		169	0.	.00 83	;		180	0.00		349	
MTD			3,371	0.	.85			3,122	0.76		6,493	

STREAM FLOWS

Gauging Station	04/15/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	75	1,534
NRTT: Nueces River at Tilden, Texas	11	261
FRTT: Frio River at Tilden, Texas	19	1,698
SMTT: San Miguel Creek at Tilden, Texas	0	430
ARWT: Atascosa River at Whitsett, Texas	7	375
Release from Choke Canyon Reservoir	66	983
NCAT: Nueces River at Calallen, Texas	46	259
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	29	2,680

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 2,680	2,680
Estuary Inflows (Measured at NCAT)	259
PassThru Surplus / -Deficit:	-1,651

Report Generated: 04/16/2000 at 8:57:52 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 17, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				La	pus C	hristi	Comb	Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity		Elevation (Ft)		ume :Ft)	Percent of Capacity	_		Percent of Capacity
FULL	220.5	695,271		100%		94.0 241,241		1,241	100	% 936,	512	100%
04/17/1999	205.0	358,184	5	51.5%		90.9 184,526		1,526	76.5	% 542,	710	58.0%
04/17/2000	200.3	281,148	4	0.4%	6 88		139	9,536	57.8	% 420,0	584	44.9%
			Wea	ather I	Rela	ted Inf	orma	tion				
	Cho	ke Canyor	Reser	voir	Lake Corpus Christi Reserv					ervoir		Combined
Date	Air Temp	Evapor (Acl		Rainfall (Inches)				l .	poration AcFt)	Rainfall (Inches)		vaporation (AcFt)
04/16/2000	87		195	195 0.		83			207	0.00		402
MTD			3,566	().85				3,329	0.76	5	6,895

STREAM FLOWS

Gauging Station	04/16/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	73	1,608
NRTT: Nueces River at Tilden, Texas	9	270
FRTT: Frio River at Tilden, Texas	17	1,715
SMTT: San Miguel Creek at Tilden, Texas	0	430
ARWT: Atascosa River at Whitsett, Texas	6	381
Release from Choke Canyon Reservoir	66	1,048
NCAT: Nueces River at Calallen, Texas	50	308
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	25	2,705

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 2,705	2,705
Estuary Inflows (Measured at NCAT)	308
PassThru Surplus / -Deficit:	-1,626

Report Generated: 04/17/2000 at 8:51:56 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 18, 2000

RESERVOIR STATISTICS

	Choke	r	Lake	pus C	hristi		Combined Reservoir System					
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity		Elevation (Ft)		ıme Ft)	Percent of Capacity	_	1	Percent of Capacity
FULL	220.5	695,271		100%		94.0	241,241		100	% 936,5	12	100%
04/18/1999	205.0	357,833	5	1.5%		90.9 183		3,833	76.2	% 541,6	66	57.8%
04/18/2000	200.3	280,844	4	0.4%		88.1	139	,074	57.6	% 419,9	18	44.8%
			Wea	ather R	Related	l Info	orma	tion				
	Cho	ke Canyor	Reser	voir	Lake Corpus Christi Reservoir Comb					Combined		
Date	Air Temp (°F)	Evapor (Ac)		Rainfa (Inche		Air Temp (°F)			poration AcFt)	Rainfall (Inches)	E	vaporation (AcFt)
04/17/2000	86		177	177 0.0		85			197	0.00		374
MTD			3,743	0	0.85				3,526	0.76		7,269

STREAM FLOWS

Gauging Station	04/17/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	71	1,679
NRTT: Nueces River at Tilden, Texas	8	278
FRTT: Frio River at Tilden, Texas	15	1,730
SMTT: San Miguel Creek at Tilden, Texas	0	430
ARWT: Atascosa River at Whitsett, Texas	5	387
Release from Choke Canyon Reservoir	66	1,114
NCAT: Nueces River at Calallen, Texas	50	358
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	21	2,725

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 2,725	2,725
Estuary Inflows (Measured at NCAT)	358
PassThru Surplus / -Deficit:	-1,597

Report Generated: 04/18/2000 at 9:01:57 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 19, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake	pus C	hristi		Combined Reservoir System					
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity				ıme Ft)	Percent of Capacity	_	1	Percent of Capacity		
FULL	220.5	695,271		100%	9	94.0 241		,241	100	% 936,5	12	100%		
04/19/1999	204.9	357,133	5	1.4%	ç	90.8 182,79		2,795	75.8	% 539,9	28	57.7%		
04/19/2000	200.2	280,539	4	0.3%	88.1		138	3,920	57.6	% 419,4	59	44.8%		
			Wea	ather R	Related	Info	orma	tion						
	Cho	ke Canyor	Reser	voir	Lake Corpus Christi Reservoir					ervoir	(Combined		
Date	Air Temp	Evapor (Acl		Rainf (Inch							poration AcFt)	Rainfall (Inches)	E	vaporation (AcFt)
04/18/2000	83		133	133 0.0		83			135	0.00		268		
MTD			3,876	0	0.85				3,661	0.76		7,537		

STREAM FLOWS

Gauging Station	04/18/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	69	1,749
NRTT: Nueces River at Tilden, Texas	7	284
FRTT: Frio River at Tilden, Texas	13	1,743
SMTT: San Miguel Creek at Tilden, Texas	0	430
ARWT: Atascosa River at Whitsett, Texas	4	391
Release from Choke Canyon Reservoir	66	1,179
NCAT: Nueces River at Calallen, Texas	40	398
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	17	2,743

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 2,743	2,743
Estuary Inflows (Measured at NCAT)	398
PassThru Surplus / -Deficit:	-1,575

Report Generated: 04/19/2000 at 8:34:48 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 20, 2000

RESERVOIR STATISTICS

	Choke	r	Lake (pus C	hristi		Combined Reservoir System					
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity		vation Volume Ft) (AcFt)			Percent of Capacity	_	1	Percent of Capacity
FULL	220.5	695,271		100%	94	4.0 241,241		100	% 936,5	12	100%	
04/20/1999	204.9	356,783	5	1.3%	90	90.8 182,27		2,277	75.6	% 539,0	60	57.6%
04/20/2000	200.2	280,235	4	0.3%	88	88.1 138,		3,612	57.5	% 418,8	47	44.7%
			Wea	ather R	Related 1	Inf	orma	tion				
	Cho	ke Canyor	Reser	voir	Lake Corpus Christi Reservoir					ervoir	(Combined
Date	Air Temp (°F)	Evapor (Ac)		Rainfa (Inche		Air Temp (°F)			poration AcFt)	Rainfall (Inches)	E	vaporation (AcFt)
04/19/2000	92		266	266 0.0		88			323	0.00		589
MTD			4,142	0	.85				3,984	0.76		8,126

STREAM FLOWS

Gauging Station	04/19/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	67	1,816
NRTT: Nueces River at Tilden, Texas	6	290
FRTT: Frio River at Tilden, Texas	13	1,756
SMTT: San Miguel Creek at Tilden, Texas	0	430
ARWT: Atascosa River at Whitsett, Texas	4	395
Release from Choke Canyon Reservoir	66	1,245
NCAT: Nueces River at Calallen, Texas	12	409
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	15	2,758

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 2,758	2,758
Estuary Inflows (Measured at NCAT)	409
PassThru Surplus / -Deficit:	-1,578

Report Generated: 04/20/2000 at 8:23:23 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 21, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Cor	pus C	hristi		Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Perce Capa		Elevation (Ft)	Volu (Ac	ume :Ft)	Percent of Capacity	_	- 1 -	Percent of Capacity
FULL	220.5	695,271		100%	94.0	241	1,241	100	% 936,5	12	100%
04/21/1999	204.9	356,259	5	1.2%	90.7	181	1,587	75.3	% 537,8	46	57.4%
04/21/2000	200.2	279,932	4	40.3%		137,997		57.2	% 417,9	29	44.6%
			Wea	ather R	elated Inf	orma	tion				
	Cho	ke Canyor	Reser	voir	Lake Corpus Christi Reservoir C					Co	ombined
Date	Air Temp (°F)	Evapor (Acl				e mp ')		poration AcFt)	Rainfall (Inches)		poration AcFt)
04/20/2000	87		292	292 0.00		87		277	0.00		569
MTD			4,434	0.	.85			4,261	0.76		8,695

STREAM FLOWS

Gauging Station	04/20/2000 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	67	1,884					
NRTT: Nueces River at Tilden, Texas	5	294					
FRTT: Frio River at Tilden, Texas	13	1,769					
SMTT: San Miguel Creek at Tilden, Texas	0	430					
ARWT: Atascosa River at Whitsett, Texas	3	398					
Release from Choke Canyon Reservoir	66	1,310					
NCAT: Nueces River at Calallen, Texas	129	539					
Reservoir Inflow							
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	15	2,773					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 2,773	2,773
Estuary Inflows (Measured at NCAT)	539
PassThru Surplus / -Deficit:	-1,464

Report Generated: 04/21/2000 at 8:12:00 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 22, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Cor	pus C	hristi		Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Perce Capa	-	Elevation (Ft)	on Volume (AcFt)		Percent of Capacity	_		Percent of Capacity
FULL	220.5	695,271		100%	94.0	241	1,241	100	% 936,5	12	100%
04/22/1999	204.9	356,434	5	1.3%	90.7	181	,070	75.1	% 537,5	04	57.4%
04/22/2000	200.2	279,628	4	40.2%		136	5,771	56.7	% 416,3	99	44.5%
			Wea	ather R	elated Inf	orma	tion				
	Cho	ke Canyor	Reser	voir	Lake Corpus Christi Reservoir					Combined	
Date	Air Temp (°F)	Evapor (Acl		Rainfa (Inche			l .	poration AcFt)	Rainfall (Inches)	Ev	vaporation (AcFt)
04/21/2000	88		301	301 0.00		i		303	0.00		604
MTD			4,735	0.	.85			4,564	0.76		9,299

STREAM FLOWS

Gauging Station	04/21/2000 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	67	1,951					
NRTT: Nueces River at Tilden, Texas	4	298					
FRTT: Frio River at Tilden, Texas	12	1,781					
SMTT: San Miguel Creek at Tilden, Texas	0	430					
ARWT: Atascosa River at Whitsett, Texas	3	400					
Release from Choke Canyon Reservoir	66	1,376					
NCAT: Nueces River at Calallen, Texas	179	717					
Reservoir Inflow							
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	14	2,787					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 2,787	2,787
Estuary Inflows (Measured at NCAT)	717
PassThru Surplus / -Deficit:	-1,300

Report Generated: 04/22/2000 at 8:41:41 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 23, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Co	rpus (Christi		Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Perce Capa		Elevation (Ft)			Percent of Capacity	_		Percent of Capacity
FULL	220.5	695,271		100%	94.0	24	1,241	100	% 936,5	12	100%
04/23/1999	204.9	356,434	5	51.3%		18	0,898	75.0	% 537,3	32	57.4%
04/23/2000	200.2	279,476	4	40.2%		13	6,313	56.5	% 415,789		44.4%
			Wea	ather R	Related In	forma	tion				
	Cho	ke Canyor	Reser	voir	Lake Corpus Christi Reservoir					(Combined
Date	Air Temp	Evapor (Acl		I		Air Temp (°F)		p Evaporation (AcFt)		E	vaporation (AcFt)
04/22/2000	87		318	318 0.00		84		249	0.00		567
MTD			5,053	0	.85			4,813	0.76		9,866

STREAM FLOWS

Gauging Station	04/22/2000 (AcFt)	MTD (AcFt)					
NTRT: Nueces River at Three Rivers, Texas	66	2,017					
NRTT: Nueces River at Tilden, Texas	3	302					
FRTT: Frio River at Tilden, Texas	11	1,792					
SMTT: San Miguel Creek at Tilden, Texas	0	430					
ARWT: Atascosa River at Whitsett, Texas	2	402					
Release from Choke Canyon Reservoir	66	1,441					
NCAT: Nueces River at Calallen, Texas	193	910					
Reservoir Inflow							
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	11	2,798					

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru	
Monthly Target: 3,500	3,500
Salinity Relief Credit: 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru	
Target: 3,500	2,798
Reservoir Inflow: 2,798	
Estuary Inflows (Measured at NCAT)	910
PassThru Surplus / -Deficit:	-1,118

Report Generated: 04/23/2000 at 8:24:35 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 24, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir						Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)		Percent of Capacity		vation Ft)			Percent of Capacity		Volum (AcFt)	- 1	Percent of Capacity
FULL	220.5	695,271		100%		94.0	241	1,241	241 1009		% 936,51		100%
04/24/1999	204.9	356,084	5	51.2%		90.7	180),554 74.8		%	536,63	38	57.3%
04/24/2000	200.2	279,324	4	40.2%		87.9	136	36,008		%	415,33	32	44.3%
			Wea	ather I	Relat	ted Inf	orma	tion					
	Cho	ke Canyor	Reser	voir		Lal	ke Co	rpus (Christi Res	ervo	ir	(Combined
Date	Air Temp (°F)	Evapor (Acl				Air Temp (°F)		l .	poration AcFt)		infall ches)	E	vaporation (AcFt)
04/23/2000	98		327	327 0.00		99	1		293		0.00		620
MTD			5,380	().85				5,106		0.76		10,486

STREAM FLOWS

Gauging Station	04/23/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	66	2,082
NRTT: Nueces River at Tilden, Texas	3	304
FRTT: Frio River at Tilden, Texas	11	1,803
SMTT: San Miguel Creek at Tilden, Texas	0	430
ARWT: Atascosa River at Whitsett, Texas	2	404
Release from Choke Canyon Reservoir	66	1,507
NCAT: Nueces River at Calallen, Texas	157	1,067
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	11	2,809

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru	
Monthly Target: 3,500	3,500
Salinity Relief Credit: 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru	
Target: 3,500	2,809
Reservoir Inflow: 2,809	
Estuary Inflows (Measured at NCAT)	1,067
PassThru Surplus / -Deficit:	-973

Report Generated: 04/24/2000 at 8:22:44 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 25, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Perce Capa	-	Elevation (Ft)	Volu (Ac	ume EFt)	Percent of Capacity	_		Percent of Capacity	
FULL	220.5	695,271		100%	94.0	241	1,241	100	% 936,5	12	100%	
04/25/1999	204.8	355,735	5	1.2%	90.6	180	0,039	74.6	% 535,7	74	57.2%	
04/25/2000	200.1	279,021	4	0.1%	87.9	135	5,094	56.0	% 414,1	15	44.2%	
			Wea	ather R	Related Inf	orma	tion					
	Cho	ke Canyor	Reser	voir	Lake Corpus Christi Reservoir Combi					Combined		
Date	Air Temp (°F)	Evapor (Acl		Rainfa (Inche			I	poration AcFt)	Rainfall (Inches)	Е	vaporation (AcFt)	
04/24/2000	93		344	0.	.00 89)		337	0.00		681	
MTD			5,724	0.	.85			5,443	0.76		11,167	

STREAM FLOWS

Gauging Station	04/24/2000 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	64	2,146				
NRTT: Nueces River at Tilden, Texas	2	306				
FRTT: Frio River at Tilden, Texas	11	1,815				
SMTT: San Miguel Creek at Tilden, Texas	0	430				
ARWT: Atascosa River at Whitsett, Texas	1	406				
Release from Choke Canyon Reservoir	66	1,572				
NCAT: Nueces River at Calallen, Texas	189	1,255				
Reservoir Inflow						
Computed as: NRTT+FRTT+SMTT+ARWT	15	2,824				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 2,824	2,824
Estuary Inflows (Measured at NCAT)	1,255
PassThru Surplus / -Deficit:	-799

Report Generated: 04/25/2000 at 8:10:45 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 26, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir					Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Perce Capa	-	Elevation (Ft)		ume :Ft)	Percent of Capacity	_	1	Percent of Capacity	
FULL	220.5	695,271		100%	94.0	24	1,241	100	% 936,5	12	100%	
04/26/1999	204.8	354,863	5	1.0%	90.6	179	9,695	74.5	% 534,5	58	57.1%	
04/26/2000	200.1	277,962	4	0.0%	87.8	134	1,486	55.7	% 412,4	48	44.0%	
			Wea	ather R	Related Inf	orma	tion					
	Cho	ke Canyor	Reser	voir	Lake Corpus Christi Reservoir Comb					Combined		
Date	Air Temp (°F)	Evapor (Acl		Rainfa (Inche			I	poration AcFt)	Rainfall (Inches)	E	vaporation (AcFt)	
04/25/2000	88		291	0	.00 84	1		292	0.00		583	
MTD			6,015	0	.85			5,735	0.76		11,750	

STREAM FLOWS

Gauging Station	04/25/2000 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	64	2,209				
NRTT: Nueces River at Tilden, Texas	1	308				
FRTT: Frio River at Tilden, Texas	11	1,826				
SMTT: San Miguel Creek at Tilden, Texas	0	430				
ARWT: Atascosa River at Whitsett, Texas	1	407				
Release from Choke Canyon Reservoir	66	1,638				
NCAT: Nueces River at Calallen, Texas	149	1,404				
Reservoir Inflow						
Computed as: NRTT+FRTT+SMTT+ARWT	13	2,837				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Torget Deagthyn	
Target Passthru Monthly Target: 3,500	3,500
Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru	
Target: 3,500	2,837
Reservoir Inflow: 2,837	
Estuary Inflows (Measured at NCAT)	1,404
PassThru Surplus / -Deficit:	-663

Report Generated: 04/26/2000 at 8:20:35 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 27, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Co	Christi		Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Perce Capa	-	Elevation (Ft)		ume :Ft)	Percent of Capacity	-		Percent of Capacity
FULL	220.5	695,271		100%	94.0	24	1,241	100	% 936,5	12	100%
04/27/1999	205.0	358,009	5	1.5%	90.9	183	3,833	76.2	% 541,8	42	57.9%
04/27/2000	200.0	277,659	3	9.9%	87.8	133	3,425	55.3	% 411,0	84	43.9%
			Wea	ather R	Related Inf	orma	tion				
	Cho	ke Canyor	Reser	voir	Lake Corpus Christi Reservoir Com					Combined	
Date	Air Temp	Evapor (Acl		Rainfa (Inche			I	poration AcFt)	Rainfall (Inches)	E	vaporation (AcFt)
04/26/2000	89		317	0.	.00 85	5		335	0.00		652
MTD			6,332	0.	.85			6,070	0.76		12,402

STREAM FLOWS

Gauging Station	04/26/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	62	2,271
NRTT: Nueces River at Tilden, Texas	1	309
FRTT: Frio River at Tilden, Texas	11	1,837
SMTT: San Miguel Creek at Tilden, Texas	0	430
ARWT: Atascosa River at Whitsett, Texas	1	408
Release from Choke Canyon Reservoir	66	1,703
NCAT: Nueces River at Calallen, Texas	165	1,569
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	13	2,851

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500	3,500
Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru	
Target: 3,500	2,851
Reservoir Inflow: 2,851	
Estuary Inflows (Measured at NCAT)	1,569
PassThru Surplus / -Deficit:	-512

Report Generated: 04/27/2000 at 8:23:53 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 28, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Cor	hristi		Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Perce Capa		Elevation (Ft)	Volu (Ac	ume :Ft)	Percent of Capacity	-		Percent of Capacity
FULL	220.5	695,271		100%	94.0	241	1,241	100	% 936,5	12	100%
04/28/1999	204.9	357,658	5	1.4%	90.9	183	3,660	76.1	% 541,3	18	57.8%
04/28/2000	200.0	277,357	3	9.9%	87.7	132	2,518	54.9	% 409,8	75	43.8%
			Wea	ather R	elated Inf	orma	tion				
	Cho	ke Canyor	Reser	voir	La	Lake Corpus Christi Reservoir Combin				Combined	
Date	Air Temp (°F)	Evapor (Ac)		Rainfa (Inche				poration AcFt)	Rainfall (Inches)	E	vaporation (AcFt)
04/27/2000	94		308	0.	.00	3		299	0.00		607
MTD			6,640	0.	.85			6,369	0.76		13,009

STREAM FLOWS

Gauging Station	04/27/2000 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	62	2,332				
NRTT: Nueces River at Tilden, Texas	1	309				
FRTT: Frio River at Tilden, Texas	11	1,848				
SMTT: San Miguel Creek at Tilden, Texas	0	430				
ARWT: Atascosa River at Whitsett, Texas	1	409				
Release from Choke Canyon Reservoir	66	1,769				
NCAT: Nueces River at Calallen, Texas	173	1,741				
Reservoir Inflow						
Computed as: NRTT+FRTT+SMTT+ARWT	13	2,863				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 2,863	2,863
Estuary Inflows (Measured at NCAT)	1,741
PassThru Surplus / -Deficit:	-352

Report Generated: 04/28/2000 at 8:22:20 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 29, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Corpus Christi Reservoir						Combined Reservoir System		
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity		Eleva (Ft		Volume (AcFt)		Percent of Capacity	_	1	Percent of Capacity	
FULL	220.5	695,271		100%		94.0	241	,241	100	% 936,5	12	100%	
04/29/1999	204.9	357,483	5	1.4%		90.8	183	3,487	76.1	% 540,9	70	57.8%	
04/29/2000	200.0	277,206	39.9%			87.7	132	2,066	54.7	% 409,2	72	43.7%	
	Weather Related Information												
	Choke Canyon Reservoir			voir		Lake Corpus Christi Reservoir					Combined		
Date	Air Temp	Evapor (Acl							poration AcFt)	Rainfall (Inches)	E	vaporation (AcFt)	
04/28/2000	80		88 (0.00	88			79	0.00		167	
MTD			6,728	0).85				6,448	0.76		13,176	

STREAM FLOWS

Gauging Station	04/28/2000 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	62	2,394				
NRTT: Nueces River at Tilden, Texas	0	310				
FRTT: Frio River at Tilden, Texas	10	1,858				
SMTT: San Miguel Creek at Tilden, Texas	0	430				
ARWT: Atascosa River at Whitsett, Texas	1	409				
Release from Choke Canyon Reservoir	66	1,834				
NCAT: Nueces River at Calallen, Texas	179	1,920				
Reservoir Inflow						
Computed as: NRTT+FRTT+SMTT+ARWT	11	2,875				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 2,875	2,875
Estuary Inflows (Measured at NCAT)	1,920
PassThru Surplus / -Deficit:	-185

Report Generated: 04/29/2000 at 8:55:52 AM

Choke Canyon / Lake Corpus Christi Reservoir System Daily Status Report Report Date: April 30, 2000

RESERVOIR STATISTICS

	Choke Canyon Reservoir				Lake Co	Christi		Combined Reservoir System			
Date	Elevation (Ft)	Volume (AcFt)	Perce Capa	-	Elevation (Ft)		ume cFt)	Percent of Capacity	_	1	Percent of Capacity
FULL	220.5	695,271		100%	94.0	24	1,241	100	% 936,5	12	100%
04/30/1999	204.9	356,958	5	1.3%	90.8	18	3,141	75.9	% 540,0	99	57.7%
04/30/2000	200.0	276,753	39.8%		87.6	13	54.6		% 408,3	67	43.6%
	Weather Related Information										
	Choke Canyon Reservoir			voir	L	Lake Corpus Christi Reser				voir Combined	
Date	Air Temp (°F)	Evapor (Ac)		Rainfa (Inche				poration AcFt)	Rainfall (Inches)	E	vaporation (AcFt)
04/29/2000	91		307 0.00		.00	7		272	0.00		579
MTD			7,035	0	.85			6,720	0.76		13,755

STREAM FLOWS

Gauging Station	04/29/2000 (AcFt)	MTD (AcFt)				
NTRT: Nueces River at Three Rivers, Texas	62	2,455				
NRTT: Nueces River at Tilden, Texas	0	310				
FRTT: Frio River at Tilden, Texas	9	1,868				
SMTT: San Miguel Creek at Tilden, Texas	0	430				
ARWT: Atascosa River at Whitsett, Texas	1	410				
Release from Choke Canyon Reservoir	66	1,900				
NCAT: Nueces River at Calallen, Texas	183	2,103				
Reservoir Inflow						
Computed as: NRTT+FRTT+SMTT+ARWT	10	2,885				

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	270
Wastewater Return Flow Credit (Effective: 04/01/2000)	500
Required Passthru Target: 3,500 Reservoir Inflow: 2,885	2,885
Estuary Inflows (Measured at NCAT)	2,103
PassThru Surplus / -Deficit:	-12

Report Generated: 04/30/2000 at 9:03:26 AM