

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 1, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/01/1999	203.8	337,825	48.6%	90.4	175,933	72.9%	513,758	54.9%
08/01/2000	198.8	259,772	37.4%	85.2	97,157	40.3%	356,929	38.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/31/2000	89	76	0.01	95	253	0.00		329
MTD		11,358	0.04		11,389	0.00		22,747

STREAM FLOWS

Gauging Station	07/31/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	73	2,563
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	3
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	3	262
Release from Choke Canyon Reservoir	66	2,031
NCAT: Nueces River at Calallen, Texas	0	11,075
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	535

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 1,125 Effective: 07/11/2000	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/17/2000)	-10,596
Return Flow Credit (Effective: 07/17/0200)	500
Passthru Target: 3,375 Reservoir Inflow: 535	535
Estuary Inflows (Measured at NCAT)	11,075
PassThru Surplus / -Deficit:	445

Report Generated: 08/01/2000 at 8:47:22 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 2, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/02/1999	203.8	337,655	48.6%	90.4	175,933	72.9%	513,588	54.8%
08/02/2000	198.8	259,483	37.3%	85.1	96,519	40.0%	356,002	38.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/01/2000	102	303	0.00	92	230	0.20	533	
MTD		303	0.00		230	0.20	533	

STREAM FLOWS

Gauging Station	08/01/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	71	71
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	6	6
Release from Choke Canyon Reservoir	66	66
NCAT: Nueces River at Calallen, Texas	34	34
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	6

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 6	6
Estuary Inflows (Measured at NCAT)	34
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 3, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/03/1999	203.8	337,146	48.5%	90.4	175,253	72.6%	512,399	54.7%
08/03/2000	198.8	259,050	37.3%	85.1	95,759	39.7%	354,809	37.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/02/2000	103	370	0.00	96	228	0.00	598	
MTD		673	0.00		458	0.20	1,131	

STREAM FLOWS

Gauging Station	08/02/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	71	143
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	7	13
Release from Choke Canyon Reservoir	66	131
NCAT: Nueces River at Calallen, Texas	56	89
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	12

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 12	12
Estuary Inflows (Measured at NCAT)	89
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 4, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/04/1999	203.7	336,807	48.4%	90.3	174,573	72.4%	511,380	54.6%
08/04/2000	198.8	258,618	37.2%	85.1	95,381	39.5%	353,999	37.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/03/2000	100	344	0.00	98	279	0.00	623	
MTD		1,017	0.00		737	0.20	1,754	

STREAM FLOWS

Gauging Station	08/03/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	73	216
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	18
Release from Choke Canyon Reservoir	66	197
NCAT: Nueces River at Calallen, Texas	28	117
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	20

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 20	20
Estuary Inflows (Measured at NCAT)	117
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 5, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/05/1999	203.7	336,468	48.4%	90.3	174,064	72.2%	510,532	54.5%
08/05/2000	198.7	258,330	37.2%	85.0	95,003	39.4%	353,333	37.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/04/2000	98	294	0.00	94	212	0.03	506	
MTD		1,311	0.00		949	0.23	2,260	

STREAM FLOWS

Gauging Station	08/04/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	73	290
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	21
Release from Choke Canyon Reservoir	66	262
NCAT: Nueces River at Calallen, Texas	18	135
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	28

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 28	28
Estuary Inflows (Measured at NCAT)	135
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 6, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/06/1999	203.7	335,961	48.3%	90.3	173,555	71.9%	509,516	54.4%
08/06/2000	198.7	257,898	37.1%	85.0	94,252	39.1%	352,150	37.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/05/2000	102	335	0.00	97	327	0.00	662	
MTD		1,646	0.00		1,276	0.23	2,922	

STREAM FLOWS

Gauging Station	08/05/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	69	359
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	26
Release from Choke Canyon Reservoir	66	328
NCAT: Nueces River at Calallen, Texas	20	155
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	32

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 32	32
Estuary Inflows (Measured at NCAT)	155
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 7, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/07/1999	203.6	335,284	48.2%	90.2	172,878	71.7%	508,162	54.3%
08/07/2000	198.7	257,467	37.0%	84.9	93,754	38.9%	351,221	37.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/06/2000	103	377	0.00	99	347	0.00	724	
MTD		2,023	0.00		1,623	0.23	3,646	

STREAM FLOWS

Gauging Station	08/06/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	69	429
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	30
Release from Choke Canyon Reservoir	66	393
NCAT: Nueces River at Calallen, Texas	11	165
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	36

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 36	36
Estuary Inflows (Measured at NCAT)	165
PassThru Surplus / -Deficit:	0

Report Generated: 08/07/2000 at 8:44:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 8, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/08/1999	203.6	334,777	48.2%	90.2	172,371	71.5%	507,148	54.2%
08/08/2000	198.6	257,036	37.0%	84.9	93,506	38.8%	350,542	37.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/07/2000	102	376	0.00	96	303	0.00	679	
MTD		2,399	0.00		1,926	0.23	4,325	

STREAM FLOWS

Gauging Station	08/07/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	69	498
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	34
Release from Choke Canyon Reservoir	66	459
NCAT: Nueces River at Calallen, Texas	2	167
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	40

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 40	40
Estuary Inflows (Measured at NCAT)	167
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 9, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/09/1999	203.6	334,271	48.1%	90.2	171,864	71.2%	506,135	54.0%
08/09/2000	198.6	256,749	36.9%	84.9	93,134	38.6%	349,883	37.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/08/2000	97	225	0.00	95	187	0.00	412	
MTD		2,624	0.00		2,113	0.23	4,737	

STREAM FLOWS

Gauging Station	08/08/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	69	568
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	38
Release from Choke Canyon Reservoir	66	524
NCAT: Nueces River at Calallen, Texas	0	167
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	44

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 44	44
Estuary Inflows (Measured at NCAT)	167
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 10, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/10/1999	203.6	333,933	48.0%	90.1	171,020	70.9%	504,953	53.9%
08/10/2000	198.6	256,319	36.9%	84.8	92,764	38.5%	349,083	37.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/09/2000	100	342	0.00	97	323	0.00	665	
MTD		2,966	0.00		2,436	0.23	5,402	

STREAM FLOWS

Gauging Station	08/09/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	69	637
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	42
Release from Choke Canyon Reservoir	66	590
NCAT: Nueces River at Calallen, Texas	0	167
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	48

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 48	48
Estuary Inflows (Measured at NCAT)	167
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 11, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/11/1999	203.5	333,091	47.9%	90.1	170,515	70.7%	503,606	53.8%
08/11/2000	198.6	256,033	36.8%	84.8	92,272	38.2%	348,305	37.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/10/2000	101	350	0.00	98	329	0.00	679	
MTD		3,316	0.00		2,765	0.23	6,081	

STREAM FLOWS

Gauging Station	08/10/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	697
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	47
Release from Choke Canyon Reservoir	66	655
NCAT: Nueces River at Calallen, Texas	1	168
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	5	52

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 52	52
Estuary Inflows (Measured at NCAT)	168
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 12, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/12/1999	203.5	332,586	47.8%	90.0	169,842	70.4%	502,428	53.6%
08/12/2000	198.5	255,604	36.8%	84.7	91,539	37.9%	347,143	37.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/11/2000	102	366	0.00	100	355	0.00		721
MTD		3,682	0.00		3,120	0.23		6,802

STREAM FLOWS

Gauging Station	08/11/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	756
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	52
Release from Choke Canyon Reservoir	66	721
NCAT: Nueces River at Calallen, Texas	0	168
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	5	57

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 57	57
Estuary Inflows (Measured at NCAT)	168
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 13, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/13/1999	203.5	332,082	47.8%	90.0	168,835	70.0%	500,917	53.5%
08/13/2000	198.5	255,318	36.7%	84.7	91,052	37.7%	346,370	37.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/12/2000	105	374	0.00	101	346	0.00	720	
MTD		4,056	0.00		3,466	0.23	7,522	

STREAM FLOWS

Gauging Station	08/12/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	816
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	56
Release from Choke Canyon Reservoir	66	786
NCAT: Nueces River at Calallen, Texas	0	168
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	5	62

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 62	62
Estuary Inflows (Measured at NCAT)	168
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 14, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/14/1999	203.4	331,410	47.7%	89.9	168,165	69.7%	499,575	53.3%
08/14/2000	198.5	254,890	36.7%	84.7	90,688	37.6%	345,578	36.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/13/2000	104	391	0.00	101	317	0.00	708	
MTD		4,447	0.00		3,783	0.23	8,230	

STREAM FLOWS

Gauging Station	08/13/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	58	873
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	61
Release from Choke Canyon Reservoir	66	852
NCAT: Nueces River at Calallen, Texas	0	168
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	5	67

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 67	67
Estuary Inflows (Measured at NCAT)	168
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 15, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/15/1999	203.4	331,074	47.6%	89.9	167,663	69.5%	498,737	53.3%
08/15/2000	198.5	254,605	36.6%	84.7	90,447	37.5%	345,052	36.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/14/2000	99	249	0.30	96	401	0.68	650	
MTD		4,696	0.30		4,184	0.91	8,880	

STREAM FLOWS

Gauging Station	08/14/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	933
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	65
Release from Choke Canyon Reservoir	66	917
NCAT: Nueces River at Calallen, Texas	0	168
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	4	71

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 71	71
Estuary Inflows (Measured at NCAT)	168
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 16, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/16/1999	203.4	330,906	47.6%	89.9	167,329	69.4%	498,235	53.2%
08/16/2000	198.5	254,462	36.6%	84.6	90,205	37.4%	344,667	36.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/15/2000	89	166	0.04	84	77	0.07	243	
MTD		4,862	0.34		4,261	0.98	9,123	

STREAM FLOWS

Gauging Station	08/15/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	62	994
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	70
Release from Choke Canyon Reservoir	66	983
NCAT: Nueces River at Calallen, Texas	26	194
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	4	75

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 75	75
Estuary Inflows (Measured at NCAT)	194
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 17, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/17/1999	203.4	330,403	47.5%	89.9	166,828	69.2%	497,231	53.1%
08/17/2000	198.4	254,177	36.6%	84.6	89,605	37.1%	343,782	36.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/16/2000	100	290	0.00	97	258	0.00	548	
MTD		5,152	0.34		4,519	0.98	9,671	

STREAM FLOWS

Gauging Station	08/16/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	62	1,056
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	74
Release from Choke Canyon Reservoir	66	1,048
NCAT: Nueces River at Calallen, Texas	101	295
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	5	80

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 80	80
Estuary Inflows (Measured at NCAT)	295
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 18, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/18/1999	203.3	329,566	47.4%	89.8	165,828	68.7%	495,394	52.9%
08/18/2000	198.4	253,893	36.5%	84.6	89,246	37.0%	343,139	36.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/17/2000	103	373	0.00	100	313	0.00	686	
MTD		5,525	0.34		4,832	0.98	10,357	

STREAM FLOWS

Gauging Station	08/17/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	1,116
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	78
Release from Choke Canyon Reservoir	66	1,114
NCAT: Nueces River at Calallen, Texas	46	341
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	4	84

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 84	84
Estuary Inflows (Measured at NCAT)	341
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 19, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/19/1999	203.3	329,399	47.4%	89.8	164,998	68.4%	494,397	52.8%
08/19/2000	198.4	253,040	36.4%	84.5	88,888	36.8%	341,928	36.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/18/2000	100	298	0.00	96	257	0.00	555	
MTD		5,823	0.34		5,089	0.98	10,912	

STREAM FLOWS

Gauging Station	08/18/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	1,175
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	82
Release from Choke Canyon Reservoir	66	1,179
NCAT: Nueces River at Calallen, Texas	1	342
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	4	88

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthu Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthu Target: 5,000 Reservoir Inflow: 88	88
Estuary Inflows (Measured at NCAT)	342
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 20, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/20/1999	203.3	329,064	47.3%	89.7	164,334	68.1%	493,398	52.7%
08/20/2000	198.3	252,614	36.3%	84.5	88,176	36.6%	340,790	36.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/19/2000	100	306	0.00	95	220	0.00	526	
MTD		6,129	0.34		5,309	0.98	11,438	

STREAM FLOWS

Gauging Station	08/19/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	1,235
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	3	85
Release from Choke Canyon Reservoir	66	1,245
NCAT: Nueces River at Calallen, Texas	30	372
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	3	91

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 91	91
Estuary Inflows (Measured at NCAT)	372
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 21, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/21/1999	203.3	328,897	47.3%	89.7	163,672	67.8%	492,569	52.6%
08/21/2000	198.3	252,189	36.3%	84.4	87,586	36.3%	339,775	36.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/20/2000	100	338	0.00	99	274	0.00		612
MTD		6,467	0.34		5,583	0.98		12,050

STREAM FLOWS

Gauging Station	08/20/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	1,294
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	3	88
Release from Choke Canyon Reservoir	66	1,310
NCAT: Nueces River at Calallen, Texas	67	439
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	3	93

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 93	93
Estuary Inflows (Measured at NCAT)	439
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 22, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/22/1999	203.3	328,730	47.3%	89.6	163,011	67.6%	491,741	52.5%
08/22/2000	198.3	251,906	36.2%	84.4	87,117	36.1%	339,023	36.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/21/2000	100	289	0.00	96	273	0.00	562	
MTD		6,756	0.34		5,856	0.98	12,612	

STREAM FLOWS

Gauging Station	08/21/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	1,354
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	2	90
Release from Choke Canyon Reservoir	66	1,376
NCAT: Nueces River at Calallen, Texas	7	446
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	2	96

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 96	96
Estuary Inflows (Measured at NCAT)	446
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 23, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/23/1999	203.2	327,728	47.1%	89.7	164,168	68.1%	491,896	52.5%
08/23/2000	198.2	251,340	36.1%	84.3	86,766	36.0%	338,106	36.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/22/2000	98	321	0.00	95	265	0.00	586	
MTD		7,077	0.34		6,121	0.98	13,198	

STREAM FLOWS

Gauging Station	08/22/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	58	1,411
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	3	93
Release from Choke Canyon Reservoir	66	1,441
NCAT: Nueces River at Calallen, Texas	0	446
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	3	98

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 98	98
Estuary Inflows (Measured at NCAT)	446
PassThru Surplus / -Deficit:	0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 24, 2000**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/24/1999	203.4	331,578	47.7%	90.3	174,913	72.5%	506,491	54.1%
08/24/2000	198.2	250,917	36.1%	84.3	86,185	35.7%	337,102	36.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/23/2000	99	280	0.00	97	210	0.00	490
MTD		7,357	0.34		6,331	0.98	13,688

STREAM FLOWS

Gauging Station	08/23/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	58	1,469
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	6	99
Release from Choke Canyon Reservoir	66	1,507
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	314	6,584
NCAT: Nueces River at Calallen, Texas	0	446
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	6	104

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 104	104
Estuary Inflows (Measured at NCAT)	446
PassThru Surplus / -Deficit:	0

LAKE TEXANA USAGE
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2000	
				Allocation	Remaining
08/23/2000	141	3,087	28,569	4,100	1,013

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 25, 2000**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/25/1999	203.5	332,082	47.8%	90.4	176,786	73.3%	508,868	54.3%
08/25/2000	198.2	250,494	36.0%	84.2	85,491	35.4%	335,985	35.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/24/2000	101	304	0.00	98	208	0.00	512
MTD		7,661	0.34		6,539	0.98	14,200

STREAM FLOWS

Gauging Station	08/24/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	58	1,526
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	102
Release from Choke Canyon Reservoir	66	1,572
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	308	6,892
NCAT: Nueces River at Calallen, Texas	24	470
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	4	108

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 108	108
Estuary Inflows (Measured at NCAT)	470
PassThru Surplus / -Deficit:	0

LAKE TEXANA USAGE
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2000	
				Allocation	Remaining
08/24/2000	120	3,207	28,689	4,100	893

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 26, 2000**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/26/1999	203.5	332,082	47.8%	90.4	176,445	73.1%	508,527	54.3%
08/26/2000	198.2	250,071	36.0%	84.2	85,145	35.3%	335,216	35.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/25/2000	101	353	0.00	96	268	0.00	621
MTD		8,014	0.34		6,807	0.98	14,821

STREAM FLOWS

Gauging Station	08/25/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	1,586
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	106
Release from Choke Canyon Reservoir	66	1,638
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	292	7,184
NCAT: Nueces River at Calallen, Texas	40	509
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	4	112

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 112	112
Estuary Inflows (Measured at NCAT)	509
PassThru Surplus / -Deficit:	0

LAKE TEXANA USAGE

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2000	
				Allocation	Remaining
08/25/2000	140	3,346	28,828	4,100	754

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 27, 2000**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/27/1999	203.4	331,746	47.7%	90.4	175,933	72.9%	507,679	54.2%
08/27/2000	198.1	249,789	35.9%	84.2	84,687	35.1%	334,476	35.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/26/2000	101	336	0.00	96	260	0.00	596
MTD		8,350	0.34		7,067	0.98	15,417

STREAM FLOWS

Gauging Station	08/26/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	58	1,644
NRTT: Nueces River at Tilden, Texas	0	0
FRIT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	110
Release from Choke Canyon Reservoir	66	1,703
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	280	7,464
NCAT: Nueces River at Calallen, Texas	38	547
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	4	116

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 116	116
Estuary Inflows (Measured at NCAT)	547
PassThru Surplus / -Deficit:	0

LAKE TEXANA USAGE

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2000	
				Allocation	Remaining
08/26/2000	139	3,485	28,952	4,100	615

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 28, 2000**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/28/1999	203.4	331,578	47.7%	90.4	176,445	73.1%	508,023	54.2%
08/28/2000	198.1	249,368	35.9%	84.1	84,231	34.9%	333,599	35.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/27/2000	102	319	0.00	98	219	0.00	538
MTD		8,669	0.34		7,286	0.98	15,955

STREAM FLOWS

Gauging Station	08/27/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	58	1,701
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	13	122
Release from Choke Canyon Reservoir	66	1,769
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	274	7,738
NCAT: Nueces River at Calallen, Texas	20	567
Reservoir Inflow		
Computed as: NRTT+FRIT+SMIT+ARWT	13	128

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 128	128
Estuary Inflows (Measured at NCAT)	567
PassThru Surplus / -Deficit:	0

LAKE TEXANA USAGE

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2000	
				Allocation	Remaining
08/27/2000	139	3,624	29,091	4,100	476

Report Generated: 08/28/2000 at 8:13:59 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 29, 2000**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/29/1999	203.4	331,578	47.7%	90.5	177,298	73.5%	508,876	54.3%
08/29/2000	198.1	248,806	35.8%	84.1	83,663	34.7%	332,469	35.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/28/2000	102	343	0.00	98	277	0.00	620
MTD		9,012	0.34		7,563	0.98	16,575

STREAM FLOWS

Gauging Station	08/28/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	1,761
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	8	130
Release from Choke Canyon Reservoir	66	1,834
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	276	8,013
NCAT: Nueces River at Calallen, Texas	18	585
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	8	136

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 136	136
Estuary Inflows (Measured at NCAT)	585
PassThru Surplus / -Deficit:	0

LAKE TEXANA USAGE

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2000	
				Allocation	Remaining
08/28/2000	139	3,763	29,229	4,100	337

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 30, 2000**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/30/1999	203.4	331,410	47.7%	90.5	178,153	73.8%	509,563	54.4%
08/30/2000	198.0	248,525	35.7%	84.0	83,211	34.5%	331,736	35.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/29/2000	101	327	0.00	98	289	0.00	616
MTD		9,339	0.34		7,852	0.98	17,191

STREAM FLOWS

Gauging Station	08/29/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	66	1,826
NRTT: Nueces River at Tilden, Texas	0	0
FRTT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	135
Release from Choke Canyon Reservoir	66	1,900
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	290	8,303
NCAT: Nueces River at Calallen, Texas	3	588
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	136

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 136	136
Estuary Inflows (Measured at NCAT)	588
PassThru Surplus / -Deficit:	0

LAKE TEXANA USAGE

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2000	
				Allocation	Remaining
08/29/2000	139	3,902	29,368	4,100	198

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: August 31, 2000**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
08/31/1999	203.4	330,739	47.6%	90.6	179,009	74.2%	509,748	54.4%
08/31/2000	198.0	248,105	35.7%	84.0	82,650	34.3%	330,755	35.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/30/2000	103	343	0.00	101	300	0.00	643
MTD		9,682	0.34		8,152	0.98	17,834

STREAM FLOWS

Gauging Station	08/30/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	60	1,886
NRTT: Nueces River at Tilden, Texas	0	0
FRIT: Frio River at Tilden, Texas	0	0
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	3	138
Release from Choke Canyon Reservoir	66	1,965
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	304	8,607
NCAT: Nueces River at Calallen, Texas	0	588
Reservoir Inflow		
Computed as: NRMT+FRIT+SMTT+ARWT	3	139

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 5,000 Salinity Relief Credit: 0 Effective:	5,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	445
Return Flow Credit (Effective: 08/01/2000)	500
Passthru Target: 5,000 Reservoir Inflow: 139	139
Estuary Inflows (Measured at NCAT)	588
PassThru Surplus / -Deficit:	0

LAKE TEXANA USAGE

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2000	
				Allocation	Remaining
08/30/2000	139	4,041	29,508	4,100	59