

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: November 1, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/01/1999	202.1	310,329	44.6%	90.2	172,540	71.5%	482,869	51.6%
11/01/2000	197.9	245,871	35.4%	81.8	61,659	25.6%	307,530	32.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/31/2000	87	130	0.06	91	139	0.00	269
MTD		4,579	3.40		3,090	4.15	7,669

STREAM FLOWS

Gauging Station	10/31/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	73	3,327
NRTT: Nueces River at Tilden, Texas	0	935
FRIT: Frio River at Tilden, Texas	961	10,676
SMTT: San Miguel Creek at Tilden, Texas	8	638
ARWT: Atascosa River at Whitsett, Texas	875	1,125
Release from Choke Canyon Reservoir	19	1,985
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	717	11,626
NCAT: Nueces River at Calallen, Texas	717	3,190
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,023	12,656

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit: 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	733
Return Flow Credit (Effective: 10/01/2000)	500
Passthru Target: 9,000 Reservoir Inflow: 12,656	9,000
Estuary Inflows (Measured at NCAT)	3,190
PassThru Surplus / -Deficit:	-4,577

LAKE TEXANA USAGE
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2000	
				Allocation	Remaining
10/31/2000	99	3,087	36,664	3,050	-37

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: November 2, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/02/1999	202.1	310,006	44.6%	90.2	173,216	71.8%	483,222	51.6%
11/02/2000	197.9	246,289	35.4%	81.8	61,150	25.3%	307,439	32.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/01/2000	83	49	0.00	87	89	0.15	138
MTD		49	0.00		89	0.15	138

STREAM FLOWS

Gauging Station	11/01/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	71	71
NRTT: Nueces River at Tilden, Texas	0	0
FRIT: Frio River at Tilden, Texas	468	468
SMTT: San Miguel Creek at Tilden, Texas	1	1
ARWT: Atascosa River at Whitsett, Texas	5	5
Release from Choke Canyon Reservoir	66	66
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	975	975
NCAT: Nueces River at Calallen, Texas	762	762
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	475	475

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-4,577
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 475	475
Estuary Inflows (Measured at NCAT)	762
PassThru Surplus / -Deficit:	-4,290

LAKE TEXANA USAGE
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000	
				Allocation	Remaining
11/01/2000	99	99	36,763	3,050	2,951

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: November 3, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/03/1999	202.1	309,199	44.5%	90.2	172,033	71.3%	481,232	51.4%
11/03/2000	197.9	246,289	35.4%	81.7	60,812	25.2%	307,101	32.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/02/2000	87	122	0.00	89	103	0.18	225
MTD		171	0.00		192	0.33	363

STREAM FLOWS

Gauging Station	11/02/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	71	143
NRTT: Nueces River at Tilden, Texas	69	69
FRIT: Frio River at Tilden, Texas	131	599
SMTT: San Miguel Creek at Tilden, Texas	0	1
ARWT: Atascosa River at Whitsett, Texas	4	9
Release from Choke Canyon Reservoir	66	131
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	973	1,947
NCAT: Nueces River at Calallen, Texas	820	1,582
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	137	612

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-4,577
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 612	612
Estuary Inflows (Measured at NCAT)	1,582
PassThru Surplus / -Deficit:	-3,607

LAKE TEXANA USAGE
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000	
				Allocation	Remaining
11/02/2000	99	198	36,862	3,050	2,852

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: November 4, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/04/1999	202.0	308,555	44.4%	90.1	171,526	71.1%	480,081	51.3%
11/04/2000	198.0	247,545	35.6%	81.6	59,806	24.8%	307,351	32.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/03/2000	85	65	2.60	86	Pan overflow	1.15	64
MTD		236	2.60		191	1.48	427

STREAM FLOWS

Gauging Station	11/03/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	71	214
NRTT: Nueces River at Tilden, Texas	69	139
FRTT: Frio River at Tilden, Texas	131	730
SMTT: San Miguel Creek at Tilden, Texas	0	1
ARWT: Atascosa River at Whitsett, Texas	4	12
Release from Choke Canyon Reservoir	66	197
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	973	2,920
NCAT: Nueces River at Calallen, Texas	820	2,402
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	137	749

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-4,577
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 749	749
Estuary Inflows (Measured at NCAT)	2,402
PassThru Surplus / -Deficit:	-2,924

LAKE TEXANA USAGE
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000	
				Allocation	Remaining
11/03/2000	99	297	36,961	3,050	2,753

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: November 5, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/05/1999	202.0	308,072	44.3%	90.1	171,189	71.0%	479,261	51.2%
11/05/2000	198.0	247,965	35.7%	81.5	59,141	24.5%	307,106	32.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/04/2000	75	82	0.00	80	275	0.63	357	
MTD		318	2.60		466	2.11	784	

STREAM FLOWS

Gauging Station	11/04/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	939	1,153
NRTT: Nueces River at Tilden, Texas	794	933
FRTT: Frio River at Tilden, Texas	117	848
SMTT: San Miguel Creek at Tilden, Texas	7	7
ARWT: Atascosa River at Whitsett, Texas	6	18
Release from Choke Canyon Reservoir	66	262
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	983	3,903
NCAT: Nueces River at Calallen, Texas	1,129	3,531
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	997	1,746

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-4,577
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 1,746	1,746
Estuary Inflows (Measured at NCAT)	3,531
PassThru Surplus / -Deficit:	-2,792

LAKE TEXANA USAGE
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000	
				Allocation	Remaining
11/04/2000	99	396	37,060	3,050	2,654

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: November 6, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/06/1999	202.0	308,072	44.3%	90.1	171,020	70.9%	479,092	51.2%
11/06/2000	198.1	249,508	35.9%	81.5	58,728	24.3%	308,236	32.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/05/2000	80	213	1.30	83	Pan overflow	2.20	212
MTD		531	3.90		465	4.31	996

STREAM FLOWS

Gauging Station	11/05/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	991	2,144
NRTT: Nueces River at Tilden, Texas	431	1,364
FRTT: Frio River at Tilden, Texas	69	917
SMTT: San Miguel Creek at Tilden, Texas	294	301
ARWT: Atascosa River at Whitsett, Texas	218	236
Release from Choke Canyon Reservoir	66	328
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	979	4,881
NCAT: Nueces River at Calallen, Texas	965	4,496
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,288	3,034

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-4,577
Return Flow Credit (Effective:)	0
Passthru Target: 4,000 Reservoir Inflow: 3,034	3,034
Estuary Inflows (Measured at NCAT)	4,496
PassThru Surplus / -Deficit:	-3,115

LAKE TEXANA USAGE
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000	
				Allocation	Remaining
11/05/2000	99	495	37,159	3,050	2,555

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: November 7, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/07/1999	202.0	307,751	44.3%	90.1	170,684	70.8%	478,435	51.1%
11/07/2000	198.1	249,227	35.8%	82.0	62,598	25.9%	311,825	33.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/06/2000	78	106	0.0	81	85	0.0	191
MTD		637	3.90		550	4.31	1,187

STREAM FLOWS

Gauging Station	11/06/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,538	3,682
NRTT: Nueces River at Tilden, Texas	746	2,110
FRTT: Frio River at Tilden, Texas	276	1,193
SMTT: San Miguel Creek at Tilden, Texas	443	744
ARWT: Atascosa River at Whitsett, Texas	403	639
Release from Choke Canyon Reservoir	66	393
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	597	5,479
NCAT: Nueces River at Calallen, Texas	1,004	5,500
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,191	5,226

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 4,000 Reservoir Inflow: 5,226	4,000
Estuary Inflows (Measured at NCAT)	5,500
PassThru Surplus / -Deficit:	-2,577

LAKE TEXANA USAGE
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000	
				Allocation	Remaining
11/06/2000	99	594	37,258	3,050	2,456

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: November 8, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/08/1999	202.0	307,590	44.2%	90.1	170,515	70.7%	478,105	51.1%
11/08/2000	198.1	249,789	35.9%	82.0	63,374	26.3%	313,163	33.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/07/2000	66	115	0.06	73	35	0.02	150
MTD		752	3.96		585	4.33	1,337

STREAM FLOWS

Gauging Station	11/07/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,737	5,419
NRTT: Nueces River at Tilden, Texas	532	2,642
FRTT: Frio River at Tilden, Texas	280	1,473
SMTT: San Miguel Creek at Tilden, Texas	191	934
ARWT: Atascosa River at Whitsett, Texas	985	1,624
Release from Choke Canyon Reservoir	66	459
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	278	5,757
NCAT: Nueces River at Calallen, Texas	516	6,017
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,142	7,368

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 4,000 Reservoir Inflow: 7,368	4,000
Estuary Inflows (Measured at NCAT)	6,017
PassThru Surplus / -Deficit:	-2,060

LAKE TEXANA USAGE
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000	
				Allocation	Remaining
11/07/2000	104	698	37,362	3,050	2,352

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: November 9, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/09/1999	202.0	307,912	44.3%	90.1	170,179	70.5%	478,091	51.1%
11/09/2000	198.2	250,494	36.0%	82.2	64,867	26.9%	315,361	33.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/08/2000	55	66	0.00	61	78	0.00	144
MTD		818	3.96		663	4.33	1,481

STREAM FLOWS

Gauging Station	11/08/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,524	6,944
NRTT: Nueces River at Tilden, Texas	455	3,097
FRTT: Frio River at Tilden, Texas	905	2,378
SMTT: San Miguel Creek at Tilden, Texas	379	1,313
ARWT: Atascosa River at Whitsett, Texas	375	1,999
Release from Choke Canyon Reservoir	66	524
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	216	5,973
NCAT: Nueces River at Calallen, Texas	199	6,215
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,743	10,111

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 4,000 Reservoir Inflow: 10,111	4,000
Estuary Inflows (Measured at NCAT)	6,215
PassThru Surplus / -Deficit:	-1,862

LAKE TEXANA USAGE
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000	
				Allocation	Remaining
11/08/2000	100	798	37,462	3,050	2,252

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Status Report
Report Date: November 10, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/10/1999	202.0	307,590	44.2%	90.1	170,010	70.5%	477,600	51.0%
11/10/2000	198.2	251,058	36.1%	82.3	65,583	27.2%	316,641	33.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/09/2000	66	33	0.00	68	63	0.00	96
MTD		851	3.96		726	4.33	1,577

STREAM FLOWS

Gauging Station	11/09/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	846	7,789
NRTT: Nueces River at Tilden, Texas	592	3,688
FRTT: Frio River at Tilden, Texas	1,564	3,942
SMTT: San Miguel Creek at Tilden, Texas	256	1,569
ARWT: Atascosa River at Whitsett, Texas	197	2,196
Release from Choke Canyon Reservoir	66	590
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	206	6,179
NCAT: Nueces River at Calallen, Texas	133	6,348
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,600	12,711

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 4,000 Reservoir Inflow: 12,711	4,000
Estuary Inflows (Measured at NCAT)	6,348
PassThru Surplus / -Deficit:	-1,729

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	11/10/1999
11/09/2000	100	898	37,562	3,050	2,152	44.0	41.7

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 11, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/11/1999	202.0	307,430	44.2%	90.0	169,674	70.3%	477,104	50.9%
11/11/2000	198.4	253,608	36.5%	82.3	66,034	27.4%	319,642	34.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/10/2000	65	66	0.00	70	58	0.00	124
MTD		917	3.96		784	4.33	1,701

STREAM FLOWS

Gauging Station	11/10/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	875	8,665
NRTT: Nueces River at Tilden, Texas	748	4,436
FRTT: Frio River at Tilden, Texas	2,481	6,423
SMTT: San Miguel Creek at Tilden, Texas	103	1,673
ARWT: Atascosa River at Whitsett, Texas	115	2,311
Release from Choke Canyon Reservoir	66	655
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	208	6,388
NCAT: Nueces River at Calallen, Texas	44	6,392
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,394	16,106

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 4,000 Reservoir Inflow: 16,106	4,000
Estuary Inflows (Measured at NCAT)	6,392
PassThru Surplus / -Deficit:	-1,685

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	11/11/1999
11/10/2000	100	998	37,662	3,050	2,052	44.0	41.9

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 12, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/12/1999	202.0	307,590	44.2%	90.0	169,506	70.3%	477,096	50.9%
11/12/2000	198.6	256,033	36.8%	82.4	66,580	27.6%	322,613	34.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/11/2000	79	50	0.00	81	32	0.01	82
MTD		967	3.96		816	4.34	1,783

STREAM FLOWS

Gauging Station	11/11/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	941	9,605
NRRT: Nueces River at Tilden, Texas	1,030	5,467
FRTT: Frio River at Tilden, Texas	3,414	9,838
SMTT: San Miguel Creek at Tilden, Texas	83	1,756
ARWT: Atascosa River at Whitsett, Texas	58	2,368
Release from Choke Canyon Reservoir	66	721
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	206	6,594
NCAT: Nueces River at Calallen, Texas	36	6,427
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4,373	20,479

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 4,000 Reservoir Inflow: 20,479	4,000
Estuary Inflows (Measured at NCAT)	6,427
PassThru Surplus / -Deficit:	-1,650

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	11/12/1999
11/11/2000	100	1,097	37,761	3,050	1,953	44.0	41.9

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 13, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/13/1999	201.9	307,269	44.2%	90.0	169,338	70.2%	476,607	50.9%
11/13/2000	198.8	259,627	37.3%	82.4	66,947	27.8%	326,574	34.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/12/2000	84	151	0.13	84	86	0.12	237
MTD		1,118	4.09		902	4.46	2,020

STREAM FLOWS

Gauging Station	11/12/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,147	10,753
NRTT: Nueces River at Tilden, Texas	1,195	6,662
FRTT: Frio River at Tilden, Texas	3,791	13,629
SMTT: San Miguel Creek at Tilden, Texas	62	1,818
ARWT: Atascosa River at Whitsett, Texas	38	2,406
Release from Choke Canyon Reservoir	66	786
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	208	6,803
NCAT: Nueces River at Calallen, Texas	75	6,503
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4,935	25,413

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 4,000 Reservoir Inflow: 25,413	4,000
Estuary Inflows (Measured at NCAT)	6,503
PassThru Surplus / -Deficit:	-1,574

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	11/13/1999
11/12/2000	100	1,197	37,861	3,050	1,853	44.0	41.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 14, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/14/1999	201.9	306,948	44.1%	90.0	169,003	70.1%	475,951	50.8%
11/14/2000	199.0	261,946	37.7%	82.5	67,594	28.0%	329,540	35.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/13/2000	60	127	0.00	63	97	0.00	224
MTD		1,245	4.09		999	4.46	2,244

STREAM FLOWS

Gauging Station	11/13/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,294	12,047
NRRT: Nueces River at Tilden, Texas	1,302	7,964
FRTT: Frio River at Tilden, Texas	2,779	16,408
SMTT: San Miguel Creek at Tilden, Texas	38	1,855
ARWT: Atascosa River at Whitsett, Texas	28	2,434
Release from Choke Canyon Reservoir	66	852
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	208	7,011
NCAT: Nueces River at Calallen, Texas	52	6,554
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4,045	29,459

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 4,000 Reservoir Inflow: 29,459	4,000
Estuary Inflows (Measured at NCAT)	6,554
PassThru Surplus / -Deficit:	-1,523

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	11/14/1999
11/13/2000	100	1,297	37,961	3,050	1,753	44.0	42.0

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 15, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/15/1999	201.9	306,788	44.1%	90.0	168,667	69.9%	475,455	50.8%
11/15/2000	199.1	263,402	37.9%	82.6	68,435	28.4%	331,837	35.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/14/2000	56	76	0.00	60	60	0.00	136
MTD		1,321	4.09		1,059	4.46	2,380

STREAM FLOWS

Gauging Station	11/14/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,378	13,425
NRTT: Nueces River at Tilden, Texas	1,431	9,395
FRTT: Frio River at Tilden, Texas	1,820	18,228
SMTT: San Miguel Creek at Tilden, Texas	20	1,875
ARWT: Atascosa River at Whitsett, Texas	107	2,541
Release from Choke Canyon Reservoir	66	917
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	189	7,200
NCAT: Nueces River at Calallen, Texas	60	6,614
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,152	32,611

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 4,000 Reservoir Inflow: 32,611	4,000
Estuary Inflows (Measured at NCAT)	6,614
PassThru Surplus / -Deficit:	-1,463

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	11/15/1999
11/14/2000	100	1,397	38,061	3,050	1,653	44.0	42.0

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 16, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/16/1999	201.9	306,627	44.1%	90.0	168,667	69.9%	475,294	50.8%
11/16/2000	199.2	264,864	38.1%	82.8	69,859	29.0%	334,723	35.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/15/2000	60	34	0.08	74	56	0.08	90
MTD		1,355	4.17		1,115	4.54	2,470

STREAM FLOWS

Gauging Station	11/15/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,570	14,995
NRTT: Nueces River at Tilden, Texas	1,582	10,977
FRTT: Frio River at Tilden, Texas	1,233	19,461
SMTT: San Miguel Creek at Tilden, Texas	13	1,888
ARWT: Atascosa River at Whitsett, Texas	48	2,589
Release from Choke Canyon Reservoir	66	983
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	177	7,376
NCAT: Nueces River at Calallen, Texas	40	6,654
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,750	35,361

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 4,000 Reservoir Inflow: 35,361	4,000
Estuary Inflows (Measured at NCAT)	6,654
PassThru Surplus / -Deficit:	-1,423

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	11/16/1999
11/15/2000	100	1,497	38,161	3,050	1,553	44.0	42.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 17, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/17/1999	201.9	305,986	44.0%	89.9	167,830	69.6%	473,816	50.6%
11/17/2000	199.2	265,010	38.1%	82.9	70,826	29.4%	335,836	35.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/16/2000	66	34	0.13	73	96	0.09		130
MTD		1,389	4.30		1,211	4.63		2,600

STREAM FLOWS

Gauging Station	11/16/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,640	16,634
NRTT: Nueces River at Tilden, Texas	1,741	12,718
FRTT: Frio River at Tilden, Texas	854	20,314
SMTT: San Miguel Creek at Tilden, Texas	8	1,896
ARWT: Atascosa River at Whitsett, Texas	28	2,616
Release from Choke Canyon Reservoir	66	1,048
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	177	7,553
NCAT: Nueces River at Calallen, Texas	34	6,687
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,436	37,797

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 4,000 Reservoir Inflow: 37,797	4,000
Estuary Inflows (Measured at NCAT)	6,687
PassThru Surplus / -Deficit:	-1,390

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	11/17/1999
11/16/2000	100	1,597	38,261	3,050	1,453	44.0	42.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 18, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/18/1999	201.9	306,307	44.1%	89.9	167,496	69.4%	473,803	50.6%
11/18/2000	199.3	266,478	38.3%	82.9	71,706	29.7%	338,184	36.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/17/2000	49	60	0.87	59	Pan overflow	1.15	59
MTD		1,449	5.17		1,210	5.78	2,659

STREAM FLOWS

Gauging Station	11/17/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,749	18,383
NRTT: Nueces River at Tilden, Texas	1,910	14,627
FRTT: Frio River at Tilden, Texas	615	20,930
SMTT: San Miguel Creek at Tilden, Texas	5	1,901
ARWT: Atascosa River at Whitsett, Texas	22	2,638
Release from Choke Canyon Reservoir	66	1,114
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	177	7,730
NCAT: Nueces River at Calallen, Texas	26	6,713
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,303	40,100

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 4,000 Reservoir Inflow: 40,100	4,000
Estuary Inflows (Measured at NCAT)	6,713
PassThru Surplus / -Deficit:	-1,364

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	11/18/1999
11/17/2000	94	1,690	38,354	3,050	1,360	44.0	42.6

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 19, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/19/1999	201.9	305,986	44.0%	89.9	167,329	69.4%	473,315	50.5%
11/19/2000	199.3	267,214	38.4%	83.1	72,797	30.2%	340,011	36.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/18/2000	46	43	0.80	55	163	0.34	206
MTD		1,492	5.97		1,373	6.12	2,865

STREAM FLOWS

Gauging Station	11/18/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,939	20,322
NRTT: Nueces River at Tilden, Texas	2,144	16,771
FRTT: Frio River at Tilden, Texas	508	21,438
SMTT: San Miguel Creek at Tilden, Texas	69	1,970
ARWT: Atascosa River at Whitsett, Texas	28	2,666
Release from Choke Canyon Reservoir	66	1,179
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	183	7,912
NCAT: Nueces River at Calallen, Texas	42	6,755
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,451	42,552

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 4,000 Reservoir Inflow: 42,552	4,000
Estuary Inflows (Measured at NCAT)	6,755
PassThru Surplus / -Deficit:	-1,322

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	11/19/1999
11/18/2000	92	1,782	38,447	3,050	1,268	44.0	42.6

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 20, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/20/1999	201.9	305,826	44.0%	89.9	166,995	69.2%	472,821	50.5%
11/20/2000	199.4	268,246	38.6%	83.4	76,373	31.7%	344,619	36.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/19/2000	60	43	0.00	61	61	0.01	104
MTD		1,535	5.97		1,434	6.13	2,969

STREAM FLOWS

Gauging Station	11/19/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	2,263	22,585
NRTT: Nueces River at Tilden, Texas	2,382	19,153
FRTT: Frio River at Tilden, Texas	520	21,958
SMTT: San Miguel Creek at Tilden, Texas	101	2,072
ARWT: Atascosa River at Whitsett, Texas	846	3,512
Release from Choke Canyon Reservoir	66	1,245
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	181	8,093
NCAT: Nueces River at Calallen, Texas	73	6,828
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,819	45,370

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 4,000 Reservoir Inflow: 45,370	4,000
Estuary Inflows (Measured at NCAT)	6,828
PassThru Surplus / -Deficit:	-1,249

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	11/20/1999
11/19/2000	100	1,882	38,546	3,050	1,168	44.0	42.6

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 21, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/21/1999	201.8	305,506	43.9%	89.8	166,495	69.0%	472,001	50.4%
11/21/2000	199.5	269,281	38.7%	83.6	78,488	32.5%	347,769	37.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/20/2000	64	78	0.00	65	87	0.00	165
MTD		1,613	5.97		1,521	6.13	3,134

STREAM FLOWS

Gauging Station	11/20/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	3,533	26,119
NRTT: Nueces River at Tilden, Texas	2,581	21,734
FRTT: Frio River at Tilden, Texas	431	22,389
SMTT: San Miguel Creek at Tilden, Texas	153	2,224
ARWT: Atascosa River at Whitsett, Texas	1,517	5,028
Release from Choke Canyon Reservoir	66	1,310
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	185	8,277
NCAT: Nueces River at Calallen, Texas	40	6,868
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4,051	49,422

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 4,000 Reservoir Inflow: 49,422	4,000
Estuary Inflows (Measured at NCAT)	6,868
PassThru Surplus / -Deficit:	-1,209

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	11/21/1999
11/20/2000	100	1,982	38,646	3,050	1,068	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 22, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/22/1999	201.8	305,346	43.9%	89.8	166,161	68.9%	471,507	50.3%
11/22/2000	199.5	269,874	38.8%	83.9	81,205	33.7%	351,079	37.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/21/2000	65	60	0.00	69	26	0.00	86
MTD		1,673	5.97		1,547	6.13	3,220

STREAM FLOWS

Gauging Station	11/21/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	3,414	29,533
NRTT: Nueces River at Tilden, Texas	2,541	24,275
FRTT: Frio River at Tilden, Texas	341	22,730
SMTT: San Miguel Creek at Tilden, Texas	498	2,723
ARWT: Atascosa River at Whitsett, Texas	300	5,328
Release from Choke Canyon Reservoir	66	1,376
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	189	8,466
NCAT: Nueces River at Calallen, Texas	0	6,868
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4,188	53,610

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 4,000 Reservoir Inflow: 53,610	4,000
Estuary Inflows (Measured at NCAT)	6,868
PassThru Surplus / -Deficit:	-1,209

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	11/22/1999
11/21/2000	94	2,076	38,740	3,050	974	44.0	44.2

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 23, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/23/1999	201.8	305,186	43.9%	89.8	166,328	68.9%	471,514	50.3%
11/23/2000	199.6	270,616	38.9%	84.0	83,324	34.5%	353,940	37.8%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/22/2000	66	17	0.03	72	59	0.00	76	
MTD		1,690	6.00		1,606	6.13	3,296	

STREAM FLOWS

Gauging Station	11/22/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	2,700	32,232
NRTT: Nueces River at Tilden, Texas	1,927	26,202
FRTT: Frio River at Tilden, Texas	328	23,058
SMTT: San Miguel Creek at Tilden, Texas	197	2,919
ARWT: Atascosa River at Whitsett, Texas	238	5,566
Release from Choke Canyon Reservoir	66	1,441
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	191	8,657
NCAT: Nueces River at Calallen, Texas	17	6,885
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,158	56,768

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 4,000 Reservoir Inflow: 56,768	4,000
Estuary Inflows (Measured at NCAT)	6,885
PassThru Surplus / -Deficit:	-1,192

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	11/23/1999
11/22/2000	100	2,176	38,840	3,050	874	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 24, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/24/1999	201.8	304,866	43.8%	89.8	165,828	68.7%	470,694	50.3%
11/24/2000	199.7	271,956	39.1%	84.2	85,145	35.3%	357,101	38.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/23/2000	79	96	0.23	82	94	0.17	190
MTD		1,786	6.23		1,700	6.30	3,486

STREAM FLOWS

Gauging Station	11/23/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	2,303	34,535
NRTT: Nueces River at Tilden, Texas	1,143	27,345
FRTT: Frio River at Tilden, Texas	415	23,473
SMTT: San Miguel Creek at Tilden, Texas	95	3,014
ARWT: Atascosa River at Whitsett, Texas	109	5,675
Release from Choke Canyon Reservoir	66	1,507
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	193	8,849
NCAT: Nueces River at Calallen, Texas	44	6,929
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,747	59,516

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 4,000 Reservoir Inflow: 59,516	4,000
Estuary Inflows (Measured at NCAT)	6,929
PassThru Surplus / -Deficit:	-1,148

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	11/24/1999
11/23/2000	100	2,276	38,940	3,050	774	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 25, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/25/1999	201.8	304,547	43.8%	89.8	165,828	68.7%	470,375	50.2%
11/25/2000	199.7	272,105	39.1%	84.4	87,469	36.3%	359,574	38.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/24/2000	65	130	0.00	73	171	0.00	301
MTD		1,916	6.23		1,871	6.30	3,787

STREAM FLOWS

Gauging Station	11/24/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,439	35,974
NRTT: Nueces River at Tilden, Texas	877	28,223
FRTT: Frio River at Tilden, Texas	482	23,955
SMTT: San Miguel Creek at Tilden, Texas	93	3,108
ARWT: Atascosa River at Whitsett, Texas	195	5,870
Release from Choke Canyon Reservoir	66	1,572
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	195	9,044
NCAT: Nueces River at Calallen, Texas	9	6,938
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,949	61,465

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 1,000 Effective: 11/23/2000	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 3,000 Reservoir Inflow: 61,465	3,000
Estuary Inflows (Measured at NCAT)	6,938
PassThru Surplus / -Deficit:	-139

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	11/25/1999
11/24/2000	100	2,376	39,040	3,050	674	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 26, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/26/1999	201.7	304,068	43.7%	89.7	164,334	68.1%	468,402	50.0%
11/26/2000	199.7	272,403	39.2%	84.6	89,246	37.0%	361,649	38.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/25/2000	67	87	0.00	70	77	0.00	164
MTD		2,003	6.23		1,948	6.30	3,951

STREAM FLOWS

Gauging Station	11/25/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,606	37,580
NRTT: Nueces River at Tilden, Texas	808	29,031
FRTT: Frio River at Tilden, Texas	405	24,360
SMTT: San Miguel Creek at Tilden, Texas	328	3,435
ARWT: Atascosa River at Whitsett, Texas	1,294	7,164
Release from Choke Canyon Reservoir	66	1,638
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	195	9,238
NCAT: Nueces River at Calallen, Texas	13	6,951
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,273	63,738

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 1,000 Effective: 11/23/2000	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 3,000 Reservoir Inflow: 63,738	3,000
Estuary Inflows (Measured at NCAT)	6,951
PassThru Surplus / -Deficit:	-126

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	11/26/1999
11/25/2000	100	2,476	39,140	3,050	574	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 27, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/27/1999	201.7	304,068	43.7%	89.7	163,837	67.9%	467,905	50.0%
11/27/2000	199.7	272,851	39.2%	84.7	90,931	37.7%	363,782	38.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/26/2000	71	87	0.00	75	64	0.00	151
MTD		2,090	6.23		2,012	6.30	4,102

STREAM FLOWS

Gauging Station	11/26/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	2,303	39,883
NRTT: Nueces River at Tilden, Texas	790	29,821
FRTT: Frio River at Tilden, Texas	324	24,683
SMTT: San Miguel Creek at Tilden, Texas	429	3,864
ARWT: Atascosa River at Whitsett, Texas	727	7,891
Release from Choke Canyon Reservoir	66	1,703
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	195	9,433
NCAT: Nueces River at Calallen, Texas	34	6,984
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,989	66,727

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 1,000 Effective: 11/23/2000	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 3,000 Reservoir Inflow: 66,727	3,000
Estuary Inflows (Measured at NCAT)	6,984
PassThru Surplus / -Deficit:	-93

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	11/27/2000
11/26/2000	100	2,576	39,240	3,050	474	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 28, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/28/1999	201.7	303,749	43.7%	89.7	163,837	67.9%	467,586	49.9%
11/28/2000	199.8	273,449	39.3%	84.8	92,272	38.2%	365,721	39.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/27/2000	75	78	0.00	79	71	0.00	149
MTD		2,168	6.23		2,083	6.30	4,251

STREAM FLOWS

Gauging Station	11/27/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,391	41,274
NRTT: Nueces River at Tilden, Texas	776	30,597
FRTT: Frio River at Tilden, Texas	276	24,959
SMTT: San Miguel Creek at Tilden, Texas	349	4,213
ARWT: Atascosa River at Whitsett, Texas	278	8,168
Release from Choke Canyon Reservoir	66	1,769
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	199	9,631
NCAT: Nueces River at Calallen, Texas	50	7,034
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,951	68,678

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 1,000 Effective: 11/23/2000	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 3,000 Reservoir Inflow: 68,678	3,000
Estuary Inflows (Measured at NCAT)	7,034
PassThru Surplus / -Deficit:	-43

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	11/28/2000
11/27/2000	100	2,676	39,340	3,050	374	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 29, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/29/1999	201.7	303,749	43.7%	89.7	163,507	67.8%	467,256	49.9%
11/29/2000	199.8	274,048	39.4%	84.9	93,134	38.6%	367,182	39.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/28/2000	80	105	0.00	80	50	0.00	155
MTD		2,273	6.23		2,133	6.30	4,406

STREAM FLOWS

Gauging Station	11/28/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	1,104	42,378
NRRT: Nueces River at Tilden, Texas	752	31,349
FRRT: Frio River at Tilden, Texas	337	25,297
SMTT: San Miguel Creek at Tilden, Texas	121	4,335
ARWT: Atascosa River at Whitsett, Texas	137	8,305
Release from Choke Canyon Reservoir	66	1,834
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	185	9,816
NCAT: Nueces River at Calallen, Texas	13	7,047
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,497	70,175

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 1,000 Effective: 11/23/2000	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 3,000 Reservoir Inflow: 70,175	3,000
Estuary Inflows (Measured at NCAT)	7,047
PassThru Surplus / -Deficit:	-30

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	11/29/2000
11/28/2000	100	2,775	39,440	3,050	275	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 30, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/30/1999	201.7	303,589	43.7%	89.6	163,011	67.6%	466,600	49.8%
11/30/2000	199.8	273,898	39.4%	84.9	93,878	38.9%	367,776	39.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/29/2000	74	148	0.00	78	109	0.00	257
MTD		2,421	6.23		2,242	6.30	4,663

STREAM FLOWS

Gauging Station	11/29/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	971	43,348
NRTT: Nueces River at Tilden, Texas	802	32,151
FRTT: Frio River at Tilden, Texas	357	25,654
SMTT: San Miguel Creek at Tilden, Texas	66	4,400
ARWT: Atascosa River at Whitsett, Texas	77	8,383
Release from Choke Canyon Reservoir	66	1,900
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	195	10,010
NCAT: Nueces River at Calallen, Texas	2	7,048
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,328	71,503

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 1,000 Effective: 11/23/2000	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 3,000 Reservoir Inflow: 71,503	3,000
Estuary Inflows (Measured at NCAT)	7,048
PassThru Surplus / -Deficit:	-29

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	11/30/2000
11/29/2000	98	2,874	39,538	3,050	176	44.0	44.1