

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 1, 2000**  
**!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/01/1999	201.7	303,270	43.6%	89.6	162,681	67.4%	465,951	49.8%
12/01/2000	199.8	274,198	39.4%	85.0	94,252	39.1%	368,450	39.3%

  

Weather Related Information							
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/30/2000	65	35	0.00	73	65	0.00	100
MTD		2,456	6.23		2,307	6.30	4,763

**STREAM FLOWS**

Gauging Station	11/30/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	893	44,242
<b>NRTT:</b> Nueces River at Tilden, Texas	721	32,872
<b>FRTT:</b> Frio River at Tilden, Texas	296	25,950
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	38	4,438
<b>ARWT:</b> Atascosa River at Whitsett, Texas	52	8,434
Release from Choke Canyon Reservoir	66	1,965
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	210	10,221
<b>NCAT:</b> Nueces River at Calallen, Texas	52	7,100
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,161	72,664

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 1,000 Effective: 11/23/2000	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 3,000 Reservoir Inflow: 72,664	3,000
Estuary Inflows (Measured at NCAT)	7,100
PassThru Surplus / -Deficit:	23

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/01/2000
11/30/2000	100	2,974	39,638	3,050	76	44.0	44.1

Report Generated: 12/01/2000 at 7:48:39 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 2, 2000**  
**!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/02/1999	201.7	303,430	43.6%	89.6	162,351	67.3%	465,781	49.7%
12/02/2000	199.8	274,048	39.4%	85.0	95,003	39.4%	369,051	39.4%

  

Weather Related Information							
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/01/2000	77	166	0.00	78	154	0.00	320
MTD		166	0.00		154	0.00	320

**STREAM FLOWS**

Gauging Station	12/01/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	840	840
<b>NRTT:</b> Nueces River at Tilden, Texas	685	685
<b>FRTT:</b> Frio River at Tilden, Texas	199	199
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	24	24
<b>ARWT:</b> Atascosa River at Whitsett, Texas	40	40
Release from Choke Canyon Reservoir	66	66
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	191	191
<b>NCAT:</b> Nueces River at Calallen, Texas	18	18
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	996	996

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 996	996
Estuary Inflows (Measured at NCAT)	18
PassThru Surplus / -Deficit:	-455

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/02/2000
12/01/2000	91	91	39,729	3,050	2,959	44.0	44.1

Report Generated: 12/02/2000 at 7:49:56 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 3, 2000**  
**!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/03/1999	201.7	302,952	43.6%	89.5	161,528	67.0%	464,480	49.6%
12/03/2000	199.8	273,898	39.4%	85.1	95,507	39.6%	369,405	39.4%

  

Weather Related Information							
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/02/2000	53	96	0.00	57	110	0.00	206
MTD		262	0.00		264	0.00	526

**STREAM FLOWS**

Gauging Station	12/02/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	784	1,624
<b>NRTT:</b> Nueces River at Tilden, Texas	643	1,328
<b>FRTT:</b> Frio River at Tilden, Texas	145	343
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	16	40
<b>ARWT:</b> Atascosa River at Whitsett, Texas	32	71
Release from Choke Canyon Reservoir	66	131
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	189	379
<b>NCAT:</b> Nueces River at Calallen, Texas	38	56
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	879	1,876

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 1,876	1,876
Estuary Inflows (Measured at NCAT)	56
PassThru Surplus / -Deficit:	-1,297

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/03/2000
12/02/2000	86	178	39,815	3,050	2,872	44.0	44.1

Report Generated: 12/03/2000 at 7:47:56 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 4, 2000**  
**!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/04/1999	201.7	302,634	43.5%	89.5	161,035	66.8%	463,669	49.5%
12/04/2000	199.8	274,048	39.4%	85.1	95,759	39.7%	369,807	39.5%

  

Weather Related Information							
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/03/2000	43	35	0.20	48	22	0.16	57
MTD		297	0.20		286	0.16	583

**STREAM FLOWS**

Gauging Station	12/03/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	728	2,352
<b>NRTT:</b> Nueces River at Tilden, Texas	601	1,929
<b>FRTT:</b> Frio River at Tilden, Texas	119	463
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	10	50
<b>ARWT:</b> Atascosa River at Whitsett, Texas	30	101
Release from Choke Canyon Reservoir	66	197
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	189	568
<b>NCAT:</b> Nueces River at Calallen, Texas	50	106
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	792	2,668

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 2,668	2,668
Estuary Inflows (Measured at NCAT)	106
PassThru Surplus / -Deficit:	-2,039

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/04/2000
12/03/2000	86	264	39,902	3,050	2,786	44.0	44.1

Report Generated: 12/04/2000 at 7:42:29 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 5, 2000**  
**!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/05/1999	201.6	302,315	43.5%	89.5	161,199	66.8%	463,514	49.5%
12/05/2000	199.8	273,748	39.4%	85.1	96,392	40.0%	370,140	39.5%

  

Weather Related Information							
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/04/2000	49	44	0.00	55	44	0.00	88
MTD		341	0.20		330	0.16	671

**STREAM FLOWS**

Gauging Station	12/04/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	693	3,045
<b>NRRT:</b> Nueces River at Tilden, Texas	568	2,497
<b>FRTT:</b> Frio River at Tilden, Texas	101	564
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	8	58
<b>ARWT:</b> Atascosa River at Whitsett, Texas	30	131
Release from Choke Canyon Reservoir	66	262
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	189	756
<b>NCAT:</b> Nueces River at Calallen, Texas	38	143
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	737	3,405

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 3,405	3,405
Estuary Inflows (Measured at NCAT)	143
PassThru Surplus / -Deficit:	-2,738

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/05/2000
12/04/2000	86	350	39,988	3,050	2,700	44.0	44.1

Report Generated: 12/05/2000 at 7:42:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 6, 2000**  
**!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/06/1999	201.6	301,680	43.4%	89.5	160,379	66.5%	462,059	49.3%
12/06/2000	199.8	274,048	39.4%	85.2	96,647	40.1%	370,695	39.6%

  

Weather Related Information							
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/05/2000	58	61	0.00	58	37	0.01	98
MTD		402	0.20		367	0.17	769

**STREAM FLOWS**

Gauging Station	12/05/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	661	3,706
<b>NRRT:</b> Nueces River at Tilden, Texas	542	3,039
<b>FRTT:</b> Frio River at Tilden, Texas	85	649
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	4	62
<b>ARWT:</b> Atascosa River at Whitsett, Texas	28	159
Release from Choke Canyon Reservoir	66	328
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	189	945
<b>NCAT:</b> Nueces River at Calallen, Texas	38	181
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	685	4,089

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 4,089	4,089
Estuary Inflows (Measured at NCAT)	181
PassThru Surplus / -Deficit:	-3,385

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/06/2000
12/05/2000	86	436	40,074	3,050	2,614	44.0	44.1

Report Generated: 12/06/2000 at 7:41:22 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 7, 2000**  
**!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/07/1999	201.6	301,521	43.4%	89.4	159,723	66.2%	461,244	49.3%
12/07/2000	199.8	273,748	39.4%	85.2	96,774	40.1%	370,522	39.6%

  

Weather Related Information							
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/06/2000	61	105	0.00	61	82	0.00	187
MTD		507	0.20		449	0.17	956

**STREAM FLOWS**

Gauging Station	12/06/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	633	4,339
<b>NRRT:</b> Nueces River at Tilden, Texas	524	3,563
<b>FRTT:</b> Frio River at Tilden, Texas	73	723
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	2	64
<b>ARWT:</b> Atascosa River at Whitsett, Texas	26	185
Release from Choke Canyon Reservoir	66	393
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	189	1,133
<b>NCAT:</b> Nueces River at Calallen, Texas	34	215
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	643	4,733

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 4,733	4,500
Estuary Inflows (Measured at NCAT)	215
PassThru Surplus / -Deficit:	-3,762

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/07/2000
12/06/2000	86	523	40,160	3,050	2,527	44.0	44.1

Report Generated: 12/07/2000 at 9:25:54 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 8, 2000**  
**!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/08/1999	201.6	301,362	43.3%	89.2	156,465	64.9%	457,827	48.9%
12/08/2000	199.8	273,748	39.4%	85.2	97,157	40.3%	370,905	39.6%

  

Weather Related Information							
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/07/2000	63	52	0.00	65	74	0.00	126
MTD		559	0.20		523	0.17	1,082

**STREAM FLOWS**

Gauging Station	12/07/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	615	4,955
<b>NRTT:</b> Nueces River at Tilden, Texas	522	4,085
<b>FRTT:</b> Frio River at Tilden, Texas	64	786
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	1	65
<b>ARWT:</b> Atascosa River at Whitsett, Texas	24	208
Release from Choke Canyon Reservoir	66	459
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	189	1,322
<b>NCAT:</b> Nueces River at Calallen, Texas	34	249
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	615	5,347

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 5,347	4,500
Estuary Inflows (Measured at NCAT)	249
PassThru Surplus / -Deficit:	-3,728

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/08/2000
12/07/2000	86	609	40,246	3,050	2,441	44.0	44.1

Report Generated: 12/08/2000 at 7:25:11 AM



**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 9, 2000**  
**!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/09/1999	201.6	301,362	43.3%	89.2	156,628	64.9%	457,990	48.9%
12/09/2000	199.8	273,898	39.4%	85.2	97,541	40.4%	371,439	39.7%

  

Weather Related Information							
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/08/2000	71	52	0.00	71	52	0.00	104
MTD		611	0.20		575	0.17	1,186

**STREAM FLOWS**

Gauging Station	12/08/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	588	5,542
<b>NRRT:</b> Nueces River at Tilden, Texas	500	4,585
<b>FRTT:</b> Frio River at Tilden, Texas	56	842
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	65
<b>ARWT:</b> Atascosa River at Whitsett, Texas	22	230
Release from Choke Canyon Reservoir	66	524
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	189	1,511
<b>NCAT:</b> Nueces River at Calallen, Texas	50	298
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	578	5,925

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 5,925	4,500
Estuary Inflows (Measured at NCAT)	298
PassThru Surplus / -Deficit:	-3,679

**LAKE TEXANA STATISTICS**  
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/09/2000
12/08/2000	86	695	40,333	3,050	2,355	44.0	44.1

Report Generated: 12/09/2000 at 7:55:51 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 10, 2000**  
**!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/10/1999	201.5	300,886	43.3%	89.2	155,494	64.5%	456,380	48.7%
12/10/2000	199.8	273,748	39.4%	85.2	97,797	40.5%	371,545	39.7%

  

Weather Related Information							
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/09/2000	75	35	0.00	76	60	0.00	95
MTD		646	0.20		635	0.17	1,281

**STREAM FLOWS**

Gauging Station	12/09/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	574	6,116
<b>NRTT:</b> Nueces River at Tilden, Texas	486	5,072
<b>FRTT:</b> Frio River at Tilden, Texas	50	891
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	65
<b>ARWT:</b> Atascosa River at Whitsett, Texas	22	252
Release from Choke Canyon Reservoir	66	590
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	189	1,699
<b>NCAT:</b> Nueces River at Calallen, Texas	66	364
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	558	6,483

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 6,483	4,500
Estuary Inflows (Measured at NCAT)	364
PassThru Surplus / -Deficit:	-3,613

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/10/2000
12/09/2000	86	781	40,419	3,050	2,269	44.0	44.1

Report Generated: 12/10/2000 at 7:47:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 11, 2000**  
**!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/11/1999	201.5	300,728	43.3%	89.2	155,332	64.4%	456,060	48.7%
12/11/2000	199.7	273,150	39.3%	85.3	98,054	40.6%	371,204	39.6%

  

Weather Related Information							
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/10/2000	77	70	0.00	79	75	0.00	145
MTD		716	0.20		710	0.17	1,426

**STREAM FLOWS**

Gauging Station	12/10/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	560	6,676
<b>NRTT:</b> Nueces River at Tilden, Texas	470	5,542
<b>FRTT:</b> Frio River at Tilden, Texas	44	935
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	66
<b>ARWT:</b> Atascosa River at Whitsett, Texas	20	272
Release from Choke Canyon Reservoir	66	655
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	189	1,888
<b>NCAT:</b> Nueces River at Calallen, Texas	20	384
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	538	7,021

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 7,021	4,500
Estuary Inflows (Measured at NCAT)	384
PassThru Surplus / -Deficit:	-3,593

**LAKE TEXANA STATISTICS**

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/11/2000
12/10/2000	86	867	40,505	3,050	2,183	44.0	44.1

Report Generated: 12/11/2000 at 7:41:13 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 12, 2000**  
**!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/12/1999	201.6	301,362	43.3%	89.2	155,494	64.5%	456,856	48.8%
12/12/2000	199.7	272,851	39.2%	85.3	98,183	40.7%	371,034	39.6%

  

Weather Related Information							
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/11/2000	78	174	0.00	81	150	0.00	324
MTD		890	0.20		860	0.17	1,750

**STREAM FLOWS**

Gauging Station	12/11/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	542	7,217
<b>NRTT:</b> Nueces River at Tilden, Texas	459	6,001
<b>FRTT:</b> Frio River at Tilden, Texas	44	979
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	66
<b>ARWT:</b> Atascosa River at Whitsett, Texas	17	289
Release from Choke Canyon Reservoir	66	721
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	189	2,076
<b>NCAT:</b> Nueces River at Calallen, Texas	30	413
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	520	7,541

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 7,541	4,500
Estuary Inflows (Measured at NCAT)	413
PassThru Surplus / -Deficit:	-3,564

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/12/2000
12/11/2000	86	953	40,591	3,050	2,097	44.0	44.0

Report Generated: 12/12/2000 at 7:51:19 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 13, 2000**  
**!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/13/1999	201.5	300,569	43.2%	89.1	154,686	64.1%	455,255	48.6%
12/13/2000	199.7	273,000	39.3%	85.3	98,312	40.8%	371,312	39.6%

  

Weather Related Information							
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/12/2000	34	0	0.13	40	45	0.00	45
MTD		890	0.33		905	0.17	1,795

**STREAM FLOWS**

Gauging Station	12/12/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	524	7,742
<b>NRTT:</b> Nueces River at Tilden, Texas	441	6,441
<b>FRTT:</b> Frio River at Tilden, Texas	42	1,020
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	66
<b>ARWT:</b> Atascosa River at Whitsett, Texas	15	304
Release from Choke Canyon Reservoir	66	786
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	177	2,253
<b>NCAT:</b> Nueces River at Calallen, Texas	36	449
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	500	8,041

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 8,041	4,500
Estuary Inflows (Measured at NCAT)	449
PassThru Surplus / -Deficit:	-3,528

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/13/2000
12/12/2000	85	1,038	40,676	3,050	2,012	44.0	44.1

Report Generated: 12/13/2000 at 7:41:58 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 14, 2000**  
**!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/14/1999	201.5	299,936	43.1%	89.1	154,041	63.9%	453,977	48.5%
12/14/2000	199.7	272,702	39.2%	85.3	98,570	40.9%	371,272	39.6%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/13/2000	45	35	0.06	50	45	0.00	80	
MTD		925	0.39		950	0.17	1,875	

**STREAM FLOWS**

Gauging Station	12/13/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	508	8,250
<b>NRTT:</b> Nueces River at Tilden, Texas	429	6,870
<b>FRTT:</b> Frio River at Tilden, Texas	44	1,064
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	66
<b>ARWT:</b> Atascosa River at Whitsett, Texas	17	321
Release from Choke Canyon Reservoir	66	852
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	181	2,434
<b>NCAT:</b> Nueces River at Calallen, Texas	36	485
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	486	8,528

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 8,528	4,500
Estuary Inflows (Measured at NCAT)	485
PassThru Surplus / -Deficit:	-3,492

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/14/2000
12/13/2000	84	1,123	40,760	3,050	1,927	44.0	43.9

Report Generated: 12/14/2000 at 8:00:03 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 15, 2000**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/15/1999	201.5	299,777	43.1%	89.1	153,559	63.7%	453,336	48.4%
12/15/2000	199.7	272,552	39.2%	85.3	98,829	41.0%	371,381	39.7%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/14/2000	50	35	0.00	54	45	0.05	80	
MTD		960	0.39		995	0.22	1,955	

**STREAM FLOWS**

Gauging Station	12/14/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	500	8,750
<b>NRIT:</b> Nueces River at Tilden, Texas	413	7,283
<b>FRTT:</b> Frio River at Tilden, Texas	42	1,106
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	66
<b>ARWT:</b> Atascosa River at Whitsett, Texas	16	337
Release from Choke Canyon Reservoir	66	917
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	212	2,646
<b>NCAT:</b> Nueces River at Calallen, Texas	34	518
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	476	9,004

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 9,004	4,500
Estuary Inflows (Measured at NCAT)	518
PassThru Surplus / -Deficit:	-3,459

**LAKE TEXANA STATISTICS**  
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/15/2000
12/14/2000	84	1,207	40,845	3,050	1,843	44.0	43.9

Report Generated: 12/15/2000 at 7:46:16 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 16, 2000**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/16/1999	201.5	299,461	43.1%	89.0	153,398	63.6%	452,859	48.4%
12/16/2000	199.7	272,702	39.2%	85.3	99,088	41.1%	371,790	39.7%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/15/2000	54	35	0.02	59	53	0.02	88	
MTD		995	0.41		1,048	0.24	2,043	

**STREAM FLOWS**

Gauging Station	12/15/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	492	9,242
<b>NRIT:</b> Nueces River at Tilden, Texas	403	7,686
<b>FRTT:</b> Frio River at Tilden, Texas	42	1,147
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	66
<b>ARWT:</b> Atascosa River at Whitsett, Texas	16	353
Release from Choke Canyon Reservoir	66	983
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	212	2,858
<b>NCAT:</b> Nueces River at Calallen, Texas	20	538
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	468	9,473

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 9,473	4,500
Estuary Inflows (Measured at NCAT)	538
PassThru Surplus / -Deficit:	-3,439

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/16/2000
12/15/2000	84	1,291	40,929	3,050	1,759	44.0	43.9

Report Generated: 12/16/2000 at 7:40:29 AM



**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 17, 2000**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/17/1999	201.4	299,145	43.0%	89.0	153,237	63.5%	452,382	48.3%
12/17/2000	199.7	272,403	39.2%	85.3	99,088	41.1%	371,491	39.7%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/16/2000	70	156	0.00	70	53	0.00	209	
MTD		1,151	0.41		1,101	0.24	2,252	

**STREAM FLOWS**

Gauging Station	12/16/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	484	9,727
<b>NRIT:</b> Nueces River at Tilden, Texas	391	8,077
<b>FRTT:</b> Frio River at Tilden, Texas	40	1,187
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	66
<b>ARWT:</b> Atascosa River at Whitsett, Texas	16	369
Release from Choke Canyon Reservoir	66	1,048
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	214	3,073
<b>NCAT:</b> Nueces River at Calallen, Texas	75	614
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	459	9,931

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 9,931	4,500
Estuary Inflows (Measured at NCAT)	614
PassThru Surplus / -Deficit:	-3,363

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/17/2000
12/16/2000	84	1,375	41,013	3,050	1,675	44.0	43.9

Report Generated: 12/17/2000 at 7:48:21 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 18, 2000**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/18/1999	201.4	299,145	43.0%	89.0	152,755	63.3%	451,900	48.3%
12/18/2000	199.7	272,403	39.2%	85.4	99,218	41.1%	371,621	39.7%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/17/2000	60	139	0.00	62	151	0.00	290	
MTD		1,290	0.41		1,252	0.24	2,542	

**STREAM FLOWS**

Gauging Station	12/17/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	470	10,197
<b>NRIT:</b> Nueces River at Tilden, Texas	379	8,456
<b>FRTT:</b> Frio River at Tilden, Texas	34	1,221
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	66
<b>ARWT:</b> Atascosa River at Whitsett, Texas	20	389
Release from Choke Canyon Reservoir	66	1,114
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	214	3,287
<b>NCAT:</b> Nueces River at Calallen, Texas	73	687
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	439	10,370

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 10,370	4,500
Estuary Inflows (Measured at NCAT)	687
PassThru Surplus / -Deficit:	-3,290

**LAKE TEXANA STATISTICS**  
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/18/2000
12/17/2000	84	1,459	41,097	3,050	1,591	44.0	43.9

Report Generated: 12/18/2000 at 7:42:48 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 19, 2000**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/19/1999	201.4	298,671	43.0%	89.0	152,274	63.1%	450,945	48.2%
12/19/2000	199.7	272,254	39.2%	85.4	99,348	41.2%	371,602	39.7%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/18/2000	66	87	0.00	66	151	0.00	238	
MTD		1,377	0.41		1,403	0.24	2,780	

**STREAM FLOWS**

Gauging Station	12/18/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	463	10,659
<b>NRIT:</b> Nueces River at Tilden, Texas	363	8,819
<b>FRTT:</b> Frio River at Tilden, Texas	32	1,253
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	66
<b>ARWT:</b> Atascosa River at Whitsett, Texas	18	407
Release from Choke Canyon Reservoir	66	1,179
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	214	3,502
<b>NCAT:</b> Nueces River at Calallen, Texas	44	731
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	429	10,799

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 10,799	4,500
Estuary Inflows (Measured at NCAT)	731
PassThru Surplus / -Deficit:	-3,246

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/19/2000
12/18/2000	84	1,544	41,181	3,050	1,506	44.0	43.8

Report Generated: 12/19/2000 at 7:46:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 20, 2000**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/20/1999	201.4	298,671	43.0%	88.9	151,794	62.9%	450,465	48.1%
12/20/2000	199.7	272,105	39.1%	85.4	99,738	41.3%	371,843	39.7%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/19/2000	62	130	0.00	63	152	0.00	282	
MTD		1,507	0.41		1,555	0.24	3,062	

**STREAM FLOWS**

Gauging Station	12/19/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	449	11,108
<b>NRIT:</b> Nueces River at Tilden, Texas	347	9,167
<b>FRTT:</b> Frio River at Tilden, Texas	30	1,282
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	66
<b>ARWT:</b> Atascosa River at Whitsett, Texas	17	425
Release from Choke Canyon Reservoir	66	1,245
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	214	3,716
<b>NCAT:</b> Nueces River at Calallen, Texas	17	748
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	413	11,211

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 11,211	4,500
Estuary Inflows (Measured at NCAT)	748
PassThru Surplus / -Deficit:	-3,229

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/20/2000
12/19/2000	84	1,628	41,266	3,050	1,422	44.0	43.7

Report Generated: 12/20/2000 at 7:58:58 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 21, 2000**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/21/1999	201.4	298,829	43.0%	89.0	153,237	63.5%	452,066	48.3%
12/21/2000	199.7	271,807	39.1%	85.4	99,738	41.3%	371,545	39.7%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/20/2000	73	61	0.00	72	122	0.00	183	
MTD		1,568	0.41		1,677	0.24	3,245	

**STREAM FLOWS**

Gauging Station	12/20/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	435	11,543
<b>NRIT:</b> Nueces River at Tilden, Texas	328	9,494
<b>FRTT:</b> Frio River at Tilden, Texas	28	1,310
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	66
<b>ARWT:</b> Atascosa River at Whitsett, Texas	17	441
Release from Choke Canyon Reservoir	66	1,310
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	212	3,928
<b>NCAT:</b> Nueces River at Calallen, Texas	69	818
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	397	11,608

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 11,608	4,500
Estuary Inflows (Measured at NCAT)	818
PassThru Surplus / -Deficit:	-3,159

**LAKE TEXANA STATISTICS**  
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/21/2000
12/20/2000	84	1,712	41,350	3,050	1,338	44.0	43.6

Report Generated: 12/21/2000 at 7:35:16 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 22, 2000**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/22/1999	201.4	298,671	43.0%	89.0	152,434	63.2%	451,105	48.2%
12/22/2000	199.6	271,360	39.0%	85.4	99,478	41.2%	370,838	39.6%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/21/2000	57	69	0.00	57	76	0.00	145	
MTD		1,637	0.41		1,753	0.24	3,390	

**STREAM FLOWS**

Gauging Station	12/21/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	419	11,962
<b>NRIT:</b> Nueces River at Tilden, Texas	330	9,824
<b>FRTT:</b> Frio River at Tilden, Texas	26	1,336
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	66
<b>ARWT:</b> Atascosa River at Whitsett, Texas	16	457
Release from Choke Canyon Reservoir	66	1,376
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	197	4,125
<b>NCAT:</b> Nueces River at Calallen, Texas	54	871
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	379	11,988

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 11,988	4,500
Estuary Inflows (Measured at NCAT)	871
PassThru Surplus / -Deficit:	-3,106

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/22/2000
12/21/2000	84	1,797	41,434	3,050	1,253	44.0	43.7

Report Generated: 12/22/2000 at 7:43:17 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 23, 2000**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/23/1999	201.4	298,513	42.9%	89.0	152,114	63.1%	450,627	48.1%
12/23/2000	199.6	271,211	39.0%	85.4	99,478	41.2%	370,689	39.6%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/22/2000	53	95	0.00	54	53	0.01	148	
MTD		1,732	0.41		1,806	0.25	3,538	

**STREAM FLOWS**

Gauging Station	12/22/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	413	12,374
<b>NRIT:</b> Nueces River at Tilden, Texas	316	10,139
<b>FRTT:</b> Frio River at Tilden, Texas	24	1,360
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	66
<b>ARWT:</b> Atascosa River at Whitsett, Texas	14	472
Release from Choke Canyon Reservoir	66	1,441
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	195	4,319
<b>NCAT:</b> Nueces River at Calallen, Texas	22	893
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	371	12,359

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 12,359	4,500
Estuary Inflows (Measured at NCAT)	893
PassThru Surplus / -Deficit:	-3,084

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/23/2000
12/22/2000	84	1,881	41,519	3,050	1,169	44.0	43.6

Report Generated: 12/23/2000 at 7:44:27 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 24, 2000**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/24/1999	201.4	298,355	42.9%	88.9	151,794	62.9%	450,149	48.1%
12/24/2000	199.6	271,211	39.0%	85.4	99,869	41.4%	371,080	39.6%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/23/2000	56	17	0.00	62	61	0.01	78	
MTD		1,749	0.41		1,867	0.26	3,616	

**STREAM FLOWS**

Gauging Station	12/23/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	403	12,777
<b>NRIT:</b> Nueces River at Tilden, Texas	304	10,443
<b>FRTT:</b> Frio River at Tilden, Texas	24	1,384
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	66
<b>ARWT:</b> Atascosa River at Whitsett, Texas	14	486
Release from Choke Canyon Reservoir	66	1,507
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	193	4,512
<b>NCAT:</b> Nueces River at Calallen, Texas	22	915
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	361	12,720

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 12,720	4,500
Estuary Inflows (Measured at NCAT)	915
PassThru Surplus / -Deficit:	-3,062

**LAKE TEXANA STATISTICS**  
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/24/2000
12/23/2000	84	1,965	41,603	3,050	1,085	44.0	43.6

Report Generated: 12/24/2000 at 7:44:08 AM



**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 25, 2000**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/25/1999	201.4	297,882	42.8%	88.9	151,634	62.9%	449,516	48.0%
12/25/2000	199.6	271,062	39.0%	85.4	100,130	41.5%	371,192	39.6%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/24/2000	56	61	0.05	60	30	0.04	91	
MTD		1,810	0.46		1,897	0.30	3,707	

**STREAM FLOWS**

Gauging Station	12/24/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	395	13,172
<b>NRTT:</b> Nueces River at Tilden, Texas	294	10,737
<b>FRTT:</b> Frio River at Tilden, Texas	24	1,407
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	66
<b>ARWT:</b> Atascosa River at Whitsett, Texas	13	499
Release from Choke Canyon Reservoir	66	1,572
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	193	4,704
<b>NCAT:</b> Nueces River at Calallen, Texas	58	973
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	353	13,073

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 13,073	4,500
Estuary Inflows (Measured at NCAT)	973
PassThru Surplus / -Deficit:	-3,004

**LAKE TEXANA STATISTICS**  
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/25/2000
12/24/2000	84	2,049	41,687	3,050	1,001	44.0	43.6

Report Generated: 12/25/2000 at 7:52:03 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 26, 2000**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/26/1999	201.3	297,567	42.8%	88.9	151,474	62.8%	449,041	47.9%
12/26/2000	199.6	271,360	39.0%	85.4	100,261	41.6%	371,621	39.7%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/25/2000	62	17	0.14	71	31	0.01	48	
MTD		1,827	0.60		1,928	0.31	3,755	

**STREAM FLOWS**

Gauging Station	12/25/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	387	13,560
<b>NRIT:</b> Nueces River at Tilden, Texas	282	11,019
<b>FRTT:</b> Frio River at Tilden, Texas	22	1,429
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	66
<b>ARWT:</b> Atascosa River at Whitsett, Texas	13	512
Release from Choke Canyon Reservoir	66	1,638
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	195	4,899
<b>NCAT:</b> Nueces River at Calallen, Texas	44	1,016
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	343	13,417

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 13,417	4,500
Estuary Inflows (Measured at NCAT)	1,016
PassThru Surplus / -Deficit:	-2,961

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/26/2000
12/25/2000	84	2,134	41,771	3,050	916	44.0	43.6

Report Generated: 12/26/2000 at 7:39:27 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 27, 2000**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/27/1999	201.4	298,198	42.9%	88.9	151,314	62.7%	449,512	48.0%
12/27/2000	199.6	271,211	39.0%	85.5	100,654	41.7%	371,865	39.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/26/2000	64	61	0.15	73	Pan overflow	0.85	60	
MTD		1,888	0.75		1,927	1.16	3,815	

**STREAM FLOWS**

Gauging Station	12/26/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	379	13,939
<b>NRIT:</b> Nueces River at Tilden, Texas	274	11,293
<b>FRTT:</b> Frio River at Tilden, Texas	26	1,455
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	66
<b>ARWT:</b> Atascosa River at Whitsett, Texas	13	525
Release from Choke Canyon Reservoir	66	1,703
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	234	5,133
<b>NCAT:</b> Nueces River at Calallen, Texas	12	1,028
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	339	13,756

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 13,756	4,500
Estuary Inflows (Measured at NCAT)	1,028
PassThru Surplus / -Deficit:	-2,949

**LAKE TEXANA STATISTICS**  
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/27/2000
12/26/2000	84	2,218	41,856	3,050	832	44.0	43.6

Report Generated: 12/27/2000 at 7:54:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 28, 2000**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/28/1999	201.4	298,040	42.9%	88.9	151,154	62.7%	449,194	48.0%
12/28/2000	199.6	271,360	39.0%	85.4	100,392	41.6%	371,752	39.7%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/27/2000	50	52	0.00	53	92	0.00	144	
MTD		1,940	0.75		2,019	1.16	3,959	

**STREAM FLOWS**

Gauging Station	12/27/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	369	14,308
<b>NRIT:</b> Nueces River at Tilden, Texas	270	11,563
<b>FRTT:</b> Frio River at Tilden, Texas	26	1,481
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	66
<b>ARWT:</b> Atascosa River at Whitsett, Texas	14	539
Release from Choke Canyon Reservoir	66	1,769
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	274	5,407
<b>NCAT:</b> Nueces River at Calallen, Texas	48	1,076
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	330	14,086

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 14,086	4,500
Estuary Inflows (Measured at NCAT)	1,076
PassThru Surplus / -Deficit:	-2,901

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/28/2000
12/27/2000	43	2,261	41,899	3,050	789	44.0	44.1

Report Generated: 12/28/2000 at 7:44:54 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 29, 2000**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/29/1999	201.4	297,882	42.8%	88.9	150,835	62.5%	448,717	47.9%
12/29/2000	199.6	271,062	39.0%	85.5	100,523	41.7%	371,585	39.7%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/28/2000	62	52	0.00	62	38	0.00	90	
MTD		1,992	0.75		2,057	1.16	4,049	

**STREAM FLOWS**

Gauging Station	12/28/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	359	14,667
<b>NRIT:</b> Nueces River at Tilden, Texas	256	11,819
<b>FRTT:</b> Frio River at Tilden, Texas	24	1,505
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	66
<b>ARWT:</b> Atascosa River at Whitsett, Texas	15	554
Release from Choke Canyon Reservoir	66	1,834
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	280	5,687
<b>NCAT:</b> Nueces River at Calallen, Texas	40	1,115
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	318	14,403

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 14,403	4,500
Estuary Inflows (Measured at NCAT)	1,115
PassThru Surplus / -Deficit:	-2,862

**LAKE TEXANA STATISTICS**  
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/29/2000
12/28/2000	0	2,261	41,899	3,050	789	44.0	44.1

Report Generated: 12/29/2000 at 7:44:10 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 30, 2000**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/30/1999	201.3	297,567	42.8%	88.8	150,197	62.3%	447,764	47.8%
12/30/2000	199.6	271,062	39.0%	85.4	100,261	41.6%	371,323	39.6%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/29/2000	58	61	0.00	59	99	0.00	160	
MTD		2,053	0.75		2,156	1.16	4,209	

**STREAM FLOWS**

Gauging Station	12/29/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	347	15,015
<b>NRIT:</b> Nueces River at Tilden, Texas	250	12,069
<b>FRTT:</b> Frio River at Tilden, Texas	22	1,526
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	66
<b>ARWT:</b> Atascosa River at Whitsett, Texas	17	571
Release from Choke Canyon Reservoir	66	1,900
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	335	6,022
<b>NCAT:</b> Nueces River at Calallen, Texas	18	1,133
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	304	14,707

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 14,707	4,500
Estuary Inflows (Measured at NCAT)	1,133
PassThru Surplus / -Deficit:	-2,844

**LAKE TEXANA STATISTICS**  
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/30/2000
12/29/2000	0	2,261	41,899	3,050	789	44.0	44.1

Report Generated: 12/30/2000 at 7:51:21 AM

**Choke Canyon / Lake Corpus Christi Reservoir System**  
**Daily Pass-Thru Status Report**  
**Report Date: December 31, 2000**

**RESERVOIR STATISTICS**

Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/31/1999	201.3	297,252	42.8%	88.8	150,197	62.3%	447,449	47.8%
12/31/2000	199.6	270,616	38.9%	85.4	99,999	41.5%	370,615	39.6%
Weather Related Information								
Choke Canyon Reservoir				Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/30/2000	55	69	0.00	59	99	0.00	168	
MTD		2,122	0.75		2,255	1.16	4,377	

**STREAM FLOWS**

Gauging Station	12/30/2000 (AcFt)	MTD (AcFt)
<b>NTRT:</b> Nueces River at Three Rivers, Texas	339	15,354
<b>NRIT:</b> Nueces River at Tilden, Texas	246	12,315
<b>FRTT:</b> Frio River at Tilden, Texas	22	1,548
<b>SMTT:</b> San Miguel Creek at Tilden, Texas	0	66
<b>ARWT:</b> Atascosa River at Whitsett, Texas	18	589
Release from Choke Canyon Reservoir	66	1,965
<b>NRMT:</b> Nueces River at Mathis, Texas (La Fruta Bridge)	355	6,378
<b>NCAT:</b> Nueces River at Calallen, Texas	77	1,211
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	296	15,003

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 15,003	4,500
Estuary Inflows (Measured at NCAT)	1,211
PassThru Surplus / -Deficit:	-2,766

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/31/2000
12/30/2000	0	2,261	41,899	3,050	789	44.0	44.1

Report Generated: 12/31/2000 at 7:49:22 AM