

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 1, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/01/1999	201.7	303,270	43.6%	89.6	162,681	67.4%	465,951	49.8%
12/01/2000	199.8	274,198	39.4%	85.0	94,252	39.1%	368,450	39.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/30/2000	65	35	0.00	73	65	0.00	100
MTD		2,456	6.23		2,307	6.30	4,763

STREAM FLOWS

Gauging Station	11/30/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	893	44,242
NRTT: Nueces River at Tilden, Texas	721	32,872
FRTT: Frio River at Tilden, Texas	296	25,950
SMTT: San Miguel Creek at Tilden, Texas	38	4,438
ARWT: Atascosa River at Whitsett, Texas	52	8,434
Release from Choke Canyon Reservoir	66	1,965
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	210	10,221
NCAT: Nueces River at Calallen, Texas	52	7,100
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,161	72,664

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit: 1,000 Effective: 11/23/2000	3,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 11/07/2000)	-4,577
Return Flow Credit (Effective: 11/07/2000)	500
Passthru Target: 3,000 Reservoir Inflow: 72,664	3,000
Estuary Inflows (Measured at NCAT)	7,100
PassThru Surplus / -Deficit:	23

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/01/2000
11/30/2000	100	2,974	39,638	3,050	76	44.0	44.1

Report Generated: 12/01/2000 at 7:48:39 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 2, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/02/1999	201.7	303,430	43.6%	89.6	162,351	67.3%	465,781	49.7%
12/02/2000	199.8	274,048	39.4%	85.0	95,003	39.4%	369,051	39.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/01/2000	77	166	0.00	78	154	0.00	320
MTD		166	0.00		154	0.00	320

STREAM FLOWS

Gauging Station	12/01/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	840	840
NRTT: Nueces River at Tilden, Texas	685	685
FRTT: Frio River at Tilden, Texas	199	199
SMTT: San Miguel Creek at Tilden, Texas	24	24
ARWT: Atascosa River at Whitsett, Texas	40	40
Release from Choke Canyon Reservoir	66	66
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	191	191
NCAT: Nueces River at Calallen, Texas	18	18
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	996	996

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 996	996
Estuary Inflows (Measured at NCAT)	18
PassThru Surplus / -Deficit:	-455

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/02/2000
12/01/2000	91	91	39,729	3,050	2,959	44.0	44.1

Report Generated: 12/02/2000 at 7:49:56 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 3, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/03/1999	201.7	302,952	43.6%	89.5	161,528	67.0%	464,480	49.6%
12/03/2000	199.8	273,898	39.4%	85.1	95,507	39.6%	369,405	39.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/02/2000	53	96	0.00	57	110	0.00	206
MTD		262	0.00		264	0.00	526

STREAM FLOWS

Gauging Station	12/02/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	784	1,624
NRTT: Nueces River at Tilden, Texas	643	1,328
FRTT: Frio River at Tilden, Texas	145	343
SMTT: San Miguel Creek at Tilden, Texas	16	40
ARWT: Atascosa River at Whitsett, Texas	32	71
Release from Choke Canyon Reservoir	66	131
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	189	379
NCAT: Nueces River at Calallen, Texas	38	56
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	879	1,876

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 1,876	1,876
Estuary Inflows (Measured at NCAT)	56
PassThru Surplus / -Deficit:	-1,297

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/03/2000
12/02/2000	86	178	39,815	3,050	2,872	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 4, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/04/1999	201.7	302,634	43.5%	89.5	161,035	66.8%	463,669	49.5%
12/04/2000	199.8	274,048	39.4%	85.1	95,759	39.7%	369,807	39.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/03/2000	43	35	0.20	48	22	0.16	57
MTD		297	0.20		286	0.16	583

STREAM FLOWS

Gauging Station	12/03/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	728	2,352
NRIT: Nueces River at Tilden, Texas	601	1,929
FRTT: Frio River at Tilden, Texas	119	463
SMTT: San Miguel Creek at Tilden, Texas	10	50
ARWT: Atascosa River at Whitsett, Texas	30	101
Release from Choke Canyon Reservoir	66	197
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	189	568
NCAT: Nueces River at Calallen, Texas	50	106
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	792	2,668

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 2,668	2,668
Estuary Inflows (Measured at NCAT)	106
PassThru Surplus / -Deficit:	-2,039

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/04/2000
12/03/2000	86	264	39,902	3,050	2,786	44.0	44.1

Report Generated: 12/04/2000 at 7:42:29 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 5, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/05/1999	201.6	302,315	43.5%	89.5	161,199	66.8%	463,514	49.5%
12/05/2000	199.8	273,748	39.4%	85.1	96,392	40.0%	370,140	39.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/04/2000	49	44	0.00	55	44	0.00	88
MTD		341	0.20		330	0.16	671

STREAM FLOWS

Gauging Station	12/04/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	693	3,045
NRTT: Nueces River at Tilden, Texas	568	2,497
FRTT: Frio River at Tilden, Texas	101	564
SMTT: San Miguel Creek at Tilden, Texas	8	58
ARWT: Atascosa River at Whitsett, Texas	30	131
Release from Choke Canyon Reservoir	66	262
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	189	756
NCAT: Nueces River at Calallen, Texas	38	143
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	737	3,405

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 3,405	3,405
Estuary Inflows (Measured at NCAT)	143
PassThru Surplus / -Deficit:	-2,738

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/05/2000
12/04/2000	86	350	39,988	3,050	2,700	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 6, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/06/1999	201.6	301,680	43.4%	89.5	160,379	66.5%	462,059	49.3%
12/06/2000	199.8	274,048	39.4%	85.2	96,647	40.1%	370,695	39.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/05/2000	58	61	0.00	58	37	0.01	98
MTD		402	0.20		367	0.17	769

STREAM FLOWS

Gauging Station	12/05/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	661	3,706
NRTT: Nueces River at Tilden, Texas	542	3,039
FRTT: Frio River at Tilden, Texas	85	649
SMTT: San Miguel Creek at Tilden, Texas	4	62
ARWT: Atascosa River at Whitsett, Texas	28	159
Release from Choke Canyon Reservoir	66	328
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	189	945
NCAT: Nueces River at Calallen, Texas	38	181
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	685	4,089

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 4,089	4,089
Estuary Inflows (Measured at NCAT)	181
PassThru Surplus / -Deficit:	-3,385

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/06/2000
12/05/2000	86	436	40,074	3,050	2,614	44.0	44.1

Report Generated: 12/06/2000 at 7:41:22 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 7, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/07/1999	201.6	301,521	43.4%	89.4	159,723	66.2%	461,244	49.3%
12/07/2000	199.8	273,748	39.4%	85.2	96,774	40.1%	370,522	39.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/06/2000	61	105	0.00	61	82	0.00	187
MTD		507	0.20		449	0.17	956

STREAM FLOWS

Gauging Station	12/06/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	633	4,339
NRIT: Nueces River at Tilden, Texas	524	3,563
FRTT: Frio River at Tilden, Texas	73	723
SMTT: San Miguel Creek at Tilden, Texas	2	64
ARWT: Atascosa River at Whitsett, Texas	26	185
Release from Choke Canyon Reservoir	66	393
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	189	1,133
NCAT: Nueces River at Calallen, Texas	34	215
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	643	4,733

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 4,733	4,500
Estuary Inflows (Measured at NCAT)	215
PassThru Surplus / -Deficit:	-3,762

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/07/2000
12/06/2000	86	523	40,160	3,050	2,527	44.0	44.1

Report Generated: 12/07/2000 at 9:25:54 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 8, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/08/1999	201.6	301,362	43.3%	89.2	156,465	64.9%	457,827	48.9%
12/08/2000	199.8	273,748	39.4%	85.2	97,157	40.3%	370,905	39.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/07/2000	63	52	0.00	65	74	0.00	126
MTD		559	0.20		523	0.17	1,082

STREAM FLOWS

Gauging Station	12/07/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	615	4,955
NRTT: Nueces River at Tilden, Texas	522	4,085
FRTT: Frio River at Tilden, Texas	64	786
SMTT: San Miguel Creek at Tilden, Texas	1	65
ARWT: Atascosa River at Whitsett, Texas	24	208
Release from Choke Canyon Reservoir	66	459
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	189	1,322
NCAT: Nueces River at Calallen, Texas	34	249
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	615	5,347

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 5,347	4,500
Estuary Inflows (Measured at NCAT)	249
PassThru Surplus / -Deficit:	-3,728

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/08/2000
12/07/2000	86	609	40,246	3,050	2,441	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 9, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/09/1999	201.6	301,362	43.3%	89.2	156,628	64.9%	457,990	48.9%
12/09/2000	199.8	273,898	39.4%	85.2	97,541	40.4%	371,439	39.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/08/2000	71	52	0.00	71	52	0.00	104
MTD		611	0.20		575	0.17	1,186

STREAM FLOWS

Gauging Station	12/08/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	588	5,542
NRTT: Nueces River at Tilden, Texas	500	4,585
FRTT: Frio River at Tilden, Texas	56	842
SMTT: San Miguel Creek at Tilden, Texas	0	65
ARWT: Atascosa River at Whitsett, Texas	22	230
Release from Choke Canyon Reservoir	66	524
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	189	1,511
NCAT: Nueces River at Calallen, Texas	50	298
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	578	5,925

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 5,925	4,500
Estuary Inflows (Measured at NCAT)	298
PassThru Surplus / -Deficit:	-3,679

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/09/2000
12/08/2000	86	695	40,333	3,050	2,355	44.0	44.1

Report Generated: 12/09/2000 at 7:55:51 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 10, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/10/1999	201.5	300,886	43.3%	89.2	155,494	64.5%	456,380	48.7%
12/10/2000	199.8	273,748	39.4%	85.2	97,797	40.5%	371,545	39.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/09/2000	75	35	0.00	76	60	0.00	95
MTD		646	0.20		635	0.17	1,281

STREAM FLOWS

Gauging Station	12/09/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	574	6,116
NRTT: Nueces River at Tilden, Texas	486	5,072
FRTT: Frio River at Tilden, Texas	50	891
SMTT: San Miguel Creek at Tilden, Texas	0	65
ARWT: Atascosa River at Whitsett, Texas	22	252
Release from Choke Canyon Reservoir	66	590
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	189	1,699
NCAT: Nueces River at Calallen, Texas	66	364
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	558	6,483

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 6,483	4,500
Estuary Inflows (Measured at NCAT)	364
PassThru Surplus / -Deficit:	-3,613

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/10/2000
12/09/2000	86	781	40,419	3,050	2,269	44.0	44.1

Report Generated: 12/10/2000 at 7:47:07 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 11, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/11/1999	201.5	300,728	43.3%	89.2	155,332	64.4%	456,060	48.7%
12/11/2000	199.7	273,150	39.3%	85.3	98,054	40.6%	371,204	39.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/10/2000	77	70	0.00	79	75	0.00	145
MTD		716	0.20		710	0.17	1,426

STREAM FLOWS

Gauging Station	12/10/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	560	6,676
NRTT: Nueces River at Tilden, Texas	470	5,542
FRTT: Frio River at Tilden, Texas	44	935
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	20	272
Release from Choke Canyon Reservoir	66	655
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	189	1,888
NCAT: Nueces River at Calallen, Texas	20	384
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	538	7,021

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 7,021	4,500
Estuary Inflows (Measured at NCAT)	384
PassThru Surplus / -Deficit:	-3,593

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/11/2000
12/10/2000	86	867	40,505	3,050	2,183	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 12, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/12/1999	201.6	301,362	43.3%	89.2	155,494	64.5%	456,856	48.8%
12/12/2000	199.7	272,851	39.2%	85.3	98,183	40.7%	371,034	39.6%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/11/2000	78	174	0.00	81	150	0.00	324	
MTD		890	0.20		860	0.17	1,750	

STREAM FLOWS

Gauging Station	12/11/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	542	7,217
NRTT: Nueces River at Tilden, Texas	459	6,001
FRTT: Frio River at Tilden, Texas	44	979
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	17	289
Release from Choke Canyon Reservoir	66	721
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	189	2,076
NCAT: Nueces River at Calallen, Texas	30	413
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	520	7,541

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 7,541	4,500
Estuary Inflows (Measured at NCAT)	413
PassThru Surplus / -Deficit:	-3,564

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/12/2000
12/11/2000	86	953	40,591	3,050	2,097	44.0	44.0

Report Generated: 12/12/2000 at 7:51:19 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 13, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/13/1999	201.5	300,569	43.2%	89.1	154,686	64.1%	455,255	48.6%
12/13/2000	199.7	273,000	39.3%	85.3	98,312	40.8%	371,312	39.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/12/2000	34	0	0.13	40	45	0.00	45
MTD		890	0.33		905	0.17	1,795

STREAM FLOWS

Gauging Station	12/12/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	524	7,742
NRIT: Nueces River at Tilden, Texas	441	6,441
FRTT: Frio River at Tilden, Texas	42	1,020
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	15	304
Release from Choke Canyon Reservoir	66	786
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	177	2,253
NCAT: Nueces River at Calallen, Texas	36	449
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	500	8,041

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 8,041	4,500
Estuary Inflows (Measured at NCAT)	449
PassThru Surplus / -Deficit:	-3,528

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/13/2000
12/12/2000	85	1,038	40,676	3,050	2,012	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 14, 2000
!! PLEASE NOTE NEW WEB ADDRESS FOR THIS REPORT !!

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/14/1999	201.5	299,936	43.1%	89.1	154,041	63.9%	453,977	48.5%
12/14/2000	199.7	272,702	39.2%	85.3	98,570	40.9%	371,272	39.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/13/2000	45	35	0.06	50	45	0.00	80
MTD		925	0.39		950	0.17	1,875

STREAM FLOWS

Gauging Station	12/13/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	508	8,250
NRTT: Nueces River at Tilden, Texas	429	6,870
FRTT: Frio River at Tilden, Texas	44	1,064
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	17	321
Release from Choke Canyon Reservoir	66	852
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	181	2,434
NCAT: Nueces River at Calallen, Texas	36	485
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	486	8,528

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 8,528	4,500
Estuary Inflows (Measured at NCAT)	485
PassThru Surplus / -Deficit:	-3,492

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/14/2000
12/13/2000	84	1,123	40,760	3,050	1,927	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 15, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/15/1999	201.5	299,777	43.1%	89.1	153,559	63.7%	453,336	48.4%
12/15/2000	199.7	272,552	39.2%	85.3	98,829	41.0%	371,381	39.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/14/2000	50	35	0.00	54	45	0.05	80
MTD		960	0.39		995	0.22	1,955

STREAM FLOWS

Gauging Station	12/14/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	500	8,750
NRRT: Nueces River at Tilden, Texas	413	7,283
FRRT: Frio River at Tilden, Texas	42	1,106
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	16	337
Release from Choke Canyon Reservoir	66	917
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	212	2,646
NCAT: Nueces River at Calallen, Texas	34	518
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	476	9,004

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 9,004	4,500
Estuary Inflows (Measured at NCAT)	518
PassThru Surplus / -Deficit:	-3,459

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/15/2000
12/14/2000	84	1,207	40,845	3,050	1,843	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 16, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/16/1999	201.5	299,461	43.1%	89.0	153,398	63.6%	452,859	48.4%
12/16/2000	199.7	272,702	39.2%	85.3	99,088	41.1%	371,790	39.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/15/2000	54	35	0.02	59	53	0.02	88
MTD		995	0.41		1,048	0.24	2,043

STREAM FLOWS

Gauging Station	12/15/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	492	9,242
NRTT: Nueces River at Tilden, Texas	403	7,686
FRTT: Frio River at Tilden, Texas	42	1,147
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	16	353
Release from Choke Canyon Reservoir	66	983
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	212	2,858
NCAT: Nueces River at Calallen, Texas	20	538
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	468	9,473

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 9,473	4,500
Estuary Inflows (Measured at NCAT)	538
PassThru Surplus / -Deficit:	-3,439

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/16/2000
12/15/2000	84	1,291	40,929	3,050	1,759	44.0	43.9

Report Generated: 12/16/2000 at 7:40:29 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 17, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/17/1999	201.4	299,145	43.0%	89.0	153,237	63.5%	452,382	48.3%
12/17/2000	199.7	272,403	39.2%	85.3	99,088	41.1%	371,491	39.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/16/2000	70	156	0.00	70	53	0.00	209
MTD		1,151	0.41		1,101	0.24	2,252

STREAM FLOWS

Gauging Station	12/16/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	484	9,727
NRTT: Nueces River at Tilden, Texas	391	8,077
FRTT: Frio River at Tilden, Texas	40	1,187
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	16	369
Release from Choke Canyon Reservoir	66	1,048
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	214	3,073
NCAT: Nueces River at Calallen, Texas	75	614
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	459	9,931

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 9,931	4,500
Estuary Inflows (Measured at NCAT)	614
PassThru Surplus / -Deficit:	-3,363

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/17/2000
12/16/2000	84	1,375	41,013	3,050	1,675	44.0	43.9

Report Generated: 12/17/2000 at 7:48:21 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 18, 2000**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/18/1999	201.4	299,145	43.0%	89.0	152,755	63.3%	451,900	48.3%
12/18/2000	199.7	272,403	39.2%	85.4	99,218	41.1%	371,621	39.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/17/2000	60	139	0.00	62	151	0.00	290
MTD		1,290	0.41		1,252	0.24	2,542

STREAM FLOWS

Gauging Station	12/17/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	470	10,197
NRRT: Nueces River at Tilden, Texas	379	8,456
FRRT: Frio River at Tilden, Texas	34	1,221
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	20	389
Release from Choke Canyon Reservoir	66	1,114
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	214	3,287
NCAT: Nueces River at Calallen, Texas	73	687
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	439	10,370

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 10,370	4,500
Estuary Inflows (Measured at NCAT)	687
PassThru Surplus / -Deficit:	-3,290

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/18/2000
12/17/2000	84	1,459	41,097	3,050	1,591	44.0	43.9

Report Generated: 12/18/2000 at 7:42:48 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 19, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/19/1999	201.4	298,671	43.0%	89.0	152,274	63.1%	450,945	48.2%
12/19/2000	199.7	272,254	39.2%	85.4	99,348	41.2%	371,602	39.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/18/2000	66	87	0.00	66	151	0.00	238
MTD		1,377	0.41		1,403	0.24	2,780

STREAM FLOWS

Gauging Station	12/18/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	463	10,659
NRRT: Nueces River at Tilden, Texas	363	8,819
FRRT: Frio River at Tilden, Texas	32	1,253
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	18	407
Release from Choke Canyon Reservoir	66	1,179
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	214	3,502
NCAT: Nueces River at Calallen, Texas	44	731
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	429	10,799

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 10,799	4,500
Estuary Inflows (Measured at NCAT)	731
PassThru Surplus / -Deficit:	-3,246

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/19/2000
12/18/2000	84	1,544	41,181	3,050	1,506	44.0	43.8

Report Generated: 12/19/2000 at 7:46:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 20, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/20/1999	201.4	298,671	43.0%	88.9	151,794	62.9%	450,465	48.1%
12/20/2000	199.7	272,105	39.1%	85.4	99,738	41.3%	371,843	39.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/19/2000	62	130	0.00	63	152	0.00	282
MTD		1,507	0.41		1,555	0.24	3,062

STREAM FLOWS

Gauging Station	12/19/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	449	11,108
NRRT: Nueces River at Tilden, Texas	347	9,167
FRRT: Frio River at Tilden, Texas	30	1,282
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	17	425
Release from Choke Canyon Reservoir	66	1,245
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	214	3,716
NCAT: Nueces River at Calallen, Texas	17	748
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	413	11,211

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 11,211	4,500
Estuary Inflows (Measured at NCAT)	748
PassThru Surplus / -Deficit:	-3,229

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/20/2000
12/19/2000	84	1,628	41,266	3,050	1,422	44.0	43.7

Report Generated: 12/20/2000 at 7:58:58 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 21, 2000**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/21/1999	201.4	298,829	43.0%	89.0	153,237	63.5%	452,066	48.3%
12/21/2000	199.7	271,807	39.1%	85.4	99,738	41.3%	371,545	39.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/20/2000	73	61	0.00	72	122	0.00	183
MTD		1,568	0.41		1,677	0.24	3,245

STREAM FLOWS

Gauging Station	12/20/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	435	11,543
NRTT: Nueces River at Tilden, Texas	328	9,494
FRTT: Frio River at Tilden, Texas	28	1,310
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	17	441
Release from Choke Canyon Reservoir	66	1,310
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	212	3,928
NCAT: Nueces River at Calallen, Texas	69	818
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	397	11,608

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 11,608	4,500
Estuary Inflows (Measured at NCAT)	818
PassThru Surplus / -Deficit:	-3,159

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/21/2000
12/20/2000	84	1,712	41,350	3,050	1,338	44.0	43.6

Report Generated: 12/21/2000 at 7:35:16 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 22, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/22/1999	201.4	298,671	43.0%	89.0	152,434	63.2%	451,105	48.2%
12/22/2000	199.6	271,360	39.0%	85.4	99,478	41.2%	370,838	39.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/21/2000	57	69	0.00	57	76	0.00	145
MTD		1,637	0.41		1,753	0.24	3,390

STREAM FLOWS

Gauging Station	12/21/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	419	11,962
NRTT: Nueces River at Tilden, Texas	330	9,824
FRTT: Frio River at Tilden, Texas	26	1,336
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	16	457
Release from Choke Canyon Reservoir	66	1,376
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	197	4,125
NCAT: Nueces River at Calallen, Texas	54	871
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	379	11,988

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 11,988	4,500
Estuary Inflows (Measured at NCAT)	871
PassThru Surplus / -Deficit:	-3,106

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/22/2000
12/21/2000	84	1,797	41,434	3,050	1,253	44.0	43.7

Report Generated: 12/22/2000 at 7:43:17 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 23, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/23/1999	201.4	298,513	42.9%	89.0	152,114	63.1%	450,627	48.1%
12/23/2000	199.6	271,211	39.0%	85.4	99,478	41.2%	370,689	39.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/22/2000	53	95	0.00	54	53	0.01	148
MTD		1,732	0.41		1,806	0.25	3,538

STREAM FLOWS

Gauging Station	12/22/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	413	12,374
NRTT: Nueces River at Tilden, Texas	316	10,139
FRTT: Frio River at Tilden, Texas	24	1,360
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	14	472
Release from Choke Canyon Reservoir	66	1,441
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	195	4,319
NCAT: Nueces River at Calallen, Texas	22	893
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	371	12,359

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 12,359	4,500
Estuary Inflows (Measured at NCAT)	893
PassThru Surplus / -Deficit:	-3,084

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/23/2000
12/22/2000	84	1,881	41,519	3,050	1,169	44.0	43.6

Report Generated: 12/23/2000 at 7:44:27 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 24, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/24/1999	201.4	298,355	42.9%	88.9	151,794	62.9%	450,149	48.1%
12/24/2000	199.6	271,211	39.0%	85.4	99,869	41.4%	371,080	39.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/23/2000	56	17	0.00	62	61	0.01	78
MTD		1,749	0.41		1,867	0.26	3,616

STREAM FLOWS

Gauging Station	12/23/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	403	12,777
NRTT: Nueces River at Tilden, Texas	304	10,443
FRTT: Frio River at Tilden, Texas	24	1,384
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	14	486
Release from Choke Canyon Reservoir	66	1,507
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	193	4,512
NCAT: Nueces River at Calallen, Texas	22	915
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	361	12,720

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 12,720	4,500
Estuary Inflows (Measured at NCAT)	915
PassThru Surplus / -Deficit:	-3,062

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/24/2000
12/23/2000	84	1,965	41,603	3,050	1,085	44.0	43.6

Report Generated: 12/24/2000 at 7:44:08 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 25, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/25/1999	201.4	297,882	42.8%	88.9	151,634	62.9%	449,516	48.0%
12/25/2000	199.6	271,062	39.0%	85.4	100,130	41.5%	371,192	39.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/24/2000	56	61	0.05	60	30	0.04	91
MTD		1,810	0.46		1,897	0.30	3,707

STREAM FLOWS

Gauging Station	12/24/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	395	13,172
NRRT: Nueces River at Tilden, Texas	294	10,737
FRRT: Frio River at Tilden, Texas	24	1,407
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	13	499
Release from Choke Canyon Reservoir	66	1,572
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	193	4,704
NCAT: Nueces River at Calallen, Texas	58	973
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	353	13,073

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 13,073	4,500
Estuary Inflows (Measured at NCAT)	973
PassThru Surplus / -Deficit:	-3,004

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/25/2000
12/24/2000	84	2,049	41,687	3,050	1,001	44.0	43.6

Report Generated: 12/25/2000 at 7:52:03 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 26, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/26/1999	201.3	297,567	42.8%	88.9	151,474	62.8%	449,041	47.9%
12/26/2000	199.6	271,360	39.0%	85.4	100,261	41.6%	371,621	39.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/25/2000	62	17	0.14	71	31	0.01	48
MTD		1,827	0.60		1,928	0.31	3,755

STREAM FLOWS

Gauging Station	12/25/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	387	13,560
NRRT: Nueces River at Tilden, Texas	282	11,019
FRTT: Frio River at Tilden, Texas	22	1,429
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	13	512
Release from Choke Canyon Reservoir	66	1,638
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	195	4,899
NCAT: Nueces River at Calallen, Texas	44	1,016
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	343	13,417

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 13,417	4,500
Estuary Inflows (Measured at NCAT)	1,016
PassThru Surplus / -Deficit:	-2,961

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/26/2000
12/25/2000	84	2,134	41,771	3,050	916	44.0	43.6

Report Generated: 12/26/2000 at 7:39:27 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 27, 2000**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/27/1999	201.4	298,198	42.9%	88.9	151,314	62.7%	449,512	48.0%
12/27/2000	199.6	271,211	39.0%	85.5	100,654	41.7%	371,865	39.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/26/2000	64	61	0.15	73	Pan overflow	0.85	60
MTD		1,888	0.75		1,927	1.16	3,815

STREAM FLOWS

Gauging Station	12/26/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	379	13,939
NRTT: Nueces River at Tilden, Texas	274	11,293
FRTT: Frio River at Tilden, Texas	26	1,455
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	13	525
Release from Choke Canyon Reservoir	66	1,703
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	234	5,133
NCAT: Nueces River at Calallen, Texas	12	1,028
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	339	13,756

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 13,756	4,500
Estuary Inflows (Measured at NCAT)	1,028
PassThru Surplus / -Deficit:	-2,949

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/27/2000
12/26/2000	84	2,218	41,856	3,050	832	44.0	43.6

Report Generated: 12/27/2000 at 7:54:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 28, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/28/1999	201.4	298,040	42.9%	88.9	151,154	62.7%	449,194	48.0%
12/28/2000	199.6	271,360	39.0%	85.4	100,392	41.6%	371,752	39.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/27/2000	50	52	0.00	53	92	0.00	144
MTD		1,940	0.75		2,019	1.16	3,959

STREAM FLOWS

Gauging Station	12/27/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	369	14,308
NRTT: Nueces River at Tilden, Texas	270	11,563
FRTT: Frio River at Tilden, Texas	26	1,481
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	14	539
Release from Choke Canyon Reservoir	66	1,769
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	274	5,407
NCAT: Nueces River at Calallen, Texas	48	1,076
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	330	14,086

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 14,086	4,500
Estuary Inflows (Measured at NCAT)	1,076
PassThru Surplus / -Deficit:	-2,901

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/28/2000
12/27/2000	43	2,261	41,899	3,050	789	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 29, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/29/1999	201.4	297,882	42.8%	88.9	150,835	62.5%	448,717	47.9%
12/29/2000	199.6	271,062	39.0%	85.5	100,523	41.7%	371,585	39.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/28/2000	62	52	0.00	62	38	0.00	90
MTD		1,992	0.75		2,057	1.16	4,049

STREAM FLOWS

Gauging Station	12/28/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	359	14,667
NRRT: Nueces River at Tilden, Texas	256	11,819
FRRT: Frio River at Tilden, Texas	24	1,505
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	15	554
Release from Choke Canyon Reservoir	66	1,834
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	280	5,687
NCAT: Nueces River at Calallen, Texas	40	1,115
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	318	14,403

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 14,403	4,500
Estuary Inflows (Measured at NCAT)	1,115
PassThru Surplus / -Deficit:	-2,862

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/29/2000
12/28/2000	0	2,261	41,899	3,050	789	44.0	44.1

Report Generated: 12/29/2000 at 7:44:10 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 30, 2000**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/30/1999	201.3	297,567	42.8%	88.8	150,197	62.3%	447,764	47.8%
12/30/2000	199.6	271,062	39.0%	85.4	100,261	41.6%	371,323	39.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/29/2000	58	61	0.00	59	99	0.00	160
MTD		2,053	0.75		2,156	1.16	4,209

STREAM FLOWS

Gauging Station	12/29/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	347	15,015
NRTT: Nueces River at Tilden, Texas	250	12,069
FRTT: Frio River at Tilden, Texas	22	1,526
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	17	571
Release from Choke Canyon Reservoir	66	1,900
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	335	6,022
NCAT: Nueces River at Calallen, Texas	18	1,133
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	304	14,707

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 14,707	4,500
Estuary Inflows (Measured at NCAT)	1,133
PassThru Surplus / -Deficit:	-2,844

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/30/2000
12/29/2000	0	2,261	41,899	3,050	789	44.0	44.1

Report Generated: 12/30/2000 at 7:51:21 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 31, 2000**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/31/1999	201.3	297,252	42.8%	88.8	150,197	62.3%	447,449	47.8%
12/31/2000	199.6	270,616	38.9%	85.4	99,999	41.5%	370,615	39.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/30/2000	55	69	0.00	59	99	0.00	168
MTD		2,122	0.75		2,255	1.16	4,377

STREAM FLOWS

Gauging Station	12/30/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	339	15,354
NRTT: Nueces River at Tilden, Texas	246	12,315
FRTT: Frio River at Tilden, Texas	22	1,548
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	18	589
Release from Choke Canyon Reservoir	66	1,965
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	355	6,378
NCAT: Nueces River at Calallen, Texas	77	1,211
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	296	15,003

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 15,003	4,500
Estuary Inflows (Measured at NCAT)	1,211
PassThru Surplus / -Deficit:	-2,766

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2000		Elevation (Ft)	
				Allocation	Remaining	Full	12/31/2000
12/30/2000	0	2,261	41,899	3,050	789	44.0	44.1

Report Generated: 12/31/2000 at 7:49:22 AM