

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 1, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/01/2000	201.3	297,095	42.7%	88.8	149,879	62.1%	446,974	47.6%
01/01/2001	199.5	270,022	38.8%	85.4	100,130	41.5%	370,152	39.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/31/2001	50	35	0.07	55	8	0.14	43
MTD		2,157	0.82		2,263	1.30	4,420

STREAM FLOWS

Gauging Station	12/31/2000 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	339	15,693
NRIT: Nueces River at Tilden, Texas	248	12,563
FRIT: Frio River at Tilden, Texas	20	1,568
SMTT: San Miguel Creek at Tilden, Texas	0	66
ARWT: Atascosa River at Whitsett, Texas	17	606
Release from Choke Canyon Reservoir	66	2,031
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	355	6,733
NCAT: Nueces River at Calallen, Texas	115	1,326
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	294	15,297

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2000)	23
Return Flow Credit (Effective: 12/01/2000)	500
Passthru Target: 4,500 Reservoir Inflow: 15,297	4,500
Estuary Inflows (Measured at NCAT)	1,326
PassThru Surplus / -Deficit:	-2,651

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/01/2001
12/31/2000	0	2,261	41,899	3,050	789	44.0	44.1

Report Generated: 01/01/2001 at 8:01:38 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 2, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/02/2001	201.3	279,252	42.8%	88.7	148,608	61.6%	445,860	47.6%
01/02/2001	199.5	268,985	38.7%	85.4	100,261	41.6%	369,246	39.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/01/2001	43	34	0.00	44	46	0.00	80
MTD		34	0.00		46	0.00	80

STREAM FLOWS

Gauging Station	01/01/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	339	339
NRTT: Nueces River at Tilden, Texas	256	256
FRIT: Frio River at Tilden, Texas	19	19
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	17	17
Release from Choke Canyon Reservoir	66	66
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	355	355
NCAT: Nueces River at Calallen, Texas	135	135
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	293	293

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-2,651
Return Flow Credit (Effective:)	0
Passthru Target: 2,500 Reservoir Inflow: 293	293
Estuary Inflows (Measured at NCAT)	135
PassThru Surplus / -Deficit:	-2,809

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/02/2001
01/01/2001	0	0	0	3,050	3,050	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 3, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/03/2001	201.3	297,567	42.8%	88.8	149,084	61.8%	446,651	47.7%
01/03/2001	199.5	269,281	38.7%	85.4	99,608	41.3%	368,889	39.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/02/2001	38	52	0.00	44	38	0.00	90
MTD		86	0.00		84	0.00	170

STREAM FLOWS

Gauging Station	01/02/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	343	683
NRIT: Nueces River at Tilden, Texas	260	516
FRIT: Frio River at Tilden, Texas	19	38
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	16	33
Release from Choke Canyon Reservoir	66	131
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	445	800
NCAT: Nueces River at Calallen, Texas	163	298
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	297	590

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-2,651
Return Flow Credit (Effective:)	0
Passthru Target: 2,500 Reservoir Inflow: 590	590
Estuary Inflows (Measured at NCAT)	298
PassThru Surplus / -Deficit:	-2,943

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/03/2001
01/02/2001	44	44	44	3,050	3,006	44.0	44.1

Report Generated: 01/03/2001 at 7:46:41 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 4, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/04/2000	201.3	297,410	42.8%	88.8	148,767	61.7%	446,177	47.6%
01/04/2001	199.5	269,578	38.8%	85.4	99,348	41.2%	368,926	39.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/03/2001	50	60	0.00	50	45	0.00	105
MTD		146	0.00		129	0.00	275

STREAM FLOWS

Gauging Station	01/03/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	345	1,028
NRIT: Nueces River at Tilden, Texas	258	774
FRIT: Frio River at Tilden, Texas	34	72
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	15	49
Release from Choke Canyon Reservoir	66	197
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	538	1,338
NCAT: Nueces River at Calallen, Texas	278	576
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	314	904

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-2,651
Return Flow Credit (Effective:)	0
Passthru Target: 2,500 Reservoir Inflow: 904	904
Estuary Inflows (Measured at NCAT)	576
PassThru Surplus / -Deficit:	-2,979

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/04/2001
01/03/2001	97	141	141	3,050	2,909	44.0	44.0

Report Generated: 01/04/2001 at 7:29:14 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 5, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/05/2000	201.3	296,466	42.6%	88.7	148,291	61.5%	444,757	47.5%
01/05/2001	199.5	269,429	38.8%	85.3	98,829	41.0%	368,258	39.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/04/2001	70	78	0.00	69	83	0.00	161
MTD		224	0.00		212	0.00	436

STREAM FLOWS

Gauging Station	01/04/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	343	1,372
NRTT: Nueces River at Tilden, Texas	256	1,030
FRTT: Frio River at Tilden, Texas	36	108
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	14	63
Release from Choke Canyon Reservoir	66	262
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	560	1,898
NCAT: Nueces River at Calallen, Texas	453	1,028
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	314	1,217

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-2,651
Return Flow Credit (Effective:)	0
Passthru Target: 2,500 Reservoir Inflow: 1,217	1,217
Estuary Inflows (Measured at NCAT)	1,028
PassThru Surplus / -Deficit:	-2,840

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/05/2001
01/04/2001	99	240	240	3,050	2,810	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 6, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/06/2001	201.3	296,308	42.6%	88.7	148,291	61.5%	444,599	47.5%
01/06/2001	199.5	269,281	38.7%	85.3	98,441	40.8%	367,722	39.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/05/2001	75	86	0.00	77	75	0.00	161
MTD		310	0.00		287	0.00	597

STREAM FLOWS

Gauging Station	01/05/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	341	1,713
NRIT: Nueces River at Tilden, Texas	258	1,288
FRIT: Frio River at Tilden, Texas	36	143
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	14	77
Release from Choke Canyon Reservoir	66	328
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	560	2,457
NCAT: Nueces River at Calallen, Texas	508	1,536
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	312	1,529

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-2,651
Return Flow Credit (Effective:)	0
Passthru Target: 2,500 Reservoir Inflow: 1,529	1,529
Estuary Inflows (Measured at NCAT)	1,536
PassThru Surplus / -Deficit:	-2,643

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/06/2001
01/05/2001	100	340	340	3,050	2,710	44.0	44.0

Report Generated: 01/06/2001 at 7:39:17 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 7, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/07/2000	201.3	296,308	42.6%	88.7	147,974	61.3%	444,282	47.4%
01/07/2001	199.5	268,985	38.7%	85.3	98,312	40.8%	367,297	39.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/06/2001	78	112	0.00	77	38	0.00	150
MTD		422	0.00		325	0.00	747

STREAM FLOWS

Gauging Station	01/06/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	341	2,054
NRIT: Nueces River at Tilden, Texas	262	1,550
FRIT: Frio River at Tilden, Texas	36	179
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	14	92
Release from Choke Canyon Reservoir	66	393
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	560	3,017
NCAT: Nueces River at Calallen, Texas	421	1,957
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	312	1,840

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-2,651
Return Flow Credit (Effective:)	0
Passthru Target: 2,500 Reservoir Inflow: 1,840	1,840
Estuary Inflows (Measured at NCAT)	1,957
PassThru Surplus / -Deficit:	-2,534

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/07/2001
01/06/2001	100	439	439	3,050	2,611	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 8, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/08/2001	201.3	297,725	42.8%	88.8	149,243	61.9%	446,968	47.7%
01/08/2001	199.5	269,429	38.8%	85.3	98,183	40.7%	367,612	39.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/07/2001	71	112	0.00	71	75	0.00	187
MTD		534	0.00		400	0.00	934

STREAM FLOWS

Gauging Station	01/07/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	345	2,400
NRIT: Nueces River at Tilden, Texas	262	1,812
FRIT: Frio River at Tilden, Texas	36	215
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	14	106
Release from Choke Canyon Reservoir	66	459
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	421	3,438
NCAT: Nueces River at Calallen, Texas	488	2,446
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	316	2,156

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied):	-2,651
Return Flow Credit (Effective):	0
Passthru Target: 2,500 Reservoir Inflow: 2,156	2,156
Estuary Inflows (Measured at NCAT)	2,446
PassThru Surplus / -Deficit:	-2,362

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/08/2001
01/07/2001	99	539	539	3,050	2,511	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 9, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/09/2001	201.3	297,410	42.8%	88.8	150,038	62.2%	447,448	47.8%
01/09/2001	199.5	269,133	38.7%	85.3	98,183	40.7%	367,316	39.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/08/2001	71	69	0.00	58	83	0.00	152
MTD		603	0.00		483	0.00	1,086

STREAM FLOWS

Gauging Station	01/08/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	345	2,745
NRIT: Nueces River at Tilden, Texas	254	2,066
FRIT: Frio River at Tilden, Texas	36	251
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	14	120
Release from Choke Canyon Reservoir	66	524
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	208	3,646
NCAT: Nueces River at Calallen, Texas	353	2,799
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	316	2,472

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:01/09/2001)	-2,651
Return Flow Credit (Effective:01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 2,472	2,472
Estuary Inflows (Measured at NCAT)	2,799
PassThru Surplus / -Deficit:	-1,824

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/09/2001
01/08/2001	100	639	639	3,050	2,411	44.0	44.0

Report Generated: 01/09/2001 at 8:14:11 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 10, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/10/2000	201.3	297,252	42.8%	88.8	150,197	62.3%	447,449	47.8%
01/10/2001	199.5	269,133	38.7%	85.3	98,183	40.7%	367,316	39.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/09/2001	56	69	0.15	58	53	0.02	122
MTD		672	0.15		536	0.02	1,208

STREAM FLOWS

Gauging Station	01/09/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	337	3,083
NRIT: Nueces River at Tilden, Texas	242	2,309
FRIT: Frio River at Tilden, Texas	36	286
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	11	131
Release from Choke Canyon Reservoir	66	590
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	187	3,833
NCAT: Nueces River at Calallen, Texas	123	2,922
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	308	2,779

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:01/09/2001)	-2,651
Return Flow Credit (Effective:01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 2,779	2,500
Estuary Inflows (Measured at NCAT)	2,922
PassThru Surplus / -Deficit:	-1,729

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/10/2001
01/09/2001	100	740	740	3,050	2,310	44.0	44.0

Report Generated: 01/10/2001 at 7:49:39 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 11, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/11/2000	201.3	296,937	42.7%	88.8	149,720	62.1%	446,657	47.7%
01/11/2001	199.5	269,281	38.7%	85.3	98,699	40.9%	367,980	39.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/10/2001	54	35	0.98	65	83	0.82	118
MTD		707	1.13		619	0.84	1,326

STREAM FLOWS

Gauging Station	01/10/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	377	3,460
NRIT: Nueces River at Tilden, Texas	238	2,547
FRTT: Frio River at Tilden, Texas	38	324
SMTT: San Miguel Creek at Tilden, Texas	4	4
ARWT: Atascosa River at Whitsett, Texas	12	143
Release from Choke Canyon Reservoir	66	655
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	179	4,012
NCAT: Nueces River at Calallen, Texas	119	3,041
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	353	3,133

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:01/09/2001)	-2,651
Return Flow Credit (Effective:01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 3,133	2,500
Estuary Inflows (Measured at NCAT)	3,041
PassThru Surplus / -Deficit:	-1,610

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/11/2001
01/10/2001	99	839	839	3,050	2,211	44.0	44.0

Report Generated: 01/11/2001 at 8:20:53 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 12, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/12/2000	201.3	297,410	42.8%	88.8	149,561	62.0%	446,971	47.7%
01/12/2001	199.5	269,429	38.8%	85.4	99,218	41.1%	368,647	39.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/11/2001	67	35	0.00	66	38	0.00	73
MTD		742	1.13		657	0.84	1,399

STREAM FLOWS

Gauging Station	01/12/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	351	3,811
NRIT: Nueces River at Tilden, Texas	236	2,783
FRIT: Frio River at Tilden, Texas	40	364
SMTT: San Miguel Creek at Tilden, Texas	9	13
ARWT: Atascosa River at Whitsett, Texas	71	215
Release from Choke Canyon Reservoir	66	721
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	161	4,172
NCAT: Nueces River at Calallen, Texas	109	3,128
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	334	3,467

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/09/2001)	-2,651
Return Flow Credit (Effective: 01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 3,467	2,500
Estuary Inflows (Measured at NCAT)	3,128
PassThru Surplus / -Deficit:	-1,523

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/12/2001
01/11/2001	100	938	938	3,050	2,112	44.0	44.2

Report Generated: 01/12/2001 at 7:48:06 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 13, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/13/2001	201.3	297,252	42.8%	88.8	149,561	62.0%	446,813	47.7%
01/13/2001	199.5	268,985	38.7%	85.4	99,348	41.2%	368,333	39.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/12/2001	55	34	0.00	63	8	0.05	42
MTD		776	1.13		665	0.89	1,441

STREAM FLOWS

Gauging Station	01/12/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	617	4,429
NRIT: Nueces River at Tilden, Texas	228	3,011
FRIT: Frio River at Tilden, Texas	44	407
SMTT: San Miguel Creek at Tilden, Texas	1	14
ARWT: Atascosa River at Whitsett, Texas	560	774
Release from Choke Canyon Reservoir	66	786
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	161	4,333
NCAT: Nueces River at Calallen, Texas	44	3,172
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	596	4,063

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/09/2001)	-2,651
Return Flow Credit (Effective: 01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 4,063	2,500
Estuary Inflows (Measured at NCAT)	3,172
PassThru Surplus / -Deficit:	-1,479

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/13/2001
01/12/2001	99	1,037	1,037	3,050	2,013	44.0	44.1

Report Generated: 01/13/2001 at 7:47:14 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 14, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/14/2001	201.3	297,095	42.7%	88.8	149,402	61.9%	446,497	47.7%
01/14/2001	199.5	268,837	38.7%	85.4	100,130	41.5%	368,967	39.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/13/2001	62	17	0.00	71	15	0.00	32
MTD		793	1.13		680	0.89	1,473

STREAM FLOWS

Gauging Station	01/13/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	764	5,193
NRIT: Nueces River at Tilden, Texas	222	3,234
FRIT: Frio River at Tilden, Texas	50	457
SMTT: San Miguel Creek at Tilden, Texas	125	139
ARWT: Atascosa River at Whitsett, Texas	187	961
Release from Choke Canyon Reservoir	66	852
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	159	4,492
NCAT: Nueces River at Calallen, Texas	66	3,238
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	873	4,937

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/09/2001)	-2,651
Return Flow Credit (Effective: 01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 4,937	2,500
Estuary Inflows (Measured at NCAT)	3,238
PassThru Surplus / -Deficit:	-1,413

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/14/2001
01/13/2001	99	1,136	1,136	3,050	1,914	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 15, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/15/2000	201.3	296,780	42.7%	88.8	149,243	61.9%	446,023	47.6%
01/15/2001	199.5	269,726	38.8%	85.4	100,261	41.6%	369,987	39.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/14/2001	69	52	0.00	65	38	0.00	90
MTD		845	1.13		718	0.89	1,563

STREAM FLOWS

Gauging Station	01/14/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	510	5,703
NRTT: Nueces River at Tilden, Texas	216	3,450
FRIT: Frio River at Tilden, Texas	48	505
SMTT: San Miguel Creek at Tilden, Texas	149	287
ARWT: Atascosa River at Whitsett, Texas	77	1,038
Release from Choke Canyon Reservoir	66	917
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	161	4,653
NCAT: Nueces River at Calallen, Texas	77	3,315
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	641	5,578

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/09/2001)	-2,651
Return Flow Credit (Effective: 01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 5,578	2,500
Estuary Inflows (Measured at NCAT)	3,315
PassThru Surplus / -Deficit:	-1,336

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/15/2001
01/14/2001	98	1,234	1,234	3,050	1,816	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 16, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/16/2000	201.3	296,623	42.7%	88.8	149,084	61.8%	445,707	47.6%
01/16/2001	199.5	269,578	38.8%	85.5	100,786	41.8%	370,364	39.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/15/2001	56	43	0.40	58	15	0.16	58
MTD		888	1.53		733	1.05	1,621

STREAM FLOWS

Gauging Station	01/15/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	429	6,132
NRIT: Nueces River at Tilden, Texas	206	3,656
FRIT: Frio River at Tilden, Texas	46	550
SMTT: San Miguel Creek at Tilden, Texas	77	365
ARWT: Atascosa River at Whitsett, Texas	58	1,096
Release from Choke Canyon Reservoir	66	983
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	161	4,814
NCAT: Nueces River at Calallen, Texas	50	3,365
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	486	6,064

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/09/2001)	-2,651
Return Flow Credit (Effective: 01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 6,064	2,500
Estuary Inflows (Measured at NCAT)	3,365
PassThru Surplus / -Deficit:	-1,286

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/16/2001
01/15/2001	98	1,333	1,333	3,050	1,717	44.0	44.0

Report Generated: 01/16/2001 at 8:18:54 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 17, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/17/2000	201.3	296,780	42.7%	88.8	148,925	61.7%	445,705	47.6%
01/17/2001	199.5	269,429	38.8%	85.5	101,049	41.9%	370,478	39.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/16/2001	57	43	0.07	62	38	0.05	81
MTD		931	1.60		771	1.10	1,702

STREAM FLOWS

Gauging Station	01/16/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	411	6,543
NRIT: Nueces River at Tilden, Texas	220	3,877
FRIT: Frio River at Tilden, Texas	46	596
SMTT: San Miguel Creek at Tilden, Texas	46	411
ARWT: Atascosa River at Whitsett, Texas	46	1,142
Release from Choke Canyon Reservoir	66	1,048
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	202	5,016
NCAT: Nueces River at Calallen, Texas	30	3,394
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	437	6,501

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/09/2001)	-2,651
Return Flow Credit (Effective: 01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 6,501	2,500
Estuary Inflows (Measured at NCAT)	3,394
PassThru Surplus / -Deficit:	-1,257

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/17/2001
01/16/2001	98	1,431	1,431	3,050	1,619	44.0	44.1

Report Generated: 01/17/2001 at 7:42:05 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 18, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/18/2001	201.3	296,780	42.7%	88.7	148,608	61.6%	445,388	47.6%
01/18/2001	199.5	269,726	38.8%	85.5	101,180	41.9%	370,906	39.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/17/2001	50	35	0.24	59	23	0.15	58
MTD		966	1.84		794	1.25	1,760

STREAM FLOWS

Gauging Station	01/17/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	403	6,946
NRIT: Nueces River at Tilden, Texas	256	4,133
FRIT: Frio River at Tilden, Texas	50	646
SMTT: San Miguel Creek at Tilden, Texas	30	440
ARWT: Atascosa River at Whitsett, Texas	36	1,177
Release from Choke Canyon Reservoir	66	1,114
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	169	5,185
NCAT: Nueces River at Calallen, Texas	71	3,466
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	417	6,918

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/09/2001)	-2,651
Return Flow Credit (Effective: 01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 6,918	2,500
Estuary Inflows (Measured at NCAT)	3,466
PassThru Surplus / -Deficit:	-1,185

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/18/2001
01/17/2001	98	1,529	1,529	3,050	1,521	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 19, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/19/2000	201.3	296,466	42.6%	88.7	148,450	61.5%	444,916	47.5%
01/19/2001	199.5	269,874	38.8%	85.5	101,180	41.9%	371,054	39.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/18/2001	43	52	0.55	45	92	0.24	144
MTD		1,018	2.39		886	1.49	1,904

STREAM FLOWS

Gauging Station	01/18/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	421	7,366
NRIT: Nueces River at Tilden, Texas	266	4,399
FRIT: Frio River at Tilden, Texas	67	713
SMTT: San Miguel Creek at Tilden, Texas	22	462
ARWT: Atascosa River at Whitsett, Texas	30	1,207
Release from Choke Canyon Reservoir	66	1,179
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	155	5,340
NCAT: Nueces River at Calallen, Texas	95	3,561
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	445	7,362

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/09/2001)	-2,651
Return Flow Credit (Effective: 01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 7,362	2,500
Estuary Inflows (Measured at NCAT)	3,561
PassThru Surplus / -Deficit:	-1,090

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/19/2001
01/18/2001	101	1,630	1,630	3,050	1,420	44.0	44.1

Report Generated: 01/19/2001 at 7:50:48 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 20, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/20/2000	201.3	296,308	42.6%	88.7	148,133	61.4%	444,441	47.5%
01/20/2001	199.6	271,062	39.0%	85.6	101,841	42.2%	372,903	39.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/19/2001	54	69	0.00	53	177	0.00	246
MTD		1,087	2.39		1,063	1.49	2,150

STREAM FLOWS

Gauging Station	01/19/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	459	7,825
NRTT: Nueces River at Tilden, Texas	274	4,673
FRIT: Frio River at Tilden, Texas	66	779
SMTT: San Miguel Creek at Tilden, Texas	28	490
ARWT: Atascosa River at Whitsett, Texas	42	1,249
Release from Choke Canyon Reservoir	66	1,245
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	153	5,492
NCAT: Nueces River at Calallen, Texas	52	3,613
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	486	7,849

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/09/2001)	-2,651
Return Flow Credit (Effective: 01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 7,849	2,500
Estuary Inflows (Measured at NCAT)	3,613
PassThru Surplus / -Deficit:	-1,038

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/20/2001
01/19/2001	114	1,744	1,744	3,050	1,306	44.0	44.1

Report Generated: 01/20/2001 at 7:53:11 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 21, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/21/2000	201.2	296,151	42.6%	88.7	147,974	61.3%	444,125	47.4%
01/21/2001	199.6	270,765	38.9%	85.6	102,106	42.3%	372,871	39.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/20/2001	56	52	0.00	56	108	0.00	160
MTD		1,139	2.39		1,171	1.49	2,310

STREAM FLOWS

Gauging Station	01/20/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	464	8,289
NRIT: Nueces River at Tilden, Texas	270	4,943
FRIT: Frio River at Tilden, Texas	62	840
SMTT: San Miguel Creek at Tilden, Texas	22	512
ARWT: Atascosa River at Whitsett, Texas	93	1,342
Release from Choke Canyon Reservoir	66	1,310
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	155	5,647
NCAT: Nueces River at Calallen, Texas	42	3,654
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	482	8,331

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/09/2001)	-2,651
Return Flow Credit (Effective: 01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 8,331	2,500
Estuary Inflows (Measured at NCAT)	3,654
PassThru Surplus / -Deficit:	-997

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/21/2001
01/20/2001	113	1,857	1,857	3,050	1,193	44.0	44.1

Report Generated: 01/21/2001 at 7:47:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 22, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/22/2001	201.2	295,994	42.6%	88.7	147,658	61.2%	443,652	47.4%
01/22/2001	199.6	270,616	38.9%	85.6	102,505	42.5%	373,121	39.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/21/2001	63	113	0.00	62	62	0.00	175
MTD		1,252	2.39		1,233	1.49	2,485

STREAM FLOWS

Gauging Station	01/21/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	516	8,805
NRTT: Nueces River at Tilden, Texas	262	5,205
FRIT: Frio River at Tilden, Texas	58	898
SMTT: San Miguel Creek at Tilden, Texas	75	587
ARWT: Atascosa River at Whitsett, Texas	87	1,429
Release from Choke Canyon Reservoir	66	1,376
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	155	5,802
NCAT: Nueces River at Calallen, Texas	60	3,714
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	584	8,915

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/09/2001)	-2,651
Return Flow Credit (Effective: 01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 8,915	2,500
Estuary Inflows (Measured at NCAT)	3,714
PassThru Surplus / -Deficit:	-937

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/22/2001
01/21/2001	113	1,970	1,970	3,050	1,080	44.0	44.1

Report Generated: 01/22/2001 at 7:40:21 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 23, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/23/2001	201.2	295,837	42.5%	88.7	147,342	61.1%	443,179	47.3%
01/23/2001	199.6	270,468	38.9%	85.6	102,638	42.5%	373,106	39.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/22/2001	60	78	0.00	59	85	0.00	163
MTD		1,330	2.39		1,318	1.49	2,648

STREAM FLOWS

Gauging Station	01/22/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	484	9,290
NRIT: Nueces River at Tilden, Texas	254	5,459
FRIT: Frio River at Tilden, Texas	56	953
SMTT: San Miguel Creek at Tilden, Texas	60	647
ARWT: Atascosa River at Whitsett, Texas	56	1,485
Release from Choke Canyon Reservoir	66	1,441
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	157	5,959
NCAT: Nueces River at Calallen, Texas	75	3,789
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	534	9,449

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/09/2001)	-2,651
Return Flow Credit (Effective: 01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 9,449	2,500
Estuary Inflows (Measured at NCAT)	3,789
PassThru Surplus / -Deficit:	-862

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/23/2001
01/22/2001	113	2,083	2,083	3,050	967	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 24, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/24/2000	201.2	295,680	42.5%	88.7	147,184	61.0%	442,864	47.3%
01/24/2001	199.6	270,616	38.9%	85.6	102,772	42.6%	373,388	39.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/23/2001	65	43	0.00	67	93	0.00	136
MTD		1,373	2.39		1,411	1.49	2,784

STREAM FLOWS

Gauging Station	01/23/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	443	9,732
NRIT: Nueces River at Tilden, Texas	252	5,711
FRTT: Frio River at Tilden, Texas	52	1,005
SMTT: San Miguel Creek at Tilden, Texas	44	690
ARWT: Atascosa River at Whitsett, Texas	38	1,523
Release from Choke Canyon Reservoir	66	1,507
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	155	6,114
NCAT: Nueces River at Calallen, Texas	50	3,839
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	472	9,921

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/09/2001)	-2,651
Return Flow Credit (Effective: 01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 9,921	2,500
Estuary Inflows (Measured at NCAT)	3,839
PassThru Surplus / -Deficit:	-812

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/24/2001
01/23/2001	113	2,196	2,196	3,050	854	44.0	44.0

Report Generated: 01/24/2001 at 7:45:35 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 25, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/25/2001	201.2	295,366	42.5%	88.6	146,869	60.9%	442,235	47.2%
01/25/2001	199.6	270,319	38.9%	85.6	102,772	42.6%	373,091	39.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/24/2001	70	78	0.00	69	85	0.00	163
MTD		1,451	2.39		1,496	1.49	2,947

STREAM FLOWS

Gauging Station	01/24/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	437	10,169
NRIT: Nueces River at Tilden, Texas	250	5,961
FRIT: Frio River at Tilden, Texas	50	1,054
SMTT: San Miguel Creek at Tilden, Texas	28	718
ARWT: Atascosa River at Whitsett, Texas	30	1,552
Release from Choke Canyon Reservoir	66	1,572
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	155	6,269
NCAT: Nueces River at Calallen, Texas	34	3,873
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	449	10,370

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/09/2001)	-2,651
Return Flow Credit (Effective: 01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 10,370	2,500
Estuary Inflows (Measured at NCAT)	3,873
PassThru Surplus / -Deficit:	-778

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/25/2001
01/24/2001	113	2,309	2,309	3,050	741	44.0	44.0

Report Generated: 01/25/2001 at 7:52:54 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 26, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/26/2001	201.2	295,053	42.4%	88.6	146,553	60.7%	441,606	47.2%
01/26/2001	199.5	270,171	38.9%	85.6	102,905	42.7%	373,076	39.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/25/2001	67	69	0.00	67	62	0.00	131
MTD		1,520	2.39		1,558	1.49	3,078

STREAM FLOWS

Gauging Station	01/25/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	417	10,586
NRTT: Nueces River at Tilden, Texas	246	6,207
FRIT: Frio River at Tilden, Texas	50	1,104
SMTT: San Miguel Creek at Tilden, Texas	17	735
ARWT: Atascosa River at Whitsett, Texas	26	1,578
Release from Choke Canyon Reservoir	66	1,638
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	153	6,421
NCAT: Nueces River at Calallen, Texas	64	3,936
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	418	10,788

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/09/2001)	-2,651
Return Flow Credit (Effective: 01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 10,788	2,500
Estuary Inflows (Measured at NCAT)	3,936
PassThru Surplus / -Deficit:	-715

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/26/2001
01/25/2001	113	2,422	2,422	3,050	628	44.0	44.0

Report Generated: 01/26/2001 at 7:46:09 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 27, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/27/2000	201.2	294,739	42.4%	88.6	145,766	60.4%	440,505	47.0%
01/27/2001	199.5	270,022	38.8%	85.7	103,172	42.8%	373,194	39.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/26/2001	76	86	0.00	78	125	0.00	211
MTD		1,606	2.39		1,683	1.49	3,289

STREAM FLOWS

Gauging Station	01/26/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	395	10,981
NRIT: Nueces River at Tilden, Texas	236	6,443
FRIT: Frio River at Tilden, Texas	50	1,154
SMTT: San Miguel Creek at Tilden, Texas	11	746
ARWT: Atascosa River at Whitsett, Texas	26	1,604
Release from Choke Canyon Reservoir	66	1,703
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	153	6,574
NCAT: Nueces River at Calallen, Texas	71	4,008
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	390	11,178

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/09/2001)	-2,651
Return Flow Credit (Effective: 01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 11,178	2,500
Estuary Inflows (Measured at NCAT)	4,008
PassThru Surplus / -Deficit:	-643

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/27/2001
01/26/2001	113	2,535	2,535	3,050	515	44.0	44.0

Report Generated: 01/27/2001 at 7:41:48 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 28, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/28/2000	201.1	294,583	42.4%	88.6	146,238	60.6%	440,821	47.1%
01/28/2001	199.5	269,874	38.8%	85.7	103,172	42.8%	373,046	39.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/27/2001	73	69	0.20	73	94	0.01	163
MTD		1,675	2.59		1,777	1.50	3,452

STREAM FLOWS

Gauging Station	01/27/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	387	11,368
NRTT: Nueces River at Tilden, Texas	228	6,672
FRIT: Frio River at Tilden, Texas	52	1,205
SMTT: San Miguel Creek at Tilden, Texas	7	753
ARWT: Atascosa River at Whitsett, Texas	28	1,632
Release from Choke Canyon Reservoir	66	1,769
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	153	6,727
NCAT: Nueces River at Calallen, Texas	24	4,032
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	380	11,558

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/09/2001)	-2,651
Return Flow Credit (Effective: 01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 11,558	2,500
Estuary Inflows (Measured at NCAT)	4,032
PassThru Surplus / -Deficit:	-619

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/28/2001
01/27/2001	113	2,648	2,648	3,050	402	44.0	44.0

Report Generated: 01/28/2001 at 7:45:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 29, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/29/2001	201.1	294,270	42.3%	88.6	146,081	60.6%	440,351	47.0%
01/29/2001	199.5	270,171	38.9%	85.6	103,039	42.7%	373,210	39.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/28/2001	76	86	0.06	75	148	0.09	234
MTD		1,761	2.65		1,925	1.59	3,686

STREAM FLOWS

Gauging Station	01/28/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	383	11,751
NRIT: Nueces River at Tilden, Texas	222	6,894
FRIT: Frio River at Tilden, Texas	52	1,257
SMTT: San Miguel Creek at Tilden, Texas	4	757
ARWT: Atascosa River at Whitsett, Texas	28	1,660
Release from Choke Canyon Reservoir	66	1,834
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	153	6,880
NCAT: Nueces River at Calallen, Texas	48	4,079
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	373	11,931

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/09/2001)	-2,651
Return Flow Credit (Effective: 01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 11,931	2,500
Estuary Inflows (Measured at NCAT)	4,079
PassThru Surplus / -Deficit:	-572

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/29/2001
01/28/2001	113	2,761	2,761	3,050	289	44.0	44.0

Report Generated: 01/29/2001 at 7:41:10 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 30, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/30/2001	201.1	294,113	42.3%	88.6	145,766	60.4%	439,879	47.0%
01/30/2001	199.5	270,022	38.8%	85.7	103,843	43.0%	373,865	39.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/29/2001	70	69	0.00	71	125	0.00	194
MTD		1,830	2.65		2,050	1.59	3,880

STREAM FLOWS

Gauging Station	01/29/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	375	12,126
NRIT: Nueces River at Tilden, Texas	216	7,110
FRIT: Frio River at Tilden, Texas	52	1,309
SMTT: San Miguel Creek at Tilden, Texas	2	759
ARWT: Atascosa River at Whitsett, Texas	22	1,681
Release from Choke Canyon Reservoir	66	1,900
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	155	7,035
NCAT: Nueces River at Calallen, Texas	73	4,153
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	363	12,294

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/09/2001)	-2,651
Return Flow Credit (Effective: 01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 12,294	2,500
Estuary Inflows (Measured at NCAT)	4,153
PassThru Surplus / -Deficit:	-498

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/30/2001
01/29/2001	113	2,874	2,874	3,050	176	44.0	44.0

Report Generated: 01/30/2001 at 7:43:19 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 31, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/31/2000	201.1	294,113	42.3%	88.5	144,981	60.1%	439,094	46.9%
01/31/2001	199.5	269,874	38.8%	85.7	104,247	43.2%	374,121	39.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/30/2001	78	86	0.00	78	110	0.00	196
MTD		1,916	2.65		2,160	1.59	4,076

STREAM FLOWS

Gauging Station	01/30/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	359	12,486
NRTT: Nueces River at Tilden, Texas	208	7,319
FRIT: Frio River at Tilden, Texas	52	1,360
SMTT: San Miguel Creek at Tilden, Texas	0	759
ARWT: Atascosa River at Whitsett, Texas	19	1,701
Release from Choke Canyon Reservoir	66	1,965
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	224	7,259
NCAT: Nueces River at Calallen, Texas	42	4,194
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	346	12,640

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/09/2001)	-2,651
Return Flow Credit (Effective: 01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 12,640	2,500
Estuary Inflows (Measured at NCAT)	4,194
PassThru Surplus / -Deficit:	-457

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	01/31/2001
01/30/2001	113	2,987	2,987	3,050	63	44.0	44.1

Report Generated: 01/31/2001 at 7:45:05 AM