

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 1, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/01/2000	201.1	293,801	42.3%	88.5	144,981	60.1%	438,782	46.9%
02/01/2001	199.5	269,874	38.8%	85.7	103,977	43.1%	373,851	39.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/31/2001	59	78	0.00	61	118	0.00	196
MTD		1,994	2.65		2,278	1.59	4,272

STREAM FLOWS

Gauging Station	01/31/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	345	12,831
NRIT: Nueces River at Tilden, Texas	199	7,517
FRTT: Frio River at Tilden, Texas	54	1,414
SMTT: San Miguel Creek at Tilden, Texas	0	759
ARWT: Atascosa River at Whitsett, Texas	18	1,719
Release from Choke Canyon Reservoir	66	2,031
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	343	7,603
NCAT: Nueces River at Calallen, Texas	77	4,272
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	334	12,973

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/09/2001)	-2,651
Return Flow Credit (Effective: 01/09/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 12,973	2,500
Estuary Inflows (Measured at NCAT)	4,272
PassThru Surplus / -Deficit:	-379

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/01/2001
01/31/2001	105	3,092	3,092	3,050	-42	44.0	44.2

Report Generated: 02/01/2001 at 8:29:58 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 2, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/02/2000	201.1	294,113	42.3%	88.5	144,824	60.0%	438,937	46.9%
02/02/2001	199.5	269,726	38.8%	85.7	103,709	43.0%	373,435	39.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/01/2001	56	69	0.00	57	70	0.12	139
MTD		69	0.00		70	0.12	139

STREAM FLOWS

Gauging Station	02/01/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	335	335
NRTT: Nueces River at Tilden, Texas	187	187
FRTT: Frio River at Tilden, Texas	54	54
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	20	20
Release from Choke Canyon Reservoir	66	66
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	425	425
NCAT: Nueces River at Calallen, Texas	234	234
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	324	324

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-457
Return Flow Credit (Effective:)	0
Passthru Target: 2,500 Reservoir Inflow: 324	324
Estuary Inflows (Measured at NCAT)	234
PassThru Surplus / -Deficit:	-546

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/02/2001
02/01/2001	113	113	3,205	3,040	2,927	44.0	44.0

Report Generated: 02/02/2001 at 8:22:03 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 3, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/03/2000	201.2	295,053	42.4%	88.5	144,667	60.0%	439,720	47.0%
02/03/2001	199.5	269,429	38.8%	85.7	103,306	42.8%	372,735	39.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/02/2001	55	104	0.00	53	0	0.04	104
MTD		173	0.00		70	0.16	243

STREAM FLOWS

Gauging Station	02/02/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	335	671
NRTT: Nueces River at Tilden, Texas	183	369
FRTT: Frio River at Tilden, Texas	54	107
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	18	38
Release from Choke Canyon Reservoir	66	131
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	272	697
NCAT: Nueces River at Calallen, Texas	343	578
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	324	647

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 647	647
Estuary Inflows (Measured at NCAT)	578
PassThru Surplus / -Deficit:	-26

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/03/2001
02/02/2001	113	226	3,318	3,040	2,814	44.0	44.0

Report Generated: 02/03/2001 at 9:15:08 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 4, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/04/2000	201.2	294,896	42.4%	88.5	144,667	60.0%	439,563	46.9%
02/04/2001	199.5	268,985	38.7%	85.7	103,172	42.8%	372,157	39.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/03/2001	65	112	0.00	62	78	0.00	190
MTD		285	0.00		148	0.16	433

STREAM FLOWS

Gauging Station	02/03/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	330	1,000
NRTT: Nueces River at Tilden, Texas	179	548
FRTT: Frio River at Tilden, Texas	54	161
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	16	54
Release from Choke Canyon Reservoir	66	197
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	135	832
NCAT: Nueces River at Calallen, Texas	226	804
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	318	965

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 965	965
Estuary Inflows (Measured at NCAT)	804
PassThru Surplus / -Deficit:	-118

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/04/2001
02/03/2001	113	339	3,431	3,040	2,701	44.0	44.0

Report Generated: 02/04/2001 at 8:04:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 5, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/05/2000	201.1	294,583	42.4%	88.5	144,824	60.0%	439,407	46.9%
02/05/2001	199.5	269,133	38.7%	85.7	103,306	42.8%	372,439	39.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/04/2001	72	147	0.00	70	101	0.00	248
MTD		432	0.00		249	0.16	681

STREAM FLOWS

Gauging Station	02/04/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	322	1,322
NRRT: Nueces River at Tilden, Texas	175	723
FRTT: Frio River at Tilden, Texas	52	212
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	15	69
Release from Choke Canyon Reservoir	66	262
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	135	967
NCAT: Nueces River at Calallen, Texas	79	883
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	308	1,272

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 1,272	1,272
Estuary Inflows (Measured at NCAT)	883
PassThru Surplus / -Deficit:	-346

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/05/2001
02/04/2001	113	452	3,544	3,040	2,588	44.0	44.0

Report Generated: 02/05/2001 at 8:36:50 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 6, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/06/2000	201.1	294,270	42.3%	88.5	144,667	60.0%	438,937	46.9%
02/06/2001	199.5	268,837	38.7%	85.6	102,772	42.6%	371,609	39.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/05/2001	71	129	0.00	71	132	0.00	261
MTD		561	0.00		381	0.16	942

STREAM FLOWS

Gauging Station	02/05/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	318	1,640
NRTT: Nueces River at Tilden, Texas	169	891
FRTT: Frio River at Tilden, Texas	52	264
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	15	84
Release from Choke Canyon Reservoir	66	328
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	135	1,102
NCAT: Nueces River at Calallen, Texas	44	927
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	304	1,576

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 1,576	1,576
Estuary Inflows (Measured at NCAT)	927
PassThru Surplus / -Deficit:	-606

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/06/2001
02/05/2001	113	566	3,657	3,040	2,474	44.0	44.0

Report Generated: 02/06/2001 at 7:36:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 7, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/07/2000	201.1	294,426	42.3%	88.5	144,354	59.8%	438,780	46.9%
02/07/2001	199.4	268,542	38.6%	85.6	102,772	42.6%	371,314	39.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/06/2001	79	129	0.00	79	101	0.00	230
MTD		690	0.00		482	0.16	1,172

STREAM FLOWS

Gauging Station	02/06/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	316	1,955
NRTT: Nueces River at Tilden, Texas	165	1,056
FRTT: Frio River at Tilden, Texas	52	316
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	14	98
Release from Choke Canyon Reservoir	66	393
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	135	1,237
NCAT: Nueces River at Calallen, Texas	46	973
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	302	1,878

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 1,878	1,878
Estuary Inflows (Measured at NCAT)	973
PassThru Surplus / -Deficit:	-862

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/07/2001
02/06/2001	113	679	3,770	3,040	2,361	44.0	44.0

Report Generated: 02/07/2001 at 7:34:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 8, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/08/2000	201.1	294,270	42.3%	88.5	144,511	59.9%	438,781	46.9%
02/08/2001	199.4	268,394	38.6%	85.6	102,106	42.3%	370,500	39.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/07/2001	76	77	0.00	75	54	0.02	131
MTD		767	0.00		536	0.18	1,303

STREAM FLOWS

Gauging Station	02/07/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	308	2,263
NRIT: Nueces River at Tilden, Texas	159	1,215
FRTT: Frio River at Tilden, Texas	52	367
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	14	112
Release from Choke Canyon Reservoir	66	459
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	141	1,378
NCAT: Nueces River at Calallen, Texas	42	1,014
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	294	2,172

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 2,172	2,172
Estuary Inflows (Measured at NCAT)	1,014
PassThru Surplus / -Deficit:	-1,114

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/08/2001
02/07/2001	113	792	3,883	3,040	2,248	44.0	44.0

Report Generated: 02/08/2001 at 7:45:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 9, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/09/2000	201.1	294,113	42.3%	88.5	144,198	59.8%	438,311	46.8%
02/09/2001	199.4	268,542	38.6%	85.6	102,772	42.6%	371,314	39.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/08/2001	77	69	0.00	76	31	0.01	100
MTD		836	0.00		567	0.19	1,403

STREAM FLOWS

Gauging Station	02/08/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	304	2,567
NRTT: Nueces River at Tilden, Texas	155	1,370
FRTT: Frio River at Tilden, Texas	52	419
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	13	126
Release from Choke Canyon Reservoir	66	524
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	163	1,540
NCAT: Nueces River at Calallen, Texas	42	1,056
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	290	2,461

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 2,461	2,461
Estuary Inflows (Measured at NCAT)	1,056
PassThru Surplus / -Deficit:	-1,362

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/09/2001
02/08/2001	113	904	3,996	3,040	2,136	44.0	44.0

Report Generated: 02/09/2001 at 7:41:56 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 10, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/10/2000	201.1	293,801	42.3%	88.4	143,729	59.6%	437,530	46.7%
02/10/2001	199.4	268,542	38.6%	85.7	104,247	43.2%	372,789	39.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/09/2001	68	121	0.04	69	251	0.06	372
MTD		957	0.04		818	0.25	1,775

STREAM FLOWS

Gauging Station	02/09/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	298	2,864
NRTT: Nueces River at Tilden, Texas	151	1,521
FRTT: Frio River at Tilden, Texas	50	468
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	13	139
Release from Choke Canyon Reservoir	66	590
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	193	1,733
NCAT: Nueces River at Calallen, Texas	28	1,084
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	282	2,743

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 2,743	2,500
Estuary Inflows (Measured at NCAT)	1,084
PassThru Surplus / -Deficit:	-1,373

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/10/2001
02/09/2001	87	991	4,083	3,040	2,049	44.0	44.0

Report Generated: 02/10/2001 at 7:51:19 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 11, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/11/2000	201.1	293,644	42.2%	88.4	143,572	59.5%	437,216	46.7%
02/11/2001	199.4	268,246	38.6%	85.7	103,574	42.9%	371,820	39.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/10/2001	48	77	0.00	69	102	0.00	179
MTD		1,034	0.04		920	0.25	1,954

STREAM FLOWS

Gauging Station	02/10/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	288	3,152
NRIT: Nueces River at Tilden, Texas	149	1,669
FRIT: Frio River at Tilden, Texas	50	518
SMIT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	13	152
Release from Choke Canyon Reservoir	66	655
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	193	1,925
NCAT: Nueces River at Calallen, Texas	30	1,114
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	272	3,015

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 3,015	2,500
Estuary Inflows (Measured at NCAT)	1,114
PassThru Surplus / -Deficit:	-1,343

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/11/2001
02/10/2001	74	1,065	4,157	3,040	1,975	44.0	44.0

Report Generated: 02/11/2001 at 7:45:17 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 12, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/12/2000	201.0	293,020	42.1%	88.4	143,729	59.6%	436,749	46.6%
02/12/2001	199.4	268,246	38.6%	85.7	103,843	43.0%	372,089	39.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/11/2001	51	95	0.10	54	0	0.04	95
MTD		1,129	0.14		920	0.29	2,049

STREAM FLOWS

Gauging Station	02/11/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	286	3,438
NRIT: Nueces River at Tilden, Texas	151	1,820
FRTT: Frio River at Tilden, Texas	50	568
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	12	163
Release from Choke Canyon Reservoir	66	721
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	288	2,213
NCAT: Nueces River at Calallen, Texas	48	1,161
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	270	3,285

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 3,285	2,500
Estuary Inflows (Measured at NCAT)	1,161
PassThru Surplus / -Deficit:	-1,296

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/12/2001
02/11/2001	74	1,139	4,231	3,040	1,901	44.0	44.0

Report Generated: 02/12/2001 at 7:56:39 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 13, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/13/2000	201.0	292,707	42.1%	88.5	144,041	59.7%	436,748	46.6%
02/13/2001	199.4	268,099	38.6%	85.7	103,574	42.9%	371,673	39.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/12/2001	70	34	0.02	78	8	0.00	42
MTD		1,163	0.16		928	0.29	2,091

STREAM FLOWS

Gauging Station	02/12/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	286	3,724
NRIT: Nueces River at Tilden, Texas	151	1,971
FRIT: Frio River at Tilden, Texas	50	617
SMIT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	12	175
Release from Choke Canyon Reservoir	66	786
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	179	2,392
NCAT: Nueces River at Calallen, Texas	58	1,219
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	270	3,555

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 3,555	2,500
Estuary Inflows (Measured at NCAT)	1,219
PassThru Surplus / -Deficit:	-1,238

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/13/2001
02/12/2001	74	1,213	4,305	3,040	1,827	44.0	44.0

Report Generated: 02/13/2001 at 7:39:49 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 14, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/14/2000	201.0	292,240	42.0%	88.5	144,041	59.7%	436,281	46.6%
02/14/2001	199.4	268,099	38.6%	85.7	103,574	42.9%	371,673	39.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/13/2001	79	69	0.00	79	63	0.01	132
MTD		1,232	0.16		991	0.30	2,223

STREAM FLOWS

Gauging Station	02/13/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	286	4,010
NRTT: Nueces River at Tilden, Texas	151	2,122
FRTT: Frio River at Tilden, Texas	50	667
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	13	188
Release from Choke Canyon Reservoir	66	852
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	167	2,559
NCAT: Nueces River at Calallen, Texas	38	1,257
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	270	3,825

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 3,825	2,500
Estuary Inflows (Measured at NCAT)	1,257
PassThru Surplus / -Deficit:	-1,200

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/14/2001
02/13/2001	74	1,286	4,378	3,040	1,754	44.0	43.9

Report Generated: 02/14/2001 at 7:21:53 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 15, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/15/2000	201.0	291,772	42.0%	88.4	143,729	59.6%	435,501	46.5%
02/15/2001	199.4	268,246	38.6%	85.7	103,440	42.9%	371,686	39.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/14/2001	81	112	0.00	87	109	0.00	221
MTD		1,344	0.16		1,100	0.30	2,444

STREAM FLOWS

Gauging Station	02/14/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	286	4,296
NRTT: Nueces River at Tilden, Texas	149	2,271
FRTT: Frio River at Tilden, Texas	50	717
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	13	200
Release from Choke Canyon Reservoir	66	917
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	149	2,708
NCAT: Nueces River at Calallen, Texas	20	1,276
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	270	4,095

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 4,095	2,500
Estuary Inflows (Measured at NCAT)	1,276
PassThru Surplus / -Deficit:	-1,181

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/15/2001
02/14/2001	73	1,360	4,452	3,040	1,680	44.0	43.9

Report Generated: 02/15/2001 at 7:40:24 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 16, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/16/2000	200.9	291,461	41.9%	88.4	143,572	59.5%	435,033	46.5%
02/16/2001	199.4	268,542	38.6%	85.7	103,709	43.0%	372,251	39.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/15/2001	84	95	0.18	84	125	0.06	220
MTD		1,439	0.34		1,225	0.36	2,664

STREAM FLOWS

Gauging Station	02/15/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	282	4,577
NRTT: Nueces River at Tilden, Texas	147	2,418
FRTT: Frio River at Tilden, Texas	50	766
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	12	213
Release from Choke Canyon Reservoir	66	983
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	147	2,854
NCAT: Nueces River at Calallen, Texas	6	1,283
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	266	4,361

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 4,361	2,500
Estuary Inflows (Measured at NCAT)	1,283
PassThru Surplus / -Deficit:	-1,174

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/16/2001
02/15/2001	74	1,433	4,525	3,040	1,607	44.0	43.9

Report Generated: 02/16/2001 at 7:40:34 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 17, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/17/2000	200.9	290,373	41.8%	88.4	143,729	59.6%	434,102	46.4%
02/17/2001	199.4	268,246	38.6%	85.7	103,709	43.0%	371,955	39.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/16/2001	71	172	0.00	69	211	0.00	383
MTD		1,611	0.34		1,436	0.36	3,047

STREAM FLOWS

Gauging Station	02/16/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	282	4,859
NRTT: Nueces River at Tilden, Texas	141	2,559
FRTT: Frio River at Tilden, Texas	50	816
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	13	225
Release from Choke Canyon Reservoir	66	1048
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	147	3,001
NCAT: Nueces River at Calallen, Texas	9	1,292
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	266	4,627

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 4,627	2,500
Estuary Inflows (Measured at NCAT)	1,292
PassThru Surplus / -Deficit:	-1,165

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/17/2001
02/16/2001	74	1,507	4,599	3,040	1,533	44.0	44.0

Report Generated: 02/20/2001 at 10:49:51 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 18, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/18/2000	200.8	289,753	41.7%	88.4	143,729	59.6%	433,482	46.3%
02/18/2001	199.4	267,803	38.5%	85.7	103,440	42.9%	371,243	39.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/17/2001	56	189	0.00	69	156	0.00	345
MTD		1,800	0.34		1,592	0.36	3,392

STREAM FLOWS

Gauging Station	02/17/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	272	5,131
NRTT: Nueces River at Tilden, Texas	135	2,694
FRTT: Frio River at Tilden, Texas	50	865
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	13	238
Release from Choke Canyon Reservoir	66	1,114
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	147	3,148
NCAT: Nueces River at Calallen, Texas	32	1,323
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	256	4,883

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 4,883	2,500
Estuary Inflows (Measured at NCAT)	1,323
PassThru Surplus / -Deficit:	-1,134

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/18/2001
02/17/2001	74	1,581	4,673	3,040	1,459	44.0	44.0

Report Generated: 02/20/2001 at 10:53:18 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 19, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/19/2000	200.8	289,443	41.6%	88.5	144,041	59.7%	433,484	46.3%
02/19/2001	199.4	267,508	38.5%	85.7	103,172	42.8%	370,680	39.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/18/2001	65	103	0.00	65	78	0.00	181
MTD		1,903	0.34		1,670	0.36	3,573

STREAM FLOWS

Gauging Station	02/18/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	262	5,393
NRTT: Nueces River at Tilden, Texas	131	2,825
FRTT: Frio River at Tilden, Texas	48	913
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	11	249
Release from Choke Canyon Reservoir	66	1,179
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	149	3,297
NCAT: Nueces River at Calallen, Texas	8	1,331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	244	5,127

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 5,127	2,500
Estuary Inflows (Measured at NCAT)	1,331
PassThru Surplus / -Deficit:	-1,126

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/19/2001
02/18/2001	74	1,654	4,746	3,040	1,386	44.0	44.0

Report Generated: 02/20/2001 at 10:57:23 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 20, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/20/2000	200.8	288,668	41.5%	88.5	144,198	59.8%	432,866	46.2%
02/20/2001	199.4	267,361	38.5%	85.6	102,772	42.6%	370,133	39.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/19/2001	77	137	0.00	78	140	0.00	277
MTD		2,040	0.34		1,810	0.36	3,850

STREAM FLOWS

Gauging Station	02/19/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	258	5,651
NRRT: Nueces River at Tilden, Texas	131	2,956
FRTT: Frio River at Tilden, Texas	48	961
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	11	260
Release from Choke Canyon Reservoir	66	1,245
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	218	3,515
NCAT: Nueces River at Calallen, Texas	0	1,331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	240	5,367

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 5,367	2,500
Estuary Inflows (Measured at NCAT)	1,331
PassThru Surplus / -Deficit:	-1,126

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/20/2001
02/19/2001	74	1,728	4,820	3,040	1,312	44.0	44.0

Report Generated: 02/20/2001 at 11:00:43 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 21, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/21/2000	200.7	288,050	41.4%	88.4	143,885	59.6%	431,935	46.1%
02/21/2001	199.3	267,214	38.4%	85.6	102,638	42.5%	369,852	39.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/20/2001	78	103	0.00	79	132	0.00	235
MTD		2,143	0.34		1,942	0.36	4,085

STREAM FLOWS

Gauging Station	02/20/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	256	5,907
NRIT: Nueces River at Tilden, Texas	131	3,087
FRTT: Frio River at Tilden, Texas	48	1,008
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	12	272
Release from Choke Canyon Reservoir	66	1,310
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	248	3,764
NCAT: Nueces River at Calallen, Texas	1	1,332
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	238	5,606

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 5,606	2,500
Estuary Inflows (Measured at NCAT)	1,332
PassThru Surplus / -Deficit:	-1,125

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/21/2001
02/20/2001	74	1,802	4,894	3,040	1,238	44.0	43.9

Report Generated: 02/22/2001 at 7:26:20 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 22, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/22/2000	200.7	287,278	41.3%	88.4	143,885	59.6%	431,163	46.0%
02/22/2001	199.3	267,066	38.4%	85.6	102,638	42.5%	369,704	39.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/21/2001	79	103	0.00	83	93	0.00	196
MTD		2,246	0.34		2,035	0.36	4,281

STREAM FLOWS

Gauging Station	02/21/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	258	6,165
NRIT: Nueces River at Tilden, Texas	135	3,222
FRIT: Frio River at Tilden, Texas	46	1,054
SMIT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	12	284
Release from Choke Canyon Reservoir	66	1,376
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	167	3,930
NCAT: Nueces River at Calallen, Texas	77	1,410
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	238	5,844

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 5,844	2,500
Estuary Inflows (Measured at NCAT)	1,410
PassThru Surplus / -Deficit:	-1,047

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/22/2001
02/21/2001	74	1,876	4,968	3,040	1,164	44.0	43.9

Report Generated: 02/22/2001 at 8:09:05 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 23, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/23/2000	200.7	286,970	41.3%	88.5	144,354	59.8%	431,324	46.1%
02/23/2001	199.3	267,066	38.4%	85.6	102,505	42.5%	369,571	39.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/22/2001	65	26	0.01	81	31	0.05	57
MTD		2,272	0.35		2,066	0.41	4,338

STREAM FLOWS

Gauging Station	02/22/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	262	6,427
NRTT: Nueces River at Tilden, Texas	137	3,359
FRTT: Frio River at Tilden, Texas	44	1,098
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	11	295
Release from Choke Canyon Reservoir	66	1,441
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	167	4,097
NCAT: Nueces River at Calallen, Texas	28	1,438
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	240	6,084

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 6,084	2,500
Estuary Inflows (Measured at NCAT)	1,438
PassThru Surplus / -Deficit:	-1,019

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/23/2001
02/22/2001	73	1,950	5,041	3,040	1,090	44.0	43.8

Report Generated: 02/23/2001 at 7:38:19 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 24, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/24/2000	200.7	286,970	41.3%	88.4	143,729	59.6%	430,699	46.0%
02/24/2001	199.3	267,214	38.4%	85.6	102,106	42.3%	369,320	39.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/23/2001	76	69	0.00	78	131	0.01	200
MTD		2,341	0.35		2,197	0.42	4,538

STREAM FLOWS

Gauging Station	02/23/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	264	6,691
NRTT: Nueces River at Tilden, Texas	137	3,496
FRTT: Frio River at Tilden, Texas	44	1,141
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	11	306
Release from Choke Canyon Reservoir	66	1,507
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	183	4,280
NCAT: Nueces River at Calallen, Texas	6	1,443
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	242	6,326

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 6,326	2,500
Estuary Inflows (Measured at NCAT)	1,443
PassThru Surplus / -Deficit:	-1,014

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/24/2001
02/23/2001	73	2,023	5,114	3,040	1,017	44.0	43.8

Report Generated: 02/24/2001 at 8:07:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 25, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/25/2000	200.6	286,662	41.2%	88.4	143,260	59.4%	429,922	45.9%
02/25/2001	199.3	267,066	38.4%	85.7	103,172	42.8%	370,238	39.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/24/2001	93	257	0.00	90	265	0.00	522
MTD		2,598	0.35		2,462	0.42	5,060

STREAM FLOWS

Gauging Station	02/24/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	266	6,957
NRRT: Nueces River at Tilden, Texas	137	3,633
FRRT: Frio River at Tilden, Texas	44	1,185
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	11	317
Release from Choke Canyon Reservoir	66	1,572
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	248	4,528
NCAT: Nueces River at Calallen, Texas	0	1,443
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	244	6,570

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 6,570	2,500
Estuary Inflows (Measured at NCAT)	1,443
PassThru Surplus / -Deficit:	-1,014

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/25/2001
02/24/2001	73	2,096	5,187	3,040	944	44.0	43.8

Report Generated: 02/25/2001 at 7:41:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 26, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/26/2000	200.7	287,124	41.3%	88.4	143,416	59.4%	430,540	46.0%
02/26/2001	199.3	267,066	38.4%	85.6	102,772	42.6%	369,838	39.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/25/2001	81	154	0.00	90	225	0.00	379
MTD		2,752	0.35		2,687	0.42	5,439

STREAM FLOWS

Gauging Station	02/25/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	262	7,219
NRTT: Nueces River at Tilden, Texas	137	3,770
FRTT: Frio River at Tilden, Texas	44	1,229
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	11	327
Release from Choke Canyon Reservoir	66	1,638
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	248	4,776
NCAT: Nueces River at Calallen, Texas	20	1,463
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	240	6,811

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 6,811	2,500
Estuary Inflows (Measured at NCAT)	1,463
PassThru Surplus / -Deficit:	-994

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/26/2001
02/25/2001	73	2,169	5,261	3,040	871	44.0	43.8

Report Generated: 02/26/2001 at 7:28:49 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 27, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/27/2000	200.6	286,354	41.2%	88.4	142,948	59.3%	429,302	45.8%
02/27/2001	199.3	266,919	38.4%	85.6	102,505	42.5%	369,424	39.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/26/2001	77	69	0.00	81	47	0.00	116
MTD		2,821	0.35		2,734	0.42	5,555

STREAM FLOWS

Gauging Station	02/26/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	262	7,481
NRRT: Nueces River at Tilden, Texas	139	3,908
FRRT: Frio River at Tilden, Texas	44	1,272
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	10	337
Release from Choke Canyon Reservoir	66	1,703
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	268	5,044
NCAT: Nueces River at Calallen, Texas	66	1,528
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	240	7,051

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 7,051	2,500
Estuary Inflows (Measured at NCAT)	1,528
PassThru Surplus / -Deficit:	-929

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/27/2001
02/26/2001	96	2,265	5,357	3,040	775	44.0	43.8

Report Generated: 02/27/2001 at 8:03:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 28, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/28/2000	200.6	285,738	41.1%	88.4	142,481	59.1%	428,219	45.7%
02/28/2001	199.3	266,625	38.3%	85.6	102,638	42.5%	369,263	39.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/27/2001	83	77	0.05	83	62	0.00	139
MTD		2,898	0.40		2,796	0.42	5,694

STREAM FLOWS

Gauging Station	02/27/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	264	7,745
NRTT: Nueces River at Tilden, Texas	145	4,053
FRTT: Frio River at Tilden, Texas	46	1,318
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	10	347
Release from Choke Canyon Reservoir	66	1,769
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	268	5,312
NCAT: Nueces River at Calallen, Texas	101	1,630
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	244	7,295

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 7,295	2,500
Estuary Inflows (Measured at NCAT)	1,630
PassThru Surplus / -Deficit:	-827

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	02/28/2001
02/27/2001	115	2,380	5,472	3,040	660	44.0	43.8

Report Generated: 02/28/2001 at 8:02:48 AM