

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 1, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/01/2000	200.6	285,584	41.1%	88.3	141,703	58.7%	427,287	45.6%
03/01/2001	199.3	266,478	38.3%	85.6	101,974	42.3%	368,452	39.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/28/2001	53	69	0.04	71	31	0.08	100
MTD		2,967	0.44		2,827	0.50	5,794

STREAM FLOWS

Gauging Station	02/28/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	248	7,994
NRTT: Nueces River at Tilden, Texas	163	4,216
FRTT: Frio River at Tilden, Texas	46	1,364
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	9	356
Release from Choke Canyon Reservoir	66	1,834
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	363	5,675
NCAT: Nueces River at Calallen, Texas	131	1,761
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	228	7,523

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit: 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/02/2001)	-457
Return Flow Credit (Effective: 02/03/2001)	500
Passthru Target: 2,500 Reservoir Inflow: 7,523	2,500
Estuary Inflows (Measured at NCAT)	1,761
PassThru Surplus / -Deficit:	-696

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/01/2001
02/28/2001	115	2,495	5,587	3,040	545	44.0	43.9

Report Generated: 03/01/2001 at 8:27:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 2, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/02/2000	200.6	285,431	41.1%	88.3	141,393	58.6%	426,824	45.6%
03/02/2001	199.3	267,214	38.4%	85.6	102,239	42.4%	369,453	39.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/01/2001	53	34	0.45	54	15	0.55	49
MTD		34	0.45		15	0.55	49

STREAM FLOWS

Gauging Station	03/01/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	264	264
NRTT: Nueces River at Tilden, Texas	179	179
FRTT: Frio River at Tilden, Texas	46	46
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	2	2
Release from Choke Canyon Reservoir	66	66
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	441	441
NCAT: Nueces River at Calallen, Texas	187	187
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	244	244

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-696
Return Flow Credit (Effective:)	0
Passthru Target: 3,500 Reservoir Inflow: 244	244
Estuary Inflows (Measured at NCAT)	187
PassThru Surplus / -Deficit:	-754

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/02/2001
03/01/2001	115	115	5,702	3,050	2,935	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 3, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/03/2000	200.5	285,277	41.0%	88.3	141,083	58.5%	426,360	45.5%
03/03/2001	199.4	267,951	38.5%	85.6	102,106	42.3%	370,057	39.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/02/2001	55	17	0.20	61	0	0.13	17
MTD		51	0.65		15	0.68	66

STREAM FLOWS

Gauging Station	03/02/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	294	558
NRTT: Nueces River at Tilden, Texas	193	371
FRTT: Frio River at Tilden, Texas	46	91
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	6
Release from Choke Canyon Reservoir	66	131
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	290	730
NCAT: Nueces River at Calallen, Texas	345	532
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	274	518

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-696
Return Flow Credit (Effective:)	0
Passthru Target: 3,500 Reservoir Inflow: 518	518
Estuary Inflows (Measured at NCAT)	532
PassThru Surplus / -Deficit:	-682

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/03/2001
03/02/2001	115	230	5,816	3,050	2,820	44.0	43.9

Report Generated: 03/03/2001 at 8:29:38 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 4, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/04/2000	200.5	284,817	41.0%	88.3	140,928	58.4%	425,745	45.5%
03/04/2001	199.4	267,803	38.5%	85.6	101,841	42.2%	369,644	39.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/03/2001	63	52	0.10	66	116	0.01	168
MTD		103	0.75		131	0.69	234

STREAM FLOWS

Gauging Station	03/03/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	306	863
NRTT: Nueces River at Tilden, Texas	195	566
FRTT: Frio River at Tilden, Texas	48	139
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	6	12
Release from Choke Canyon Reservoir	66	197
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	165	895
NCAT: Nueces River at Calallen, Texas	274	806
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	288	806

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 806	806
Estuary Inflows (Measured at NCAT)	806
PassThru Surplus / -Deficit:	-196

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/04/2001
03/03/2001	115	344	5,931	3,050	2,706	44.0	43.9

Report Generated: 03/04/2001 at 8:24:25 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 5, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/05/2000	200.5	284,663	40.9%	88.2	140,309	58.2%	424,972	45.4%
03/05/2001	199.3	267,214	38.4%	85.6	101,974	42.3%	369,188	39.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/04/2001	74	137	0.00	75	139	0.00	276
MTD		240	0.75		270	0.69	510

STREAM FLOWS

Gauging Station	03/04/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	308	1,171
NRRT: Nueces River at Tilden, Texas	199	764
FRRT: Frio River at Tilden, Texas	50	189
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	10	22
Release from Choke Canyon Reservoir	66	262
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	165	1,060
NCAT: Nueces River at Calallen, Texas	87	893
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	292	1,098

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 1,098	1,098
Estuary Inflows (Measured at NCAT)	893
PassThru Surplus / -Deficit:	-400

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/05/2001
03/04/2001	115	459	6,046	3,050	2,591	44.0	43.9

Report Generated: 03/05/2001 at 7:59:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 6, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/06/2000	200.5	284,663	40.9%	88.2	139,845	58.0%	424,508	45.3%
03/06/2001	199.3	267,066	38.4%	85.6	101,841	42.2%	368,907	39.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/05/2001	75	163	0.00	76	139	0.00	302
MTD		403	0.75		409	0.69	812

STREAM FLOWS

Gauging Station	03/05/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	314	1,485
NRTT: Nueces River at Tilden, Texas	195	959
FRTT: Frio River at Tilden, Texas	48	236
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	12	34
Release from Choke Canyon Reservoir	66	328
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	165	1,225
NCAT: Nueces River at Calallen, Texas	22	915
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	296	1,393

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 1,393	1,393
Estuary Inflows (Measured at NCAT)	915
PassThru Surplus / -Deficit:	-674

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/06/2001
03/05/2001	115	574	6,161	3,050	2,476	44.0	44.1

Report Generated: 03/06/2001 at 8:25:17 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 7, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/07/2000	200.5	284,356	40.9%	88.2	139,536	57.8%	423,892	45.3%
03/07/2001	199.3	266,919	38.4%	85.5	101,709	42.2%	368,628	39.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/06/2001	67	60	0.00	70	93	0.00	153
MTD		463	0.75		502	0.69	965

STREAM FLOWS

Gauging Station	03/06/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	316	1,800
NRTT: Nueces River at Tilden, Texas	220	1,179
FRTT: Frio River at Tilden, Texas	48	284
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	12	46
Release from Choke Canyon Reservoir	66	393
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	159	1,384
NCAT: Nueces River at Calallen, Texas	40	955
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	298	1,691

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 1,691	1,691
Estuary Inflows (Measured at NCAT)	955
PassThru Surplus / -Deficit:	-932

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/07/2001
03/06/2001	115	689	6,276	3,050	2,361	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 8, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/08/2000	200.5	284,203	40.9%	88.2	139,382	57.8%	423,585	45.2%
03/08/2001	199.3	266,772	38.4%	85.6	101,974	42.3%	368,746	39.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/07/2001	75	137	0.00	76	108	0.00	245
MTD		600	0.75		610	0.69	1,210

STREAM FLOWS

Gauging Station	03/07/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	314	2,114
NRIT: Nueces River at Tilden, Texas	210	1,390
FRIT: Frio River at Tilden, Texas	48	331
SMIT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	11	57
Release from Choke Canyon Reservoir	66	459
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	153	1,536
NCAT: Nueces River at Calallen, Texas	40	994
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	296	1,987

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 1,987	1,987
Estuary Inflows (Measured at NCAT)	994
PassThru Surplus / -Deficit:	-1,189

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/08/2001
03/07/2001	115	804	6,391	3,050	2,246	44.0	44.1

Report Generated: 03/08/2001 at 7:12:49 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 9, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/09/2000	200.5	284,203	40.9%	88.1	139,228	57.7%	423,431	45.2%
03/09/2001	199.3	266,625	38.3%	85.6	102,106	42.3%	368,731	39.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/08/2001	77	86	0.00	77	70	0.02	156
MTD		686	0.75		680	0.71	1,366

STREAM FLOWS

Gauging Station	03/08/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	304	2,418
NRTT: Nueces River at Tilden, Texas	199	1,588
FRTT: Frio River at Tilden, Texas	46	377
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	9	66
Release from Choke Canyon Reservoir	66	524
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	153	1,689
NCAT: Nueces River at Calallen, Texas	16	1,011
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	284	2,271

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 2,271	2,271
Estuary Inflows (Measured at NCAT)	1,011
PassThru Surplus / -Deficit:	-1,456

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/09/2001
03/08/2001	115	919	6,506	3,050	2,131	44.0	44.1

Report Generated: 03/09/2001 at 7:42:09 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 10, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/10/2000	200.5	284,050	40.9%	88.1	138,920	57.6%	422,970	45.2%
03/10/2001	199.3	266,478	38.3%	85.6	102,505	42.5%	368,983	39.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/09/2001	67	128	0.00	68	225	0.00	353
MTD		814	0.75		905	0.71	1,719

STREAM FLOWS

Gauging Station	03/09/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	288	2,706
NRTT: Nueces River at Tilden, Texas	197	1,785
FRTT: Frio River at Tilden, Texas	46	423
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	8	74
Release from Choke Canyon Reservoir	66	590
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	153	1,842
NCAT: Nueces River at Calallen, Texas	13	1,024
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	268	2,539

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 2,539	2,539
Estuary Inflows (Measured at NCAT)	1,024
PassThru Surplus / -Deficit:	-1,711

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/10/2001
03/09/2001	115	1,034	6,620	3,050	2,016	44.0	44.2

Report Generated: 03/10/2001 at 8:03:46 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 11, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/11/2000	200.5	283,897	40.8%	88.1	138,612	57.5%	422,509	45.1%
03/11/2001	199.3	266,184	38.3%	85.6	102,638	42.5%	368,822	39.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/10/2001	72	86	0.00	71	62	0.00	148
MTD		900	0.75		967	0.71	1,867

STREAM FLOWS

Gauging Station	03/10/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	280	2,985
NRTT: Nueces River at Tilden, Texas	206	1,991
FRTT: Frio River at Tilden, Texas	46	468
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	6	80
Release from Choke Canyon Reservoir	66	655
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	153	1,995
NCAT: Nueces River at Calallen, Texas	34	1,057
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	260	2,799

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 2,799	2,799
Estuary Inflows (Measured at NCAT)	1,057
PassThru Surplus / -Deficit:	-1,937

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/11/2001
03/10/2001	115	1,148	6,735	3,050	1,902	44.0	44.2

Report Generated: 03/11/2001 at 7:34:08 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 12, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/12/2000	200.4	283,744	40.8%	88.1	137,997	57.2%	421,741	45.0%
03/12/2001	199.3	266,772	38.4%	85.7	103,172	42.8%	369,944	39.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/11/2001	75	86	0.06	76	62	0.00	148
MTD		986	0.81		1,029	0.71	2,015

STREAM FLOWS

Gauging Station	03/11/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	286	3,271
NRTT: Nueces River at Tilden, Texas	210	2,201
FRTT: Frio River at Tilden, Texas	46	514
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	85
Release from Choke Canyon Reservoir	66	721
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	153	2,148
NCAT: Nueces River at Calallen, Texas	40	1,097
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	266	3,065

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 3,065	3,065
Estuary Inflows (Measured at NCAT)	1,097
PassThru Surplus / -Deficit:	-2,164

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/12/2001
03/11/2001	115	1,263	6,850	3,050	1,787	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 13, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/13/2000	200.4	283,132	40.7%	88.0	137,384	56.9%	420,516	44.9%
03/13/2001	199.3	266,478	38.3%	85.6	102,772	42.6%	369,250	39.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/12/2001	80	163	0.00	81	241	0.00	404
MTD		1,149	0.81		1,270	0.71	2,419

STREAM FLOWS

Gauging Station	03/12/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	290	3,561
NRIT: Nueces River at Tilden, Texas	202	2,404
FRTT: Frio River at Tilden, Texas	48	562
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	89
Release from Choke Canyon Reservoir	66	786
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	157	2,305
NCAT: Nueces River at Calallen, Texas	3	1,100
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	272	3,337

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 3,337	3,337
Estuary Inflows (Measured at NCAT)	1,100
PassThru Surplus / -Deficit:	-2,432

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/13/2001
03/12/2001	115	1,378	6,965	3,050	1,672	44.0	44.1

Report Generated: 03/13/2001 at 7:35:04 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 14, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/14/2000	200.4	282,979	40.7%	88.0	137,078	56.8%	420,057	44.9%
03/14/2001	199.3	266,331	38.3%	85.6	102,638	42.5%	368,969	39.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/13/2001	83	171	0.00	84	179	0.00	350
MTD		1,320	0.81		1,449	0.71	2,769

STREAM FLOWS

Gauging Station	03/13/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	280	3,841
NRTT: Nueces River at Tilden, Texas	193	2,596
FRTT: Frio River at Tilden, Texas	48	609
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	3	92
Release from Choke Canyon Reservoir	66	852
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	155	2,459
NCAT: Nueces River at Calallen, Texas	5	1,105
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	262	3,599

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	3,500
Monthly Target: 3,500	
Salinity Relief Credit: 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru	3,500
Target: 3,500	
Reservoir Inflow: 3,599	
Estuary Inflows (Measured at NCAT)	1,105
PassThru Surplus / -Deficit:	-2,591

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/14/2001
03/13/2001	115	1,493	7,080	3,050	1,557	44.0	44.1

Report Generated: 03/14/2001 at 7:19:21 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 15, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/15/2000	200.5	285,277	41.0%	88.5	144,824	60.0%	430,101	45.9%
03/15/2001	199.3	266,772	38.4%	85.6	102,239	42.4%	369,011	39.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/14/2001	83	51	0.38	84	39	0.10	90
MTD		1,371	1.19		1,488	0.81	2,859

STREAM FLOWS

Gauging Station	03/14/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	274	4,115
NRTT: Nueces River at Tilden, Texas	189	2,785
FRTT: Frio River at Tilden, Texas	50	659
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	96
Release from Choke Canyon Reservoir	66	917
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	181	2,640
NCAT: Nueces River at Calallen, Texas	0	1,105
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	258	3,857

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 3,857	3,500
Estuary Inflows (Measured at NCAT)	1,105
PassThru Surplus / -Deficit:	-2,591

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/15/2001
03/14/2001	115	1,608	7,194	3,050	1,442	44.0	44.1

Report Generated: 03/15/2001 at 7:46:32 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 16, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/16/2000	200.6	286,354	41.2%	88.5	145,138	60.2%	431,492	46.1%
03/16/2001	199.3	266,037	38.3%	85.6	102,905	42.7%	368,942	39.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/15/2001	75	205	0.00	74	226	0.00	431
MTD		1,576	1.19		1,714	0.81	3,290

STREAM FLOWS

Gauging Station	03/15/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	272	4,387
NRIT: Nueces River at Tilden, Texas	187	2,972
FRTT: Frio River at Tilden, Texas	52	711
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	11	107
Release from Choke Canyon Reservoir	66	983
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	191	2,831
NCAT: Nueces River at Calallen, Texas	7	1,112
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	258	4,115

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	
Monthly Target: 3,500	3,500
Salinity Relief Credit: 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru	
Target: 3,500	3,500
Reservoir Inflow: 4,115	
Estuary Inflows (Measured at NCAT)	1,112
PassThru Surplus / -Deficit:	-2,584

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/16/2001
03/15/2001	114	1,722	7,309	3,050	1,328	44.0	44.2

Report Generated: 03/16/2001 at 7:15:11 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 17, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/17/2000	200.5	284,817	41.0%	88.5	145,138	60.2%	429,955	45.9%
03/17/2001	199.3	265,890	38.2%	85.6	102,905	42.7%	368,795	39.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/16/2001	67	197	0.00	70	179	0.00	376
MTD		1,773	1.19		1,893	0.81	3,666

STREAM FLOWS

Gauging Station	03/16/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	284	4,671
NRRT: Nueces River at Tilden, Texas	183	3,154
FRRT: Frio River at Tilden, Texas	50	760
SMTT: San Miguel Creek at Tilden, Texas	12	12
ARWT: Atascosa River at Whitsett, Texas	113	221
Release from Choke Canyon Reservoir	66	1,048
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	187	3,017
NCAT: Nueces River at Calallen, Texas	36	1,148
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	279	4,394

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 4,394	3,500
Estuary Inflows (Measured at NCAT)	1,148
PassThru Surplus / -Deficit:	-2,548

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/17/2001
03/16/2001	115	1,837	7,423	3,050	1,213	44.0	44.1

Report Generated: 03/17/2001 at 7:49:08 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 18, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/18/2000	200.5	284,663	40.9%	88.5	145,138	60.2%	429,801	45.9%
03/18/2001	199.2	265,597	38.2%	85.6	102,638	42.5%	368,235	39.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/17/2001	68	145	0.00	68	194	0.00	339
MTD		1,918	1.19		2,087	0.81	4,005

STREAM FLOWS

Gauging Station	03/17/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	401	5,072
NRIT: Nueces River at Tilden, Texas	177	3,331
FRTT: Frio River at Tilden, Texas	50	810
SMTT: San Miguel Creek at Tilden, Texas	0	12
ARWT: Atascosa River at Whitsett, Texas	66	286
Release from Choke Canyon Reservoir	66	1,114
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	202	3,220
NCAT: Nueces River at Calallen, Texas	18	1,166
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	385	4,779

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 4,779	3,500
Estuary Inflows (Measured at NCAT)	1,166
PassThru Surplus / -Deficit:	-2,530

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/18/2001
03/17/2001	114	1,951	7,538	3,050	1,099	44.0	44.1

Report Generated: 03/18/2001 at 7:36:10 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 19, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/19/2000	200.5	284,356	40.9%	88.6	145,609	60.4%	429,965	45.9%
03/19/2001	199.2	265,743	38.2%	85.5	101,577	42.1%	367,320	39.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/18/2001	57	43	0.34	63	62	0.12	105
MTD		1,961	1.53		2,149	0.93	4,110

STREAM FLOWS

Gauging Station	03/18/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	331	5,403
NRTT: Nueces River at Tilden, Texas	171	3,502
FRTT: Frio River at Tilden, Texas	48	858
SMTT: San Miguel Creek at Tilden, Texas	0	12
ARWT: Atascosa River at Whitsett, Texas	28	314
Release from Choke Canyon Reservoir	66	1,179
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	337	3,557
NCAT: Nueces River at Calallen, Texas	46	1,212
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	314	5,093

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 5,093	3,500
Estuary Inflows (Measured at NCAT)	1,212
PassThru Surplus / -Deficit:	-2,484

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/19/2001
03/18/2001	114	2,064	7,651	3,050	986	44.0	44.1

Report Generated: 03/19/2001 at 7:40:55 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 20, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/20/2000	200.5	284,203	40.9%	88.6	145,609	60.4%	429,812	45.9%
03/20/2001	199.2	265,303	38.2%	85.6	101,974	42.3%	367,277	39.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/19/2001	63	128	0.00	63	147	0.00	275
MTD		2,089	1.53		2,296	0.93	4,385

STREAM FLOWS

Gauging Station	03/19/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	288	5,691
NRRT: Nueces River at Tilden, Texas	165	3,666
FRTT: Frio River at Tilden, Texas	46	903
SMTT: San Miguel Creek at Tilden, Texas	0	12
ARWT: Atascosa River at Whitsett, Texas	18	332
Release from Choke Canyon Reservoir	66	1,245
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	320	3,877
NCAT: Nueces River at Calallen, Texas	145	1,357
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	268	5,361

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 5,361	3,500
Estuary Inflows (Measured at NCAT)	1,357
PassThru Surplus / -Deficit:	-2,339

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/20/2001
03/19/2001	44	2,108	7,695	3,050	942	44.0	44.1

Report Generated: 03/20/2001 at 10:17:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 21, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/21/2000	200.5	283,897	40.8%	88.6	145,923	60.5%	429,820	45.9%
03/21/2001	199.2	265,157	38.1%	85.5	101,444	42.1%	366,601	39.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/20/2001	71	145	0.00	69	162	0.00	307
MTD		2,234	1.53		2,458	0.93	4,692

STREAM FLOWS

Gauging Station	03/20/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	262	5,953
NRTT: Nueces River at Tilden, Texas	159	3,825
FRTT: Frio River at Tilden, Texas	46	949
SMTT: San Miguel Creek at Tilden, Texas	0	12
ARWT: Atascosa River at Whitsett, Texas	14	346
Release from Choke Canyon Reservoir	66	1,310
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	306	4,182
NCAT: Nueces River at Calallen, Texas	77	1,434
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	242	5,603

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 5,603	3,500
Estuary Inflows (Measured at NCAT)	1,434
PassThru Surplus / -Deficit:	-2,262

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/21/2001
03/20/2001	0	2,108	7,695	3,050	942	44.0	44.1

Report Generated: 03/21/2001 at 7:51:11 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 22, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/22/2000	200.5	283,897	40.8%	88.6	145,609	60.4%	429,506	45.9%
03/22/2001	199.2	264,864	38.1%	85.5	101,312	42.0%	366,176	39.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/21/2001	81	196	0.00	79	177	0.00	373
MTD		2,430	1.53		2,635	0.93	5,065

STREAM FLOWS

Gauging Station	03/21/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	250	6,203
NRTT: Nueces River at Tilden, Texas	155	3,980
FRTT: Frio River at Tilden, Texas	46	994
SMTT: San Miguel Creek at Tilden, Texas	0	12
ARWT: Atascosa River at Whitsett, Texas	11	357
Release from Choke Canyon Reservoir	66	1,376
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	306	4,488
NCAT: Nueces River at Calallen, Texas	58	1,492
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	230	5,834

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 5,834	3,500
Estuary Inflows (Measured at NCAT)	1,492
PassThru Surplus / -Deficit:	-2,204

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/22/2001
03/21/2001	0	2,108	7,695	3,050	942	44.0	44.1

Report Generated: 03/22/2001 at 7:50:16 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 23, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/23/2000	200.4	283,744	40.8%	88.6	145,766	60.4%	429,510	45.9%
03/23/2001	199.2	264,717	38.1%	85.5	101,049	41.9%	365,766	39.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/22/2001	84	222	0.00	83	238	0.00	460
MTD		2,652	1.53		2,873	0.93	5,525

STREAM FLOWS

Gauging Station	03/22/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	240	6,443
NRTT: Nueces River at Tilden, Texas	153	4,133
FRTT: Frio River at Tilden, Texas	46	1,040
SMTT: San Miguel Creek at Tilden, Texas	0	12
ARWT: Atascosa River at Whitsett, Texas	9	366
Release from Choke Canyon Reservoir	66	1,441
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	314	4,802
NCAT: Nueces River at Calallen, Texas	20	1,512
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	220	6,054

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	3,500
Monthly Target: 3,500	
Salinity Relief Credit: 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru	3,500
Target: 3,500	
Reservoir Inflow: 6,054	
Estuary Inflows (Measured at NCAT)	1,512
PassThru Surplus / -Deficit:	-2,184

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/23/2001
03/22/2001	0	2,108	7,695	3,050	942	44.0	44.1

Report Generated: 03/23/2001 at 7:41:50 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 24, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/24/2000	200.5	283,897	40.8%	88.6	146,238	60.6%	430,135	45.9%
03/24/2001	199.2	264,717	38.1%	85.5	100,917	41.8%	365,634	39.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/23/2001	82	153	0.00	81	207	0.00	360
MTD		2,805	1.53		3,080	0.93	5,885

STREAM FLOWS

Gauging Station	03/23/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	232	6,676
NRTT: Nueces River at Tilden, Texas	153	4,286
FRTT: Frio River at Tilden, Texas	46	1,086
SMTT: San Miguel Creek at Tilden, Texas	0	12
ARWT: Atascosa River at Whitsett, Texas	9	374
Release from Choke Canyon Reservoir	66	1,507
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	314	5,115
NCAT: Nueces River at Calallen, Texas	56	1,567
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	212	6,266

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 6,266	3,500
Estuary Inflows (Measured at NCAT)	1,567
PassThru Surplus / -Deficit:	-2,129

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/24/2001
03/23/2001	47	2,155	7,742	3,050	895	44.0	44.0

Report Generated: 03/24/2001 at 8:00:32 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 25, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/25/2000	200.4	283,744	40.8%	88.6	145,923	60.5%	429,667	45.9%
03/25/2001	199.2	264,425	38.0%	85.4	100,392	41.6%	364,817	39.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/24/2001	80	128	0.00	80	198	0.00	326
MTD		2,933	1.53		3,278	0.93	6,211

STREAM FLOWS

Gauging Station	03/24/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	226	6,902
NRIT: Nueces River at Tilden, Texas	159	4,444
FRIT: Frio River at Tilden, Texas	46	1,131
SMIT: San Miguel Creek at Tilden, Texas	0	12
ARWT: Atascosa River at Whitsett, Texas	7	382
Release from Choke Canyon Reservoir	66	1,572
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	316	5,431
NCAT: Nueces River at Calallen, Texas	103	1,670
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	206	6,473

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	
Monthly Target: 3,500	3,500
Salinity Relief Credit: 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru	
Target: 3,500	3,500
Reservoir Inflow: 6,473	
Estuary Inflows (Measured at NCAT)	1,670
PassThru Surplus / -Deficit:	-2,026

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/25/2001
03/24/2001	117	2,272	7,859	3,050	778	44.0	44.0

Report Generated: 03/25/2001 at 7:50:34 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 26, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/26/2000	200.5	283,897	40.8%	88.6	145,766	60.4%	429,663	45.9%
03/26/2001	199.1	264,278	38.0%	85.5	100,654	41.7%	364,932	39.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/25/2001	69	179	0.00	69	92	0.00	271
MTD		3,112	1.53		3,370	0.93	6,482

STREAM FLOWS

Gauging Station	03/25/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	224	7,126
NRTT: Nueces River at Tilden, Texas	175	4,619
FRTT: Frio River at Tilden, Texas	48	1,179
SMTT: San Miguel Creek at Tilden, Texas	0	12
ARWT: Atascosa River at Whitsett, Texas	6	387
Release from Choke Canyon Reservoir	66	1,638
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	316	5,747
NCAT: Nueces River at Calallen, Texas	167	1,837
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	206	6,679

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 6,679	3,500
Estuary Inflows (Measured at NCAT)	1,837
PassThru Surplus / -Deficit:	-1,859

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/26/2001
03/25/2001	117	2,389	7,975	3,050	661	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 27, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/27/2000	200.4	283,744	40.8%	88.6	145,766	60.4%	429,510	45.9%
03/27/2001	199.1	264,132	38.0%	85.4	100,392	41.6%	364,524	38.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/26/2001	64	128	0.00	67	99	0.00	227
MTD		3,240	1.53		3,469	0.93	6,709

STREAM FLOWS

Gauging Station	03/26/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	238	7,364
NRRT: Nueces River at Tilden, Texas	185	4,804
FRRT: Frio River at Tilden, Texas	48	1,227
SMTT: San Miguel Creek at Tilden, Texas	0	12
ARWT: Atascosa River at Whitsett, Texas	5	392
Release from Choke Canyon Reservoir	66	1,703
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	316	6,062
NCAT: Nueces River at Calallen, Texas	113	1,950
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	220	6,899

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 6,899	3,500
Estuary Inflows (Measured at NCAT)	1,950
PassThru Surplus / -Deficit:	-1,746

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/27/2001
03/26/2001	116	2,505	8,092	3,050	545	44.0	44.0

Report Generated: 03/27/2001 at 7:30:14 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 28, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/28/2000	200.4	283,744	40.8%	88.5	145,295	60.2%	429,039	45.8%
03/28/2001	199.1	264,132	38.0%	85.5	101,049	41.9%	365,181	39.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/27/2001	57	34	0.28	66	54	0.86	88
MTD		3,274	1.81		3,523	1.79	6,797

STREAM FLOWS

Gauging Station	03/27/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	250	7,614
NRIT: Nueces River at Tilden, Texas	187	4,990
FRTT: Frio River at Tilden, Texas	48	1,274
SMTT: San Miguel Creek at Tilden, Texas	0	12
ARWT: Atascosa River at Whitsett, Texas	4	396
Release from Choke Canyon Reservoir	66	1,769
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	367	6,429
NCAT: Nueces River at Calallen, Texas	149	2,099
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	232	7,132

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 7,132	3,500
Estuary Inflows (Measured at NCAT)	2,099
PassThru Surplus / -Deficit:	-1,597

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/28/2001
03/27/2001	116	2,621	8,208	3,050	429	44.0	44.0

Report Generated: 03/28/2001 at 8:21:22 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 29, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/29/2000	200.4	283,591	40.8%	88.5	145,138	60.2%	428,729	45.8%
03/29/2001	199.2	265,010	38.1%	85.5	100,654	41.7%	365,664	39.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/28/2001	52	68	0.88	67	31	0.62	99
MTD		3,342	2.69		3,554	2.41	6,896

STREAM FLOWS

Gauging Station	03/28/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	284	7,898
NRTT: Nueces River at Tilden, Texas	189	5,179
FRTT: Frio River at Tilden, Texas	48	1,322
SMTT: San Miguel Creek at Tilden, Texas	0	12
ARWT: Atascosa River at Whitsett, Texas	13	409
Release from Choke Canyon Reservoir	66	1,834
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	463	6,892
NCAT: Nueces River at Calallen, Texas	214	2,314
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	266	7,398

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru	
Monthly Target: 3,500	3,500
Salinity Relief Credit: 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru	
Target: 3,500	3,500
Reservoir Inflow: 7,398	
Estuary Inflows (Measured at NCAT)	2,314
PassThru Surplus / -Deficit:	-1,382

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/29/2001
03/28/2001	116	2,736	8,323	3,050	314	44.0	44.0

Report Generated: 03/29/2001 at 8:16:59 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 30, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/30/2000	200.4	283,438	40.8%	88.5	144,824	60.0%	428,262	45.7%
03/30/2001	199.2	264,864	38.1%	85.5	101,049	41.9%	365,913	39.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/29/2001	68	77	0.01	73	69	0.02	146
MTD		3,419	2.70		3,623	2.43	7,042

STREAM FLOWS

Gauging Station	03/29/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	333	8,232
NRRT: Nueces River at Tilden, Texas	189	5,367
FRTT: Frio River at Tilden, Texas	48	1,370
SMTT: San Miguel Creek at Tilden, Texas	0	12
ARWT: Atascosa River at Whitsett, Texas	10	419
Release from Choke Canyon Reservoir	66	1,900
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	463	7,354
NCAT: Nueces River at Calallen, Texas	387	2,701
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	316	7,713

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 7,713	3,500
Estuary Inflows (Measured at NCAT)	2,701
PassThru Surplus / -Deficit:	-995

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/30/2001
03/29/2001	115	2,852	8,438	3,050	198	44.0	44.1

Report Generated: 03/30/2001 at 9:47:28 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 31, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/31/2000	200.4	283,132	40.7%	88.5	144,667	60.0%	427,799	45.7%
03/31/2001	199.2	264,864	38.1%	85.5	100,654	41.7%	365,518	39.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/30/2001	71	85	0.00	75	176	0.15	261
MTD		3,504	2.70		3,799	2.58	7,303

STREAM FLOWS

Gauging Station	03/30/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	274	8,506
NRTT: Nueces River at Tilden, Texas	181	5,548
FRTT: Frio River at Tilden, Texas	50	1,419
SMTT: San Miguel Creek at Tilden, Texas	0	12
ARWT: Atascosa River at Whitsett, Texas	6	425
Release from Choke Canyon Reservoir	66	1,965
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	463	7,817
NCAT: Nueces River at Calallen, Texas	393	3,094
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	258	7,971

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 7,971	3,500
Estuary Inflows (Measured at NCAT)	3,094
PassThru Surplus / -Deficit:	-602

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	03/31/2001
03/30/2001	115	2,967	8,553	3,050	83	44.0	44.1

Report Generated: 03/31/2001 at 7:49:29 AM