

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 1, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/01/2000	200.3	282,062	40.6%	88.5	144,511	59.9%	426,573	45.5%
04/01/2001	199.2	264,571	38.1%	85.5	100,917	41.8%	365,488	39.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/31/2001	78	111	0.00	82	46	0.00	157
MTD		3,615	2.70		3,845	2.58	7,460

STREAM FLOWS

Gauging Station	03/31/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	252	8,758
NRTT: Nueces River at Tilden, Texas	169	5,717
FRTT: Frio River at Tilden, Texas	50	1,469
SMTT: San Miguel Creek at Tilden, Texas	0	12
ARWT: Atascosa River at Whitsett, Texas	5	430
Release from Choke Canyon Reservoir	66	2,031
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	345	8,162
NCAT: Nueces River at Calallen, Texas	369	3,463
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	236	8,208

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 03/03/2001)	-696
Return Flow Credit (Effective: 03/04/2001)	500
Passthru Target: 3,500 Reservoir Inflow: 8,208	3,500
Estuary Inflows (Measured at NCAT)	3,463
PassThru Surplus / -Deficit:	-233

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/01/2001
03/31/2001	115	3,082	8,668	3,050	-32	44.0	44.1

Report Generated: 04/01/2001 at 8:26:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 2, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/02/2000	200.3	282,062	40.6%	88.5	144,198	59.8%	426,260	45.5%
04/02/2001	199.2	264,717	38.1%	85.4	100,392	41.6%	365,109	39.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/01/2001	79	119	0.00	84	122	0.00	241
MTD		119	0.00		122	0.00	241

STREAM FLOWS

Gauging Station	04/01/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	238	238
NRTT: Nueces River at Tilden, Texas	159	159
FRTT: Frio River at Tilden, Texas	48	48
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	5
Release from Choke Canyon Reservoir	66	66
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	179	179
NCAT: Nueces River at Calallen, Texas	165	165
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	220	220

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-233
Return Flow Credit (Effective:)	0
Passthru Target: 3,500 Reservoir Inflow: 220	220
Estuary Inflows (Measured at NCAT)	165
PassThru Surplus / -Deficit:	-289

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/02/2001
04/01/2001	115	115	8,783	3,050	2,935	44.0	44.1

Report Generated: 04/02/2001 at 7:51:38 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 3, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/03/2000	200.4	282,520	40.6%	88.5	144,041	59.7%	426,561	45.5%
04/03/2001	199.1	264,278	38.0%	85.4	100,392	41.6%	364,670	38.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/02/2001	83	102	0.00	87	15	0.00	117
MTD		221	0.00		137	0.00	358

STREAM FLOWS

Gauging Station	04/02/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	226	464
NRTT: Nueces River at Tilden, Texas	153	312
FRTT: Frio River at Tilden, Texas	50	97
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	9
Release from Choke Canyon Reservoir	66	131
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	230	409
NCAT: Nueces River at Calallen, Texas	28	193
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	210	431

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-233
Return Flow Credit (Effective:)	0
Passthru Target: 3,500 Reservoir Inflow: 431	431
Estuary Inflows (Measured at NCAT)	193
PassThru Surplus / -Deficit:	-471

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/03/2001
04/02/2001	111	226	8,895	3,050	2,824	44.0	44.0

Report Generated: 04/03/2001 at 7:25:58 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 4, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/04/2000	200.4	282,368	40.6%	88.5	144,041	59.7%	426,409	45.5%
04/04/2001	199.2	264,425	38.0%	85.4	100,392	41.6%	364,817	39.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/03/2001	86	102	0.00	90	130	0.00	232
MTD		323	0.00		359	0.00	682

STREAM FLOWS

Gauging Station	04/03/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	218	683
NRTT: Nueces River at Tilden, Texas	151	463
FRTT: Frio River at Tilden, Texas	50	147
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	14
Release from Choke Canyon Reservoir	66	197
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	312	721
NCAT: Nueces River at Calallen, Texas	59	252
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	202	633

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 3,500 Reservoir Inflow: 633	633
Estuary Inflows (Measured at NCAT)	252
PassThru Surplus / -Deficit:	-115

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/04/2001
04/03/2001	115	341	9,009	3,050	2,709	44.0	44.0

Report Generated: 04/04/2001 at 8:11:29 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 5, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/05/2000	200.4	282,368	40.6%	88.4	143,572	59.5%	425,940	45.5%
04/05/2001	199.2	264,425	38.0%	85.4	100,261	41.6%	364,686	38.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/04/2001	79	85	0.00	85	84	0.00	169
MTD		408	0.00		443	0.00	851

STREAM FLOWS

Gauging Station	04/04/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	216	899
NRRT: Nueces River at Tilden, Texas	151	613
FRRT: Frio River at Tilden, Texas	48	195
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	19
Release from Choke Canyon Reservoir	66	262
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	246	967
NCAT: Nueces River at Calallen, Texas	62	313
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	199	832

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 3,500 Reservoir Inflow: 832	832
Estuary Inflows (Measured at NCAT)	313
PassThru Surplus / -Deficit:	-251

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/05/2001
04/04/2001	115	456	9,124	3,050	2,594	44.0	44.1

Report Generated: 04/05/2001 at 7:50:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 6, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/06/2000	200.4	282,673	40.7%	88.4	143,104	59.3%	425,777	45.5%
04/06/2001	199.1	264,278	38.0%	85.4	99,608	41.3%	363,886	38.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/05/2001	86	221	0.00	91	167	0.00	388
MTD		629	0.00		610	0.00	1,239

STREAM FLOWS

Gauging Station	04/05/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	202	1,102
NRTT: Nueces River at Tilden, Texas	149	762
FRTT: Frio River at Tilden, Texas	48	242
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	23
Release from Choke Canyon Reservoir	66	328
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	210	1,177
NCAT: Nueces River at Calallen, Texas	73	387
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	185	1,016

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 3,500 Reservoir Inflow: 1,016	1,016
Estuary Inflows (Measured at NCAT)	387
PassThru Surplus / -Deficit:	-363

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/06/2001
04/05/2001	115	571	9,240	3,050	2,479	44.0	44.1

Report Generated: 04/06/2001 at 7:58:10 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 7, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/07/2000	200.4	282,520	40.6%	88.4	142,637	59.1%	425,157	45.4%
04/07/2001	199.2	264,425	38.0%	85.4	100,130	41.5%	364,555	38.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/06/2001	83	204	0.00	91	358	0.00	562
MTD		833	0.00		968	0.00	1,801

STREAM FLOWS

Gauging Station	04/06/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	199	1,300
NRTT: Nueces River at Tilden, Texas	141	903
FRTT: Frio River at Tilden, Texas	50	292
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	4	26
Release from Choke Canyon Reservoir	66	393
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	212	1,390
NCAT: Nueces River at Calallen, Texas	42	428
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	183	1,199

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 3,500 Reservoir Inflow: 1,199	1,199
Estuary Inflows (Measured at NCAT)	428
PassThru Surplus / -Deficit:	-504

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/07/2001
04/06/2001	115	686	9,355	3,050	2,364	44.0	44.0

Report Generated: 04/07/2001 at 8:17:35 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 8, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/08/2000	200.3	282,062	40.6%	88.3	142,325	59.0%	424,387	45.3%
04/08/2001	199.1	264,132	38.0%	8.4	99,348	41.2%	363,480	38.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/07/2001	86	179	0.00	90	144	0.00	323
MTD		1,012	0.00		1,112	0.00	2,124

STREAM FLOWS

Gauging Station	04/07/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	193	1,493
NRTT: Nueces River at Tilden, Texas	137	1,040
FRTT: Frio River at Tilden, Texas	50	341
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	3	30
Release from Choke Canyon Reservoir	66	459
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	212	1,602
NCAT: Nueces River at Calallen, Texas	66	494
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	177	1,376

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 3,500 Reservoir Inflow: 1,376	1,376
Estuary Inflows (Measured at NCAT)	494
PassThru Surplus / -Deficit:	-615

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/08/2001
04/07/2001	116	802	9,470	3,050	2,248	44.0	44.0

Report Generated: 04/08/2001 at 7:49:49 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 9, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/09/2000	200.4	282,368	40.6%	88.3	141,703	58.7%	424,071	45.3%
04/09/2001	199.1	264,278	38.0%	85.4	99,218	41.1%	363,496	38.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/08/2001	87	213	0.00	92	197	0.00	410
MTD		1,225	0.00		1,309	0.00	2,534

STREAM FLOWS

Gauging Station	04/08/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	187	1,679
NRTT: Nueces River at Tilden, Texas	133	1,173
FRTT: Frio River at Tilden, Texas	52	393
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	3	33
Release from Choke Canyon Reservoir	66	524
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	286	1,888
NCAT: Nueces River at Calallen, Texas	67	561
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	173	1,548

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 3,500 Reservoir Inflow: 1,548	1,548
Estuary Inflows (Measured at NCAT)	561
PassThru Surplus / -Deficit:	-720

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/09/2001
04/08/2001	116	918	9,586	3,050	2,132	44.0	44.0

Report Generated: 04/09/2001 at 7:43:43 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 10, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/10/2000	200.3	282,215	40.6%	88.3	141,238	58.5%	423,453	45.2%
04/10/2001	199.1	263,694	37.9%	85.3	98,570	40.9%	362,264	38.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/09/2001	88	255	0.00	91	286	0.00	541
MTD		1,480	0.00		1,595	0.00	3,075

STREAM FLOWS

Gauging Station	04/09/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	179	1,858
NRTT: Nueces River at Tilden, Texas	127	1,300
FRTT: Frio River at Tilden, Texas	50	443
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	3	35
Release from Choke Canyon Reservoir	66	590
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	254	2,142
NCAT: Nueces River at Calallen, Texas	56	617
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	163	1,711

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 3,500 Reservoir Inflow: 1,711	1,711
Estuary Inflows (Measured at NCAT)	617
PassThru Surplus / -Deficit:	-827

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/10/2001
04/09/2001	90	1,008	9,676	3,050	2,042	44.0	44.0

Report Generated: 04/10/2001 at 8:01:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 11, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/11/2000	200.3	282,062	40.6%	88.2	140,773	58.4%	422,835	45.1%
04/11/2001	199.1	263,986	38.0%	85.2	97,669	40.5%	361,655	38.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/10/2001	89	247	0.00	88	247	0.00	494
MTD		1,727	0.00		1,842	0.00	3,569

STREAM FLOWS

Gauging Station	04/10/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	173	2,031
NRTT: Nueces River at Tilden, Texas	125	1,425
FRTT: Frio River at Tilden, Texas	50	492
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	9	44
Release from Choke Canyon Reservoir	66	655
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	240	2,382
NCAT: Nueces River at Calallen, Texas	34	651
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	157	1,868

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit: 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 3,500 Reservoir Inflow: 1,868	1,868
Estuary Inflows (Measured at NCAT)	651
PassThru Surplus / -Deficit:	-950

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/11/2001
04/10/2001	117	1,125	9,793	3,050	1,925	44.0	44.0

Report Generated: 04/11/2001 at 7:36:50 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 12, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/12/2000	200.3	282,062	40.6%	88.2	140,618	58.3%	422,680	45.1%
04/12/2001	199.1	263,548	37.9%	85.4	99,218	41.1%	362,766	38.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/11/2001	74	102	0.04	81	113	0.01	215
MTD		1,829	0.04		1,955	0.01	3,784

STREAM FLOWS

Gauging Station	04/11/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	169	2,199
NRTT: Nueces River at Tilden, Texas	123	1,548
FRTT: Frio River at Tilden, Texas	48	540
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	9	53
Release from Choke Canyon Reservoir	66	721
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	238	2,620
NCAT: Nueces River at Calallen, Texas	34	684
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	151	2,019

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 1,200 Reservoir Inflow: 2,019	1,200
Estuary Inflows (Measured at NCAT)	684
PassThru Surplus / -Deficit:	-249

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/12/2001
04/11/2001	117	1,241	9,910	3,050	1,809	44.0	43.9

Report Generated: 04/12/2001 at 7:37:40 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 13, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/13/2000	200.3	281,910	40.5%	88.3	140,928	58.4%	422,838	45.2%
04/13/2001	199.1	263,256	37.9%	85.3	98,829	41.0%	362,085	38.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/12/2001	89	187	0.00	90	143	0.00	330
MTD		2,016	0.04		2,098	0.01	4,114

STREAM FLOWS

Gauging Station	04/12/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	163	2,362
NRTT: Nueces River at Tilden, Texas	125	1,673
FRTT: Frio River at Tilden, Texas	46	586
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	8	62
Release from Choke Canyon Reservoir	66	786
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	214	2,835
NCAT: Nueces River at Calallen, Texas	75	760
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	143	2,162

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 1,200 Reservoir Inflow: 2,162	1,200
Estuary Inflows (Measured at NCAT)	760
PassThru Surplus / -Deficit:	-173

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/13/2001
04/12/2001	117	1,358	10,026	3,050	1,692	44.0	44.0

Report Generated: 04/13/2001 at 7:38:21 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 14, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/14/2000	200.3	281,605	40.5%	88.2	140,463	58.2%	422,068	45.1%
04/14/2001	199.1	263,256	37.9%	85.3	98,183	40.7%	361,439	38.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/13/2001	83	68	0.04	88	128	0.00	196
MTD		2,084	0.08		2,226	0.01	4,310

STREAM FLOWS

Gauging Station	04/13/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	163	2,525
NRTT: Nueces River at Tilden, Texas	121	1,794
FRTT: Frio River at Tilden, Texas	44	629
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	8	69
Release from Choke Canyon Reservoir	66	852
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	224	3,059
NCAT: Nueces River at Calallen, Texas	58	817
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	141	2,303

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 1,200 Reservoir Inflow: 2,303	1,200
Estuary Inflows (Measured at NCAT)	817
PassThru Surplus / -Deficit:	-116

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/14/2001
04/13/2001	116	1,474	10,143	3,050	1,576	44.0	44.0

Report Generated: 04/14/2001 at 7:39:42 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 15, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/15/2000	200.3	281,453	40.5%	88.2	140,463	58.2%	421,916	45.1%
04/15/2001	199.1	262,965	37.8%	85.3	98,312	40.8%	361,277	38.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/14/2001	92	272	0.00	94	270	0.00	542
MTD		2,356	0.08		2,496	0.01	4,852

STREAM FLOWS

Gauging Station	04/14/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	159	2,684
NRTT: Nueces River at Tilden, Texas	121	1,916
FRTT: Frio River at Tilden, Texas	44	673
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	8	77
Release from Choke Canyon Reservoir	66	917
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	226	3,285
NCAT: Nueces River at Calallen, Texas	20	837
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	137	2,440

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 1,200 Reservoir Inflow: 2,440	1,200
Estuary Inflows (Measured at NCAT)	837
PassThru Surplus / -Deficit:	-96

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/15/2001
04/14/2001	116	1,591	10,259	3,050	1,459	44.0	44.0

Report Generated: 04/15/2001 at 7:45:03 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 16, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/16/2000	200.3	281,300	40.5%	88.2	140,000	58.0%	421,300	45.0%
04/16/2001	199.0	262,673	37.8%	85.3	98,183	40.7%	360,856	38.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/15/2001	92	238	0.00	95	225	0.00	463
MTD		2,594	0.08		2,721	0.01	5,315

STREAM FLOWS

Gauging Station	04/15/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	157	2,841
NRIT: Nueces River at Tilden, Texas	119	2,035
FRIT: Frio River at Tilden, Texas	42	715
SMIT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	8	85
Release from Choke Canyon Reservoir	66	983
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	226	3,511
NCAT: Nueces River at Calallen, Texas	40	877
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	133	2,573

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 1,200 Reservoir Inflow: 2,573	1,200
Estuary Inflows (Measured at NCAT)	877
PassThru Surplus / -Deficit:	-56

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/16/2001
04/15/2001	116	1,707	10,375	3,050	1,343	44.0	44.0

Report Generated: 04/16/2001 at 7:52:40 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 17, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/17/2000	200.3	281,148	40.4%	88.2	139,536	57.8%	420,684	44.9%
04/17/2001	199.0	262,382	37.7%	85.3	98,183	40.7%	360,565	38.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/16/2001	89	220	0.00	91	233	0.00	453
MTD		2,814	0.08		2,954	0.01	5,768

STREAM FLOWS

Gauging Station	04/16/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	153	2,993
NRRT: Nueces River at Tilden, Texas	117	2,152
FRRT: Frio River at Tilden, Texas	42	756
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	9	94
Release from Choke Canyon Reservoir	66	1,048
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	218	3,730
NCAT: Nueces River at Calallen, Texas	26	903
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	129	2,702

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 1,200 Reservoir Inflow: 2,702	1,200
Estuary Inflows (Measured at NCAT)	903
PassThru Surplus / -Deficit:	-30

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/17/2001
04/16/2001	117	1,823	10,492	3,050	1,227	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 18, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/18/2000	200.3	280,844	40.4%	88.1	139,074	57.6%	419,918	44.8%
04/18/2001	199.0	262,091	37.7%	85.2	97,412	40.4%	359,503	38.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/17/2001	71	246	0.00	76	164	0.00	410
MTD		3,060	0.08		3,118	0.01	6,178

STREAM FLOWS

Gauging Station	04/17/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	149	3,142
NRIT: Nueces River at Tilden, Texas	111	2,263
FRIT: Frio River at Tilden, Texas	44	800
SMIT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	9	103
Release from Choke Canyon Reservoir	66	1,114
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	212	3,942
NCAT: Nueces River at Calallen, Texas	12	914
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	127	2,829

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 1,200 Reservoir Inflow: 2,829	1,200
Estuary Inflows (Measured at NCAT)	914
PassThru Surplus / -Deficit:	-19

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/18/2001
04/17/2001	116	1,940	10,608	3,050	1,110	44.0	43.9

Report Generated: 04/18/2001 at 8:29:59 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 19, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/19/2000	200.2	280,539	40.3%	88.1	138,920	57.6%	419,459	44.8%
04/19/2001	199.0	261,946	37.7%	85.2	97,029	40.2%	358,975	38.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/18/2001	74	127	0.00	76	134	0.00	261
MTD		3,187	0.08		3,252	0.01	6,439

STREAM FLOWS

Gauging Station	04/18/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	145	3,287
NRTT: Nueces River at Tilden, Texas	107	2,370
FRTT: Frio River at Tilden, Texas	42	842
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	7	110
Release from Choke Canyon Reservoir	66	1,179
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	212	4,155
NCAT: Nueces River at Calallen, Texas	4	918
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	121	2,950

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 1,200 Reservoir Inflow: 2,950	1,200
Estuary Inflows (Measured at NCAT)	918
PassThru Surplus / -Deficit:	-15

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/19/2001
04/18/2001	116	2,056	10,725	3,050	994	44.0	43.8

Report Generated: 04/19/2001 at 7:55:04 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 20, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/20/2000	200.2	280,235	40.3%	88.1	138,612	57.5%	418,847	44.7%
04/20/2001	199.0	261,801	37.7%	85.1	96,392	40.0%	358,193	38.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/19/2001	79	102	0.00	81	111	0.00	213
MTD		3,289	0.08		3,363	0.01	6,652

STREAM FLOWS

Gauging Station	04/19/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	139	3,426
NRTT: Nueces River at Tilden, Texas	103	2,473
FRTT: Frio River at Tilden, Texas	42	883
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	6	115
Release from Choke Canyon Reservoir	66	1,245
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	212	4,367
NCAT: Nueces River at Calallen, Texas	22	940
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	115	3,065

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 1,200 Reservoir Inflow: 3,065	1,200
Estuary Inflows (Measured at NCAT)	940
PassThru Surplus / -Deficit:	7

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/20/2001
04/19/2001	116	2,172	10,841	3,050	878	44.0	43.7

Report Generated: 04/20/2001 at 7:36:15 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 21, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/21/2000	200.2	279,932	40.3%	88.1	137,997	57.2%	417,929	44.6%
04/21/2001	199.0	261,510	37.6%	85.1	96,265	39.9%	357,775	38.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/20/2001	87	211	0.00	85	222	0.00	433
MTD		3,500	0.08		3,585	0.01	7,085

STREAM FLOWS

Gauging Station	04/20/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	135	3,561
NRTT: Nueces River at Tilden, Texas	95	2,569
FRTT: Frio River at Tilden, Texas	40	923
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	120
Release from Choke Canyon Reservoir	66	1,310
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	218	4,585
NCAT: Nueces River at Calallen, Texas	0	940
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	109	3,174

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 1,200 Reservoir Inflow: 3,174	1,200
Estuary Inflows (Measured at NCAT)	940
PassThru Surplus / -Deficit:	7

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/21/2001
04/20/2001	106	2,278	10,946	3,050	772	44.0	43.7

Report Generated: 04/21/2001 at 7:39:43 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 22, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/22/2000	200.2	279,628	40.2%	88.0	136,771	56.7%	416,399	44.5%
04/22/2001	198.9	261,220	37.6%	85.0	95,129	39.4%	356,349	38.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/21/2001	86	270	0.00	85	249	0.00	519
MTD		3,770	0.08		3,834	0.01	7,604

STREAM FLOWS

Gauging Station	04/21/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	127	3,688
NRIT: Nueces River at Tilden, Texas	87	2,656
FRTT: Frio River at Tilden, Texas	40	963
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	125
Release from Choke Canyon Reservoir	66	1,376
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	224	4,810
NCAT: Nueces River at Calallen, Texas	1	940
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	101	3,275

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 1,200 Reservoir Inflow: 3,275	1,200
Estuary Inflows (Measured at NCAT)	940
PassThru Surplus / -Deficit:	7

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/22/2001
04/21/2001	100	2,378	11,047	3,050	672	44.0	43.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 23, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/23/2000	200.2	279,476	40.2%	88.0	136,313	56.5%	415,789	44.4%
04/23/2001	198.9	260,785	37.5%	85.1	96,392	40.0%	357,177	38.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/22/2001	87	304	0.00	86	192	0.00	496
MTD		4,074	0.08		4,026	0.01	8,100

STREAM FLOWS

Gauging Station	04/22/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	119	3,807
NRRT: Nueces River at Tilden, Texas	79	2,735
FRTT: Frio River at Tilden, Texas	38	1,000
SMTT: San Miguel Creek at Tilden, Texas	0	0
ARWT: Atascosa River at Whitsett, Texas	5	130
Release from Choke Canyon Reservoir	66	1,441
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	226	5,036
NCAT: Nueces River at Calallen, Texas	4	945
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	91	3,367

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 1,200 Reservoir Inflow: 3,367	1,200
Estuary Inflows (Measured at NCAT)	945
PassThru Surplus / -Deficit:	12

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/23/2001
04/22/2001	100	2,478	11,147	3,050	572	44.0	43.7

Report Generated: 04/23/2001 at 7:42:27 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 24, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/24/2000	200.2	279,324	40.2%	87.9	136,008	56.4%	415,332	44.3%
04/24/2001	198.9	261,220	37.6%	85.1	95,885	39.7%	357,105	38.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/23/2001	84	152	0.38	84	192	0.00	344
MTD		4,226	0.46		4,218	0.01	8,444

STREAM FLOWS

Gauging Station	04/23/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	113	3,920
NRTT: Nueces River at Tilden, Texas	73	2,809
FRTT: Frio River at Tilden, Texas	40	1,040
SMTT: San Miguel Creek at Tilden, Texas	2	2
ARWT: Atascosa River at Whitsett, Texas	5	135
Release from Choke Canyon Reservoir	66	1,507
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	232	5,268
NCAT: Nueces River at Calallen, Texas	0	945
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	89	3,456

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 1,200 Reservoir Inflow: 3,456	1,200
Estuary Inflows (Measured at NCAT)	945
PassThru Surplus / -Deficit:	12

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/24/2001
04/23/2001	100	2,578	11,246	3,050	472	44.0	43.7

Report Generated: 04/24/2001 at 7:37:08 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 25, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/25/2000	200.1	279,021	40.1%	87.9	135,094	56.0%	414,115	44.2%
04/25/2001	198.9	260,930	37.5%	85.1	95,633	39.6%	356,563	38.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/24/2001	75	169	0.00	76	125	0.00	294
MTD		4,395	0.46		4,343	0.01	8,738

STREAM FLOWS

Gauging Station	04/24/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	216	4,137
NRIT: Nueces River at Tilden, Texas	69	2,878
FRTT: Frio River at Tilden, Texas	42	1,082
SMTT: San Miguel Creek at Tilden, Texas	11	12
ARWT: Atascosa River at Whitsett, Texas	6	141
Release from Choke Canyon Reservoir	66	1,572
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	260	5,528
NCAT: Nueces River at Calallen, Texas	0	945
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	203	3,659

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 1,200 Reservoir Inflow: 3,659	1,200
Estuary Inflows (Measured at NCAT)	945
PassThru Surplus / -Deficit:	12

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/25/2001
04/24/2001	100	2,678	11,346	3,050	372	44.0	43.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 26, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/26/2000	200.1	277,962	40.0%	87.8	134,486	55.7%	412,448	44.0%
04/26/2001	198.9	260,495	37.5%	85.0	95,255	39.5%	355,750	38.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/25/2001	81	236	0.00	81	235	0.00	471
MTD		4,631	0.46		4,578	0.01	9,209

STREAM FLOWS

Gauging Station	04/25/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	238	4,375
NRTT: Nueces River at Tilden, Texas	66	2,944
FRTT: Frio River at Tilden, Texas	42	1,124
SMTT: San Miguel Creek at Tilden, Texas	0	12
ARWT: Atascosa River at Whitsett, Texas	12	153
Release from Choke Canyon Reservoir	66	1,638
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	280	5,808
NCAT: Nueces River at Calallen, Texas	26	971
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	214	3,873

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 1,200 Reservoir Inflow: 3,873	1,200
Estuary Inflows (Measured at NCAT)	971
PassThru Surplus / -Deficit:	38

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/26/2001
04/25/2001	100	2,777	11,446	3,050	273	44.0	43.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 27, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/27/2000	200.0	277,659	39.9%	87.8	133,425	55.3%	411,084	43.9%
04/27/2001	198.9	260,495	37.5%	85.0	95,003	39.4%	355,498	38.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/26/2001	79	186	0.00	80	132	0.00	318
MTD		4,817	0.46		4,710	0.01	9,527

STREAM FLOWS

Gauging Station	04/26/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	125	4,500
NRRT: Nueces River at Tilden, Texas	64	3,007
FRTT: Frio River at Tilden, Texas	40	1,163
SMTT: San Miguel Creek at Tilden, Texas	280	292
ARWT: Atascosa River at Whitsett, Texas	14	167
Release from Choke Canyon Reservoir	66	1,703
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	268	6,076
NCAT: Nueces River at Calallen, Texas	20	990
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	379	4,252

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 1,200 Reservoir Inflow: 4,252	1,200
Estuary Inflows (Measured at NCAT)	990
PassThru Surplus / -Deficit:	57

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/27/2001
04/26/2001	99	2,877	11,545	3,050	173	44.0	43.5

Report Generated: 04/27/2001 at 8:14:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 28, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/28/2000	200.0	277,357	39.9%	87.7	132,518	54.9%	409,875	43.8%
04/28/2001	198.9	260,640	37.5%	85.0	94,627	39.2%	355,267	37.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/27/2001	84	236	0.00	81	146	0.00	382
MTD		5,053	0.46		4,856	0.01	9,909

STREAM FLOWS

Gauging Station	04/27/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	105	4,605
NRTT: Nueces River at Tilden, Texas	54	3,061
FRTT: Frio River at Tilden, Texas	38	1,201
SMTT: San Miguel Creek at Tilden, Texas	153	445
ARWT: Atascosa River at Whitsett, Texas	179	346
Release from Choke Canyon Reservoir	66	1,769
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	214	6,290
NCAT: Nueces River at Calallen, Texas	15	1,006
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	230	4,482

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 1,200 Reservoir Inflow: 4,482	1,200
Estuary Inflows (Measured at NCAT)	1,006
PassThru Surplus / -Deficit:	73

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/28/2001
04/27/2001	96	2,973	11,642	3,050	77	44.0	43.5

Report Generated: 04/28/2001 at 7:57:23 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 29, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/29/2000	200.0	277,206	39.9%	87.7	132,066	54.7%	409,272	43.7%
04/29/2001	198.9	260,495	37.5%	85.0	94,377	39.1%	354,872	37.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/28/2001	83	211	0.00	82	218	0.00	429
MTD		5,264	0.46		5,074	0.01	10,338

STREAM FLOWS

Gauging Station	04/28/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	187	4,792
NRTT: Nueces River at Tilden, Texas	52	3,112
FRTT: Frio River at Tilden, Texas	38	1,239
SMTT: San Miguel Creek at Tilden, Texas	123	568
ARWT: Atascosa River at Whitsett, Texas	123	469
Release from Choke Canyon Reservoir	66	1,834
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	210	6,501
NCAT: Nueces River at Calallen, Texas	26	1,032
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	282	4,764

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	1,200
Monthly Target: 1,200	
Salinity Relief Credit: 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru	1,200
Target: 1,200	
Reservoir Inflow: 4,764	
Estuary Inflows (Measured at NCAT)	1,032
PassThru Surplus / -Deficit:	99

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/29/2001
04/28/2001	88	3,061	11,730	3,050	-11	44.0	43.5

Report Generated: 04/29/2001 at 12:36:21 PM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 30, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/30/2000	200.0	276,753	39.8%	87.6	131,614	54.6%	408,367	43.6%
04/30/2001	198.9	260,351	37.4%	85.0	94,127	39.0%	354,478	37.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/29/2001	85	202	0.00	84	160	0.00	362
MTD		5,466	0.46		5,234	0.01	10,700

STREAM FLOWS

Gauging Station	04/29/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	193	4,984
NRIT: Nueces River at Tilden, Texas	44	3,156
FRIT: Frio River at Tilden, Texas	36	1,274
SMIT: San Miguel Creek at Tilden, Texas	62	630
ARWT: Atascosa River at Whitsett, Texas	50	518
Release from Choke Canyon Reservoir	66	1,900
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	228	6,729
NCAT: Nueces River at Calallen, Texas	0	1,032
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	224	4,989

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 1,200 Reservoir Inflow: 4,989	1,200
Estuary Inflows (Measured at NCAT)	1,032
PassThru Surplus / -Deficit:	99

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	04/30/2001
04/29/2001	88	3,149	11,818	3,050	-99	44.0	43.5