

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 1, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/01/2000	200.0	276,753	39.8%	87.6	131,313	54.4%	408,066	43.6%
05/01/2001	198.9	260,351	37.4%	84.9	93,754	38.9%	354,105	37.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/30/2001	86	160	0.00	85	130	0.00	290
MTD		5,626	0.46		5,364	0.01	10,990

STREAM FLOWS

Gauging Station	04/30/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	139	5,123
NRTT: Nueces River at Tilden, Texas	36	3,192
FRTT: Frio River at Tilden, Texas	34	1,308
SMTT: San Miguel Creek at Tilden, Texas	36	665
ARWT: Atascosa River at Whitsett, Texas	34	552
Release from Choke Canyon Reservoir	66	1,965
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	278	7,007
NCAT: Nueces River at Calallen, Texas	0	1,032
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	143	5,132

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2001)	-233
Return Flow Credit (Effective:)	500
Passthru Target: 1,200 Reservoir Inflow: 5,132	1,200
Estuary Inflows (Measured at NCAT)	1,032
PassThru Surplus / -Deficit:	99

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/01/2001
04/30/2001	88	3,237	11,906	3,050	-187	44.0	43.5

Report Generated: 05/01/2001 at 1:27:26 PM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 2, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/02/2000	200.1	279,173	40.2%	87.6	131,013	54.3%	410,186	43.8%
05/02/2001	198.9	260,206	37.4%	84.9	93,382	38.7%	353,588	37.8%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/01/2001	90	244	0.00	88	202	0.00	446	
MTD		244	0.00		202	0.00	446	

STREAM FLOWS

Gauging Station	05/01/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	117	117
NRIT: Nueces River at Tilden, Texas	32	32
FRIT: Frio River at Tilden, Texas	34	34
SMTT: San Miguel Creek at Tilden, Texas	20	20
ARWT: Atascosa River at Whitsett, Texas	26	26
Release from Choke Canyon Reservoir	66	66
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	248	248
NCAT: Nueces River at Calallen, Texas	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	105	105

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 105	105
Estuary Inflows (Measured at NCAT)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/02/2001
05/01/2001	83	83	11,989	4,100	4,017	44.0	43.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 3, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/03/2000	200.2	280,235	40.3%	87.7	131,765	54.6%	412,000	44.0%
05/03/2001	198.8	259,917	37.4%	84.8	92,641	38.4%	352,558	37.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/02/2001	90	303	0.00	89	237	0.00	540
MTD		547	0.00		439	0.00	986

STREAM FLOWS

Gauging Station	05/02/2001 (AcFt)	MTD (AcFt)
NTRT: Nueces River at Three Rivers, Texas	105	222
NRIT: Nueces River at Tilden, Texas	26	58
FRTT: Frio River at Tilden, Texas	42	75
SMTT: San Miguel Creek at Tilden, Texas	11	31
ARWT: Atascosa River at Whitsett, Texas	20	46
Release from Choke Canyon Reservoir	66	131
NRMT: Nueces River at Mathis, Texas (La Fruta Bridge)	266	514
NCAT: Nueces River at Calallen, Texas	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	93	198

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 198	198
Estuary Inflows (Measured at NCAT)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/03/2001
05/02/2001	96	178	12,084	4,100	3,922	44.0	43.3

Report Generated: 05/03/2001 at 8:50:58 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 4, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/04/2000	200.2	280,235	40.3%	87.7	131,765	54.6%	412,000	44.0%
05/04/2001	198.8	259,627	37.3%	84.8	92,518	38.4%	352,145	37.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/03/2001	86	210	0.00	86	215	0.00	425
MTD		757	0.00		654	0.00	1,411

STREAM FLOWS

Gauging Station	05/03/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	320
NRTT : Nueces River at Tilden, Texas	20	77
FRTT : Frio River at Tilden, Texas	48	123
SMTT : San Miguel Creek at Tilden, Texas	6	37
ARWT : Atascosa River at Whitsett, Texas	17	62
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	268	782
NCAT : Nueces River at Calallen, Texas	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	85	283

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 283	283
Estuary Inflows (Measured at NCAT)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/04/2001
05/03/2001	116	294	12,200	4,100	3,806	44.0	43.3

Report Generated: 05/04/2001 at 8:06:53 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 5, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/05/2000	200.2	279,780	40.2%	87.7	131,915	54.7%	411,695	44.0%
05/05/2001	198.8	259,483	37.3%	84.8	92,518	38.4%	352,001	37.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/04/2001	86	227	0.00	84	201	0.00	428
MTD		984	0.00		855	0.00	1,839

STREAM FLOWS

Gauging Station	05/04/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	411
NRTT : Nueces River at Tilden, Texas	16	93
FRTT : Frio River at Tilden, Texas	42	165
SMTT : San Miguel Creek at Tilden, Texas	16	54
ARWT : Atascosa River at Whitsett, Texas	14	76
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	266	1,048
NCAT : Nueces River at Calallen, Texas	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	84	367

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 367	367
Estuary Inflows (Measured at NCAT)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/05/2001
05/04/2001	116	410	12,316	4,100	3,690	44.0	43.3

Report Generated: 05/05/2001 at 8:01:29 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 6, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/06/2000	200.2	279,476	40.2%	87.7	131,765	54.6%	411,241	43.9%
05/06/2001	198.8	259,772	37.4%	84.8	91,905	38.1%	351,677	37.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/05/2001	85	177	0.72	85	121	0.12	298
MTD		1,161	0.72		976	0.12	2,137

STREAM FLOWS

Gauging Station	05/05/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	502
NRTT : Nueces River at Tilden, Texas	12	105
FRTT : Frio River at Tilden, Texas	38	202
SMTT : San Miguel Creek at Tilden, Texas	1	54
ARWT : Atascosa River at Whitsett, Texas	13	89
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	1,310
NCAT : Nueces River at Calallen, Texas	13	13
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	64	431

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 431	431
Estuary Inflows (Measured at NCAT)	13
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/06/2001
05/05/2001	116	525	12,431	4,100	3,575	44.0	43.3

Report Generated: 05/06/2001 at 8:03:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 7, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/07/2000	200.2	279,324	40.2%	87.7	131,765	54.6%	411,089	43.9%
05/07/2001	198.9	260,206	37.4%	84.8	91,783	38.0%	351,989	37.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/06/2001	91	228	0.10	88	Pan overflow	0.87	227
MTD		1,389	0.82		975	0.99	2,364

STREAM FLOWS

Gauging Station	05/06/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	596
NRTT : Nueces River at Tilden, Texas	10	116
FRTT : Frio River at Tilden, Texas	36	238
SMTT : San Miguel Creek at Tilden, Texas	24	78
ARWT : Atascosa River at Whitsett, Texas	12	100
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	244	1,554
NCAT : Nueces River at Calallen, Texas	50	62
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	87	519

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 519	519
Estuary Inflows (Measured at NCAT)	62
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/07/2001
05/06/2001	116	641	12,547	4,100	3,459	44.0	43.3

Report Generated: 05/08/2001 at 8:08:23 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 8, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/08/2000	200.1	279,173	40.2%	87.6	131,464	54.5%	410,637	43.8%
05/08/2001	198.8	259,917	37.4%	84.8	92,395	38.3%	352,312	37.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/07/2001	87	227	0.00	89	150	0.00	377
MTD		1,616	0.82		1,125	0.99	2,741

STREAM FLOWS

Gauging Station	05/07/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	681
NRTT : Nueces River at Tilden, Texas	30	145
FRTT : Frio River at Tilden, Texas	34	272
SMTT : San Miguel Creek at Tilden, Texas	14	92
ARWT : Atascosa River at Whitsett, Texas	14	114
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	238	1,792
NCAT : Nueces River at Calallen, Texas	62	124
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	67	586

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 586	586
Estuary Inflows (Measured at NCAT)	124
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/08/2001
05/07/2001	116	757	12,663	4,100	3,343	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 9, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/09/2000	200.1	278,870	40.1%	87.6	131,163	54.4%	410,033	43.8%
05/09/2001	198.8	259,772	37.4%	84.8	92,027	38.1%	351,799	37.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/08/2001	88	143	0.00	90	157	0.05	300
MTD		1,759	0.82		1,282	1.04	3,041

STREAM FLOWS

Gauging Station	05/08/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	762
NRTT : Nueces River at Tilden, Texas	12	157
FRTT : Frio River at Tilden, Texas	377	649
SMTT : San Miguel Creek at Tilden, Texas	52	143
ARWT : Atascosa River at Whitsett, Texas	28	142
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	248	2,041
NCAT : Nueces River at Calallen, Texas	26	150
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	445	1,031

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 1,031	1,031
Estuary Inflows (Measured at NCAT)	150
PassThru Surplus / -Deficit:	-282

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/09/2001
05/08/2001	115	872	12,778	4,100	3,228	44.0	44.2

Report Generated: 05/09/2001 at 8:09:04 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 10, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/10/2000	200.1	278,567	40.1%	87.6	130,863	54.2%	409,430	43.7%
05/10/2001	198.9	260,061	37.4%	84.8	91,661	38.0%	351,722	37.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/09/2001	88	244	0.00	91	178	0.00	422
MTD		2,003	0.82		1,460	1.04	3,463

STREAM FLOWS

Gauging Station	05/09/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	858
NRTT : Nueces River at Tilden, Texas	107	264
FRTT : Frio River at Tilden, Texas	766	1,415
SMTT : San Miguel Creek at Tilden, Texas	48	191
ARWT : Atascosa River at Whitsett, Texas	20	162
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	208	2,249
NCAT : Nueces River at Calallen, Texas	58	207
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	844	1,874

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 1,874	1,200
Estuary Inflows (Measured at NCAT)	207
PassThru Surplus / -Deficit:	-394

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/10/2001
05/09/2001	116	989	12,894	4,100	3,111	44.0	44.1

Report Generated: 05/10/2001 at 8:05:41 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 11, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/11/2000	200.1	278,113	40.0%	87.6	130,413	54.1%	408,526	43.6%
05/11/2001	198.9	260,495	37.5%	84.7	90,688	37.6%	351,183	37.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/10/2001	89	295	0.00	89	240	0.00	535
MTD		2,298	0.82		1,700	1.04	3,998

STREAM FLOWS

Gauging Station	05/10/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	947
NRTT : Nueces River at Tilden, Texas	552	816
FRTT : Frio River at Tilden, Texas	641	2,056
SMTT : San Miguel Creek at Tilden, Texas	58	249
ARWT : Atascosa River at Whitsett, Texas	14	176
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	2,430
NCAT : Nueces River at Calallen, Texas	26	233
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	723	2,597

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 2,597	1,200
Estuary Inflows (Measured at NCAT)	233
PassThru Surplus / -Deficit:	-368

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/11/2001
05/10/2001	116	1,104	13,010	4,100	2,996	44.0	44.2

Report Generated: 05/11/2001 at 8:06:24 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 12, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/12/2000	200.0	276,904	39.8%	87.5	129,814	53.8%	406,718	43.4%
05/12/2001	198.9	260,351	37.4%	84.7	91,295	37.8%	351,646	37.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/11/2001	93	270	0.00	91	234	0.00	504
MTD		2,568	0.82		1,934	1.04	4,502

STREAM FLOWS

Gauging Station	05/11/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	494	1,441
NRTT : Nueces River at Tilden, Texas	371	1,187
FRTT : Frio River at Tilden, Texas	212	2,269
SMTT : San Miguel Creek at Tilden, Texas	38	286
ARWT : Atascosa River at Whitsett, Texas	11	187
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	187	2,616
NCAT : Nueces River at Calallen, Texas	0	233
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	679	3,276

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 3,276	1,200
Estuary Inflows (Measured at NCAT)	233
PassThru Surplus / -Deficit:	-368

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/12/2001
05/11/2001	116	1,220	13,126	4,100	2,880	44.0	44.2

Report Generated: 05/12/2001 at 7:47:11 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 13, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/13/2000	199.9	276,151	39.7%	87.5	129,665	53.7%	405,816	43.3%
05/13/2001	198.9	260,206	37.4%	84.8	91,783	38.0%	351,989	37.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/12/2001	88	185	0.00	87	164	0.00	349
MTD		2,753	0.82		2,098	1.04	4,851

STREAM FLOWS

Gauging Station	05/12/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	435	1,876
NRTT : Nueces River at Tilden, Texas	185	1,372
FRIT : Frio River at Tilden, Texas	111	2,380
SMTT : San Miguel Creek at Tilden, Texas	20	306
ARWT : Atascosa River at Whitsett, Texas	11	198
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	189	2,805
NCAT : Nueces River at Calallen, Texas	0	233
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	500	3,776

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 3,776	1,200
Estuary Inflows (Measured at NCAT)	233
PassThru Surplus / -Deficit:	-368

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/13/2001
05/12/2001	116	1,336	13,242	4,100	2,764	44.0	44.2

Report Generated: 05/13/2001 at 7:41:54 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 14, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/14/2000	200.0	276,301	39.7%	87.5	129,515	53.7%	405,816	43.3%
05/14/2001	198.9	260,061	37.4%	84.8	91,661	38.0%	351,722	37.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/13/2001	86	160	0.00	88	199	0.00	359
MTD		2,913	0.82		2,297	1.04	5,210

STREAM FLOWS

Gauging Station	05/13/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	268	2,144
NRTT : Nueces River at Tilden, Texas	276	1,648
FRTT : Frio River at Tilden, Texas	81	2,461
SMTT : San Miguel Creek at Tilden, Texas	13	319
ARWT : Atascosa River at Whitsett, Texas	15	213
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	189	2,993
NCAT : Nueces River at Calallen, Texas	0	233
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	296	4,072

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 4,072	1,200
Estuary Inflows (Measured at NCAT)	233
PassThru Surplus / -Deficit:	-368

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/14/2001
05/13/2001	107	1,442	13,348	4,100	2,658	44.0	44.2

Report Generated: 05/14/2001 at 8:06:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 15, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/15/2000	199.9	275,850	39.7%	87.5	129,366	53.6%	405,216	43.3%
05/15/2001	198.8	259,772	37.4%	84.7	91,173	37.8%	350,945	37.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/14/2001	89	269	0.00	89	219	0.00	488
MTD		3,182	0.82		2,516	1.04	5,698

STREAM FLOWS

Gauging Station	05/14/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	318	2,461
NRTT : Nueces River at Tilden, Texas	705	2,352
FRTT : Frio River at Tilden, Texas	64	2,525
SMTT : San Miguel Creek at Tilden, Texas	7	325
ARWT : Atascosa River at Whitsett, Texas	32	245
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	3,214
NCAT : Nueces River at Calallen, Texas	0	233
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	322	4,394

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 4,394	1,200
Estuary Inflows (Measured at NCAT)	233
PassThru Surplus / -Deficit:	-368

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/15/2001
05/14/2001	140	1,582	13,488	4,100	2,518	44.0	44.3

Report Generated: 05/15/2001 at 8:03:51 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 16, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/16/2000	199.9	275,398	39.6%	87.4	128,620	53.3%	404,018	43.1%
05/16/2001	198.8	259,627	37.3%	84.7	90,931	37.7%	350,558	37.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/15/2001	92	295	0.00	92	254	0.00	549
MTD		3,477	0.82		2,770	1.04	6,247

STREAM FLOWS

Gauging Station	05/15/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	713	3,174
NRTT : Nueces River at Tilden, Texas	800	3,152
FRTT : Frio River at Tilden, Texas	54	2,579
SMTT : San Miguel Creek at Tilden, Texas	2	328
ARWT : Atascosa River at Whitsett, Texas	30	275
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	290	3,504
NCAT : Nueces River at Calallen, Texas	0	233
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	703	5,098

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 5,098	1,200
Estuary Inflows (Measured at NCAT)	233
PassThru Surplus / -Deficit:	-368

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/16/2001
05/15/2001	140	1,723	13,628	4,100	2,377	44.0	44.2

Report Generated: 05/16/2001 at 8:01:38 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 17, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/17/2000	199.8	274,647	39.5%	87.4	128,025	53.1%	402,672	43.0%
05/17/2001	198.8	259,483	37.3%	84.7	91,052	37.7%	350,535	37.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/16/2001	98	404	0.00	96	304	0.00	708
MTD		3,881	0.82		3,074	1.04	6,955

STREAM FLOWS

Gauging Station	05/16/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	834	4,008
NRTT : Nueces River at Tilden, Texas	663	3,815
FRTT : Frio River at Tilden, Texas	46	2,624
SMTT : San Miguel Creek at Tilden, Texas	0	328
ARWT : Atascosa River at Whitsett, Texas	24	298
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	345	3,849
NCAT : Nueces River at Calallen, Texas	0	233
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	814	5,911

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 5,911	1,200
Estuary Inflows (Measured at NCAT)	233
PassThru Surplus / -Deficit:	-368

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/17/2001
05/16/2001	140	1,863	13,769	4,100	2,237	44.0	44.1

Report Generated: 05/17/2001 at 8:13:49 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 18, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/18/2000	199.8	274,348	39.5%	87.4	127,431	52.8%	401,779	42.9%
05/18/2001	198.8	259,194	37.3%	84.7	90,688	37.6%	349,882	37.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/17/2001	95	328	0.00	90	275	0.00	603
MTD		4,209	0.82		3,349	1.04	7,558

STREAM FLOWS

Gauging Station	05/17/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	707	4,714
NRTT : Nueces River at Tilden, Texas	490	4,306
FRIT : Frio River at Tilden, Texas	40	2,664
SMTT : San Miguel Creek at Tilden, Texas	0	328
ARWT : Atascosa River at Whitsett, Texas	13	312
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	397	4,246
NCAT : Nueces River at Calallen, Texas	0	233
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	681	6,592

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 6,592	1,200
Estuary Inflows (Measured at NCAT)	233
PassThru Surplus / -Deficit:	-368

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/18/2001
05/17/2001	140	2,003	13,909	4,100	2,097	44.0	44.1

Report Generated: 05/18/2001 at 8:11:16 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 19, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/19/2000	199.8	274,198	39.4%	87.3	126,986	52.6%	401,184	42.8%
05/19/2001	198.8	258,762	37.2%	84.7	91,295	37.8%	350,057	37.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/18/2001	95	344	0.00	90	276	0.00	620
MTD		4,553	0.82		3,625	1.04	8,178

STREAM FLOWS

Gauging Station	05/18/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	552	5,266
NRTT : Nueces River at Tilden, Texas	381	4,687
FRTT : Frio River at Tilden, Texas	36	2,700
SMTT : San Miguel Creek at Tilden, Texas	0	328
ARWT : Atascosa River at Whitsett, Texas	8	320
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	363	4,609
NCAT : Nueces River at Calallen, Texas	0	233
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	522	7,114

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 7,114	1,200
Estuary Inflows (Measured at NCAT)	233
PassThru Surplus / -Deficit:	-368

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/19/2001
05/18/2001	140	2,143	14,049	4,100	1,957	44.0	44.0

Report Generated: 05/19/2001 at 7:42:21 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 20, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/20/2000	199.8	273,898	39.4%	87.3	127,134	52.7%	401,032	42.8%
05/20/2001	198.7	258,474	37.2%	84.7	91,173	37.8%	349,647	37.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/19/2001	92	185	0.00	90	170	0.00	355
MTD		4,738	0.82		3,795	1.04	8,533

STREAM FLOWS

Gauging Station	05/19/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	451	5,717
NRTT : Nueces River at Tilden, Texas	306	4,992
FRTT : Frio River at Tilden, Texas	34	2,733
SMTT : San Miguel Creek at Tilden, Texas	0	328
ARWT : Atascosa River at Whitsett, Texas	6	326
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	345	4,955
NCAT : Nueces River at Calallen, Texas	32	265
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	419	7,533

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 7,533	1,200
Estuary Inflows (Measured at NCAT)	265
PassThru Surplus / -Deficit:	-336

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/20/2001
05/19/2001	141	2,284	14,190	4,100	1,816	44.0	44.0

Report Generated: 05/20/2001 at 7:45:02 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 21, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/21/2000	199.8	274,198	39.4%	87.3	126,986	52.6%	401,184	42.8%
05/21/2001	198.8	259,483	37.3%	84.7	91,295	37.8%	350,778	37.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/20/2001	101	353	0.24	96	291	0.00	644
MTD		5,091	1.06		4,086	1.04	9,177

STREAM FLOWS

Gauging Station	05/20/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	387	6,104
NRTT : Nueces River at Tilden, Texas	264	5,256
FRIT : Frio River at Tilden, Texas	34	2,767
SMTT : San Miguel Creek at Tilden, Texas	0	328
ARWT : Atascosa River at Whitsett, Texas	5	331
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	341	5,296
NCAT : Nueces River at Calallen, Texas	77	343
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	355	7,889

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 7,889	1,200
Estuary Inflows (Measured at NCAT)	343
PassThru Surplus / -Deficit:	-258

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/21/2001
05/20/2001	141	2,425	14,330	4,100	1,675	44.0	44.0

Report Generated: 05/21/2001 at 8:22:49 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 22, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/22/2000	199.8	274,048	39.4%	87.3	126,690	52.5%	400,738	42.8%
05/22/2001	198.8	259,194	37.3%	84.8	91,783	38.0%	350,977	37.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/21/2001	93	294	0.00	90	285	0.54	579
MTD		5,385	1.06		4,371	1.58	9,756

STREAM FLOWS

Gauging Station	05/21/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	347	6,451
NRTT : Nueces River at Tilden, Texas	234	5,491
FRTT : Frio River at Tilden, Texas	32	2,799
SMTT : San Miguel Creek at Tilden, Texas	0	328
ARWT : Atascosa River at Whitsett, Texas	7	339
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	294	5,590
NCAT : Nueces River at Calallen, Texas	69	412
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	314	8,202

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 8,202	1,200
Estuary Inflows (Measured at NCAT)	412
PassThru Surplus / -Deficit:	-189

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/22/2001
05/21/2001	141	2,565	14,471	4,100	1,535	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 23, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/23/2000	199.8	273,898	39.4%	87.3	126,394	52.4%	400,292	42.7%
05/23/2001	198.8	258,762	37.2%	84.7	91,173	37.8%	349,935	37.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/22/2001	85	319	0.00	82	248	0.00	567
MTD		5,704	1.06		4,619	1.58	10,323

STREAM FLOWS

Gauging Station	05/22/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	306	6,757
NRTT : Nueces River at Tilden, Texas	202	5,693
FRTT : Frio River at Tilden, Texas	30	2,829
SMTT : San Miguel Creek at Tilden, Texas	0	328
ARWT : Atascosa River at Whitsett, Texas	9	347
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	242	5,832
NCAT : Nueces River at Calallen, Texas	69	481
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	270	8,472

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 8,472	1,200
Estuary Inflows (Measured at NCAT)	481
PassThru Surplus / -Deficit:	-120

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/23/2001
05/22/2001	141	2,706	14,611	4,100	1,394	44.0	44.0

Report Generated: 05/23/2001 at 8:37:18 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 24, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/24/2000	199.8	273,449	39.3%	87.3	126,394	52.4%	399,843	42.7%
05/24/2001	198.7	258,042	37.1%	84.7	90,567	37.5%	348,609	37.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/23/2001	92	327	0.00	89	261	0.00	588
MTD		6,031	1.06		4,880	1.58	10,911

STREAM FLOWS

Gauging Station	05/23/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	272	7,029
NRTT : Nueces River at Tilden, Texas	173	5,866
FRTT : Frio River at Tilden, Texas	28	2,856
SMTT : San Miguel Creek at Tilden, Texas	0	328
ARWT : Atascosa River at Whitsett, Texas	6	353
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	240	6,072
NCAT : Nueces River at Calallen, Texas	54	535
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	234	8,706

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 8,706	1,200
Estuary Inflows (Measured at NCAT)	535
PassThru Surplus / -Deficit:	-66

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/24/2001
05/23/2001	141	2,846	14,752	4,100	1,254	44.0	43.9

Report Generated: 05/24/2001 at 8:22:05 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 25, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/25/2000	199.7	273,150	39.3%	87.3	126,246	52.3%	399,396	42.6%
05/25/2001	198.7	257,610	37.1%	84.6	90,085	37.3%	347,695	37.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/24/2001	97	368	0.04	93	196	0.00	564
MTD		6,399	1.10		5,076	1.58	11,475

STREAM FLOWS

Gauging Station	05/24/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	242	7,271
NRTT : Nueces River at Tilden, Texas	149	6,015
FRTT : Frio River at Tilden, Texas	26	2,882
SMTT : San Miguel Creek at Tilden, Texas	0	328
ARWT : Atascosa River at Whitsett, Texas	3	357
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	6,290
NCAT : Nueces River at Calallen, Texas	44	579
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	202	8,909

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 8,909	1,200
Estuary Inflows (Measured at NCAT)	579
PassThru Surplus / -Deficit:	-22

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/25/2001
05/24/2001	141	2,987	14,893	4,100	1,113	44.0	43.9

Report Generated: 05/25/2001 at 8:18:17 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 26, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/26/2000	199.7	273,000	39.3%	87.2	125,508	52.0%	398,508	42.6%
05/26/2001	198.7	257,179	37.0%	84.6	90,205	37.4%	347,384	37.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/25/2001	95	293	0.00	91	147	0.00	440
MTD		6,692	1.10		5,223	1.58	11,915

STREAM FLOWS

Gauging Station	05/25/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	210	7,481
NRTT : Nueces River at Tilden, Texas	131	6,146
FRTT : Frio River at Tilden, Texas	24	2,906
SMTT : San Miguel Creek at Tilden, Texas	0	328
ARWT : Atascosa River at Whitsett, Texas	4	360
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	208	6,499
NCAT : Nueces River at Calallen, Texas	8	586
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	169	9,078

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 9,078	1,200
Estuary Inflows (Measured at NCAT)	586
PassThru Surplus / -Deficit:	-15

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/26/2001
05/25/2001	141	3,128	15,034	4,100	972	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 27, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/27/2000	199.7	272,552	39.2%	87.2	125,214	51.9%	397,766	42.5%
05/27/2001	198.6	256,892	36.9%	84.6	90,326	37.4%	347,218	37.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/26/2001	96	318	0.00	91	246	0.00	564
MTD		7,010	1.10		5,469	1.58	12,479

STREAM FLOWS

Gauging Station	05/26/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	185	7,666
NRTT : Nueces River at Tilden, Texas	123	6,269
FRTT : Frio River at Tilden, Texas	20	2,926
SMTT : San Miguel Creek at Tilden, Texas	0	328
ARWT : Atascosa River at Whitsett, Texas	4	364
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	254	6,753
NCAT : Nueces River at Calallen, Texas	0	587
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	139	9,216

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 9,216	1,200
Estuary Inflows (Measured at NCAT)	587
PassThru Surplus / -Deficit:	-14

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/27/2001
05/26/2001	140	3,269	15,174	4,100	831	44.0	43.8

Report Generated: 05/27/2001 at 7:50:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 28, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/28/2000	199.7	272,403	39.2%	87.2	124,919	51.8%	397,322	42.4%
05/28/2001	198.6	256,462	36.9%	84.6	89,845	37.2%	346,307	37.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/27/2001	98	351	0.00	95	266	0.00	617
MTD		7,361	1.10		5,735	1.58	13,096

STREAM FLOWS

Gauging Station	05/27/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	171	7,837
NRTT : Nueces River at Tilden, Texas	117	6,386
FRIT : Frio River at Tilden, Texas	19	2,945
SMTT : San Miguel Creek at Tilden, Texas	0	328
ARWT : Atascosa River at Whitsett, Texas	3	367
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	298	7,051
NCAT : Nueces River at Calallen, Texas	0	587
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	124	9,341

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 9,341	1,200
Estuary Inflows (Measured at NCAT)	587
PassThru Surplus / -Deficit:	-14

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/28/2001
05/27/2001	140	3,409	15,315	4,100	691	44.0	43.8

Report Generated: 05/28/2001 at 7:41:50 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 29, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/29/2000	199.7	272,254	39.2%	87.2	124,478	51.6%	396,732	42.4%
05/29/2001	198.6	256,033	36.8%	84.6	89,365	37.0%	345,398	36.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/28/2001	93	275	0.00	90	181	0.00	456
MTD		7,636	1.10		5,916	1.58	13,552

STREAM FLOWS

Gauging Station	05/28/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	161	7,998
NRTT : Nueces River at Tilden, Texas	109	6,495
FRTT : Frio River at Tilden, Texas	20	2,965
SMTT : San Miguel Creek at Tilden, Texas	0	328
ARWT : Atascosa River at Whitsett, Texas	2	369
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	264	7,315
NCAT : Nueces River at Calallen, Texas	1	587
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	116	9,456

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 9,456	1,200
Estuary Inflows (Measured at NCAT)	587
PassThru Surplus / -Deficit:	-14

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/29/2001
05/28/2001	141	3,549	15,455	4,100	551	44.0	43.8

Report Generated: 05/29/2001 at 8:07:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 30, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/30/2000	199.7	271,956	39.1%	87.1	123,891	51.4%	395,847	42.3%
05/30/2001	198.6	255,747	36.8%	84.5	88,769	36.8%	344,516	36.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/29/2001	96	342	0.00	91	298	0.00	640
MTD		7,978	1.10		6,214	1.58	14,192

STREAM FLOWS

Gauging Station	05/29/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	153	8,150
NRTT : Nueces River at Tilden, Texas	99	6,594
FRTT : Frio River at Tilden, Texas	20	2,985
SMTT : San Miguel Creek at Tilden, Texas	0	328
ARWT : Atascosa River at Whitsett, Texas	2	371
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	232	7,547
NCAT : Nueces River at Calallen, Texas	8	595
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	107	9,564

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 9,564	1,200
Estuary Inflows (Measured at NCAT)	595
PassThru Surplus / -Deficit:	-6

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/30/2001
05/29/2001	141	3,690	15,596	4,100	410	44.0	43.8

Report Generated: 05/30/2001 at 8:13:18 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 31, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/31/2000	199.6	271,509	39.1%	87.1	123,159	51.1%	394,668	42.1%
05/31/2001	198.5	255,318	36.7%	84.5	88,176	36.6%	343,494	36.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/30/2001	97	349	0.00	92	255	0.00	604
MTD		8,327	1.10		6,469	1.58	14,796

STREAM FLOWS

Gauging Station	05/30/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	141	8,291
NRTT : Nueces River at Tilden, Texas	89	6,684
FRTT : Frio River at Tilden, Texas	20	3,005
SMTT : San Miguel Creek at Tilden, Texas	0	328
ARWT : Atascosa River at Whitsett, Texas	2	373
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	240	7,787
NCAT : Nueces River at Calallen, Texas	1	597
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	95	9,659

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 9,659	1,200
Estuary Inflows (Measured at NCAT)	597
PassThru Surplus / -Deficit:	-4

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	05/31/2001
05/30/2001	141	3,831	15,737	4,100	269	44.0	43.8

Report Generated: 05/31/2001 at 9:45:15 AM