

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 1, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/01/2000	199.6	271,062	39.0%	87.0	122,283	50.7%	393,345	42.0%
06/01/2001	198.5	255,175	36.7%	84.5	88,176	36.6%	343,351	36.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/31/2001	97	299	0.00	93	110	0.00	409
MTD		8,626	1.10		6,579	1.58	15,205

STREAM FLOWS

Gauging Station	05/31/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	129	8,420
NRTT : Nueces River at Tilden, Texas	77	6,761
FRTT : Frio River at Tilden, Texas	18	3,023
SMTT : San Miguel Creek at Tilden, Texas	0	328
ARWT : Atascosa River at Whitsett, Texas	1	374
Release from Choke Canyon Reservoir	66	2,031
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	258	8,045
NCAT : Nueces River at Calallen, Texas	0	597
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	82	9,741

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	99
Return Flow Credit (Effective: 05/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 9,741	1,200
Estuary Inflows (Measured at NCAT)	597
PassThru Surplus / -Deficit:	-4

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/01/2001
05/31/2001	141	3,971	15,877	4,100	129	44.0	43.7

Report Generated: 06/01/2001 at 8:00:15 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 2, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/02/2000	199.6	270,616	38.9%	87.0	121,410	50.3%	392,026	41.9%
06/02/2001	198.5	254,747	36.6%	84.4	87,234	36.2%	341,981	36.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/01/2001	99	299	0.00	96	321	0.00	620
MTD		299	0.00		321	0.00	620

STREAM FLOWS

Gauging Station	06/01/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	115	115
NRTT : Nueces River at Tilden, Texas	71	71
FRTT : Frio River at Tilden, Texas	16	16
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	1
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	268	268
NCAT : Nueces River at Calallen, Texas	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	66	66

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-4
Return Flow Credit (Effective:)	0
Passthru Target: 1,200 Reservoir Inflow: 66	66
Estuary Inflows (Measured at NCAT)	0
PassThru Surplus / -Deficit:	-70

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/02/2001
06/01/2001	141	141	16,018	4,100	3,959	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 3, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/03/2000	199.5	270,022	38.8%	86.9	120,539	50.0%	390,561	41.7%
06/03/2001	198.4	254,177	36.6%	84.4	87,234	36.2%	341,411	36.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/02/2001	100	382	0.00	96	294	0.00	676
MTD		681	0.00		615	0.00	1,296

STREAM FLOWS

Gauging Station	06/02/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	222
NRTT : Nueces River at Tilden, Texas	67	139
FRTT : Frio River at Tilden, Texas	16	32
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	2
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	278	546
NCAT : Nueces River at Calallen, Texas	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	57	123

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-4
Return Flow Credit (Effective:)	0
Passthru Target: 1,200 Reservoir Inflow: 123	123
Estuary Inflows (Measured at NCAT)	0
PassThru Surplus / -Deficit:	-127

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/03/2001
06/02/2001	141	281	16,158	4,100	3,819	44.0	43.8

Report Generated: 06/03/2001 at 7:55:04 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 4, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/04/2000	199.5	269,578	38.8%	86.8	119,671	49.6%	389,249	41.6%
06/04/2001	198.4	253,608	36.5%	84.3	86,417	35.8%	340,025	36.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/03/2001	100	406	0.00	95	305	0.00	711
MTD		1,087	0.00		920	0.00	2,007

STREAM FLOWS

Gauging Station	06/03/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	324
NRTT : Nueces River at Tilden, Texas	66	204
FRTT : Frio River at Tilden, Texas	18	50
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	3
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	270	816
NCAT : Nueces River at Calallen, Texas	2	2
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	54	177

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-4
Return Flow Credit (Effective:)	0
Passthru Target: 1,200 Reservoir Inflow: 177	177
Estuary Inflows (Measured at NCAT)	2
PassThru Surplus / -Deficit:	-179

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/04/2001
06/03/2001	140	421	16,298	4,100	3,679	44.0	43.8

Report Generated: 06/04/2001 at 8:07:42 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 5, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/05/2000	199.7	273,150	39.3%	86.8	119,094	49.4%	392,244	41.9%
06/05/2001	198.4	253,182	36.4%	84.3	86,417	35.8%	339,599	36.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/04/2001	96	339	0.00	92	244	0.00	583
MTD		1,426	0.00		1,164	0.00	2,590

STREAM FLOWS

Gauging Station	06/04/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	421
NRTT : Nueces River at Tilden, Texas	67	272
FRTT : Frio River at Tilden, Texas	22	72
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	3
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	1,078
NCAT : Nueces River at Calallen, Texas	11	13
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	54	231

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 231	231
Estuary Inflows (Measured at NCAT)	13
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/05/2001
06/04/2001	140	562	16,439	4,100	3,538	44.0	43.6

Report Generated: 06/05/2001 at 8:03:48 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 6, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/06/2000	199.7	272,552	39.2%	86.8	118,805	49.2%	391,357	41.8%
06/06/2001	198.4	252,898	36.4%	84.3	86,185	35.7%	339,083	36.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/05/2001	94	298	0.00	92	230	0.00	528
MTD		1,724	0.00		1,394	0.00	3,118

STREAM FLOWS

Gauging Station	06/05/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	518
NRTT : Nueces River at Tilden, Texas	62	333
FRTT : Frio River at Tilden, Texas	20	92
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	4
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	254	1,332
NCAT : Nueces River at Calallen, Texas	5	18
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	52	283

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 283	283
Estuary Inflows (Measured at NCAT)	18
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/06/2001
06/05/2001	140	702	16,579	4,100	3,398	44.0	43.6

Report Generated: 06/06/2001 at 8:34:54 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 7, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/07/2000	199.7	272,403	39.2%	86.8	118,517	49.1%	390,920	41.7%
06/07/2001	198.3	252,472	36.3%	84.2	85,260	35.3%	337,732	36.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/06/2001	100	339	0.00	100	248	0.00	587
MTD		2,063	0.00		1,642	0.00	3,705

STREAM FLOWS

Gauging Station	06/06/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	615
NRTT : Nueces River at Tilden, Texas	54	387
FRTT : Frio River at Tilden, Texas	18	111
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	5
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	256	1,588
NCAT : Nueces River at Calallen, Texas	0	18
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	50	333

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 333	333
Estuary Inflows (Measured at NCAT)	18
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/07/2001
06/06/2001	140	842	16,719	4,100	3,258	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 8, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/08/2000	199.7	272,254	39.2%	86.8	119,238	49.4%	391,492	41.8%
06/08/2001	198.3	252,048	36.3%	84.2	84,687	35.1%	336,735	36.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/07/2001	100	355	0.00	100	280	0.00	635
MTD		2,418	0.00		1,922	0.00	4,340

STREAM FLOWS

Gauging Station	06/07/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	707
NRTT : Nueces River at Tilden, Texas	46	433
FRTT : Frio River at Tilden, Texas	17	128
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	7
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	276	1,864
NCAT : Nueces River at Calallen, Texas	0	18
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	43	376

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 376	376
Estuary Inflows (Measured at NCAT)	18
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/08/2001
06/07/2001	140	982	16,859	4,100	3,118	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 9, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/09/2000	199.7	272,702	39.2%	86.8	118,661	49.2%	391,363	41.8%
06/09/2001	198.3	251,906	36.2%	84.2	84,687	35.1%	336,593	35.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/08/2001	93	247	0.04	95	253	0.00	500
MTD		2,665	0.04		2,175	0.00	4,840

STREAM FLOWS

Gauging Station	06/08/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	792
NRTT : Nueces River at Tilden, Texas	40	472
FRTT : Frio River at Tilden, Texas	16	144
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	8
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	256	2,120
NCAT : Nueces River at Calallen, Texas	0	18
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	411

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 411	411
Estuary Inflows (Measured at NCAT)	18
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/09/2001
06/08/2001	140	1,122	16,999	4,100	2,978	44.0	43.4

Report Generated: 06/09/2001 at 7:51:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 9, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/09/2000	199.7	272,702	39.2%	86.8	118,661	49.2%	391,363	41.8%
06/09/2001	198.3	251,906	36.2%	84.2	84,687	35.1%	336,593	35.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/08/2001	93	247	0.04	95	253	0.00	500
MTD		2,665	0.04		2,175	0.00	4,840

STREAM FLOWS

Gauging Station	06/08/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	792
NRTT : Nueces River at Tilden, Texas	40	472
FRTT : Frio River at Tilden, Texas	16	144
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	8
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	256	2,120
NCAT : Nueces River at Calallen, Texas	0	18
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	36	411

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 411	411
Estuary Inflows (Measured at NCAT)	18
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/09/2001
06/08/2001	140	1,222	16,999	4,100	2,978	44.0	43.4

Report Generated: 06/09/2001 at 7:51:37 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 10, 2001

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/10/2001	200.0	276,452	39.8%	86.8	119,094	49.4%	395,546	42.2%
06/10/2001	198.3	251,482	36.2%	84.2	84,573	35.1%	336,055	35.9%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/09/2001	94	305	0.00	89	253	0.00	558
MTD		2,970	0.04		2,428	0.00	5,398

STREAM FLOWS

Gauging Station	06/09/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	81	873
<u>NRTT</u> : Nueces River at Tilden, Texas	34	506
<u>FRTT</u> : Frio River at Tilden, Texas	15	159
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	2	10
Release from Choke Canyon Reservoir	66	590
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	208	2,328
<u>NCAT</u> : Nueces River at Calallen, Texas	40	57
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	31	442

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 442	442
Estuary Inflows (Measured at NCAT)	57
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/10/2001
06/09/2001	140	1,262	17,139	4,100	2,838	44.0	43.4

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 11, 2001

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/11/2001	200.0	277,055	39.8%	86.9	120,394	49.9%	397,449	42.4%
06/11/2001	198.2	251,199	36.1%	84.1	83,890	34.8%	335,089	35.8%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/10/2001	97	313	0.00	95	258	0.00	571
MTD		3,283	0.04		2,686	0.00	5,969

STREAM FLOWS

Gauging Station	06/10/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	77	951
<u>NRTT</u> : Nueces River at Tilden, Texas	26	532
<u>FRTT</u> : Frio River at Tilden, Texas	13	172
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	2	11
Release from Choke Canyon Reservoir	66	655
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	189	2,517
<u>NCAT</u> : Nueces River at Calallen, Texas	54	111
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	25	468

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 468	468
Estuary Inflows (Measured at NCAT)	111
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/11/2001
06/10/2001	140	1,402	17,279	4,100	2,698	44.0	43.4

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 12, 2001

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/12/2000	200.0	277,055	39.8%	87.0	122,137	50.6%	399,192	42.6%
06/12/2001	198.2	250,776	36.1%	84.1	83,437	34.6%	334,213	35.7%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/11/2001	100	321	0.00	99	296	0.00	617
MTD		3,604	0.04		2,982	0.00	6,586

STREAM FLOWS

Gauging Station	06/11/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	73	1,024
<u>NRTT</u> : Nueces River at Tilden, Texas	22	554
<u>FRTT</u> : Frio River at Tilden, Texas	12	184
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	2	13
Release from Choke Canyon Reservoir	66	721
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	218	2,735
<u>NCAT</u> : Nueces River at Calallen, Texas	16	128
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	19	487

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 487	487
Estuary Inflows (Measured at NCAT)	128
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/12/2001
06/11/2001	140	1,542	17,419	4,100	2,558	44.0	43.4

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 13, 2001

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/13/2001	199.9	276,000	39.7%	87.3	126,542	52.5%	402,542	43.0%
06/13/2001	198.2	250,494	36.0%	84.0	82,762	34.3%	333,256	35.6%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/12/2001	103	386	0.00	99	307	0.00	693
MTD		3,990	0.04		3,289	0.00	7,279

STREAM FLOWS

Gauging Station	06/12/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	69	1,094
<u>NRTT</u> : Nueces River at Tilden, Texas	18	571
<u>FRTT</u> : Frio River at Tilden, Texas	10	193
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	2	15
Release from Choke Canyon Reservoir	66	786
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	260	2,995
<u>NCAT</u> : Nueces River at Calallen, Texas	0	128
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	13	501

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 501	501
Estuary Inflows (Measured at NCAT)	128
PassThru Surplus / -Deficit:	123

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/13/2001
06/12/2001	140	1,681	17,558	4,100	2,419	44.0	43.3

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 14, 2001

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/14/2001	199.9	276,151	39.7%	87.6	131,313	54.4%	407,464	43.5%
06/14/2001	198.2	250,071	36.0%	83.9	81,647	33.8%	331,718	35.4%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/13/2001	100	328	0.00	97	258	0.00	586	
MTD		4,318	0.04		3,547	0.00	7,865	

STREAM FLOWS

Gauging Station	06/13/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	67	1,161
<u>NRTT</u> : Nueces River at Tilden, Texas	14	585
<u>FRTT</u> : Frio River at Tilden, Texas	9	202
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	1	16
Release from Choke Canyon Reservoir	66	852
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	280	3,275
<u>NCAT</u> : Nueces River at Calallen, Texas	0	128
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	11	512

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 512	512
Estuary Inflows (Measured at NCAT)	128
PassThru Surplus / -Deficit:	112

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/14/2001
06/13/2001	140	1,821	17,698	4,100	2,279	44.0	43.3

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 15, 2001

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/15/2001	199.9	275,098	39.6%	88.0	137,078	56.8%	412,176	44.0%
06/15/2001	198.1	249,649	35.9%	83.9	81,647	33.8%	331,296	35.4%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/14/2001	101	418	0.01	96	232	0.00	650	
MTD		4,736	0.05		3,779	0.00	8,515	

STREAM FLOWS

Gauging Station	06/14/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	66	1,227
<u>NRTT</u> : Nueces River at Tilden, Texas	11	596
<u>FRTT</u> : Frio River at Tilden, Texas	8	210
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	1	18
Release from Choke Canyon Reservoir	66	917
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	290	3,565
<u>NCAT</u> : Nueces River at Calallen, Texas	0	128
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8	519

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 519	519
Estuary Inflows (Measured at NCAT)	128
PassThru Surplus / -Deficit:	104

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/15/2001
06/14/2001	139	1,960	17,837	4,100	2,140	44.0	43.2

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 16, 2001

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/16/2000	199.8	274,348	39.5%	88.1	138,458	57.4%	412,806	44.1%
06/16/2001	198.1	249,368	35.9%	83.9	81,758	33.9%	331,126	35.4%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/15/2001	96	295	0.06	89	252	0.00	547	
MTD		5,031	0.11		4,031	0.00	9,062	

STREAM FLOWS

Gauging Station	06/15/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	66	1,292
<u>NRTT</u> : Nueces River at Tilden, Texas	9	605
<u>FRTT</u> : Frio River at Tilden, Texas	7	217
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	2	19
Release from Choke Canyon Reservoir	66	983
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	238	3,803
<u>NCAT</u> : Nueces River at Calallen, Texas	0	128
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7	527

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 527	527
Estuary Inflows (Measured at NCAT)	128
PassThru Surplus / -Deficit:	97

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/16/2001
06/15/2001	113	2,073	17,950	4,100	2,027	44.0	43.3

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 17, 2001

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/17/2000	199.7	273,150	39.3%	88.1	137,997	57.2%	411,147	43.9%
06/17/2001	198.1	248,946	35.8%	83.9	81,315	33.7%	330,261	35.3%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/16/2001	98	180	0.00	94	219	0.00	399
MTD		5,211	0.11		4,250	0.00	9,461

STREAM FLOWS

Gauging Station	06/16/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	66	1,358
<u>NRTT</u> : Nueces River at Tilden, Texas	8	613
<u>FRTT</u> : Frio River at Tilden, Texas	9	226
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	2	21
Release from Choke Canyon Reservoir	66	1,048
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	204	4,008
<u>NCAT</u> : Nueces River at Calallen, Texas	0	128
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	9	535

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 535	535
Estuary Inflows (Measured at NCAT)	128
PassThru Surplus / -Deficit:	88

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/17/2001
06/16/2001	89	2,162	18,039	4,100	1,938	44.0	43.3

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 18, 2001

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/18/2000	199.7	272,254	39.2%	88.0	137,690	57.1%	409,944	43.8%
06/18/2001	198.0	248,525	35.7%	83.8	80,874	33.5%	329,399	35.2%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/17/2001	99	335	0.00	96	243	0.00	578
MTD		5,546	0.11		4,493	0.00	10,039

STREAM FLOWS

Gauging Station	06/17/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	66	1,423
<u>NRTT</u> : Nueces River at Tilden, Texas	7	619
<u>FRTT</u> : Frio River at Tilden, Texas	7	233
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	2	23
Release from Choke Canyon Reservoir	66	1,114
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	264	4,272
<u>NCAT</u> : Nueces River at Calallen, Texas	0	128
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7	542

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 542	542
Estuary Inflows (Measured at NCAT)	128
PassThru Surplus / -Deficit:	81

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/18/2001
06/17/2001	140	2,302	18,179	4,100	1,798	44.0	43.3

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 19, 2001

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/19/2001	199.8	274,048	39.4%	88.1	137,997	57.2%	412,045	44.0%
06/19/2001	198.0	247,965	35.7%	83.8	80,326	33.3%	328,291	35.1%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/18/2001	97	367	0.00	95	236	0.00	603
MTD		5,913	0.11		4,729	0.00	10,642

STREAM FLOWS

Gauging Station	06/18/2001 (AcFt)	MTD (AcFt)
NRTT : Nueces River at Three Rivers, Texas	64	1,487
NRTT : Nueces River at Tilden, Texas	5	624
FRTT : Frio River at Tilden, Texas	4	236
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	25
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	278	4,550
NCAT : Nueces River at Calallen, Texas	0	128
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	11	553

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 553	553
Estuary Inflows (Measured at NCAT)	128
PassThru Surplus / -Deficit:	71

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/19/2001
06/18/2001	140	2,442	18,319	4,100	1,658	44.0	43.2

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 20, 2001

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/20/2000	199.8	273,449	39.3%	88.0	137,231	56.9%	410,680	43.9%
06/20/2001	198.0	247,545	35.6%	83.7	79,782	33.1%	327,327	35.0%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/19/2001	98	342	0.00	95	291	0.00	633
MTD		6,255	0.11		5,020	0.00	11,275

STREAM FLOWS

Gauging Station	06/19/2001 (AcFt)	MTD (AcFt)
NRTT : Nueces River at Three Rivers, Texas	64	1,550
NRTT : Nueces River at Tilden, Texas	3	627
FRTT : Frio River at Tilden, Texas	3	239
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	27
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	288	4,837
NCAT : Nueces River at Calallen, Texas	0	128
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	8	561

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 561	561
Estuary Inflows (Measured at NCAT)	128
PassThru Surplus / -Deficit:	63

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/20/2001
06/19/2001	172	2,614	18,491	4,100	1,486	44.0	43.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 21, 2001

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/21/2000	200.0	277,659	39.9%	87.9	135,398	56.1%	413,057	44.1%
06/21/2001	197.9	247,126	35.5%	83.7	79,456	32.9%	326,582	34.9%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/20/2001	99	366	0.00	93	246	0.00	612
MTD		6,621	0.11		5,266	0.00	11,887

STREAM FLOWS

Gauging Station	06/20/2001 (AcFt)	MTD (AcFt)
NRTT : Nueces River at Three Rivers, Texas	64	1,614
NRTT : Nueces River at Tilden, Texas	0	627
FRTT : Frio River at Tilden, Texas	2	241
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	28
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	331	5,169
NCAT : Nueces River at Calallen, Texas	0	128
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	4	564

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 564	564
Estuary Inflows (Measured at NCAT)	128
PassThru Surplus / -Deficit:	59

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/21/2001
06/20/2001	171	2,785	18,662	4,100	1,315	44.0	43.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 22, 2001

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/22/2000	200.0	277,206	39.9%	87.9	134,941	55.9%	412,147	44.0%
06/22/2001	197.9	246,707	35.5%	83.7	79,132	32.8%	325,839	34.8%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/21/2001	101	325	0.00	97	352	0.48	677
MTD		6,946	0.11		5,618	0.48	12,564

STREAM FLOWS

Gauging Station	06/21/2001 (AcFt)	MTD (AcFt)
NRTT : Nueces River at Three Rivers, Texas	64	1,677
NRTT : Nueces River at Tilden, Texas	0	627
FRTT : Frio River at Tilden, Texas	2	243
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	29
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	375	5,544
NCAT : Nueces River at Calallen, Texas	0	128
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	2	566

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 566	566
Estuary Inflows (Measured at NCAT)	128
PassThru Surplus / -Deficit:	57

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/22/2001
06/21/2001	150	2,935	18,812	4,100	1,165	44.0	43.0

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 23, 2001

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/23/2001	200.0	277,055	39.8%	87.8	133,879	55.5%	410,934	43.9%
06/23/2001	197.9	246,428	35.4%	83.6	78,595	32.6%	325,023	34.7%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/22/2001	101	382	0.00	97	137	0.00	519
MTD		7,328	0.11		5,755	0.48	13,083

STREAM FLOWS

Gauging Station	06/22/2001 (AcFt)	MTD (AcFt)
NRTT : Nueces River at Three Rivers, Texas	64	1,741
NRTT : Nueces River at Tilden, Texas	0	627
FRTT : Frio River at Tilden, Texas	1	244
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	29
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	304	5,848
NCAT : Nueces River at Calallen, Texas	0	128
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	2	568

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 568	568
Estuary Inflows (Measured at NCAT)	128
PassThru Surplus / -Deficit:	56

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/23/2001
06/22/2001	141	3,076	18,953	4,100	1,024	44.0	43.0

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 24, 2001

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/24/2000	200.0	276,904	39.8%	87.7	132,066	54.7%	408,970	43.7%
06/24/2001	197.8	245,732	35.3%	83.6	78,061	32.4%	323,793	34.6%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/23/2001	100	340	0.00	96	273	0.00	613
MTD		7,668	0.11		6,028	0.48	13,696

STREAM FLOWS

Gauging Station	06/23/2001 (AcFt)	MTD (AcFt)
NRTT : Nueces River at Three Rivers, Texas	64	1,804
NRTT : Nueces River at Tilden, Texas	0	627
FRTT : Frio River at Tilden, Texas	1	245
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	30
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	228	6,076
NCAT : Nueces River at Calallen, Texas	0	128
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	1	569

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 569	569
Estuary Inflows (Measured at NCAT)	128
PassThru Surplus / -Deficit:	54

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/24/2001
06/23/2001	140	3,217	19,094	4,100	883	44.0	43.0

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 25, 2001

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/25/2001	200.0	276,603	39.8%	87.6	130,863	54.2%	407,466	43.5%
06/25/2001	197.9	246,011	35.4%	83.5	77,635	32.2%	323,646	34.6%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/24/2001	92	114	0.56	94	210	0.00	324
MTD		7,782	0.67		6,238	0.48	14,020

STREAM FLOWS

Gauging Station	06/24/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	66	1,870
<u>NRTT</u> : Nueces River at Tilden, Texas	0	627
<u>FRTT</u> : Frio River at Tilden, Texas	0	245
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	1	31
Release from Choke Canyon Reservoir	66	1,572
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	280	6,356
<u>NCAT</u> : Nueces River at Calallen, Texas	0	128
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	569

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 569	569
Estuary Inflows (Measured at NCAT)	128
PassThru Surplus / -Deficit:	54

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/25/2001
06/24/2001	140	3,357	19,234	4,100	743	44.0	43.0

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 26, 2001

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/26/2000	200.0	276,452	39.8%	87.5	129,814	53.8%	406,266	43.4%
06/26/2001	197.8	245,732	35.3%	83.5	77,212	32.0%	322,944	34.5%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/25/2001	94	235	0.00	93	80	0.00	315
MTD		8,017	0.67		6,318	0.48	14,335

STREAM FLOWS

Gauging Station	06/25/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	67	1,937
<u>NRTT</u> : Nueces River at Tilden, Texas	0	627
<u>FRTT</u> : Frio River at Tilden, Texas	0	245
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	6	37
Release from Choke Canyon Reservoir	66	1,638
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	284	6,640
<u>NCAT</u> : Nueces River at Calallen, Texas	0	128
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	572

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 572	572
Estuary Inflows (Measured at NCAT)	128
PassThru Surplus / -Deficit:	52

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/26/2001
06/25/2001	139	3,496	19,373	4,100	604	44.0	43.0

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 27, 2001

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/27/2000	199.9	276,151	39.7%	87.5	128,918	53.4%	405,069	43.3%
06/27/2001	197.8	245,176	35.3%	83.4	76,687	31.8%	321,863	34.4%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/26/2001	100	348	0.00	94	250	0.00	598
MTD		8,365	0.67		6,568	0.48	14,933

STREAM FLOWS

Gauging Station	06/26/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	66	2,003
<u>NRTT</u> : Nueces River at Tilden, Texas	0	627
<u>FRTT</u> : Frio River at Tilden, Texas	0	245
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	7	44
Release from Choke Canyon Reservoir	66	1,703
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	264	6,904
<u>NCAT</u> : Nueces River at Calallen, Texas	0	128
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	572

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 572	572
Estuary Inflows (Measured at NCAT)	128
PassThru Surplus / -Deficit:	52

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/27/2001
06/26/2001	140	3,636	19,513	4,100	464	44.0	43.0

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 28, 2001

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/28/2000	199.9	275,398	39.6%	87.4	127,579	52.9%	402,977	43.0%
06/28/2001	197.8	244,760	35.2%	83.4	76,373	31.7%	321,133	34.3%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/27/2001	98	388	0.00	95	225	0.00	613
MTD		8,753	0.67		6,793	0.48	15,546

STREAM FLOWS

Gauging Station	06/27/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	69	2,072
<u>NRTT</u> : Nueces River at Tilden, Texas	0	627
<u>FRTT</u> : Frio River at Tilden, Texas	0	246
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	6	50
Release from Choke Canyon Reservoir	66	1,769
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	302	7,206
<u>NCAT</u> : Nueces River at Calallen, Texas	0	128
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	576

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 576	576
Estuary Inflows (Measured at NCAT)	128
PassThru Surplus / -Deficit:	48

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/28/2001
06/27/2001	140	3,776	19,653	4,100	324	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 29, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/29/2000	199.9	274,948	39.5%	87.3	126,098	52.3%	401,046	42.8%
06/29/2001	197.7	244,344	35.1%	83.3	75,541	31.3%	319,885	34.2%

Weather Related Information

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/28/2001	100	404	0.00	98	259	0.00	663	
MTD		9,157	0.67		7,052	0.48	16,209	

STREAM FLOWS

Gauging Station	06/28/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	69	2,142
<u>NRTT</u> : Nueces River at Tilden, Texas	0	627
<u>FRTT</u> : Frio River at Tilden, Texas	0	246
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	5	54
Release from Choke Canyon Reservoir	66	1,834
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	331	7,537
<u>NCAT</u> : Nueces River at Calallen, Texas	0	128
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	580

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 580	580
Estuary Inflows (Measured at NCAT)	128
PassThru Surplus / -Deficit:	43

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/29/2001
06/28/2001	139	3,915	19,792	4,100	185	44.0	42.9

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 30, 2001

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/30/2000	199.8	274,497	39.5%	87.2	125,214	51.9%	399,711	42.7%
06/30/2001	197.7	243,790	35.1%	83.3	75,438	31.3%	319,228	34.1%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/29/2001	98	338	0.00	96	277	0.00	615
MTD		9,495	0.67		7,329	0.48	16,824

STREAM FLOWS

Gauging Station	06/29/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	69	2,211
<u>NRTT</u> : Nueces River at Tilden, Texas	0	627
<u>FRTT</u> : Frio River at Tilden, Texas	0	246
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	3	58
Release from Choke Canyon Reservoir	66	1,900
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	212	7,749
<u>NCAT</u> : Nueces River at Calallen, Texas	0	128
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	584

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 584	584
Estuary Inflows (Measured at NCAT)	128
PassThru Surplus / -Deficit:	39

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	06/30/2001
06/29/2001	140	4,055	19,932	4,100	45	44.0	42.9