

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 1, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/01/2000	199.8	274,048	39.4%	87.1	123,745	51.3%	397,793	42.5%
07/01/2001	197.7	243,513	35.0%	83.3	74,923	31.1%	318,436	34.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/30/2001	100	362	0.00	96	263	0.00	625
MTD		9,857	0.67		7,592	0.48	17,449

STREAM FLOWS

Gauging Station	06/30/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	2,281
NRTT : Nueces River at Tilden, Texas	0	627
FRTT : Frio River at Tilden, Texas	0	246
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	59
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	330	8,079
NCAT : Nueces River at Calallen, Texas	0	128
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	588

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/04/2001)	-4
Return Flow Credit (Effective: 06/05/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 588	588
Estuary Inflows (Measured at NCAT)	128
PassThru Surplus / -Deficit:	35

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/01/2001
06/30/2001	144	4,199	20,076	4,100	-99	44.0	42.9

Report Generated: 07/01/2001 at 8:28:13 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 2, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/02/2001	199.8	273,599	39.4%	87.0	122,429	50.7%	396,028	42.3%
07/02/2001	197.6	242,961	34.9%	83.2	74,616	30.9%	317,577	33.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/01/2001	94	265	0.00	91	202	0.00	467
MTD		265	0.00		202	0.00	467

STREAM FLOWS

Gauging Station	07/01/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	66	66
<u>NRTT</u> : Nueces River at Tilden, Texas	0	0
<u>FRTT</u> : Frio River at Tilden, Texas	0	0
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	1	1
Release from Choke Canyon Reservoir	66	66
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	347	347
<u>NCAT</u> : Nueces River at Calallen, Texas	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	0

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 0	0
Estuary Inflows (Measured at NCAT)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/02/2001
07/01/2001	161	161	20,237	4,100	3,939	44.0	42.9

Report Generated: 07/02/2001 at 3:19:44 PM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 3, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/03/2001	199.7	273,150	39.3%	86.9	121,119	50.2%	394,269	42.1%
07/03/2001	197.6	242,823	34.9%	83.3	75,232	31.2%	318,055	34.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/02/2001	88	169	0.18	87	114	0.44	283
MTD		434	0.18		316	0.44	750

STREAM FLOWS

Gauging Station	07/02/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	67	133
<u>NRTT</u> : Nueces River at Tilden, Texas	0	0
<u>FRTT</u> : Frio River at Tilden, Texas	0	0
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	1	2
Release from Choke Canyon Reservoir	66	131
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	349	697
<u>NCAT</u> : Nueces River at Calallen, Texas	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	2

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 2	2
Estuary Inflows (Measured at NCAT)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/03/2001
07/02/2001	141	302	20,378	4,100	3,798	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 4, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/04/2000	199.7	272,254	39.2%	86.9	120,394	49.9%	392,648	41.9%
07/04/2001	197.7	244,067	35.1%	83.3	74,923	31.1%	318,990	34.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/03/2001	90	250	1.29	87	90	0.04	340
MTD		684	1.47		406	0.48	1,090

STREAM FLOWS

Gauging Station	07/03/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	199
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	3
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	266	963
NCAT : Nueces River at Calallen, Texas	48	48
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	0	3

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 3	3
Estuary Inflows (Measured at NCAT)	48
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/04/2001
07/03/2001	142	444	20,520	4,100	3,656	44.0	42.9

Report Generated: 07/04/2001 at 7:54:21 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 5, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/05/2000	199.7	271,956	39.1%	86.8	119,238	49.4%	391,194	41.8%
07/05/2001	197.7	243,652	35.0%	83.3	74,821	31.0%	318,473	34.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/04/2001	94	177	0.00	92	119	0.00	296
MTD		861	1.47		525	0.48	1,386

STREAM FLOWS

Gauging Station	07/04/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	266
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	6
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	1,177
NCAT : Nueces River at Calallen, Texas	54	101
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	5

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 5	5
Estuary Inflows (Measured at NCAT)	101
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/05/2001
07/04/2001	141	585	20,661	4,100	3,515	44.0	42.9

Report Generated: 07/05/2001 at 8:08:15 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 6, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/06/2000	199.6	271,360	39.0%	86.7	117,799	48.8%	389,159	41.6%
07/06/2001	197.7	243,237	35.0%	83.2	74,412	30.8%	317,649	33.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/05/2001	97	290	0.00	94	202	0.00	492
MTD		1,151	1.47		727	0.48	1,878

STREAM FLOWS

Gauging Station	07/05/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	331
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	8
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	216	1,393
NCAT : Nueces River at Calallen, Texas	5	106
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	0	5

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 5	5
Estuary Inflows (Measured at NCAT)	106
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/06/2001
07/05/2001	141	725	20,802	4,100	3,375	44.0	42.8

Report Generated: 07/06/2001 at 8:05:10 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 7, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/07/2000	199.6	270,913	39.0%	86.6	116,510	48.3%	387,423	41.4%
07/07/2001	197.6	242,685	34.9%	83.2	74,005	30.7%	316,690	33.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/06/2001	100	386	0.00	98	225	0.00	611
MTD		1,537	1.47		952	0.48	2,489

STREAM FLOWS

Gauging Station	07/06/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	395
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	9
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	208	1,602
NCAT : Nueces River at Calallen, Texas	0	106
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	1	6

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 6	6
Estuary Inflows (Measured at NCAT)	106
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/07/2001
07/06/2001	141	867	20,943	4,100	3,233	44.0	42.8

Report Generated: 07/07/2001 at 7:49:10 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 8, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/08/2000	199.6	270,468	38.9%	86.6	115,797	48.0%	386,265	41.2%
07/08/2001	197.6	242,409	34.9%	83.1	73,600	30.5%	316,009	33.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/07/2001	97	305	0.00	92	188	0.00	493
MTD		1,842	1.47		1,140	0.48	2,982

STREAM FLOWS

Gauging Station	07/07/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	459
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	9
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	1,828
NCAT : Nueces River at Calallen, Texas	0	106
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	1	7

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 7	7
Estuary Inflows (Measured at NCAT)	106
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/08/2001
07/07/2001	140	1,007	21,083	4,100	3,093	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 9, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/09/2000	199.5	270,022	38.8%	86.5	114,518	47.5%	384,540	41.1%
07/09/2001	197.6	241,859	34.8%	83.1	72,997	30.3%	314,856	33.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/08/2001	99	361	0.00	95	263	0.00	624
MTD		2,203	1.47		1,403	0.48	3,606

STREAM FLOWS

Gauging Station	07/08/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	522
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	10
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	250	2,078
NCAT : Nueces River at Calallen, Texas	0	106
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	1	8

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 8	8
Estuary Inflows (Measured at NCAT)	106
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/09/2001
07/08/2001	141	1,148	21,224	4,100	2,952	44.0	42.8

Report Generated: 07/09/2001 at 8:07:55 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 10, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/10/2000	199.5	269,578	38.8%	86.4	112,963	46.8%	382,541	40.8%
07/10/2001	197.5	241,583	34.7%	83.0	72,697	30.1%	314,280	33.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/09/2001	100	384	0.00	97	261	0.00	645
MTD		2,587	1.47		1,664	0.48	4,251

STREAM FLOWS

Gauging Station	07/09/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	584
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	11
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	264	2,342
NCAT : Nueces River at Calallen, Texas	0	106
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	1	9

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 9	9
Estuary Inflows (Measured at NCAT)	106
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/10/2001
07/09/2001	141	1,289	21,365	4,100	2,811	44.0	42.8

Report Generated: 07/10/2001 at 8:04:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 11, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/11/2000	199.5	269,133	38.7%	86.3	111,416	46.2%	380,549	40.6%
07/11/2001	197.5	241,034	34.7%	83.0	72,101	29.9%	313,135	33.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/10/2001	100	360	0.00	98	265	0.00	625
MTD		2,947	1.47		1,929	0.48	4,876

STREAM FLOWS

Gauging Station	07/10/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	50	633
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	12
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	302	2,644
NCAT : Nueces River at Calallen, Texas	0	106
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	1	11

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 11	11
Estuary Inflows (Measured at NCAT)	106
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/11/2001
07/10/2001	141	1,430	21,506	4,100	2,670	44.0	42.7

Report Generated: 07/11/2001 at 10:39:41 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 12, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/12/2000	199.4	268,690	38.6%	86.2	110,576	45.8%	379,266	40.5%
07/12/2001	197.5	240,485	34.6%	83.0	71,805	29.8%	312,290	33.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/11/2001	101	367	0.00	98	293	0.00	660
MTD		3,314	1.47		2,222	0.48	5,536

STREAM FLOWS

Gauging Station	07/11/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	691
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	13
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	363	3,007
NCAT : Nueces River at Calallen, Texas	0	106
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	1	12

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 12	12
Estuary Inflows (Measured at NCAT)	106
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/12/2001
07/11/2001	139	1,569	21,646	4,100	2,531	44.0	42.6

Report Generated: 07/12/2001 at 8:22:02 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 13, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/13/2000	199.4	268,246	38.6%	86.1	109,461	45.4%	377,707	40.3%
07/13/2001	197.4	240,075	34.5%	82.9	71,020	29.4%	311,095	33.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/12/2001	102	383	0.00	98	278	0.00	661
MTD		3,697	1.47		2,500	0.48	6,197

STREAM FLOWS

Gauging Station	07/12/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	742
NRTT : Nueces River at Tilden, Texas	218	219
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	14
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	409	3,416
NCAT : Nueces River at Calallen, Texas	0	106
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	220	232

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 232	232
Estuary Inflows (Measured at NCAT)	106
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/13/2001
07/12/2001	139	1,709	21,785	4,100	2,391	44.0	42.6

Report Generated: 07/13/2001 at 8:11:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 14, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/14/2000	199.4	267,803	38.5%	86.0	108,350	44.9%	376,153	40.2%
07/14/2001	197.4	239,528	34.5%	82.8	70,728	29.3%	310,256	33.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/13/2001	103	358	0.00	100	260	0.00	618
MTD		4,055	1.47		2,760	0.48	6,815

STREAM FLOWS

Gauging Station	07/13/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	794
NRTT : Nueces River at Tilden, Texas	276	495
FRTT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	15
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	457	3,873
NCAT : Nueces River at Calallen, Texas	0	106
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	277	508

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 508	508
Estuary Inflows (Measured at NCAT)	106
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/14/2001
07/13/2001	139	1,848	21,924	4,100	2,252	44.0	42.5

Report Generated: 07/14/2001 at 7:55:39 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 15, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/15/2000	199.4	267,361	38.5%	86.0	107,382	44.5%	374,743	40.0%
07/15/2001	197.4	239,118	34.4%	82.8	70,052	29.0%	309,170	33.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/14/2001	103	366	0.00	101	179	0.00	545
MTD		4,421	1.47		2,939	0.48	7,360

STREAM FLOWS

Gauging Station	07/14/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	105	899
NRTT : Nueces River at Tilden, Texas	204	699
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	16
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	457	4,329
NCAT : Nueces River at Calallen, Texas	0	106
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	40	548

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 548	548
Estuary Inflows (Measured at NCAT)	106
PassThru Surplus / -Deficit:	93

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/15/2001
07/14/2001	140	1,989	22,065	4,100	2,111	44.0	42.5

Report Generated: 07/15/2001 at 8:15:50 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 16, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/16/2000	199.3	266,919	38.4%	85.9	106,695	44.2%	373,614	39.9%
07/16/2001	197.3	238,709	34.3%	82.7	69,764	28.9%	308,473	32.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/15/2001	102	357	0.00	101	246	0.00	603
MTD		4,778	1.47		3,185	0.48	7,963

STREAM FLOWS

Gauging Station	07/15/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	155	1,054
NRTT : Nueces River at Tilden, Texas	163	862
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	18
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	415	4,744
NCAT : Nueces River at Calallen, Texas	1	107
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	90	638

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 638	638
Estuary Inflows (Measured at NCAT)	107
PassThru Surplus / -Deficit:	4

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/16/2001
07/15/2001	141	2,130	22,206	4,100	1,970	44.0	42.5

Report Generated: 07/16/2001 at 8:07:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 17, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/17/2000	199.3	266,625	38.3%	85.9	106,011	43.9%	372,636	39.8%
07/17/2001	197.3	238,436	34.3%	82.7	69,477	28.8%	307,913	32.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/16/2001	100	357	0.00	97	245	0.00	602
MTD		5,135	1.47		3,430	0.48	8,565

STREAM FLOWS

Gauging Station	07/16/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	121	1,175
NRTT : Nueces River at Tilden, Texas	143	1,005
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	19
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	407	5,151
NCAT : Nueces River at Calallen, Texas	28	135
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	56	693

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 693	693
Estuary Inflows (Measured at NCAT)	135
PassThru Surplus / -Deficit:	-24

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/17/2001
07/16/2001	141	2,271	22,347	4,100	1,829	44.0	42.4

Report Generated: 07/17/2001 at 8:10:23 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 18, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/18/2000	199.3	266,037	38.3%	85.8	105,466	43.7%	371,503	39.7%
07/18/2001	197.3	237,892	34.2%	82.7	69,001	28.6%	306,893	32.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/17/2001	101	356	0.00	98	210	0.00	566
MTD		5,491	1.47		3,640	0.48	9,131

STREAM FLOWS

Gauging Station	07/17/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	1,270
NRTT : Nueces River at Tilden, Texas	99	1,104
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	20
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	383	5,534
NCAT : Nueces River at Calallen, Texas	42	176
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	30	723

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 723	723
Estuary Inflows (Measured at NCAT)	176
PassThru Surplus / -Deficit:	-12

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/18/2001
07/17/2001	141	2,412	22,489	4,100	1,688	44.0	42.3

Report Generated: 07/18/2001 at 8:20:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 19, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/19/2000	199.2	265,157	38.1%	85.8	104,923	43.5%	370,080	39.5%
07/19/2001	197.2	237,484	34.2%	82.6	68,717	28.5%	306,201	32.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/18/2001	101	372	0.00	100	236	0.00	608
MTD		5,863	1.47		3,876	0.48	9,739

STREAM FLOWS

Gauging Station	07/18/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	1,364
NRTT : Nueces River at Tilden, Texas	50	1,154
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	22
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	371	5,905
NCAT : Nueces River at Calallen, Texas	20	196
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	28	751

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 751	751
Estuary Inflows (Measured at NCAT)	196
PassThru Surplus / -Deficit:	-20

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/19/2001
07/18/2001	141	2,553	22,629	4,100	1,547	44.0	42.3

Report Generated: 07/19/2001 at 8:21:11 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 20, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/20/2000	199.2	265,010	38.1%	85.7	104,382	43.3%	369,392	39.4%
07/20/2001	197.2	237,077	34.1%	82.6	68,153	28.3%	305,230	32.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/19/2001	102	379	0.00	98	256	0.00	635
MTD		6,242	1.47		4,132	0.48	10,374

STREAM FLOWS

Gauging Station	07/19/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	1,445
NRTT : Nueces River at Tilden, Texas	32	1,185
FRTT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	24
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	369	6,275
NCAT : Nueces River at Calallen, Texas	0	196
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	16	767

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 767	767
Estuary Inflows (Measured at NCAT)	196
PassThru Surplus / -Deficit:	-36

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/20/2001
07/19/2001	141	2,694	22,770	4,100	1,406	44.0	42.3

Report Generated: 07/20/2001 at 9:28:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 21, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/21/2000	199.2	264,425	38.0%	85.7	103,574	42.9%	367,999	39.3%
07/21/2001	197.2	236,805	34.1%	82.5	67,687	28.1%	304,492	32.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/20/2001	101	395	0.00	98	292	0.00	687
MTD		6,637	1.47		4,424	0.48	11,061

STREAM FLOWS

Gauging Station	07/20/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	1,521
NRTT : Nueces River at Tilden, Texas	15	1,200
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	26
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	375	6,650
NCAT : Nueces River at Calallen, Texas	2	199
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10	778

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 778	778
Estuary Inflows (Measured at NCAT)	199
PassThru Surplus / -Deficit:	-44

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/21/2001
07/20/2001	141	2,835	22,912	4,100	1,265	44.0	42.2

Report Generated: 07/21/2001 at 7:49:34 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 22, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/22/2000	199.1	263,840	37.9%	85.6	103,039	42.7%	366,879	39.2%
07/22/2001	197.2	236,399	34.0%	82.5	67,316	27.9%	303,715	32.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/21/2001	103	410	0.00	100	259	0.00	669
MTD		7,047	1.47		4,683	0.48	11,730

STREAM FLOWS

Gauging Station	07/21/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	1,592
NRTT : Nueces River at Tilden, Texas	8	1,208
FRTT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	27
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	347	6,997
NCAT : Nueces River at Calallen, Texas	18	216
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6	784

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 784	784
Estuary Inflows (Measured at NCAT)	216
PassThru Surplus / -Deficit:	-32

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/22/2001
07/21/2001	141	2,976	23,052	4,100	1,124	44.0	42.2

Report Generated: 07/22/2001 at 7:46:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 23, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/23/2000	199.1	263,402	37.9%	85.6	102,638	42.5%	366,040	39.1%
07/23/2001	197.1	235,723	33.9%	82.4	66,763	27.7%	302,486	32.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/22/2001	103	409	0.00	101	251	0.00	660
MTD		7,456	1.47		4,934	0.48	12,390

STREAM FLOWS

Gauging Station	07/22/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,659
NRTT : Nueces River at Tilden, Texas	6	1,214
FRIT : Frio River at Tilden, Texas	0	4
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	2	29
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	355	7,352
NCAT : Nueces River at Calallen, Texas	0	216
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2	786

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 786	786
Estuary Inflows (Measured at NCAT)	216
PassThru Surplus / -Deficit:	-34

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/23/2001
07/22/2001	141	3,117	23,193	4,100	983	44.0	42.2

Report Generated: 07/23/2001 at 8:12:38 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 24, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/24/2000	199.1	263,110	37.8%	85.6	101,974	42.3%	365,084	39.0%
07/24/2001	197.1	235,318	33.8%	82.4	66,398	27.5%	301,716	32.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/23/2001	101	385	0.00	97	244	0.00	629
MTD		7,841	1.47		5,178	0.48	13,019

STREAM FLOWS

Gauging Station	07/23/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,727
NRTT : Nueces River at Tilden, Texas	5	1,219
FRTT : Frio River at Tilden, Texas	1	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	1	30
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	349	7,702
NCAT : Nueces River at Calallen, Texas	0	216
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3	788

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 788	788
Estuary Inflows (Measured at NCAT)	216
PassThru Surplus / -Deficit:	-37

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/24/2001
07/23/2001	141	3,258	23,334	4,100	842	44.0	42.2

Report Generated: 07/24/2001 at 8:02:11 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 25, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/25/2000	199.0	262,528	37.8%	85.5	101,049	41.9%	363,577	38.8%
07/25/2001	197.0	234,778	33.8%	82.3	66,034	27.4%	300,812	32.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/24/2001	101	322	0.00	98	185	0.00	507
MTD		8,163	1.47		5,363	0.48	13,526

STREAM FLOWS

Gauging Station	07/24/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,794
NRTT : Nueces River at Tilden, Texas	4	1,223
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	30
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	371	8,073
NCAT : Nueces River at Calallen, Texas	0	216
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	791

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 791	791
Estuary Inflows (Measured at NCAT)	216
PassThru Surplus / -Deficit:	-39

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/25/2001
07/24/2001	141	3,398	23,475	4,100	702	44.0	42.1

Report Generated: 07/25/2001 at 8:16:10 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 26, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/26/2000	199.0	262,091	37.7%	85.4	100,261	41.6%	362,352	38.7%
07/26/2001	197.0	234,105	33.7%	82.3	65,673	27.2%	299,778	32.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/25/2001	100	321	0.00	98	194	0.00	515
MTD		8,484	1.47		5,557	0.48	14,041

STREAM FLOWS

Gauging Station	07/25/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	1,864
NRTT : Nueces River at Tilden, Texas	2	1,225
FRIT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	30
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	407	8,480
NCAT : Nueces River at Calallen, Texas	0	216
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4	795

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 795	795
Estuary Inflows (Measured at NCAT)	216
PassThru Surplus / -Deficit:	-44

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/26/2001
07/25/2001	140	3,539	23,615	4,100	561	44.0	42.1

Report Generated: 07/26/2001 at 8:13:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 27, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/27/2000	199.0	261,510	37.6%	85.4	99,738	41.3%	361,248	38.6%
07/27/2001	197.0	233,836	33.6%	82.3	65,314	27.1%	299,150	31.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/26/2001	100	352	0.00	98	193	0.00	545
MTD		8,836	1.47		5,750	0.48	14,586

STREAM FLOWS

Gauging Station	07/26/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,931
NRTT : Nueces River at Tilden, Texas	2	1,227
FRTT : Frio River at Tilden, Texas	0	5
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	30
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	409	8,889
NCAT : Nueces River at Calallen, Texas	0	216
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2	797

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 797	797
Estuary Inflows (Measured at NCAT)	216
PassThru Surplus / -Deficit:	-46

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/27/2001
07/26/2001	140	3,678	23,755	4,100	422	44.0	42.0

Report Generated: 07/27/2001 at 8:21:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 28, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/28/2000	198.9	261,220	37.6%	85.4	99,218	41.1%	360,438	38.5%
07/28/2001	196.9	233,299	33.6%	82.2	64,601	26.8%	297,900	31.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/27/2001	99	305	0.00	99	217	0.00	522
MTD		9,141	1.47		5,967	0.48	15,108

STREAM FLOWS

Gauging Station	07/27/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	2,001
NRTT : Nueces River at Tilden, Texas	1	1,228
FRTT : Frio River at Tilden, Texas	1	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	30
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	411	9,300
NCAT : Nueces River at Calallen, Texas	0	216
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5	802

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 802	802
Estuary Inflows (Measured at NCAT)	216
PassThru Surplus / -Deficit:	-50

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/28/2001
07/27/2001	140	3,818	23,894	4,100	282	44.0	42.0

Report Generated: 07/28/2001 at 8:00:58 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 29, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/29/2000	198.9	260,785	37.5%	85.3	98,312	40.8%	359,097	38.3%
07/29/2001	196.9	233,031	33.5%	82.1	64,072	26.6%	297,103	31.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/28/2001	104	351	0.00	101	245	0.00	596
MTD		9,492	1.47		6,212	0.48	15,704

STREAM FLOWS

Gauging Station	07/28/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	2,070
NRTT : Nueces River at Tilden, Texas	0	1,228
FRTT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	30
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	413	9,713
NCAT : Nueces River at Calallen, Texas	0	216
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4	806

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 806	806
Estuary Inflows (Measured at NCAT)	216
PassThru Surplus / -Deficit:	-54

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/29/2001
07/28/2001	140	3,958	24,034	4,100	142	44.0	42.0

Report Generated: 07/29/2001 at 7:56:36 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 30, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/30/2000	198.9	260,351	37.4%	85.2	97,797	40.5%	358,148	38.2%
07/30/2001	196.9	232,629	33.5%	82.0	63,374	26.3%	296,003	31.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/29/2001	101	390	0.00	98	232	0.00	622
MTD		9,882	1.47		6,444	0.48	16,326

STREAM FLOWS

Gauging Station	07/29/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	2,140
NRTT : Nueces River at Tilden, Texas	0	1,228
FRIT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	30
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	413	10,125
NCAT : Nueces River at Calallen, Texas	0	216
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4	810

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 810	810
Estuary Inflows (Measured at NCAT)	216
PassThru Surplus / -Deficit:	-58

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/30/2001
07/29/2001	140	4,097	24,174	4,100	3	44.0	42.0

Report Generated: 07/30/2001 at 8:12:23 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 31, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
07/31/2000	198.9	260,061	37.4%	85.2	97,285	40.3%	357,346	38.2%
07/31/2001	196.8	231,961	33.4%	82.0	63,115	26.2%	295,076	31.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
07/30/2001	101	381	0.00	98	267	0.00	648
MTD		10,263	1.47		6,711	0.48	16,974

STREAM FLOWS

Gauging Station	07/30/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	2,207
NRTT : Nueces River at Tilden, Texas	0	1,228
FRIT : Frio River at Tilden, Texas	0	6
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	0	30
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	443	10,568
NCAT : Nueces River at Calallen, Texas	0	216
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2	812

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	35
Return Flow Credit (Effective: 07/01/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 812	812
Estuary Inflows (Measured at NCAT)	216
PassThru Surplus / -Deficit:	-61

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2001		Elevation (Ft)	
				Allocation	Remaining	Full	07/31/2001
07/30/2001	140	4,237	24,313	4,100	-137	44.0	42.0

Report Generated: 07/31/2001 at 8:03:52 AM