

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 1, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/01/2000	198.0	247,825	35.6%	83.9	82,203	34.1%	330,028	35.2%
09/01/2001	196.5	226,924	32.6%	86.5	115,370	47.8%	342,294	36.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/31/2001	84	69	0.00	89	Pan overflow	1.30	68
MTD		8,949	3.74		4,992	6.27	13,941

STREAM FLOWS

Gauging Station	08/31/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	1,032	3,083
<u>NRTT</u> : Nueces River at Tilden, Texas	869	869
<u>FRTT</u> : Frio River at Tilden, Texas	93	130
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	1,336	1,876
<u>ARWT</u> : Atascosa River at Whitsett, Texas	75	114
Release from Choke Canyon Reservoir	66	2,031
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	328	12,779
<u>NCAT</u> : Nueces River at Calallen, Texas	1,243	1,598
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,396	3,058

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 0 Salinity Relief Credit: 0 Effective:	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/04/2001)	-63
Return Flow Credit (Effective: 08/05/2001)	500
Passthru Target: 0 Reservoir Inflow: 3,058	0
Estuary Inflows (Measured at NCAT)	1,598
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/01/2001
08/31/2001	78	3,777	28,230	4,100	323	44.0	43.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 2, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/02/2001	198.0	247,266	35.6%	83.9	81,536	33.8%	328,802	35.1%
09/02/2001	196.5	227,055	32.7%	87.5	129,087	53.5%	356,142	38.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/01/2001	93	161	0.00	93	174	0.00	335
MTD		161	0.00		174	0.00	335

STREAM FLOWS

Gauging Station	09/01/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	3,871	3,871
<u>NRTT</u> : Nueces River at Tilden, Texas	2,700	2,700
<u>FRTT</u> : Frio River at Tilden, Texas	85	85
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	175	175
<u>ARWT</u> : Atascosa River at Whitsett, Texas	1,249	1,249
Release from Choke Canyon Reservoir	66	66
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	1,423	1,423
<u>NCAT</u> : Nueces River at Calallen, Texas	1,850	1,850
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4,065	4,065

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective:)	0
Passthru Target: 1,200 Reservoir Inflow: 4,065	1,200
Estuary Inflows (Measured at NCAT)	1,850
PassThru Surplus / -Deficit:	650

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/02/2001
09/01/2001	77	77	28,307	4,100	4,023	44.0	43.1

Report Generated: 09/02/2001 at 8:50:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 3, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/03/2001	197.9	246,707	35.5%	83.9	81,205	33.7%	327,912	35.0%
09/03/2001	196.5	227,319	32.7%	87.7	132,669	55.0%	359,988	38.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/02/2001	97	199	0.00	98	220	0.00	419
MTD		360	0.00		394	0.00	754

STREAM FLOWS

Gauging Station	09/02/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	4,486	8,357
<u>NRTT</u> : Nueces River at Tilden, Texas	4,347	7,047
<u>FRTT</u> : Frio River at Tilden, Texas	570	655
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	18	192
<u>ARWT</u> : Atascosa River at Whitsett, Texas	1,346	2,594
Release from Choke Canyon Reservoir	66	131
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	270	1,693
<u>NCAT</u> : Nueces River at Calallen, Texas	1,542	3,392
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5,008	9,073

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 9,073	1,200
Estuary Inflows (Measured at NCAT)	3,392
PassThru Surplus / -Deficit:	2,692

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/03/2001
09/02/2001	77	154	28,384	4,100	3,946	44.0	43.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 4, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/04/2001	197.9	246,289	35.4%	83.8	80,655	33.4%	326,944	34.9%
09/04/2001	196.6	228,903	32.9%	87.9	136,008	56.4%	364,911	39.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/03/2001	93	177	1.55	97	213	0.11	390
MTD		537	1.55		607	0.11	1,144

STREAM FLOWS

Gauging Station	09/03/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,970	12,327
NRRT : Nueces River at Tilden, Texas	4,526	11,573
FRRT : Frio River at Tilden, Texas	109	764
SMTT : San Miguel Creek at Tilden, Texas	3	195
ARWT : Atascosa River at Whitsett, Texas	351	2,946
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	359	2,052
NCAT : Nueces River at Calallen, Texas	379	3,772
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	4,017	13,090

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 13,090	1,200
Estuary Inflows (Measured at NCAT)	3,772
PassThru Surplus / -Deficit:	3,072

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/04/2001
09/03/2001	77	231	28,461	4,100	3,869	44.0	43.1

Report Generated: 09/04/2001 at 8:31:40 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 5, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/05/2001	197.9	245,871	35.4%	83.8	80,436	33.3%	326,307	34.8%
09/05/2001	196.6	228,770	32.9%	88.2	140,154	58.1%	368,924	39.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/04/2001	89	108	0.00	97	99	0.36	207
MTD		645	1.55		706	0.47	1,351

STREAM FLOWS

Gauging Station	09/04/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	4,546	16,873
<u>NRTT</u> : Nueces River at Tilden, Texas	3,811	15,384
<u>FRTT</u> : Frio River at Tilden, Texas	30	795
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	9	204
<u>ARWT</u> : Atascosa River at Whitsett, Texas	171	3,116
Release from Choke Canyon Reservoir	66	262
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	359	2,412
<u>NCAT</u> : Nueces River at Calallen, Texas	204	3,976
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4,519	17,609

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 17,609	1,200
Estuary Inflows (Measured at NCAT)	3,976
PassThru Surplus / -Deficit:	3,276

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/05/2001
09/04/2001	100	332	28,562	4,100	3,768	44.0	44.3

Report Generated: 09/05/2001 at 8:16:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 6, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/06/2001	197.8	245,593	35.3%	83.7	79,890	33.1%	325,483	34.8%
09/06/2001	196.7	229,565	33.0%	88.6	146,553	60.7%	376,118	40.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/05/2001	91	216	0.55	93	248	0.00	464
MTD		861	2.10		954	0.47	1,815

STREAM FLOWS

Gauging Station	09/05/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	5,578	22,450
<u>NRTT</u> : Nueces River at Tilden, Texas	5,280	20,664
<u>FRTT</u> : Frio River at Tilden, Texas	69	864
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	58	261
<u>ARWT</u> : Atascosa River at Whitsett, Texas	79	3,196
Release from Choke Canyon Reservoir	66	328
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	383	2,795
<u>NCAT</u> : Nueces River at Calallen, Texas	169	4,145
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5,639	23,248

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 23,248	1,200
Estuary Inflows (Measured at NCAT)	4,145
PassThru Surplus / -Deficit:	3,445

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/06/2001
09/05/2001	140	471	28,701	4,100	3,629	44.0	44.3

Report Generated: 09/06/2001 at 8:52:56 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 7, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/07/2000	197.8	245,176	35.3%	83.7	79,240	32.8%	324,416	34.6%
09/07/2001	196.9	232,496	33.4%	88.8	149,879	62.1%	382,375	40.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/06/2001	92	234	0.00	94	195	0.00	429
MTD		1,095	2.10		1,149	0.47	2,244

STREAM FLOWS

Gauging Station	09/06/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	5,141	27,592
<u>NRRT</u> : Nueces River at Tilden, Texas	11,076	31,740
<u>FRRT</u> : Frio River at Tilden, Texas	1,161	2,074
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	1,072	1,333
<u>ARWT</u> : Atascosa River at Whitsett, Texas	1,165	4,361
Release from Choke Canyon Reservoir	66	393
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	276	3,071
<u>NCAT</u> : Nueces River at Calallen, Texas	147	4,292
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	7,309	30,606

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 30,606	1,200
Estuary Inflows (Measured at NCAT)	4,292
PassThru Surplus / -Deficit:	3,592

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/07/2001
09/06/2001	139	611	28,841	4,100	3,489	44.0	44.5

Report Generated: 09/07/2001 at 8:17:42 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 8, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/08/2000	197.8	244,760	35.2%	83.6	78,595	32.6%	323,355	34.5%
09/08/2001	196.9	233,031	33.5%	89.2	155,979	64.7%	389,010	41.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/07/2001	92	258	0.00	96	330	0.00	588
MTD		1,353	2.10		1,479	0.47	2,832

STREAM FLOWS

Gauging Station	09/07/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,543	35,135
NRTT : Nueces River at Tilden, Texas	7,166	38,906
FRTT : Frio River at Tilden, Texas	191	2,265
SMTT : San Miguel Creek at Tilden, Texas	395	1,728
ARWT : Atascosa River at Whitsett, Texas	1,979	6,340
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	278	3,349
NCAT : Nueces River at Calallen, Texas	87	4,379
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8,063	38,669

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 38,669	1,200
Estuary Inflows (Measured at NCAT)	4,379
PassThru Surplus / -Deficit:	3,679

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/08/2001
09/07/2001	141	751	28,981	4,100	3,349	44.0	44.5

Report Generated: 09/10/2001 at 8:34:26 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 9, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/09/2000	197.8	244,482	35.2%	83.6	78,167	32.4%	322,649	34.5%
09/09/2001	197.0	233,568	33.6%	89.7	164,003	68.0%	397,571	42.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/08/2001	93	289	0.00	96	299	0.00	588
MTD		1,642	2.10		1,778	0.47	3,420

STREAM FLOWS

Gauging Station	09/08/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	10,779	45,913
NRTT : Nueces River at Tilden, Texas	4,963	43,869
FRTT : Frio River at Tilden, Texas	536	2,801
SMTT : San Miguel Creek at Tilden, Texas	552	2,280
ARWT : Atascosa River at Whitsett, Texas	768	7,108
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	260	3,609
NCAT : Nueces River at Calallen, Texas	64	4,442
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	11,801	50,470

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 50,470	1,200
Estuary Inflows (Measured at NCAT)	4,442
PassThru Surplus / -Deficit:	3,742

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/09/2001
09/08/2001	141	892	29,122	4,100	3,208	44.0	44.5

Report Generated: 09/10/2001 at 8:41:13 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 10, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/10/2000	197.7	244,205	35.1%	83.5	77,424	32.1%	321,629	34.3%
09/10/2001	197.0	234,105	33.7%	90.3	174,573	72.4%	408,678	43.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/09/2001	86	125	0.66	96	228	0.29	353
MTD		1,767	2.76		2,006	0.76	3,773

STREAM FLOWS

Gauging Station	09/09/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	9,746	55,659
<u>NRTT</u> : Nueces River at Tilden, Texas	4,049	47,918
<u>FRTT</u> : Frio River at Tilden, Texas	195	2,995
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	242	2,522
<u>ARWT</u> : Atascosa River at Whitsett, Texas	185	7,293
Release from Choke Canyon Reservoir	66	590
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	238	3,847
<u>NCAT</u> : Nueces River at Calallen, Texas	50	4,492
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	10,118	60,588

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 60,588	1,200
Estuary Inflows (Measured at NCAT)	4,492
PassThru Surplus / -Deficit:	3,792

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/10/2001
09/09/2001	141	1,033	29,263	4,100	3,067	44.0	44.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 11, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/11/2000	197.7	243,790	35.1%	83.5	76,897	31.9%	320,687	34.2%
09/11/2001	197.0	234,240	33.7%	90.7	181,070	75.1%	415,310	44.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/10/2001	87	133	0.00	90	191	0.00	324
MTD		1,900	2.76		2,197	0.76	4,097

STREAM FLOWS

Gauging Station	09/10/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	7,305	62,964
<u>NRTT</u> : Nueces River at Tilden, Texas	2,104	50,022
<u>FRTT</u> : Frio River at Tilden, Texas	66	3,061
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	64	2,586
<u>ARWT</u> : Atascosa River at Whitsett, Texas	199	7,491
Release from Choke Canyon Reservoir	66	655
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	302	4,149
<u>NCAT</u> : Nueces River at Calallen, Texas	30	4,522
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7,368	67,956

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 67,956	1,200
Estuary Inflows (Measured at NCAT)	4,522
PassThru Surplus / -Deficit:	3,822

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/11/2001
09/10/2001	141	1,174	29,404	4,100	2,926	44.0	44.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 12, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/12/2000	197.7	243,375	35.0%	83.4	76,373	31.7%	319,748	34.1%
09/12/2001	197.0	234,105	33.7%	90.9	184,873	76.6%	418,978	44.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/11/2001	89	219	0.00	92	162	0.00	381
MTD		2,119	2.76		2,359	0.76	4,478

STREAM FLOWS

Gauging Station	09/11/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	4,863	67,827
<u>NRTT</u> : Nueces River at Tilden, Texas	335	50,357
<u>FRIT</u> : Frio River at Tilden, Texas	42	3,103
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	508	3,094
<u>ARWT</u> : Atascosa River at Whitsett, Texas	119	7,610
Release from Choke Canyon Reservoir	66	721
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	244	4,393
<u>NCAT</u> : Nueces River at Calallen, Texas	9	4,530
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	5,348	73,303

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 73,303	1,200
Estuary Inflows (Measured at NCAT)	4,530
PassThru Surplus / -Deficit:	3,830

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/12/2001
09/11/2001	138	1,312	29,542	4,100	2,788	44.0	44.2

Report Generated: 09/12/2001 at 8:06:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 13, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/13/2001	197.7	243,099	35.0%	83.4	76,164	31.6%	319,263	34.1%
09/13/2001	197.0	233,836	33.6%	91.0	185,741	77.0%	419,577	44.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/12/2001	88	141	0.00	89	314	0.00	455
MTD		2,260	2.76		2,673	0.76	4,933

STREAM FLOWS

Gauging Station	09/12/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,169	68,997
NRRT : Nueces River at Tilden, Texas	149	50,506
FRRT : Frio River at Tilden, Texas	119	3,222
SMRT : San Miguel Creek at Tilden, Texas	12	3,106
ARWT : Atascosa River at Whitsett, Texas	58	7,668
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	240	4,633
NCAT : Nueces River at Calallen, Texas	38	4,568
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMRT)-Release From Choke Canyon	1,235	74,538

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 74,538	1,200
Estuary Inflows (Measured at NCAT)	4,568
PassThru Surplus / -Deficit:	3,868

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/13/2001
09/12/2001	140	1,452	29,682	4,100	2,648	44.0	44.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 14, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/14/2001	197.6	242,961	34.9%	83.3	75,645	31.4%	318,606	34.0%
09/14/2001	197.0	233,568	33.6%	90.9	185,220	76.8%	418,788	44.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/13/2001	89	196	0.00	91	253	0.00	449
MTD		2,456	2.76		2,926	0.76	5,382

STREAM FLOWS

Gauging Station	09/13/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	476	69,473
NRRT : Nueces River at Tilden, Texas	81	50,588
FRRT : Frio River at Tilden, Texas	73	3,295
SMTT : San Miguel Creek at Tilden, Texas	5	3,111
ARWT : Atascosa River at Whitsett, Texas	42	7,710
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	4,812
NCAT : Nueces River at Calallen, Texas	19	4,587
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	490	75,028

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 75,028	1,200
Estuary Inflows (Measured at NCAT)	4,587
PassThru Surplus / -Deficit:	3,887

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/14/2001
09/13/2001	145	1,598	29,828	4,100	2,502	44.0	44.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 15, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/15/2001	197.7	243,099	35.0%	83.3	75,232	31.2%	318,331	34.0%
09/15/2001	196.9	233,434	33.6%	90.9	184,526	76.5%	417,960	44.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/14/2001	90	266	0.00	91	232	0.00	498
MTD		2,722	2.76		3,158	0.76	5,880

STREAM FLOWS

Gauging Station	09/14/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	0	69,473
NRRT : Nueces River at Tilden, Texas	0	50,588
FRRT : Frio River at Tilden, Texas	0	3,295
SMRT : San Miguel Creek at Tilden, Texas	0	3,111
ARWT : Atascosa River at Whitsett, Texas	0	7,710
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	0	4,812
NCAT : Nueces River at Calallen, Texas	0	4,587
Reservoir Inflow		
Computed as: NRRT+FRRT+SMRT+ARWT	0	75,028

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 75,028	1,200
Estuary Inflows (Measured at NCAT)	4,587
PassThru Surplus / -Deficit:	3,887

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/15/2001
09/14/2001	139	1,737	29,967	4,100	2,363	44.0	44.3

Report Generated: 09/15/2001 at 8:44:41 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 16, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/16/2001	197.6	242,823	34.9%	83.3	74,821	31.0%	317,644	33.9%
09/16/2001	196.9	233,299	33.6%	90.9	184,179	76.3%	417,478	44.6%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/15/2001	89	211	0.00	88	283	0.00	494	
MTD		2,933	2.76		3,441	0.76	6,374	

STREAM FLOWS

Gauging Station	09/15/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	0	69,473
NRRT : Nueces River at Tilden, Texas	0	50,588
FRRT : Frio River at Tilden, Texas	0	3,295
SMRT : San Miguel Creek at Tilden, Texas	0	3,111
ARWT : Atascosa River at Whitsett, Texas	0	7,710
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	0	4,812
NCAT : Nueces River at Calallen, Texas	0	4,587
Reservoir Inflow		
Computed as: NRRT+FRRT+SMRT+ARWT	0	75,028

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 75,028	1,200
Estuary Inflows (Measured at NCAT)	4,587
PassThru Surplus / -Deficit:	3,887

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/16/2001
09/15/2001	139	1,876	30,106	4,100	2,224	44.0	44.3

Report Generated: 09/16/2001 at 8:34:15 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 17, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/17/2000	197.6	242,272	34.8%	83.2	74,310	30.8%	316,582	33.8%
09/17/2001	196.9	232,629	33.5%	90.8	183,487	76.1%	416,116	44.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/16/2001	90	164	0.00	88	282	0.00	446
MTD		3,097	2.76		3,723	0.76	6,820

STREAM FLOWS

Gauging Station	09/16/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	208	70,257
<u>NRTT</u> : Nueces River at Tilden, Texas	19	50,684
<u>FRIT</u> : Frio River at Tilden, Texas	32	3,408
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	3,439
<u>ARWT</u> : Atascosa River at Whitsett, Texas	24	7,797
Release from Choke Canyon Reservoir	66	1,048
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	262	5,508
<u>NCAT</u> : Nueces River at Calallen, Texas	0	4,588
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	175	76,056

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 76,056	1,200
Estuary Inflows (Measured at NCAT)	4,588
PassThru Surplus / -Deficit:	3,888

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/17/2001
09/16/2001	139	2,015	30,245	4,100	2,085	44.0	44.3

Report Generated: 09/17/2001 at 8:30:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 18, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/18/2001	197.6	241,721	34.8%	83.2	73,802	30.6%	315,523	33.7%
09/18/2001	196.9	232,629	33.5%	90.8	183,314	76.0%	415,943	44.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/17/2001	89	234	0.00	90	292	0.00	526
MTD		3,331	2.76		4,015	0.76	7,346

STREAM FLOWS

Gauging Station	09/17/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	177	70,434
<u>NRTT</u> : Nueces River at Tilden, Texas	13	50,697
<u>FRIT</u> : Frio River at Tilden, Texas	26	3,434
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	3,439
<u>ARWT</u> : Atascosa River at Whitsett, Texas	24	7,821
Release from Choke Canyon Reservoir	66	1,114
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	345	5,854
<u>NCAT</u> : Nueces River at Calallen, Texas	0	4,588
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	137	76,193

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 76,193	1,200
Estuary Inflows (Measured at NCAT)	4,588
PassThru Surplus / -Deficit:	3,888

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/18/2001
09/17/2001	139	2,154	30,384	4,100	1,946	44.0	44.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 19, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/19/2001	197.5	241,446	34.7%	83.1	73,198	30.3%	314,644	33.6%
09/19/2001	196.9	232,228	33.4%	90.8	182,622	75.7%	414,850	44.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/18/2001	91	218	0.00	94	231	0.00	449
MTD		3,549	2.76		4,246	0.76	7,795

STREAM FLOWS

Gauging Station	09/18/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	161	70,595
<u>NRTT</u> : Nueces River at Tilden, Texas	9	50,706
<u>FRIT</u> : Frio River at Tilden, Texas	19	3,453
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	3,439
<u>ARWT</u> : Atascosa River at Whitsett, Texas	22	7,843
Release from Choke Canyon Reservoir	66	1,179
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	345	6,199
<u>NCAT</u> : Nueces River at Calallen, Texas	0	4,588
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	114	76,307

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 76,307	1,200
Estuary Inflows (Measured at NCAT)	4,588
PassThru Surplus / -Deficit:	3,888

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/19/2001
09/18/2001	139	2,293	30,523	4,100	1,807	44.0	44.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 20, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/20/2000	197.5	241,171	34.7%	83.1	72,797	30.2%	313,968	33.5%
09/20/2001	196.8	231,827	33.3%	90.8	181,932	75.4%	413,759	44.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/19/2001	91	249	0.00	93	311	0.00	560
MTD		3,798	2.76		4,557	0.76	8,355

STREAM FLOWS

Gauging Station	09/19/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	149	70,743
NRTT : Nueces River at Tilden, Texas	6	50,712
FRIT : Frio River at Tilden, Texas	11	3,464
SMTT : San Miguel Creek at Tilden, Texas	0	3,439
ARWT : Atascosa River at Whitsett, Texas	20	7,863
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	345	6,545
NCAT : Nueces River at Calallen, Texas	0	4,588
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	94	76,401

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 76,401	1,200
Estuary Inflows (Measured at NCAT)	4,588
PassThru Surplus / -Deficit:	3,888

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/20/2001
09/19/2001	139	2,431	30,661	4,100	1,669	44.0	44.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 21, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/21/2000	197.5	240,623	34.6%	83.0	72,498	30.1%	313,121	33.4%
09/21/2001	196.8	231,560	33.3%	90.7	181,243	75.1%	412,803	44.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/20/2001	92	233	0.00	92	241	0.00	474
MTD		4,031	2.76		4,798	0.76	8,829

STREAM FLOWS

Gauging Station	09/20/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	141	70,884
<u>NRTT</u> : Nueces River at Tilden, Texas	5	50,717
<u>FRIT</u> : Frio River at Tilden, Texas	8	3,472
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	3,439
<u>ARWT</u> : Atascosa River at Whitsett, Texas	19	7,881
Release from Choke Canyon Reservoir	66	1,310
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	347	6,892
<u>NCAT</u> : Nueces River at Calallen, Texas	0	4,588
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	83	76,484

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 76,484	1,200
Estuary Inflows (Measured at NCAT)	4,588
PassThru Surplus / -Deficit:	3,888

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/21/2001
09/20/2001	139	2,570	30,800	4,100	1,530	44.0	44.3

Report Generated: 09/21/2001 at 8:09:59 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 22, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/22/2001	197.5	240,485	34.6%	83.0	71,904	29.8%	312,389	33.4%
09/22/2001	196.8	231,294	33.3%	90.7	181,243	75.1%	412,537	44.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/21/2001	91	179	0.00	92	231	0.00	410
MTD		4,210	2.76		5,029	0.76	9,239

STREAM FLOWS

Gauging Station	09/21/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	133	71,017
<u>NRTT</u> : Nueces River at Tilden, Texas	4	50,721
<u>FRIT</u> : Frio River at Tilden, Texas	0	3,472
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	3,439
<u>ARWT</u> : Atascosa River at Whitsett, Texas	17	7,899
Release from Choke Canyon Reservoir	66	1,376
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	320	7,212
<u>NCAT</u> : Nueces River at Calallen, Texas	0	4,588
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	67	76,552

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 76,552	1,200
Estuary Inflows (Measured at NCAT)	4,588
PassThru Surplus / -Deficit:	3,888

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/22/2001
09/21/2001	138	2,709	30,939	4,100	1,391	44.0	44.3

Report Generated: 09/22/2001 at 9:47:49 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 23, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/23/2001	197.4	240,211	34.5%	82.9	71,412	29.6%	311,623	33.3%
09/23/2001	196.8	231,027	33.2%	90.7	180,898	75.0%	411,925	44.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/22/2001	89	202	0.00	87	160	0.00	362
MTD		4,412	2.76		5,189	0.76	9,601

STREAM FLOWS

Gauging Station	09/22/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	125	71,142
<u>NRTT</u> : Nueces River at Tilden, Texas	3	50,724
<u>FRIT</u> : Frio River at Tilden, Texas	5	3,476
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	3,439
<u>ARWT</u> : Atascosa River at Whitsett, Texas	17	7,915
Release from Choke Canyon Reservoir	66	1,441
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	232	7,444
<u>NCAT</u> : Nueces River at Calallen, Texas	38	4,626
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	64	76,616

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 76,616	1,200
Estuary Inflows (Measured at NCAT)	4,626
PassThru Surplus / -Deficit:	3,926

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/23/2001
09/22/2001	137	2,846	31,076	4,100	1,254	44.0	44.3

Report Generated: 09/23/2001 at 7:52:43 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 24, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/24/2000	197.4	239,664	34.5%	82.9	71,020	29.4%	310,684	33.2%
09/24/2001	196.8	231,160	33.2%	90.7	180,554	74.8%	411,714	44.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/23/2001	88	202	0.36	89	291	0.68	493
MTD		4,614	3.12		5,480	1.44	10,094

STREAM FLOWS

Gauging Station	09/23/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	125	71,267
NRRT : Nueces River at Tilden, Texas	3	50,726
FRRT : Frio River at Tilden, Texas	4	3,480
SMTT : San Miguel Creek at Tilden, Texas	0	3,439
ARWT : Atascosa River at Whitsett, Texas	24	7,939
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	228	7,672
NCAT : Nueces River at Calallen, Texas	46	4,671
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	63	76,679

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 76,679	1,200
Estuary Inflows (Measured at NCAT)	4,671
PassThru Surplus / -Deficit:	3,971

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/24/2001
09/23/2001	136	2,982	31,212	4,100	1,118	44.0	44.3

Report Generated: 09/24/2001 at 8:09:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 25, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/25/2001	197.5	241,171	34.7%	82.8	70,148	29.1%	311,319	33.2%
09/25/2001	196.7	230,495	33.2%	90.7	180,554	74.8%	411,049	43.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/24/2001	82	271	0.00	82	291	0.00	562
MTD		4,885	3.12		5,771	1.44	10,656

STREAM FLOWS

Gauging Station	09/24/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	310	71,577
NRRT : Nueces River at Tilden, Texas	2	50,729
FRRT : Frio River at Tilden, Texas	3	3,482
SMTT : San Miguel Creek at Tilden, Texas	0	3,439
ARWT : Atascosa River at Whitsett, Texas	782	8,721
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	189	7,861
NCAT : Nueces River at Calallen, Texas	42	4,713
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	247	76,926

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 76,926	1,200
Estuary Inflows (Measured at NCAT)	4,713
PassThru Surplus / -Deficit:	4,013

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/25/2001
09/24/2001	136	3,118	31,348	4,100	982	44.0	44.3

Report Generated: 09/25/2001 at 8:34:40 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 26, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/26/2001	197.5	240,760	34.6%	82.8	69,859	29.0%	310,619	33.2%
09/26/2001	196.7	229,565	33.0%	90.6	180,039	74.6%	409,604	43.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/25/2001	78	155	0.00	79	230	0.00	385
MTD		5,040	3.12		6,001	1.44	11,041

STREAM FLOWS

Gauging Station	09/25/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	830	72,407
<u>NRTT</u> : Nueces River at Tilden, Texas	2	50,730
<u>FRIT</u> : Frio River at Tilden, Texas	2	3,485
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	3,439
<u>ARWT</u> : Atascosa River at Whitsett, Texas	139	8,860
Release from Choke Canyon Reservoir	66	1,638
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	155	8,015
<u>NCAT</u> : Nueces River at Calallen, Texas	64	4,777
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	767	77,693

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 1,200 Salinity Relief Credit: 0 Effective:	1,200
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 1,200 Reservoir Inflow: 77,693	1,200
Estuary Inflows (Measured at NCAT)	4,777
PassThru Surplus / -Deficit:	4,077

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/26/2001
09/25/2001	151	3,269	31,499	4,100	831	44.0	44.3

Report Generated: 09/26/2001 at 8:11:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 27, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/27/2000	197.4	240,075	34.5%	82.7	69,668	28.9%	309,743	33.1%
09/27/2001	196.6	229,432	33.0%	90.6	179,695	74.5%	409,127	43.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/26/2001	81	170	0.00	80	210	0.00	380
MTD		5,210	3.12		6,211	1.44	11,421

STREAM FLOWS

Gauging Station	09/26/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	830	73,237
<u>NRRT</u> : Nueces River at Tilden, Texas	2	50,732
<u>FRTT</u> : Frio River at Tilden, Texas	2	3,487
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	3,439
<u>ARWT</u> : Atascosa River at Whitsett, Texas	139	8,999
Release from Choke Canyon Reservoir	66	1,703
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	155	8,170
<u>NCAT</u> : Nueces River at Calallen, Texas	64	4,840
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	767	78,459

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,783 Salinity Relief Credit: 0 Effective:	9,783
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,378
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 9,783 Reservoir Inflow: 78,459	9,783
Estuary Inflows (Measured at NCAT)	4,840
PassThru Surplus / -Deficit:	-3,065

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/27/2001
09/26/2001	175	3,444	31,674	4,100	656	44.0	44.3

Report Generated: 09/27/2001 at 8:06:38 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 28, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/28/2001	197.4	239,801	34.5%	82.7	69,477	28.8%	309,278	33.0%
09/28/2001	196.6	229,035	32.9%	90.6	179,009	74.2%	408,044	43.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/27/2001	83	193	0.00	83	270	0.00	463
MTD		5,403	3.12		6,481	1.44	11,884

STREAM FLOWS

Gauging Station	09/27/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	149	73,385
NRRT : Nueces River at Tilden, Texas	1	50,733
FRRT : Frio River at Tilden, Texas	1	3,489
SMTT : San Miguel Creek at Tilden, Texas	0	3,439
ARWT : Atascosa River at Whitsett, Texas	28	9,027
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	645	8,815
NCAT : Nueces River at Calallen, Texas	5	4,845
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	85	78,544

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,783 Salinity Relief Credit: 0 Effective:	9,783
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,378
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 9,783 Reservoir Inflow: 78,544	9,783
Estuary Inflows (Measured at NCAT)	4,845
PassThru Surplus / -Deficit:	-3,060

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/28/2001
09/27/2001	175	3,619	31,849	4,100	481	44.0	44.3

Report Generated: 09/28/2001 at 7:57:13 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 29, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/29/2001	197.4	239,391	34.4%	82.6	68,812	28.5%	308,203	32.9%
09/29/2001	196.6	228,638	32.9%	90.5	178,324	73.9%	406,962	43.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/28/2001	83	193	0.00	82	249	0.00	442
MTD		5,596	3.12		6,730	1.44	12,326

STREAM FLOWS

Gauging Station	09/28/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	127	73,512
<u>NRTT</u> : Nueces River at Tilden, Texas	1	50,734
<u>FRIT</u> : Frio River at Tilden, Texas	1	3,489
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	3,439
<u>ARWT</u> : Atascosa River at Whitsett, Texas	20	9,047
Release from Choke Canyon Reservoir	66	1,834
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	645	9,461
<u>NCAT</u> : Nueces River at Calallen, Texas	141	4,986
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	62	78,606

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,783 Salinity Relief Credit: 0 Effective:	9,783
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,378
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 9,783 Reservoir Inflow: 78,606	9,783
Estuary Inflows (Measured at NCAT)	4,986
PassThru Surplus / -Deficit:	-2,919

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/29/2001
09/28/2001	175	3,793	32,023	4,100	307	44.0	44.4

Report Generated: 09/29/2001 at 10:27:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 30, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/30/2001	197.3	238,845	34.4%	82.6	68,812	28.5%	307,657	32.9%
09/30/2001	196.6	228,242	32.8%	90.5	177,469	73.6%	405,711	43.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/29/2001	85	177	0.00	84	239	0.00	416
MTD		5,773	3.12		6,969	1.44	12,742

STREAM FLOWS

Gauging Station	09/29/2001 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	117	73,630
<u>NRTT</u> : Nueces River at Tilden, Texas	1	50,735
<u>FRIT</u> : Frio River at Tilden, Texas	1	3,490
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	3,439
<u>ARWT</u> : Atascosa River at Whitsett, Texas	17	9,064
Release from Choke Canyon Reservoir	66	1,900
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	689	10,149
<u>NCAT</u> : Nueces River at Calallen, Texas	216	5,203
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	52	78,659

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,783 Salinity Relief Credit: 0 Effective:	9,783
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,378
Return Flow Credit (Effective: 09/02/2001)	500
Passthru Target: 9,783 Reservoir Inflow: 78,659	9,783
Estuary Inflows (Measured at NCAT)	5,203
PassThru Surplus / -Deficit:	-2,702

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2001		Elevation (Ft)	
				Allocation	Remaining	Full	09/30/2001
09/29/2001	175	3,968	32,198	4,100	132	44.0	44.3

Report Generated: 09/30/2001 at 8:34:01 AM