

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 1, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/01/2000	199.8	274,198	39.4%	85.0	94,252	39.1%	368,450	39.3%
12/01/2001	200.3	281,148	40.4%	94.0	241,241	100.0%	522,389	55.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/30/2001	63	44	0.00	69	45	0.00	89
MTD		3,009	3.51		3,954	6.62	6,963

STREAM FLOWS

Gauging Station	11/30/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,791	142,991
NRRT : Nueces River at Tilden, Texas	3,752	99,603
FRRT : Frio River at Tilden, Texas	153	23,826
SMTT : San Miguel Creek at Tilden, Texas	0	4,156
ARWT : Atascosa River at Whitsett, Texas	44	51,528
Release from Choke Canyon Reservoir	66	1,755
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,848	122,441
NCAT : Nueces River at Calallen, Texas	3,275	52,118
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,879	169,218

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,000 Salinity Relief Credit : 0 Effective:	4,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	79
Return Flow Credit (Effective: 11/01/2001)	500
Passthru Target: 4,000 Reservoir Inflow: 169,218	4,000
Estuary Inflows (Measured at NCAT)	52,118
PassThru Surplus / -Deficit:	48,697

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/01/2001
11/30/2001	119	3,151	40,072	3,050	-101	44.0	44.2

Report Generated: 12/01/2001 at 8:55:12 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 2, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/02/2000	199.8	274,048	39.4%	85.0	95,003	39.4%	369,051	39.4%
12/02/2001	200.4	282,520	40.6%	94.0	241,241	100.0%	523,761	55.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/01/2001	63	44	0.80	70	56	0.34	100
MTD		44	0.80		56	0.34	100

STREAM FLOWS

Gauging Station	12/01/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,692	3,692
NRRT : Nueces River at Tilden, Texas	4,208	4,208
FRRT : Frio River at Tilden, Texas	115	115
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	46	46
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,600	2,600
NCAT : Nueces River at Calallen, Texas	2,521	2,521
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,742	3,742

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 3,742	3,742
Estuary Inflows (Measured at NCAT)	2,521
PassThru Surplus / -Deficit:	1,529

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/02/2001
12/01/2001	119	119	40,191	3,050	2,931	44.0	44.2

Report Generated: 12/03/2001 at 7:53:59 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 3, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/03/2001	199.8	273,898	39.4%	85.1	95,507	39.6%	369,405	39.4%
12/03/2001	200.6	286,662	41.2%	94.0	241,241	100.0%	527,903	56.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/02/2001	65	45	0.89	67	Pan overflow	1.41	44
MTD		89	1.69		55	1.75	144

STREAM FLOWS

Gauging Station	12/02/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,327	8,019
NRRT : Nueces River at Tilden, Texas	4,546	8,754
FRRT : Frio River at Tilden, Texas	794	909
SMTT : San Miguel Creek at Tilden, Texas	157	157
ARWT : Atascosa River at Whitsett, Texas	647	693
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	5,340	7,940
NCAT : Nueces River at Calallen, Texas	2,581	5,101
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	5,213	8,954

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 8,954	4,500
Estuary Inflows (Measured at NCAT)	5,101
PassThru Surplus / -Deficit:	3,351

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/03/2001
12/02/2001	119	238	40,310	3,050	2,812	44.0	44.2

Report Generated: 12/03/2001 at 9:23:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 4, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/04/2001	199.8	274,048	39.4%	85.1	95,759	39.7%	369,807	39.5%
12/04/2001	200.7	287,432	41.3%	94.0	241,241	100.0%	528,673	56.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/03/2001	72	18	0.08	74	22	0.02	40
MTD		107	1.77		77	1.77	184

STREAM FLOWS

Gauging Station	12/03/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	6,670	14,689
NRRT : Nueces River at Tilden, Texas	4,208	12,962
FRRT : Frio River at Tilden, Texas	246	1,155
SMTT : San Miguel Creek at Tilden, Texas	6	163
ARWT : Atascosa River at Whitsett, Texas	3,414	4,107
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	9,409	17,349
NCAT : Nueces River at Calallen, Texas	3,176	8,277
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	6,856	15,811

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 15,811	4,500
Estuary Inflows (Measured at NCAT)	8,277
PassThru Surplus / -Deficit:	6,527

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/04/2001
12/03/2001	119	357	40,429	3,050	2,693	44.0	44.3

Report Generated: 12/04/2001 at 8:29:34 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 5, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/05/2001	199.8	273,748	39.4%	85.1	96,392	40.0%	370,140	39.5%
12/05/2001	200.7	287,741	41.4%	94.0	241,241	100.0%	528,982	56.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/04/2001	78	90	0.00	81	146	0.00	236
MTD		197	1.77		223	1.77	420

STREAM FLOWS

Gauging Station	12/04/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	8,099	22,788
NRRT : Nueces River at Tilden, Texas	3,633	16,595
FRRT : Frio River at Tilden, Texas	93	1,249
SMTT : San Miguel Creek at Tilden, Texas	0	163
ARWT : Atascosa River at Whitsett, Texas	3,255	7,362
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	7,880	25,229
NCAT : Nueces River at Calallen, Texas	3,811	12,089
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	8,127	23,937

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 23,937	4,500
Estuary Inflows (Measured at NCAT)	12,089
PassThru Surplus / -Deficit:	10,339

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/05/2001
12/04/2001	129	486	40,558	3,050	2,564	44.0	44.1

Report Generated: 12/05/2001 at 8:02:53 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 6, 2001**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/06/2000	199.8	274,048	39.4%	85.2	96,647	40.1%	370,695	39.6%
12/06/2001	200.7	287,432	41.3%	94.0	241,241	100.0%	528,673	56.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/05/2001	80	90	0.00	82	112	0.00	202
MTD		287	1.77		335	1.77	622

STREAM FLOWS

Gauging Station	12/05/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,225	30,013
NRTT : Nueces River at Tilden, Texas	2,541	19,135
FRTT : Frio River at Tilden, Texas	66	1,314
SMTT : San Miguel Creek at Tilden, Texas	0	163
ARWT : Atascosa River at Whitsett, Texas	611	7,974
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	8,099	33,328
NCAT : Nueces River at Calallen, Texas	4,010	16,098
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7,225	31,163

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 31,163	4,500
Estuary Inflows (Measured at NCAT)	16,098
PassThru Surplus / -Deficit:	14,348

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/06/2001
12/05/2001	132	618	40,690	3,050	2,432	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 7, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/07/2000	199.8	273,748	39.4%	85.2	96,774	40.1%	370,522	39.6%
12/07/2001	200.7	287,124	41.3%	94.0	241,241	100.0%	528,365	56.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/06/2001	80	63	0.00	76	67	0.03	130
MTD		350	1.77		402	1.80	752

STREAM FLOWS

Gauging Station	12/06/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,109	34,122
NRTT : Nueces River at Tilden, Texas	969	20,104
FRTT : Frio River at Tilden, Texas	56	1,370
SMTT : San Miguel Creek at Tilden, Texas	0	163
ARWT : Atascosa River at Whitsett, Texas	262	8,236
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	8,019	41,348
NCAT : Nueces River at Calallen, Texas	4,010	20,108
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4,099	35,262

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 35,262	4,500
Estuary Inflows (Measured at NCAT)	20,108
PassThru Surplus / -Deficit:	18,358

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/07/2001
12/06/2001	138	756	40,828	3,050	2,294	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 8, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/08/2001	199.8	273,748	39.4%	85.2	97,157	40.3%	370,905	39.6%
12/08/2001	200.7	287,278	41.3%	94.0	241,241	100.0%	528,519	56.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/07/2001	78	81	0.03	81	79	0.00	160
MTD		431	1.80		481	1.80	912

STREAM FLOWS

Gauging Station	12/07/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,929	36,052
NRRT : Nueces River at Tilden, Texas	695	20,799
FRRT : Frio River at Tilden, Texas	50	1,419
SMTT : San Miguel Creek at Tilden, Texas	0	163
ARWT : Atascosa River at Whitsett, Texas	167	8,403
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,791	45,139
NCAT : Nueces River at Calallen, Texas	4,010	24,118
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,914	37,175

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 37,175	4,500
Estuary Inflows (Measured at NCAT)	24,118
PassThru Surplus / -Deficit:	22,368

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/08/2001
12/07/2001	138	894	40,966	3,050	2,156	44.0	44.1

Report Generated: 12/08/2001 at 9:00:53 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 9, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/09/2001	199.8	273,898	39.4%	85.2	97,541	40.4%	371,439	39.7%
12/09/2001	200.7	287,741	41.4%	94.0	241,241	100.0%	528,982	56.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/08/2001	54	27	0.42	68	314	0.46	341
MTD		458	2.22		795	2.26	1,253

STREAM FLOWS

Gauging Station	12/08/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,310	37,362
NRRT : Nueces River at Tilden, Texas	633	21,432
FRRT : Frio River at Tilden, Texas	13	1,432
SMTT : San Miguel Creek at Tilden, Texas	2	165
ARWT : Atascosa River at Whitsett, Texas	137	8,539
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,882	47,021
NCAT : Nueces River at Calallen, Texas	3,573	27,691
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,259	38,435

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 38,435	4,500
Estuary Inflows (Measured at NCAT)	27,691
PassThru Surplus / -Deficit:	25,941

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/09/2001
12/08/2001	138	1,032	41,104	3,050	2,018	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 10, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/10/2001	199.8	273,748	39.4%	85.2	97,797	40.5%	371,545	39.7%
12/10/2001	200.7	287,124	41.3%	94.0	241,241	100.0%	528,365	56.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/09/2001	53	45	0.00	56	0	0.01	45
MTD		503	2.22		795	2.27	1,298

STREAM FLOWS

Gauging Station	12/09/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,249	38,610
NRRT : Nueces River at Tilden, Texas	637	22,069
FRRT : Frio River at Tilden, Texas	46	1,478
SMTT : San Miguel Creek at Tilden, Texas	0	165
ARWT : Atascosa River at Whitsett, Texas	339	8,879
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,098	48,118
NCAT : Nueces River at Calallen, Texas	2,700	30,390
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,229	39,664

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 39,664	4,500
Estuary Inflows (Measured at NCAT)	30,390
PassThru Surplus / -Deficit:	28,640

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/10/2001
12/09/2001	138	1,170	41,242	3,050	1,880	44.0	44.1

Report Generated: 12/10/2001 at 8:20:39 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 11, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/11/2000	199.7	273,150	39.3%	85.3	98,054	40.6%	371,204	39.6%
12/11/2001	200.7	287,432	41.3%	94.0	241,241	100.0%	528,673	56.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/10/2001	62	63	0.00	62	56	0.00	119
MTD		566	2.22		851	2.27	1,417

STREAM FLOWS

Gauging Station	12/10/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,393	40,004
NRTT : Nueces River at Tilden, Texas	609	22,679
FRIT : Frio River at Tilden, Texas	42	1,520
SMTT : San Miguel Creek at Tilden, Texas	0	165
ARWT : Atascosa River at Whitsett, Texas	339	9,218
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	228	48,347
NCAT : Nueces River at Calallen, Texas	1,713	32,103
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,370	41,033

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 41,033	4,500
Estuary Inflows (Measured at NCAT)	32,103
PassThru Surplus / -Deficit:	30,353

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/11/2001
12/10/2001	130	1,301	41,373	3,050	1,749	44.0	44.2

Report Generated: 12/11/2001 at 8:07:05 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 12, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/12/2000	199.7	272,851	39.2%	85.3	98,183	40.7%	371,034	39.6%
12/12/2001	200.7	287,741	41.4%	94.0	241,241	100.0%	528,982	56.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/11/2001	66	18	0.26	70	22	0.26	40
MTD		584	2.48		873	2.53	1,457

STREAM FLOWS

Gauging Station	12/11/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,260	41,264
NRTT : Nueces River at Tilden, Texas	570	23,248
FRIT : Frio River at Tilden, Texas	42	1,562
SMTT : San Miguel Creek at Tilden, Texas	1	166
ARWT : Atascosa River at Whitsett, Texas	193	9,411
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	860	49,206
NCAT : Nueces River at Calallen, Texas	889	32,993
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,238	42,271

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 42,271	4,500
Estuary Inflows (Measured at NCAT)	32,993
PassThru Surplus / -Deficit:	31,243

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/12/2001
12/11/2001	138	1,438	41,510	3,050	1,612	44.0	44.2

Report Generated: 12/12/2001 at 8:33:24 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 13, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/13/2001	199.7	273,000	39.3%	85.3	98,312	40.8%	371,312	39.6%
12/13/2001	200.7	287,432	41.3%	94.0	241,241	100.0%	528,673	56.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/12/2001	72	36	0.00	75	112	0.02	148
MTD		620	2.48		985	2.55	1,605

STREAM FLOWS

Gauging Station	12/12/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,118	42,382
NRRT : Nueces River at Tilden, Texas	520	23,768
FRRT : Frio River at Tilden, Texas	38	1,599
SMTT : San Miguel Creek at Tilden, Texas	5	171
ARWT : Atascosa River at Whitsett, Texas	197	9,607
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	820	50,026
NCAT : Nueces River at Calallen, Texas	993	33,985
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,094	43,366

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 43,366	4,500
Estuary Inflows (Measured at NCAT)	33,985
PassThru Surplus / -Deficit:	32,235

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/13/2001
12/12/2001	137	1,575	41,647	3,050	1,475	44.0	44.2

Report Generated: 12/13/2001 at 8:07:08 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 14, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/14/2000	199.7	272,702	39.2%	85.3	98,570	40.9%	371,272	39.6%
12/14/2001	200.7	287,124	41.3%	94.0	241,241	100.0%	528,365	56.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/13/2001	64	126	0.00	68	146	0.01	272
MTD		746	2.48		1,131	2.56	1,877

STREAM FLOWS

Gauging Station	12/13/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,137	43,519
NRTT : Nueces River at Tilden, Texas	492	24,261
FRIT : Frio River at Tilden, Texas	38	1,637
SMTT : San Miguel Creek at Tilden, Texas	0	171
ARWT : Atascosa River at Whitsett, Texas	544	10,151
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,574	51,600
NCAT : Nueces River at Calallen, Texas	1,050	35,035
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,110	44,476

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 44,476	4,500
Estuary Inflows (Measured at NCAT)	35,035
PassThru Surplus / -Deficit:	33,285

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/14/2001
12/13/2001	137	1,711	41,783	3,050	1,339	44.0	44.2

Report Generated: 12/14/2001 at 8:08:18 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 15, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/15/2001	199.7	272,552	39.2%	85.3	98,829	41.0%	371,381	39.7%
12/15/2001	200.7	287,124	41.3%	94.0	241,241	100.0%	528,365	56.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/14/2001	63	54	0.04	65	112	0.00	166
MTD		800	2.52		1,243	2.56	2,043

STREAM FLOWS

Gauging Station	12/14/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,374	44,893
NRTT : Nueces River at Tilden, Texas	484	24,745
FRIT : Frio River at Tilden, Texas	38	1,675
SMTT : San Miguel Creek at Tilden, Texas	0	171
ARWT : Atascosa River at Whitsett, Texas	353	10,505
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	998	52,599
NCAT : Nueces River at Calallen, Texas	1,449	36,484
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,346	45,821

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 45,821	4,500
Estuary Inflows (Measured at NCAT)	36,484
PassThru Surplus / -Deficit:	34,734

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/15/2001
12/14/2001	136	1,847	41,919	3,050	1,203	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 16, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/16/2001	199.7	272,702	39.2%	85.3	99,088	41.1%	371,790	39.7%
12/16/2001	200.7	287,124	41.3%	94.0	241,241	100.0%	528,365	56.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/15/2001	73	18	0.06	77	11	0.14	29
MTD		818	2.58		1,254	2.70	2,072

STREAM FLOWS

Gauging Station	12/15/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,137	46,030
NRTT : Nueces River at Tilden, Texas	492	25,237
FRIT : Frio River at Tilden, Texas	38	1,712
SMTT : San Miguel Creek at Tilden, Texas	0	171
ARWT : Atascosa River at Whitsett, Texas	544	11,049
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,574	54,173
NCAT : Nueces River at Calallen, Texas	1,050	37,534
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,110	46,931

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 46,931	4,500
Estuary Inflows (Measured at NCAT)	37,534
PassThru Surplus / -Deficit:	35,784

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/16/2001
12/15/2001	135	1,982	42,054	3,050	1,068	44.0	44.2

Report Generated: 12/16/2001 at 8:11:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 17, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/17/2001	199.7	272,403	39.2%	85.3	99,088	41.1%	371,491	39.7%
12/17/2001	200.6	286,662	41.2%	94.0	241,241	100.0%	527,903	56.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/16/2001	76	99	0.00	79	191	0.00	290
MTD		917	2.58		1,445	2.70	2,362

STREAM FLOWS

Gauging Station	12/16/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,012	47,279
NRRT : Nueces River at Tilden, Texas	437	25,666
FRRT : Frio River at Tilden, Texas	36	1,748
SMTT : San Miguel Creek at Tilden, Texas	0	171
ARWT : Atascosa River at Whitsett, Texas	421	11,279
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,054	54,651
NCAT : Nueces River at Calallen, Texas	1,125	39,059
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	983	48,150

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 48,150	4,500
Estuary Inflows (Measured at NCAT)	39,059
PassThru Surplus / -Deficit:	37,309

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/17/2001
12/16/2001	135	2,118	42,190	3,050	932	44.0	44.2

Report Generated: 12/17/2001 at 8:10:05 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 18, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/18/2001	199.7	272,403	39.2%	85.4	99,218	41.1%	371,621	39.7%
12/18/2001	200.6	286,354	41.2%	94.0	241,241	100.0%	527,595	56.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/17/2001	69	72	0.00	67	146	0.00	218
MTD		989	2.58		1,591	2.70	2,580

STREAM FLOWS

Gauging Station	12/17/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,260	48,539
NRTT : Nueces River at Tilden, Texas	421	26,087
FRIT : Frio River at Tilden, Texas	38	1,786
SMTT : San Miguel Creek at Tilden, Texas	34	205
ARWT : Atascosa River at Whitsett, Texas	375	11,654
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,046	55,697
NCAT : Nueces River at Calallen, Texas	1,241	40,299
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,266	49,416

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 49,416	4,500
Estuary Inflows (Measured at NCAT)	40,299
PassThru Surplus / -Deficit:	38,549

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/18/2001
12/17/2001	136	2,254	42,326	3,050	796	44.0	44.3

Report Generated: 12/18/2001 at 8:37:04 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 19, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/19/2001	199.7	272,254	39.2%	85.4	99,348	41.2%	371,602	39.7%
12/19/2001	200.6	286,046	41.1%	94.0	241,241	100.0%	527,287	56.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/18/2001	69	72	0.00	70	90	0.00	162
MTD		1,061	2.58		1,681	2.70	2,742

STREAM FLOWS

Gauging Station	12/18/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,014	49,554
NRTT : Nueces River at Tilden, Texas	403	26,490
FRIT : Frio River at Tilden, Texas	36	1,822
SMTT : San Miguel Creek at Tilden, Texas	0	205
ARWT : Atascosa River at Whitsett, Texas	131	11,785
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	445	56,142
NCAT : Nueces River at Calallen, Texas	1,068	41,367
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	985	50,401

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 50,401	4,500
Estuary Inflows (Measured at NCAT)	41,367
PassThru Surplus / -Deficit:	39,617

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/19/2001
12/18/2001	136	2,390	42,462	3,050	660	44.0	44.4

Report Generated: 12/19/2001 at 8:34:19 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 20, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/20/2001	199.7	272,105	39.1%	85.4	99,738	41.3%	371,843	39.7%
12/20/2001	200.6	285,738	41.1%	94.0	241,241	100.0%	526,979	56.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/19/2001	67	116	0.00	66	191	0.00	307
MTD		1,177	2.58		1,872	2.70	3,049

STREAM FLOWS

Gauging Station	12/19/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	844	50,129
NRRT : Nueces River at Tilden, Texas	379	26,851
FRRT : Frio River at Tilden, Texas	34	1,886
SMTT : San Miguel Creek at Tilden, Texas	0	205
ARWT : Atascosa River at Whitsett, Texas	83	11,692
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	639	56,735
NCAT : Nueces River at Calallen, Texas	663	41,806
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	812	50,975

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit: 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 50,975	4,500
Estuary Inflows (Measured at NCAT)	41,806
PassThru Surplus / -Deficit:	40,056

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/20/2001
12/19/2001	136	2,527	42,599	3,050	523	44.0	44.4

Report Generated: 12/20/2001 at 10:30:43 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 21, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/21/2001	199.7	271,807	39.1%	85.4	99,738	41.3%	371,545	39.7%
12/21/2001	200.6	285,584	41.1%	94.0	241,241	100.0%	526,825	56.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/20/2001	63	63	0.00	65	112	0.00	175
MTD		1,240	2.58		1,984	2.70	3,224

STREAM FLOWS

Gauging Station	12/20/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	770	50,899
NRRT : Nueces River at Tilden, Texas	345	27,196
FRRT : Frio River at Tilden, Texas	34	1,919
SMTT : San Miguel Creek at Tilden, Texas	0	205
ARWT : Atascosa River at Whitsett, Texas	66	11,757
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	538	57,273
NCAT : Nueces River at Calallen, Texas	721	42,527
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	738	51,714

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 51,714	4,500
Estuary Inflows (Measured at NCAT)	42,527
PassThru Surplus / -Deficit:	40,777

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/21/2001
12/20/2001	136	2,662	42,734	3,050	388	44.0	44.3

Report Generated: 12/21/2001 at 8:10:02 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 22, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/22/2001	199.6	271,360	39.0%	85.4	99,478	41.2%	370,838	39.6%
12/22/2001	200.6	285,584	41.1%	94.0	241,241	100.0%	526,825	56.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/21/2001	73	72	0.00	74	123	0.00	195
MTD		1,312	2.58		2,107	2.70	3,419

STREAM FLOWS

Gauging Station	12/21/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	713	51,612
NRTT : Nueces River at Tilden, Texas	318	27,514
FRIT : Frio River at Tilden, Texas	34	1,953
SMTT : San Miguel Creek at Tilden, Texas	0	205
ARWT : Atascosa River at Whitsett, Texas	58	11,815
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	439	57,712
NCAT : Nueces River at Calallen, Texas	647	43,174
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	681	52,394

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 52,394	4,500
Estuary Inflows (Measured at NCAT)	43,174
PassThru Surplus / -Deficit:	41,424

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/22/2001
12/21/2001	136	2,798	42,870	3,050	252	44.0	44.3

Report Generated: 12/22/2001 at 7:44:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 23, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/23/2000	199.6	271,211	39.0%	85.4	99,478	41.2%	370,689	39.6%
12/23/2001	200.6	285,431	41.1%	94.0	241,241	100.0%	526,672	56.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/22/2001	72	72	0.00	78	157	0.00	229
MTD		1,384	2.58		2,264	2.70	3,648

STREAM FLOWS

Gauging Station	12/22/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	671	52,283
NRTT : Nueces River at Tilden, Texas	294	27,808
FRIT : Frio River at Tilden, Texas	34	1,987
SMTT : San Miguel Creek at Tilden, Texas	0	205
ARWT : Atascosa River at Whitsett, Texas	52	11,866
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	57,859
NCAT : Nueces River at Calallen, Texas	520	43,694
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	639	53,034

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 53,034	4,500
Estuary Inflows (Measured at NCAT)	43,694
PassThru Surplus / -Deficit:	41,944

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/23/2001
12/22/2001	135	2,933	43,005	3,050	117	44.0	44.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 24, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/24/2000	199.6	271,211	39.0%	85.4	99,869	41.4%	371,080	39.6%
12/24/2001	200.5	285,124	41.0%	94.0	241,241	100.0%	526,365	56.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/23/2001	65	143	0.00	76	157	0.00	300
MTD		1,527	2.58		2,421	2.70	3,948

STREAM FLOWS

Gauging Station	12/23/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	637	52,920
NRTT : Nueces River at Tilden, Texas	280	28,088
FRIT : Frio River at Tilden, Texas	34	2,021
SMTT : San Miguel Creek at Tilden, Texas	0	205
ARWT : Atascosa River at Whitsett, Texas	50	11,916
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	197	58,055
NCAT : Nueces River at Calallen, Texas	236	43,930
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	605	53,639

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 53,639	4,500
Estuary Inflows (Measured at NCAT)	43,930
PassThru Surplus / -Deficit:	42,180

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/24/2001
12/23/2001	136	3,070	43,142	3,050	-20	44.0	44.3

Report Generated: 12/24/2001 at 8:02:51 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 25, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/25/2000	199.6	271,062	39.0%	85.4	100,130	41.5%	371,192	39.6%
12/25/2001	200.5	284,970	41.0%	94.0	241,241	100.0%	526,211	56.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/24/2001	53	116	0.00	55	146	0.00	262
MTD		1,643	2.58		2,567	2.70	4,210

STREAM FLOWS

Gauging Station	12/24/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	611	53,531
NRRT : Nueces River at Tilden, Texas	272	28,360
FRRT : Frio River at Tilden, Texas	34	2,054
SMTT : San Miguel Creek at Tilden, Texas	0	205
ARWT : Atascosa River at Whitsett, Texas	48	11,964
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	58,214
NCAT : Nueces River at Calallen, Texas	183	44,113
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	580	54,219

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 54,219	4,500
Estuary Inflows (Measured at NCAT)	44,113
PassThru Surplus / -Deficit:	42,363

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/25/2001
12/24/2001	136	3,206	43,278	3,050	-156	44.0	44.3

Report Generated: 12/25/2001 at 8:37:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 26, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/26/2000	199.6	271,360	39.0%	85.4	100,261	41.6%	371,621	39.7%
12/26/2001	200.5	284,663	40.9%	94.0	241,241	100.0%	525,904	56.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/25/2001	58	63	0.00	56	168	0.00	231
MTD		1,706	2.58		2,735	2.70	4,441

STREAM FLOWS

Gauging Station	12/25/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	597	54,129
NRTT : Nueces River at Tilden, Texas	266	28,626
FRIT : Frio River at Tilden, Texas	34	2,088
SMTT : San Miguel Creek at Tilden, Texas	0	205
ARWT : Atascosa River at Whitsett, Texas	48	12,011
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	250	58,464
NCAT : Nueces River at Calallen, Texas	151	44,264
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	566	54,784

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 54,784	4,500
Estuary Inflows (Measured at NCAT)	44,264
PassThru Surplus / -Deficit:	42,514

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/26/2001
12/25/2001	137	3,342	43,414	3,050	-292	44.0	44.3

Report Generated: 12/26/2001 at 8:16:20 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 27, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/27/2001	199.6	271,211	39.0%	85.5	100,654	41.7%	371,865	39.7%
12/27/2001	200.5	284,356	40.9%	94.0	241,241	100.0%	525,597	56.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/26/2001	62	89	0.00	61	112	0.00	201
MTD		1,795	2.58		2,847	2.70	4,642

STREAM FLOWS

Gauging Station	12/26/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	588	54,717
NRTT : Nueces River at Tilden, Texas	266	28,892
FRIT : Frio River at Tilden, Texas	34	2,122
SMTT : San Miguel Creek at Tilden, Texas	0	205
ARWT : Atascosa River at Whitsett, Texas	44	12,055
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	58,611
NCAT : Nueces River at Calallen, Texas	240	44,504
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	556	55,340

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 55,340	4,500
Estuary Inflows (Measured at NCAT)	44,504
PassThru Surplus / -Deficit:	42,754

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/27/2001
12/26/2001	137	3,479	43,551	3,050	-429	44.0	44.2

Report Generated: 12/27/2001 at 9:13:27 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 28, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/28/2001	199.6	271,360	39.0%	85.4	100,392	41.6%	371,752	39.7%
12/28/2001	200.5	284,203	40.9%	94.0	241,241	100.0%	525,444	56.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/27/2001	66	54	0.00	67	56	0.00	110
MTD		1,849	2.58		2,903	2.70	4,752

STREAM FLOWS

Gauging Station	12/27/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	586	55,302
NRTT : Nueces River at Tilden, Texas	264	29,156
FRIT : Frio River at Tilden, Texas	34	2,156
SMTT : San Miguel Creek at Tilden, Texas	0	205
ARWT : Atascosa River at Whitsett, Texas	44	12,099
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	62	58,673
NCAT : Nueces River at Calallen, Texas	129	44,633
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	554	55,894

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 55,894	4,500
Estuary Inflows (Measured at NCAT)	44,633
PassThru Surplus / -Deficit:	42,883

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/28/2001
12/27/2001	137	3,616	43,688	3,050	-566	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 29, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/29/2001	199.6	271,062	39.0%	85.5	100,523	41.7%	371,585	39.7%
12/29/2001	200.5	284,050	40.9%	94.0	241,241	100.0%	525,291	56.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/28/2001	67	98	0.00	68	157	0.00	255
MTD		1,947	2.58		3,060	2.70	5,007

STREAM FLOWS

Gauging Station	12/28/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	580	55,882
NRTT : Nueces River at Tilden, Texas	256	29,412
FRIT : Frio River at Tilden, Texas	36	2,191
SMTT : San Miguel Creek at Tilden, Texas	0	205
ARWT : Atascosa River at Whitsett, Texas	42	12,140
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	113	58,786
NCAT : Nueces River at Calallen, Texas	38	44,670
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	550	56,444

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 56,444	4,500
Estuary Inflows (Measured at NCAT)	44,670
PassThru Surplus / -Deficit:	42,920

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/29/2001
12/28/2001	137	3,753	43,825	3,050	-703	44.0	44.2

Report Generated: 12/29/2001 at 7:50:27 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 30, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/30/2001	199.6	271,062	39.0%	85.4	100,261	41.6%	371,323	39.6%
12/30/2001	200.4	283,744	40.8%	94.0	241,241	100.0%	524,985	56.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/29/2001	62	152	0.00	65	157	0.00	309
MTD		2,099	2.58		3,217	2.70	5,316

STREAM FLOWS

Gauging Station	12/29/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	566	56,447
NRTT : Nueces River at Tilden, Texas	246	29,658
FRIT : Frio River at Tilden, Texas	36	2,227
SMTT : San Miguel Creek at Tilden, Texas	0	205
ARWT : Atascosa River at Whitsett, Texas	40	12,180
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	169	58,955
NCAT : Nueces River at Calallen, Texas	16	44,687
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	536	56,980

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 56,980	4,500
Estuary Inflows (Measured at NCAT)	44,687
PassThru Surplus / -Deficit:	42,937

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/30/2001
12/29/2001	137	3,890	43,962	3,050	-840	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 31, 2001**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/31/2000	199.6	270,616	38.9%	85.4	99,999	41.5%	370,615	39.6%
12/31/2001	200.4	283,438	40.8%	94.0	241,241	100.0%	524,679	56.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/30/2001	57	107	0.00	58	146	0.01	253
MTD		2,206	2.58		3,363	2.71	5,569

STREAM FLOWS

Gauging Station	12/30/2001 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	550	56,997
NRTT : Nueces River at Tilden, Texas	234	29,892
FRIT : Frio River at Tilden, Texas	36	2,263
SMTT : San Miguel Creek at Tilden, Texas	0	205
ARWT : Atascosa River at Whitsett, Texas	38	12,218
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	59,121
NCAT : Nueces River at Calallen, Texas	115	44,802
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	520	57,500

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/01/2001)	2,250
Return Flow Credit (Effective: 12/01/2001)	500
Passthru Target: 4,500 Reservoir Inflow: 57,500	4,500
Estuary Inflows (Measured at NCAT)	44,802
PassThru Surplus / -Deficit:	43,052

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2001		Elevation (Ft)	
				Allocation	Remaining	Full	12/31/2001
12/30/2001	137	4,027	44,099	3,050	-977	44.0	44.2

Report Generated: 12/31/2001 at 8:05:24 AM