

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 1, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/01/2001	199.5	269,874	38.8%	85.7	103,977	43.1%	373,851	39.9%
02/01/2002	200.1	278,567	40.1%	94.0	241,241	100.0%	519,808	55.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/31/2002	73	203	0.00	80	303	0.00	506
MTD		3,319	0.15		4,566	0.05	7,885

STREAM FLOWS

Gauging Station	01/31/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	314	12,638
NRRT : Nueces River at Tilden, Texas	101	4,804
FRRT : Frio River at Tilden, Texas	30	1,153
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	30	1,114
Release from Choke Canyon Reservoir	66	2,031
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	278	6,392
NCAT : Nueces River at Calallen, Texas	0	2,730
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	278	11,761

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/01/2002)	1,250
Return Flow Credit (Effective: 01/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 11,761	2,500
Estuary Inflows (Measured at NCAT)	2,730
PassThru Surplus / -Deficit:	1,980

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/01/2002
01/31/2002	77	3,457	3,457	3,050	-407	44.0	43.7

Report Generated: 02/01/2002 at 8:24:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 2, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/02/2001	199.5	269,726	38.8%	85.7	103,709	43.0%	373,435	39.9%
02/02/2002	200.1	277,962	40.0%	94.0	241,241	100.0%	519,203	55.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/01/2002	47	79	0.00	49	101	0.00	180
MTD		79	0.00		101	0.00	180

STREAM FLOWS

Gauging Station	02/01/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	296	296
NRTT : Nueces River at Tilden, Texas	95	95
FRIT : Frio River at Tilden, Texas	30	30
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	30	30
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	308	308
NCAT : Nueces River at Calallen, Texas	2	2
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	260	260

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 260	260
Estuary Inflows (Measured at NCAT)	2
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/02/2002
02/01/2002	76	76	3,533	3,040	2,964	44.0	43.7

Report Generated: 02/02/2002 at 8:06:59 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 3, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/03/2001	199.5	269,429	38.8%	85.7	103,306	42.8%	372,735	39.8%
02/03/2002	200.1	277,810	40.0%	94.0	240,471	99.7%	518,281	55.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/02/2002	55	88	0.00	55	90	0.00	178
MTD		167	0.00		191	0.00	358

STREAM FLOWS

Gauging Station	02/02/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	284	580
NRRT : Nueces River at Tilden, Texas	89	185
FRRT : Frio River at Tilden, Texas	28	58
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	28	58
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	119	427
NCAT : Nueces River at Calallen, Texas	79	82
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	246	506

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 506	506
Estuary Inflows (Measured at NCAT)	82
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/03/2002
02/02/2002	76	152	3,610	3,040	2,888	44.0	43.7

Report Generated: 02/04/2002 at 7:41:05 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 4, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/04/2001	199.5	268,985	38.7%	85.7	103,172	42.8%	372,157	39.7%
02/04/2002	200.0	277,659	39.9%	94.0	240,471	99.7%	518,130	55.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/03/2002	67	123	0.00	63	123	0.00	246
MTD		290	0.00		314	0.00	604

STREAM FLOWS

Gauging Station	02/03/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	270	850
NRRT : Nueces River at Tilden, Texas	83	268
FRRT : Frio River at Tilden, Texas	28	85
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	28	85
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	101	528
NCAT : Nueces River at Calallen, Texas	40	121
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	232	738

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 738	738
Estuary Inflows (Measured at NCAT)	121
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/04/2002
02/03/2002	76	228	3,686	3,040	2,812	44.0	43.7

Report Generated: 02/04/2002 at 8:55:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 5, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/05/2001	199.5	269,133	38.7%	85.7	103,306	42.8%	372,439	39.8%
02/05/2002	200.0	277,659	39.9%	94.0	241,048	99.9%	518,707	55.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/04/2002	62	132	0.12	60	179	0.05	311
MTD		422	0.12		493	0.05	915

STREAM FLOWS

Gauging Station	02/04/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	258	1,108
NRTT : Nueces River at Tilden, Texas	83	351
FRIT : Frio River at Tilden, Texas	28	113
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	30	115
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	103	631
NCAT : Nueces River at Calallen, Texas	10	132
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	220	959

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 959	959
Estuary Inflows (Measured at NCAT)	132
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/05/2002
02/04/2002	76	305	3,762	3,040	2,735	44.0	43.7

Report Generated: 02/05/2002 at 8:11:55 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 6, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/06/2001	199.5	268,837	38.7%	85.6	102,772	42.6%	371,609	39.7%
02/06/2002	200.1	277,962	40.0%	94.0	241,241	100.0%	519,203	55.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/05/2002	46	35	0.21	50	11	0.11	46
MTD		457	0.33		504	0.16	961

STREAM FLOWS

Gauging Station	02/05/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	262	1,370
NRRT : Nueces River at Tilden, Texas	83	435
FRRT : Frio River at Tilden, Texas	28	141
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	30	145
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	129	760
NCAT : Nueces River at Calallen, Texas	1	132
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	224	1,183

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 1,183	1,183
Estuary Inflows (Measured at NCAT)	132
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/06/2002
02/05/2002	76	381	3,838	3,040	2,659	44.0	43.6

Report Generated: 02/06/2002 at 8:54:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 7, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/07/2001	199.4	268,542	38.6%	85.6	102,772	42.6%	371,314	39.6%
02/07/2002	200.0	277,508	39.9%	93.9	239,894	99.4%	517,402	55.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/06/2002	60	88	0.05	57	67	0.01	155
MTD		545	0.38		571	0.17	1,116

STREAM FLOWS

Gauging Station	02/06/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	260	1,630
NRRT : Nueces River at Tilden, Texas	81	516
FRRT : Frio River at Tilden, Texas	32	173
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	28	173
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	907
NCAT : Nueces River at Calallen, Texas	0	132
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	226	1,409

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 1,409	1,409
Estuary Inflows (Measured at NCAT)	132
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/07/2002
02/06/2002	76	457	3,914	3,040	2,583	44.0	43.6

Report Generated: 02/07/2002 at 8:32:12 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 8, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/08/2001	199.4	268,394	38.6%	85.6	102,106	42.3%	370,500	39.6%
02/08/2002	200.0	277,508	39.9%	93.9	239,894	99.4%	517,402	55.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/07/2002	65	53	0.00	65	67	0.00	120
MTD		598	0.38		638	0.17	1,236

STREAM FLOWS

Gauging Station	02/07/2002 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	254	1,884
<u>NRRT</u> : Nueces River at Tilden, Texas	83	599
<u>FRRT</u> : Frio River at Tilden, Texas	30	202
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	28	200
Release from Choke Canyon Reservoir	66	459
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	115	1,022
<u>NCAT</u> : Nueces River at Calallen, Texas	0	132
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	218	1,628

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 1,628	1,628
Estuary Inflows (Measured at NCAT)	132
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/08/2002
02/07/2002	76	533	3,990	3,040	2,507	44.0	43.5

Report Generated: 02/08/2002 at 8:31:46 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 9, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/09/2001	199.4	268,542	38.6%	85.6	102,772	42.6%	371,314	39.6%
02/09/2002	200.0	277,357	39.9%	93.9	239,510	99.3%	516,867	55.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/08/2002	69	106	0.00	70	201	0.00	307
MTD		704	0.38		839	0.17	1,543

STREAM FLOWS

Gauging Station	02/08/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	252	2,136
NRRT : Nueces River at Tilden, Texas	83	683
FRRT : Frio River at Tilden, Texas	30	232
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	224
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	151	1,173
NCAT : Nueces River at Calallen, Texas	0	132
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	216	1,844

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 1,844	1,844
Estuary Inflows (Measured at NCAT)	132
PassThru Surplus / -Deficit:	38

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/09/2002
02/08/2002	76	609	4,066	3,040	2,431	44.0	43.5

Report Generated: 02/09/2002 at 8:17:35 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 10, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/10/2001	199.4	268,542	38.6%	85.7	104,247	43.2%	372,789	39.8%
02/10/2002	200.0	277,206	39.9%	94.0	241,241	100.0%	518,447	55.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/09/2002	78	176	0.00	82	269	0.00	445
MTD		880	0.38		1,108	0.17	1,988

STREAM FLOWS

Gauging Station	02/09/2002 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	252	2,388
<u>NRRT</u> : Nueces River at Tilden, Texas	79	762
<u>FRRT</u> : Frio River at Tilden, Texas	30	262
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	22	246
Release from Choke Canyon Reservoir	66	590
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	121	1,294
<u>NCAT</u> : Nueces River at Calallen, Texas	0	132
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	216	2,060

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 2,060	2,060
Estuary Inflows (Measured at NCAT)	132
PassThru Surplus / -Deficit:	-178

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/10/2002
02/09/2002	76	685	4,142	3,040	2,355	44.0	43.5

Report Generated: 02/10/2002 at 9:04:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 11, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/11/2001	199.4	268,246	38.6%	85.7	103,574	42.9%	371,820	39.7%
02/11/2002	200.0	276,904	39.8%	93.9	239,894	99.4%	516,798	55.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/10/2002	54	141	0.00	57	201	0.00	342
MTD		1,021	0.38		1,309	0.17	2,330

STREAM FLOWS

Gauging Station	02/10/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	244	2,632
NRRT : Nueces River at Tilden, Texas	75	838
FRRT : Frio River at Tilden, Texas	30	292
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	20	266
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	536	1,830
NCAT : Nueces River at Calallen, Texas	0	132
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	208	2,269

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 2,269	2,269
Estuary Inflows (Measured at NCAT)	132
PassThru Surplus / -Deficit:	-386

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/11/2002
02/10/2002	76	760	4,218	3,040	2,280	44.0	43.5

Report Generated: 02/11/2002 at 8:36:56 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 12, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/12/2001	199.4	268,246	38.6%	85.7	103,843	43.0%	372,089	39.7%
02/12/2002	200.0	276,753	39.8%	93.9	238,551	98.9%	515,304	55.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/11/2002	58	105	0.00	58	156	0.00	261
MTD		1,126	0.38		1,465	0.17	2,591

STREAM FLOWS

Gauging Station	02/11/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	236	2,868
NRRT : Nueces River at Tilden, Texas	73	911
FRRT : Frio River at Tilden, Texas	30	322
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	20	286
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	1,971
NCAT : Nueces River at Calallen, Texas	165	297
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	200	2,469

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 2,469	2,469
Estuary Inflows (Measured at NCAT)	297
PassThru Surplus / -Deficit:	-422

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/12/2002
02/11/2002	76	836	4,294	3,040	2,204	44.0	43.5

Report Generated: 02/12/2002 at 10:14:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 13, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/13/2001	199.4	268,099	38.6%	85.7	103,574	42.9%	371,673	39.7%
02/13/2002	200.0	276,603	39.8%	93.9	238,551	98.9%	515,154	55.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/12/2002	63	88	0.00	66	134	0.00	222
MTD		1,214	0.38		1,599	0.17	2,813

STREAM FLOWS

Gauging Station	02/12/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	232	3,101
NRTT : Nueces River at Tilden, Texas	73	985
FRIT : Frio River at Tilden, Texas	28	349
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	20	305
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	123	2,094
NCAT : Nueces River at Calallen, Texas	89	386
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	195	2,664

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 2,664	2,500
Estuary Inflows (Measured at NCAT)	386
PassThru Surplus / -Deficit:	-364

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/13/2002
02/12/2002	76	912	4,370	3,040	2,128	44.0	43.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 14, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/14/2001	199.4	268,099	38.6%	85.7	103,574	42.9%	371,673	39.7%
02/14/2002	200.0	276,452	39.8%	93.9	238,360	98.8%	514,812	55.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/13/2002	65	97	0.00	67	134	0.00	231
MTD		1,311	0.38		1,733	0.17	3,044

STREAM FLOWS

Gauging Station	02/13/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	232	3,333
NRRT : Nueces River at Tilden, Texas	75	1,060
FRRT : Frio River at Tilden, Texas	28	377
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	19	325
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	125	2,219
NCAT : Nueces River at Calallen, Texas	12	398
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	195	2,858

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 2,858	2,500
Estuary Inflows (Measured at NCAT)	398
PassThru Surplus / -Deficit:	-352

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/14/2002
02/13/2002	77	989	4,446	3,040	2,051	44.0	43.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 15, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/15/2001	199.4	268,246	38.6%	85.7	103,440	42.9%	371,686	39.7%
02/15/2002	200.0	276,301	39.7%	93.8	238,168	98.7%	514,469	54.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/14/2002	71	132	0.00	70	179	0.00	311
MTD		1,443	0.38		1,912	0.17	3,355

STREAM FLOWS

Gauging Station	02/14/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	232	3,565
NRRT : Nueces River at Tilden, Texas	75	1,135
FRRT : Frio River at Tilden, Texas	28	405
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	20	345
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	2,362
NCAT : Nueces River at Calallen, Texas	0	398
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	195	3,053

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 3,053	2,500
Estuary Inflows (Measured at NCAT)	398
PassThru Surplus / -Deficit:	-352

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/15/2002
02/14/2002	95	1,084	4,542	3,040	1,956	44.0	43.4

Report Generated: 02/15/2002 at 8:00:25 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 16, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/16/2001	199.4	268,542	38.6%	85.7	103,709	43.0%	372,251	39.7%
02/16/2002	199.9	276,151	39.7%	93.9	239,127	99.1%	515,278	55.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/15/2002	77	175	0.00	76	179	0.00	354
MTD		1,618	0.38		2,091	0.17	3,709

STREAM FLOWS

Gauging Station	02/15/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	234	3,799
NRRT : Nueces River at Tilden, Texas	75	1,211
FRRT : Frio River at Tilden, Texas	28	433
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	20	364
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	97	2,459
NCAT : Nueces River at Calallen, Texas	14	413
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	197	3,249

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 3,249	2,500
Estuary Inflows (Measured at NCAT)	413
PassThru Surplus / -Deficit:	-337

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/16/2002
02/15/2002	108	1,192	4,649	3,040	1,848	44.0	43.3

Report Generated: 02/16/2002 at 7:44:54 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 17, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/17/2001	199.4	268,246	38.6%	85.7	103,709	43.0%	371,955	39.7%
02/17/2002	199.9	276,000	39.7%	93.8	237,977	98.6%	513,977	54.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/16/2002	67	158	0.00	67	178	0.00	336
MTD		1,776	0.38		2,269	0.17	4,045

STREAM FLOWS

Gauging Station	02/16/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	230	4,030
NRRT : Nueces River at Tilden, Texas	71	1,282
FRRT : Frio River at Tilden, Texas	28	461
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	20	384
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	2,565
NCAT : Nueces River at Calallen, Texas	10	423
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	193	3,442

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 3,442	2,500
Estuary Inflows (Measured at NCAT)	423
PassThru Surplus / -Deficit:	-327

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/17/2002
02/16/2002	108	1,300	4,757	3,040	1,740	44.0	43.3

Report Generated: 02/17/2002 at 8:19:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 18, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/18/2001	199.4	267,803	38.5%	85.7	103,440	42.9%	371,243	39.6%
02/18/2002	199.9	275,699	39.7%	93.8	237,785	98.6%	513,484	54.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/17/2002	71	140	0.00	71	212	0.00	352
MTD		1,916	0.38		2,481	0.17	4,397

STREAM FLOWS

Gauging Station	02/17/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	228	4,258
NRTT : Nueces River at Tilden, Texas	69	1,352
FRIT : Frio River at Tilden, Texas	26	486
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	19	403
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	85	2,650
NCAT : Nueces River at Calallen, Texas	0	423
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	189	3,631

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 3,631	2,500
Estuary Inflows (Measured at NCAT)	423
PassThru Surplus / -Deficit:	-327

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/18/2002
02/17/2002	108	1,407	4,865	3,040	1,633	44.0	43.3

Report Generated: 02/18/2002 at 8:01:38 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 19, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/19/2001	199.4	267,508	38.5%	85.7	103,172	42.8%	370,680	39.6%
02/19/2002	199.9	275,549	39.6%	93.8	237,211	98.3%	512,760	54.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/18/2002	73	79	0.00	74	156	0.00	235
MTD		1,995	0.38		2,637	0.17	4,632

STREAM FLOWS

Gauging Station	02/18/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	222	4,480
NRRT : Nueces River at Tilden, Texas	67	1,419
FRRT : Frio River at Tilden, Texas	26	512
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	19	422
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	85	2,735
NCAT : Nueces River at Calallen, Texas	0	423
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	183	3,813

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 3,813	2,500
Estuary Inflows (Measured at NCAT)	423
PassThru Surplus / -Deficit:	-327

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/19/2002
02/18/2002	108	1,515	4,972	3,040	1,525	44.0	43.3

Report Generated: 02/19/2002 at 8:01:05 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 20, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/20/2001	199.4	267,361	38.5%	85.6	102,772	42.6%	370,133	39.5%
02/20/2002	199.9	275,549	39.6%	93.8	237,977	98.6%	513,526	54.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/19/2002	79	158	0.00	79	212	0.00	370
MTD		2,153	0.38		2,849	0.17	5,002

STREAM FLOWS

Gauging Station	02/19/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	210	4,691
NRRT : Nueces River at Tilden, Texas	66	1,485
FRRT : Frio River at Tilden, Texas	26	538
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	18	440
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	117	2,852
NCAT : Nueces River at Calallen, Texas	0	423
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	171	3,984

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 3,984	2,500
Estuary Inflows (Measured at NCAT)	423
PassThru Surplus / -Deficit:	-327

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/20/2002
02/19/2002	107	1,622	5,080	3,040	1,418	44.0	43.3

Report Generated: 02/20/2002 at 8:37:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 21, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/21/2001	199.3	267,214	38.4%	85.6	102,638	42.5%	369,852	39.5%
02/21/2002	199.9	275,398	39.6%	93.8	237,403	98.4%	512,801	54.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/20/2002	81	166	0.00	78	212	0.00	378
MTD		2,319	0.38		3,061	0.17	5,380

STREAM FLOWS

Gauging Station	02/20/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	157	4,847
NRRT : Nueces River at Tilden, Texas	64	1,548
FRRT : Frio River at Tilden, Texas	26	564
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	18	458
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	3,033
NCAT : Nueces River at Calallen, Texas	0	423
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	117	4,101

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 4,101	2,500
Estuary Inflows (Measured at NCAT)	423
PassThru Surplus / -Deficit:	-327

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/21/2002
02/20/2002	107	1,730	5,187	3,040	1,310	44.0	43.2

Report Generated: 02/21/2002 at 8:30:34 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 22, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/22/2001	199.3	267,066	38.4%	85.6	102,638	42.5%	369,704	39.5%
02/22/2002	199.9	275,248	39.6%	93.8	237,494	98.4%	512,742	54.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/21/2002	83	306	0.00	86	424	0.00	730
MTD		2,625	0.38		3,485	0.17	6,110

STREAM FLOWS

Gauging Station	02/21/2002 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	151	4,998
<u>NRTT</u> : Nueces River at Tilden, Texas	58	1,606
<u>FRIT</u> : Frio River at Tilden, Texas	22	586
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	18	476
Release from Choke Canyon Reservoir	66	1,376
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	355	3,388
<u>NCAT</u> : Nueces River at Calallen, Texas	0	423
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	107	4,208

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <u>Salinity Relief Credit</u> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 4,208	2,500
Estuary Inflows (Measured at NCAT)	423
PassThru Surplus / -Deficit:	-327

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/22/2002
02/21/2002	107	1,837	5,295	3,040	1,203	44.0	43.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 23, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/23/2001	199.3	267,066	38.4%	85.6	102,505	42.5%	369,571	39.5%
02/23/2002	199.9	274,798	39.5%	93.8	236,447	98.0%	511,245	54.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/22/2002	70	219	0.00	66	289	0.00	508
MTD		2,844	0.38		3,774	0.17	6,618

STREAM FLOWS

Gauging Station	02/22/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	145	5,143
NRTT : Nueces River at Tilden, Texas	50	1,655
FRIT : Frio River at Tilden, Texas	28	613
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	17	493
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	230	3,619
NCAT : Nueces River at Calallen, Texas	19	442
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	107	4,315

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 4,315	2,500
Estuary Inflows (Measured at NCAT)	442
PassThru Surplus / -Deficit:	-308

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/23/2002
02/22/2002	107	1,944	5,402	3,040	1,096	44.0	43.2

Report Generated: 02/23/2002 at 8:33:06 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 24, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/24/2001	199.3	267,214	38.4%	85.6	102,106	42.3%	369,320	39.4%
02/24/2002	199.8	274,497	39.5%	93.7	235,874	97.8%	510,371	54.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/23/2002	77	227	0.00	76	278	0.00	505
MTD		3,071	0.38		4,052	0.17	7,123

STREAM FLOWS

Gauging Station	02/23/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	137	5,280
NRRT : Nueces River at Tilden, Texas	48	1,703
FRRT : Frio River at Tilden, Texas	30	643
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	515
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	77	3,696
NCAT : Nueces River at Calallen, Texas	75	517
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	101	4,417

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 4,417	2,500
Estuary Inflows (Measured at NCAT)	517
PassThru Surplus / -Deficit:	-233

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/24/2002
02/23/2002	107	2,051	5,508	3,040	989	44.0	43.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 25, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/25/2001	199.3	267,066	38.4%	85.7	103,172	42.8%	370,238	39.5%
02/25/2002	199.8	274,198	39.4%	93.7	235,874	97.8%	510,072	54.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/24/2002	82	218	0.00	79	333	0.00	551
MTD		3,289	0.38		4,385	0.17	7,674

STREAM FLOWS

Gauging Station	02/24/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	131	5,411
NRRT : Nueces River at Tilden, Texas	48	1,751
FRRT : Frio River at Tilden, Texas	30	673
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	34	548
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	79	3,775
NCAT : Nueces River at Calallen, Texas	28	545
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	95	4,512

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 4,512	2,500
Estuary Inflows (Measured at NCAT)	545
PassThru Surplus / -Deficit:	-205

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/25/2002
02/24/2002	107	2,158	5,615	3,040	882	44.0	43.2

Report Generated: 02/25/2002 at 8:42:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 26, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/26/2001	199.3	267,066	38.4%	85.6	102,772	42.6%	369,838	39.5%
02/26/2002	199.8	274,048	39.4%	93.8	237,403	98.4%	511,451	54.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/25/2002	81	227	0.00	80	290	0.00	517
MTD		3,516	0.38		4,675	0.17	8,191

STREAM FLOWS

Gauging Station	02/25/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	141	5,552
NRRT : Nueces River at Tilden, Texas	50	1,800
FRRT : Frio River at Tilden, Texas	30	703
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	570
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	79	3,855
NCAT : Nueces River at Calallen, Texas	9	554
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	105	4,617

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 4,617	2,500
Estuary Inflows (Measured at NCAT)	554
PassThru Surplus / -Deficit:	-196

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/26/2002
02/25/2002	107	2,265	5,722	3,040	775	44.0	43.1

Report Generated: 02/26/2002 at 8:22:54 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 27, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/27/2001	199.3	266,919	38.4%	85.6	102,505	42.5%	369,424	39.4%
02/27/2002	199.8	273,599	39.4%	93.7	234,731	97.3%	508,330	54.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/26/2002	43	Pan Froze	0.00	45	177	0.00	177
MTD		3,516	0.38		4,852	0.17	8,368

STREAM FLOWS

Gauging Station	02/26/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	143	5,695
NRRT : Nueces River at Tilden, Texas	52	1,852
FRRT : Frio River at Tilden, Texas	32	734
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	592
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	556	4,411
NCAT : Nueces River at Calallen, Texas	0	554
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	109	4,726

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 4,726	2,500
Estuary Inflows (Measured at NCAT)	554
PassThru Surplus / -Deficit:	-196

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/27/2002
02/26/2002	123	2,388	5,846	3,040	652	44.0	43.2

Report Generated: 02/27/2002 at 9:30:11 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 28, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/28/2001	199.3	266,625	38.3%	85.6	102,638	42.5%	369,263	39.4%
02/28/2002	199.8	273,449	39.3%	93.7	234,540	97.2%	507,989	54.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/27/2002	54	279	0.00	52	189	0.00	468
MTD		3,795	0.38		5,041	0.17	8,836

STREAM FLOWS

Gauging Station	02/27/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	145	5,840
NRTT : Nueces River at Tilden, Texas	52	1,904
FRIT : Frio River at Tilden, Texas	30	764
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	614
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	4,566
NCAT : Nueces River at Calallen, Texas	179	732
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	109	4,835

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 4,835	2,500
Estuary Inflows (Measured at NCAT)	732
PassThru Surplus / -Deficit:	-18

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	02/28/2002
02/27/2002	139	2,528	5,985	3,040	512	44.0	43.0

Report Generated: 02/28/2002 at 8:17:06 AM