

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 1, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/01/2001	199.3	266,478	38.3%	85.6	101,974	42.3%	368,452	39.3%
03/01/2002	199.8	273,599	39.4%	93.7	234,731	97.3%	508,330	54.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/28/2002	55	26	0.06	60	22	0.07	48
MTD		3,821	0.44		5,063	0.24	8,884

STREAM FLOWS

Gauging Station	02/28/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	147	5,987
NRRT : Nueces River at Tilden, Texas	46	1,949
FRRT : Frio River at Tilden, Texas	28	792
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	636
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	129	4,695
NCAT : Nueces River at Calallen, Texas	113	845
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	109	4,945

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2002)	1,250
Return Flow Credit (Effective: 02/01/2002)	500
Passthru Target: 2,500 Reservoir Inflow: 4,945	2,500
Estuary Inflows (Measured at NCAT)	845
PassThru Surplus / -Deficit:	95

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/01/2002
02/28/2002	139	2,667	6,125	3,040	373	44.0	43.0

Report Generated: 03/01/2002 at 9:11:21 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 2, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/02/2001	199.3	267,214	38.4%	85.6	102,239	42.4%	369,453	39.4%
03/02/2002	199.8	273,599	39.4%	93.6	234,350	97.1%	507,949	54.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/01/2002	67	52	0.00	73	22	0.00	74
MTD		52	0.00		22	0.00	74

STREAM FLOWS

Gauging Station	03/01/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	145	145
NRTT : Nueces River at Tilden, Texas	40	40
FRIT : Frio River at Tilden, Texas	26	26
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	24
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	105
NCAT : Nueces River at Calallen, Texas	56	56
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	105	105

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 105	105
Estuary Inflows (Measured at NCAT)	56
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/02/2002
03/01/2002	138	138	6,262	3,050	2,912	44.0	43.0

Report Generated: 03/02/2002 at 8:02:17 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 3, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/03/2001	199.4	267,951	38.5%	85.6	102,106	42.3%	370,057	39.5%
03/03/2002	199.8	273,299	39.3%	93.7	234,731	97.3%	508,030	54.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/02/2002	34	Pan Froze	0.00	63	233	0.00	233
MTD		52	0.00		255	0.00	307

STREAM FLOWS

Gauging Station	03/02/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	143	288
NRTT : Nueces River at Tilden, Texas	34	73
FRIT : Frio River at Tilden, Texas	24	50
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	50
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	496	601
NCAT : Nueces River at Calallen, Texas	34	89
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	101	206

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 206	206
Estuary Inflows (Measured at NCAT)	89
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/03/2002
03/02/2002	139	277	6,401	3,050	2,773	44.0	43.0

Report Generated: 03/03/2002 at 8:48:56 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 4, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/04/2001	199.4	267,803	38.5%	85.6	101,841	42.2%	369,644	39.5%
03/04/2002	199.7	272,403	39.2%	93.6	233,020	96.6%	505,423	54.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/03/2002	51	Pan Froze	0.00	49	Pan Froze	0.00	0
MTD		52	0.00		255	0.00	307

STREAM FLOWS

Gauging Station	03/03/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	133	421
NRTT : Nueces River at Tilden, Texas	26	99
FRIT : Frio River at Tilden, Texas	26	75
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	75
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	433	1,034
NCAT : Nueces River at Calallen, Texas	351	441
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	93	300

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 300	300
Estuary Inflows (Measured at NCAT)	441
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/04/2002
03/03/2002	139	416	6,540	3,050	2,634	44.0	43.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 5, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/05/2001	199.3	267,214	38.4%	85.6	101,974	42.3%	369,188	39.4%
03/05/2002	199.7	271,807	39.1%	93.6	232,640	96.4%	504,447	53.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/04/2002	61	538	0.00	62	442	0.00	980
MTD		590	0.00		697	0.00	1,287

STREAM FLOWS

Gauging Station	03/04/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	123	544
NRRT : Nueces River at Tilden, Texas	22	121
FRRT : Frio River at Tilden, Texas	26	101
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	99
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	46	1,080
NCAT : Nueces River at Calallen, Texas	324	764
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	83	383

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 383	383
Estuary Inflows (Measured at NCAT)	764
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/05/2002
03/04/2002	135	551	6,675	3,050	2,499	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 6, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/06/2001	199.3	267,066	38.4%	85.6	101,841	42.2%	368,907	39.4%
03/06/2002	199.6	271,658	39.1%	93.5	232,450	96.4%	504,108	53.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/05/2002	60	69	0.00	60	88	0.00	157
MTD		659	0.00		785	0.00	1,444

STREAM FLOWS

Gauging Station	03/05/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	115	659
NRRT : Nueces River at Tilden, Texas	20	141
FRRT : Frio River at Tilden, Texas	28	129
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	125
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	64	1,143
NCAT : Nueces River at Calallen, Texas	36	800
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	77	461

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 461	461
Estuary Inflows (Measured at NCAT)	800
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/06/2002
03/05/2002	139	690	6,814	3,050	2,360	44.0	42.8

Report Generated: 03/06/2002 at 8:36:38 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 7, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/07/2001	199.3	266,919	38.4%	85.5	101,709	42.2%	368,628	39.4%
03/07/2002	199.6	271,509	39.1%	93.5	232,450	96.4%	503,959	53.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/06/2002	78	104	0.00	76	155	0.00	259
MTD		763	0.00		940	0.00	1,703

STREAM FLOWS

Gauging Station	03/06/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	113	772
NRRT : Nueces River at Tilden, Texas	22	163
FRRT : Frio River at Tilden, Texas	28	157
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	28	153
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	75	1,219
NCAT : Nueces River at Calallen, Texas	12	811
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	75	536

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 536	536
Estuary Inflows (Measured at NCAT)	811
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/07/2002
03/06/2002	139	829	6,954	3,050	2,221	44.0	42.8

Report Generated: 03/07/2002 at 8:34:39 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 8, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/08/2001	199.3	266,772	38.4%	85.6	101,974	42.3%	368,746	39.4%
03/08/2002	199.6	271,360	39.0%	93.5	232,071	96.2%	503,431	53.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/07/2002	78	130	0.00	80	243	0.00	373
MTD		893	0.00		1,183	0.00	2,076

STREAM FLOWS

Gauging Station	03/07/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	115	887
NRRT : Nueces River at Tilden, Texas	20	183
FRRT : Frio River at Tilden, Texas	28	185
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	28	181
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	73	1,292
NCAT : Nueces River at Calallen, Texas	13	824
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	77	613

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 613	613
Estuary Inflows (Measured at NCAT)	824
PassThru Surplus / -Deficit:	806

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/08/2002
03/07/2002	139	968	7,093	3,050	2,082	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 9, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/09/2001	199.3	266,625	38.3%	85.6	102,106	42.3%	368,731	39.4%
03/09/2002	199.6	271,211	39.0%	93.6	232,640	96.4%	503,851	53.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/08/2002	82	87	0.00	82	199	0.00	286
MTD		980	0.00		1,382	0.00	2,362

STREAM FLOWS

Gauging Station	03/08/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	117	1,004
NRRT : Nueces River at Tilden, Texas	17	199
FRRT : Frio River at Tilden, Texas	28	212
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	30	210
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	69	1,362
NCAT : Nueces River at Calallen, Texas	9	833
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	79	693

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 693	693
Estuary Inflows (Measured at NCAT)	833
PassThru Surplus / -Deficit:	735

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/09/2002
03/08/2002	139	1,107	7,232	3,050	1,943	44.0	42.8

Report Generated: 03/09/2002 at 8:33:32 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 10, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/10/2001	199.3	266,478	38.3%	85.6	102,505	42.5%	368,983	39.4%
03/10/2002	199.6	270,913	39.0%	93.6	233,209	96.7%	504,122	53.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/09/2002	71	372	0.00	71	465	0.00	837
MTD		1,352	0.00		1,847	0.00	3,199

STREAM FLOWS

Gauging Station	03/09/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	115	1,120
NRRT : Nueces River at Tilden, Texas	13	213
FRRT : Frio River at Tilden, Texas	28	240
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	30	240
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	91	1,453
NCAT : Nueces River at Calallen, Texas	0	833
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	77	770

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 770	770
Estuary Inflows (Measured at NCAT)	833
PassThru Surplus / -Deficit:	658

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/10/2002
03/09/2002	140	1,247	7,371	3,050	1,803	44.0	42.8

Report Generated: 03/11/2002 at 9:18:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 11, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/11/2001	199.3	266,184	38.3%	85.6	102,638	42.5%	368,822	39.4%
03/11/2002	199.6	270,913	39.0%	93.5	232,071	96.2%	502,984	53.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/10/2002	59	147	0.00	57	133	0.01	280
MTD		1,499	0.00		1,980	0.01	3,479

STREAM FLOWS

Gauging Station	03/10/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	109	1,229
NRTT : Nueces River at Tilden, Texas	10	223
FRIT : Frio River at Tilden, Texas	28	268
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	30	270
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	71	1,524
NCAT : Nueces River at Calallen, Texas	0	833
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	71	842

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 842	842
Estuary Inflows (Measured at NCAT)	833
PassThru Surplus / -Deficit:	586

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/11/2002
03/10/2002	140	1,387	7,512	3,050	1,663	44.0	42.8

Report Generated: 03/11/2002 at 9:33:36 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 12, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/12/2001	199.3	266,772	38.4%	85.7	103,172	42.8%	369,944	39.5%
03/12/2002	199.6	270,765	38.9%	93.5	231,882	96.1%	502,647	53.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/11/2002	77	52	0.00	77	132	0.00	184
MTD		1,551	0.00		2,112	0.01	3,663

STREAM FLOWS

Gauging Station	03/11/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	105	1,334
NRRT : Nueces River at Tilden, Texas	9	232
FRRT : Frio River at Tilden, Texas	30	298
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	30	300
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	73	1,598
NCAT : Nueces River at Calallen, Texas	0	833
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	69	911

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 911	911
Estuary Inflows (Measured at NCAT)	833
PassThru Surplus / -Deficit:	517

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/12/2002
03/11/2002	140	1,527	7,652	3,050	1,523	44.0	42.7

Report Generated: 03/12/2002 at 8:16:24 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 13, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/13/2001	199.3	266,478	38.3%	85.6	102,772	42.6%	369,250	39.4%
03/13/2002	199.6	270,616	38.9%	93.5	231,503	96.0%	502,119	53.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/12/2002	84	260	0.00	79	287	0.00	547
MTD		1,811	0.00		2,399	0.01	4,210

STREAM FLOWS

Gauging Station	03/12/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	1,435
NRRT : Nueces River at Tilden, Texas	8	240
FRRT : Frio River at Tilden, Texas	30	328
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	30	330
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	77	1,675
NCAT : Nueces River at Calallen, Texas	0	833
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	66	977

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 977	977
Estuary Inflows (Measured at NCAT)	833
PassThru Surplus / -Deficit:	451

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/13/2002
03/12/2002	140	1,667	7,792	3,050	1,383	44.0	42.7

Report Generated: 03/13/2002 at 8:10:06 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 14, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/14/2001	199.3	266,331	38.3%	85.6	102,638	42.5%	368,969	39.4%
03/14/2002	199.6	270,468	38.9%	93.5	230,746	95.6%	501,214	53.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/13/2002	88	311	0.00	85	342	0.00	653
MTD		2,122	0.00		2,741	0.01	4,863

STREAM FLOWS

Gauging Station	03/13/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	1,534
NRRT : Nueces River at Tilden, Texas	7	246
FRRT : Frio River at Tilden, Texas	30	357
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	30	359
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	103	1,779
NCAT : Nueces River at Calallen, Texas	0	833
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	64	1,040

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 1,040	1,040
Estuary Inflows (Measured at NCAT)	833
PassThru Surplus / -Deficit:	388

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/14/2002
03/13/2002	140	1,808	7,932	3,050	1,242	44.0	42.7

Report Generated: 03/14/2002 at 8:05:17 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 15, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/15/2001	199.3	266,772	38.4%	85.6	102,239	42.4%	369,011	39.4%
03/15/2002	199.6	270,319	38.9%	93.5	231,313	95.9%	501,632	53.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/14/2002	92	259	0.00	89	309	0.00	568
MTD		2,381	0.00		3,050	0.01	5,431

STREAM FLOWS

Gauging Station	03/14/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	1,632
NRRT : Nueces River at Tilden, Texas	6	252
FRRT : Frio River at Tilden, Texas	30	387
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	30	389
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	157	1,935
NCAT : Nueces River at Calallen, Texas	0	833
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	62	1,102

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 1,102	1,102
Estuary Inflows (Measured at NCAT)	833
PassThru Surplus / -Deficit:	326

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/15/2002
03/14/2002	141	1,948	8,073	3,050	1,102	44.0	42.6

Report Generated: 03/15/2002 at 8:12:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 16, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/16/2001	199.3	266,037	38.3%	85.6	102,905	42.7%	368,942	39.4%
03/16/2002	199.5	270,171	38.9%	93.5	231,692	96.0%	501,863	53.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/15/2002	90	311	0.00	89	353	0.00	664
MTD		2,692	0.00		3,403	0.01	6,095

STREAM FLOWS

Gauging Station	03/15/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	1,725
NRRT : Nueces River at Tilden, Texas	5	257
FRRT : Frio River at Tilden, Texas	28	415
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	30	419
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	2,118
NCAT : Nueces River at Calallen, Texas	0	833
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	56	1,157

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 1,157	1,157
Estuary Inflows (Measured at NCAT)	833
PassThru Surplus / -Deficit:	271

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/16/2002
03/15/2002	141	2,089	8,214	3,050	961	44.0	42.6

Report Generated: 03/16/2002 at 8:35:13 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 17, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/17/2001	199.3	265,890	38.2%	85.6	102,905	42.7%	368,795	39.4%
03/17/2002	199.5	270,022	38.8%	93.5	230,746	95.6%	500,768	53.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/16/2002	78	121	0.00	77	198	0.00	319
MTD		2,813	0.00		3,601	0.01	6,414

STREAM FLOWS

Gauging Station	03/16/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	1,818
NRRT : Nueces River at Tilden, Texas	4	261
FRRT : Frio River at Tilden, Texas	28	443
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	30	449
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	2,301
NCAT : Nueces River at Calallen, Texas	0	833
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	56	1,213

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 1,213	1,213
Estuary Inflows (Measured at NCAT)	833
PassThru Surplus / -Deficit:	215

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/17/2002
03/16/2002	140	2,229	8,354	3,050	821	44.0	42.6

Report Generated: 03/17/2002 at 8:36:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 18, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/18/2001	199.2	265,597	38.2%	85.6	102,638	42.5%	368,235	39.3%
03/18/2002	199.5	269,874	38.8%	93.4	230,179	95.4%	500,053	53.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/17/2002	78	69	0.00	84	66	0.00	135
MTD		2,882	0.00		3,667	0.01	6,549

STREAM FLOWS

Gauging Station	03/17/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	1,908
NRRT : Nueces River at Tilden, Texas	3	264
FRRT : Frio River at Tilden, Texas	26	468
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	28	476
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	2,483
NCAT : Nueces River at Calallen, Texas	0	833
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	50	1,262

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 1,262	1,262
Estuary Inflows (Measured at NCAT)	833
PassThru Surplus / -Deficit:	166

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/18/2002
03/17/2002	140	2,370	8,494	3,050	680	44.0	42.6

Report Generated: 03/18/2002 at 8:18:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 19, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/19/2001	199.2	265,743	38.2%	85.5	101,577	42.1%	367,320	39.2%
03/19/2002	199.5	269,726	38.8%	93.4	230,368	95.5%	500,094	53.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/18/2002	82	130	0.00	80	187	0.00	317
MTD		3,012	0.00		3,854	0.01	6,866

STREAM FLOWS

Gauging Station	03/18/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	87	1,995
NRRT : Nueces River at Tilden, Texas	3	268
FRRT : Frio River at Tilden, Texas	26	494
SMRT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	28	504
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	2,626
NCAT : Nueces River at Calallen, Texas	4	837
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMRT)-Release From Choke Canyon	48	1,310

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 1,310	1,310
Estuary Inflows (Measured at NCAT)	837
PassThru Surplus / -Deficit:	122

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/19/2002
03/18/2002	140	2,510	8,635	3,050	540	44.0	42.6

Report Generated: 03/19/2002 at 8:04:08 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 20, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/20/2001	199.2	265,303	38.2%	85.6	101,974	42.3%	367,277	39.2%
03/20/2002	199.5	269,726	38.8%	93.5	230,746	95.6%	500,472	53.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/19/2002	86	164	0.04	84	231	0.03	395
MTD		3,176	0.04		4,085	0.04	7,261

STREAM FLOWS

Gauging Station	03/19/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	87	2,082
NRRT : Nueces River at Tilden, Texas	4	271
FRRT : Frio River at Tilden, Texas	26	520
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	28	532
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	95	2,721
NCAT : Nueces River at Calallen, Texas	24	860
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	48	1,358

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 1,358	1,358
Estuary Inflows (Measured at NCAT)	860
PassThru Surplus / -Deficit:	98

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/20/2002
03/19/2002	141	2,651	8,775	3,050	399	44.0	42.6

Report Generated: 03/20/2002 at 9:13:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 21, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/21/2001	199.2	265,157	38.1%	85.5	101,444	42.1%	366,601	39.1%
03/21/2002	199.5	269,578	38.8%	93.5	230,746	95.6%	500,324	53.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/20/2002	76	259	0.00	74	342	0.00	601
MTD		3,435	0.04		4,427	0.04	7,862

STREAM FLOWS

Gauging Station	03/20/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	2,168
NRTT : Nueces River at Tilden, Texas	3	274
FRIT : Frio River at Tilden, Texas	24	544
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	28	560
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	2,870
NCAT : Nueces River at Calallen, Texas	8	868
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	44	1,401

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 1,401	1,401
Estuary Inflows (Measured at NCAT)	868
PassThru Surplus / -Deficit:	62

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/21/2002
03/20/2002	140	2,791	8,916	3,050	259	44.0	42.6

Report Generated: 03/21/2002 at 8:23:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 22, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/22/2001	199.2	264,864	38.1%	85.5	101,312	42.0%	366,176	39.1%
03/22/2002	199.5	269,281	38.7%	93.5	231,124	95.8%	500,405	53.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/21/2002	78	302	0.00	76	320	0.00	622
MTD		3,737	0.04		4,747	0.04	8,484

STREAM FLOWS

Gauging Station	03/21/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	2,249
NRRT : Nueces River at Tilden, Texas	3	277
FRRT : Frio River at Tilden, Texas	22	566
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	586
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	3,001
NCAT : Nueces River at Calallen, Texas	0	868
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	38	1,439

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 1,439	1,439
Estuary Inflows (Measured at NCAT)	868
PassThru Surplus / -Deficit:	24

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/22/2002
03/21/2002	141	2,932	9,056	3,050	118	44.0	42.6

Report Generated: 03/22/2002 at 8:28:32 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 23, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/23/2001	199.2	264,717	38.1%	85.5	101,049	41.9%	365,766	39.1%
03/23/2002	199.5	269,133	38.7%	93.4	229,046	94.9%	498,179	53.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/22/2002	65	172	0.00	76	121	0.00	293
MTD		3,909	0.04		4,868	0.04	8,777

STREAM FLOWS

Gauging Station	03/22/2002 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	79	2,328
<u>NRTT</u> : Nueces River at Tilden, Texas	2	279
<u>FRTT</u> : Frio River at Tilden, Texas	24	590
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	22	607
Release from Choke Canyon Reservoir	66	1,441
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	191	3,192
<u>NCAT</u> : Nueces River at Calallen, Texas	0	868
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	38	1,477

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <u>Salinity Relief Credit</u> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 1,477	1,477
Estuary Inflows (Measured at NCAT)	868
PassThru Surplus / -Deficit:	-14

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/23/2002
03/22/2002	108	3,040	9,164	3,050	10	44.0	42.5

Report Generated: 03/23/2002 at 9:15:53 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 24, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/24/2001	199.2	264,717	38.1%	85.5	100,917	41.8%	365,634	39.0%
03/24/2002	199.5	268,837	38.7%	93.3	228,104	94.6%	496,941	53.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/23/2002	74	181	0.00	74	197	0.00	378
MTD		4,090	0.04		5,065	0.04	9,155

STREAM FLOWS

Gauging Station	03/23/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	2,404
NRRT : Nueces River at Tilden, Texas	1	281
FRRT : Frio River at Tilden, Texas	26	615
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	19	626
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	3,454
NCAT : Nueces River at Calallen, Texas	0	868
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	36	1,513

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 1,513	1,513
Estuary Inflows (Measured at NCAT)	868
PassThru Surplus / -Deficit:	-50

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/24/2002
03/23/2002	139	3,179	9,304	3,050	-129	44.0	42.5

Report Generated: 03/24/2002 at 10:57:02 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 25, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/25/2001	199.2	264,425	38.0%	85.4	100,392	41.6%	364,817	39.0%
03/25/2002	199.4	268,690	38.6%	93.3	227,728	94.4%	496,418	53.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/24/2002	86	258	0.00	81	274	0.00	532
MTD		4,348	0.04		5,339	0.04	9,687

STREAM FLOWS

Gauging Station	03/24/2002 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	69	2,473
<u>NRTT</u> : Nueces River at Tilden, Texas	1	282
<u>FRTT</u> : Frio River at Tilden, Texas	26	641
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	0	0
<u>ARWT</u> : Atascosa River at Whitsett, Texas	19	645
Release from Choke Canyon Reservoir	66	1,572
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	165	3,619
<u>NCAT</u> : Nueces River at Calallen, Texas	10	878
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	30	1,542

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 <u>Salinity Relief Credit</u> : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 1,542	1,542
Estuary Inflows (Measured at NCAT)	878
PassThru Surplus / -Deficit:	-70

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/25/2002
03/24/2002	140	3,319	9,443	3,050	-269	44.0	42.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 26, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/26/2001	199.1	264,278	38.0%	85.5	100,654	41.7%	364,932	39.0%
03/26/2002	199.4	268,394	38.6%	93.4	229,612	95.2%	498,006	53.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/25/2002	79	172	0.00	79	154	0.00	326
MTD		4,520	0.04		5,493	0.04	10,013

STREAM FLOWS

Gauging Station	03/25/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	2,541
NRRT : Nueces River at Tilden, Texas	1	283
FRRT : Frio River at Tilden, Texas	24	665
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	20	665
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	3,777
NCAT : Nueces River at Calallen, Texas	16	894
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	26	1,568

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 1,568	1,568
Estuary Inflows (Measured at NCAT)	894
PassThru Surplus / -Deficit:	-80

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/26/2002
03/25/2002	140	3,459	9,583	3,050	-409	44.0	42.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 27, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/27/2001	199.1	264,132	38.0%	85.4	100,392	41.6%	364,524	38.9%
03/27/2002	199.4	268,099	38.6%	93.3	227,728	94.4%	495,827	52.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/26/2002	71	249	0.00	72	318	0.00	567
MTD		4,769	0.04		5,811	0.04	10,580

STREAM FLOWS

Gauging Station	03/26/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	2,608
NRRT : Nueces River at Tilden, Texas	1	283
FRRT : Frio River at Tilden, Texas	22	687
SMRT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	19	683
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	139	3,916
NCAT : Nueces River at Calallen, Texas	1	894
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMRT)-Release From Choke Canyon	24	1,592

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 1,592	1,592
Estuary Inflows (Measured at NCAT)	894
PassThru Surplus / -Deficit:	-103

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/27/2002
03/26/2002	121	3,579	9,704	3,050	-529	44.0	42.4

Report Generated: 03/27/2002 at 8:31:13 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 28, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/28/2001	199.1	264,132	38.0%	85.5	101,049	41.9%	365,181	39.0%
03/28/2002	199.4	267,803	38.5%	93.3	227,164	94.2%	494,967	52.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/27/2002	73	146	0.00	72	153	0.00	299
MTD		4,915	0.04		5,964	0.04	10,879

STREAM FLOWS

Gauging Station	03/27/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	2,676
NRRT : Nueces River at Tilden, Texas	0	284
FRRT : Frio River at Tilden, Texas	20	707
SMRT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	16	699
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	4,028
NCAT : Nueces River at Calallen, Texas	0	894
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMRT)-Release From Choke Canyon	22	1,614

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 1,614	1,614
Estuary Inflows (Measured at NCAT)	894
PassThru Surplus / -Deficit:	-124

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/28/2002
03/27/2002	140	3,719	9,843	3,050	-669	44.0	42.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 29, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/29/2001	199.2	265,010	38.1%	85.5	100,654	41.7%	365,664	39.0%
03/29/2002	199.4	267,656	38.5%	93.3	226,976	94.1%	494,632	52.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/28/2002	88	172	0.00	90	230	0.00	402
MTD		5,087	0.04		6,194	0.04	11,281

STREAM FLOWS

Gauging Station	03/28/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	2,739
NRTT : Nueces River at Tilden, Texas	0	284
FRIT : Frio River at Tilden, Texas	20	727
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	712
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	204	4,232
NCAT : Nueces River at Calallen, Texas	0	894
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	33	1,647

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 1,647	1,647
Estuary Inflows (Measured at NCAT)	894
PassThru Surplus / -Deficit:	-158

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/29/2002
03/28/2002	140	3,859	9,983	3,050	-809	44.0	42.3

Report Generated: 03/29/2002 at 12:14:25 PM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 30, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/30/2001	199.2	264,864	38.1%	85.5	101,049	41.9%	365,913	39.1%
03/30/2002	199.4	267,508	38.5%	93.1	224,913	93.2%	492,421	52.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/29/2002	84	146	0.00	83	142	0.00	288
MTD		5,233	0.04		6,336	0.04	11,569

STREAM FLOWS

Gauging Station	03/29/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	2,801
NRTT : Nueces River at Tilden, Texas	0	284
FRIT : Frio River at Tilden, Texas	22	748
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	724
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	292	4,524
NCAT : Nueces River at Calallen, Texas	0	894
Reservoir Inflow		
Computed as: NRMT+FRIT+SMTT+ARWT	34	1,681

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 1,681	1,681
Estuary Inflows (Measured at NCAT)	894
PassThru Surplus / -Deficit:	-191

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/30/2002
03/29/2002	140	3,998	10,123	3,050	-948	44.0	42.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 31, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/31/2001	199.2	264,864	38.1%	85.5	100,654	41.7%	365,518	39.0%
03/31/2002	199.3	267,214	38.4%	93.2	226,788	94.0%	494,002	52.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/30/2002	92	309	0.00	92	449	0.00	758
MTD		5,542	0.04		6,785	0.04	12,327

STREAM FLOWS

Gauging Station	03/30/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	2,858
NRTT : Nueces River at Tilden, Texas	0	285
FRIT : Frio River at Tilden, Texas	36	784
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	734
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	294	4,818
NCAT : Nueces River at Calallen, Texas	24	918
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	47	1,728

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 1,728	1,728
Estuary Inflows (Measured at NCAT)	918
PassThru Surplus / -Deficit:	-214

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	03/31/2002
03/30/2002	140	4,138	10,262	3,050	-1,088	44.0	42.3