

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 1, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/01/2001	199.2	264,571	38.1%	85.5	100,917	41.8%	365,488	39.0%
04/01/2002	199.3	267,066	38.4%	93.2	226,037	93.7%	493,103	52.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/31/2002	83	274	0.00	78	372	0.00	646
MTD		5,816	0.04		7,157	0.04	12,973

STREAM FLOWS

Gauging Station	03/31/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	2,914
NRTT : Nueces River at Tilden, Texas	0	285
FRIT : Frio River at Tilden, Texas	34	818
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	745
Release from Choke Canyon Reservoir	66	2,031
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	302	5,119
NCAT : Nueces River at Calallen, Texas	123	1,041
Reservoir Inflow		
Computed as: NRMT+FRIT+SMTT+ARWT	44	1,772

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	95
Return Flow Credit (Effective: 03/01/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 1,772	1,772
Estuary Inflows (Measured at NCAT)	1,041
PassThru Surplus / -Deficit:	-136

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/01/2002
03/31/2002	139	4,277	10,401	3,050	-1,227	44.0	42.3

Report Generated: 04/01/2002 at 8:13:55 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 2, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/02/2001	199.2	264,717	38.1%	85.4	100,392	41.6%	365,109	39.0%
04/02/2002	199.3	266,772	38.4%	93.2	225,287	93.4%	492,059	52.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/01/2002	84	214	0.00	82	229	0.00	443
MTD		214	0.00		229	0.00	443

STREAM FLOWS

Gauging Station	04/01/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	54
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	30	30
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	9
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	197	197
NCAT : Nueces River at Calallen, Texas	66	66
Reservoir Inflow		
Computed as: NRMT+FRIT+SMTT+ARWT	39	39

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-136
Return Flow Credit (Effective:)	0
Passthru Target: 3,500 Reservoir Inflow: 39	39
Estuary Inflows (Measured at NCAT)	66
PassThru Surplus / -Deficit:	-110

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/02/2002
04/01/2002	138	138	10,540	3,050	2,912	44.0	42.3

Report Generated: 04/02/2002 at 7:53:55 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 3, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/03/2001	199.1	264,278	38.0%	85.4	100,392	41.6%	364,670	38.9%
04/03/2002	199.3	266,625	38.3%	93.2	225,475	93.5%	492,100	52.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/02/2002	89	257	0.00	86	218	0.01	475
MTD		471	0.00		447	0.01	918

STREAM FLOWS

Gauging Station	04/02/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	107
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	28	58
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	19
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	244	441
NCAT : Nueces River at Calallen, Texas	15	81
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	37	76

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-136
Return Flow Credit (Effective:)	0
Passthru Target: 3,500 Reservoir Inflow: 76	76
Estuary Inflows (Measured at NCAT)	81
PassThru Surplus / -Deficit:	-132

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/03/2002
04/02/2002	138	276	10,678	3,050	2,774	44.0	42.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 4, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/04/2001	199.2	264,425	38.0%	85.4	100,392	41.6%	364,817	39.0%
04/04/2002	199.3	266,478	38.3%	93.1	224,913	93.2%	491,391	52.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/03/2002	72	240	0.00	74	284	0.00	524
MTD		711	0.00		731	0.01	1,442

STREAM FLOWS

Gauging Station	04/03/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	159
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	28	85
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	27
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	260	701
NCAT : Nueces River at Calallen, Texas	46	126
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	36	112

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-136
Return Flow Credit (Effective:)	0
Passthru Target: 3,500 Reservoir Inflow: 112	112
Estuary Inflows (Measured at NCAT)	126
PassThru Surplus / -Deficit:	-122

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/04/2002
04/03/2002	138	415	10,816	3,050	2,635	44.0	42.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 5, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/05/2001	199.2	264,425	38.0%	85.4	100,261	41.6%	364,686	38.9%
04/05/2002	199.3	266,184	38.3%	93.1	224,164	92.9%	490,348	52.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/04/2002	64	111	0.00	66	131	0.00	242
MTD		822	0.00		862	0.01	1,684

STREAM FLOWS

Gauging Station	04/04/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	210
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	28	113
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	35
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	199	899
NCAT : Nueces River at Calallen, Texas	71	198
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	36	149

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective:)	500
Passthru Target: 3,500 Reservoir Inflow: 149	149
Estuary Inflows (Measured at NCAT)	198
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/05/2002
04/04/2002	138	553	10,954	3,050	2,497	44.0	42.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 6, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/06/2001	199.1	264,278	38.0%	85.4	99,608	41.3%	363,886	38.9%
04/06/2002	199.3	265,890	38.2%	93.1	223,230	92.5%	489,120	52.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/05/2002	73	171	0.00	69	120	0.03	291
MTD		993	0.00		982	0.04	1,975

STREAM FLOWS

Gauging Station	04/05/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	262
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	28	141
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	43
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	1,048
NCAT : Nueces River at Calallen, Texas	48	245
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	36	184

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective:)	500
Passthru Target: 3,500 Reservoir Inflow: 184	184
Estuary Inflows (Measured at NCAT)	245
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/06/2002
04/05/2002	137	690	11,092	3,050	2,360	44.0	42.1

Report Generated: 04/06/2002 at 8:34:34 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 7, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/07/2001	199.2	264,425	38.0%	85.4	100,130	41.5%	364,555	38.9%
04/07/2002	199.3	265,890	38.2%	93.0	222,857	92.4%	488,747	52.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/06/2002	69	111	0.15	72	76	0.24	187
MTD		1,104	0.15		1,058	0.28	2,162

STREAM FLOWS

Gauging Station	04/06/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	314
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	28	169
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	50
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	1,197
NCAT : Nueces River at Calallen, Texas	15	260
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	35	219

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective:)	500
Passthru Target: 3,500 Reservoir Inflow: 219	219
Estuary Inflows (Measured at NCAT)	260
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/07/2002
04/06/2002	137	827	11,229	3,050	2,223	44.0	42.1

Report Generated: 04/07/2002 at 9:42:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 8, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/08/2001	199.1	264,132	38.0%	85.4	99,348	41.2%	363,480	38.8%
04/08/2002	199.3	266,184	38.3%	93.0	222,857	92.4%	489,041	52.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/07/2002	83	163	0.06	81	196	0.05	359
MTD		1,267	0.21		1,254	0.33	2,521

STREAM FLOWS

Gauging Station	04/07/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	365
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	30	199
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	56
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	1,346
NCAT : Nueces River at Calallen, Texas	2	263
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	36	255

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective:)	500
Passthru Target: 3,500 Reservoir Inflow: 255	255
Estuary Inflows (Measured at NCAT)	263
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/08/2002
04/07/2002	137	965	11,366	3,050	2,085	44.0	42.1

Report Generated: 04/08/2002 at 8:48:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 9, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/09/2001	199.1	264,278	38.0%	85.4	99,218	41.1%	363,496	38.8%
04/09/2002	199.2	265,743	38.2%	93.1	223,417	92.6%	489,160	52.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/08/2002	93	282	0.00	92	305	0.00	587
MTD		1,549	0.21		1,559	0.33	3,108

STREAM FLOWS

Gauging Station	04/08/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	417
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	32	230
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	63
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	137	1,483
NCAT : Nueces River at Calallen, Texas	40	302
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	38	294

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 294	294
Estuary Inflows (Measured at NCAT)	302
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/09/2002
04/08/2002	138	1,102	11,504	3,050	1,948	44.0	42.1

Report Generated: 04/09/2002 at 8:29:22 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 10, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/10/2001	199.1	263,694	37.9%	85.3	98,570	40.9%	362,264	38.7%
04/10/2002	199.2	265,450	38.2%	93.1	223,604	92.7%	489,054	52.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/09/2002	83	265	0.00	83	294	0.00	559
MTD		1,814	0.21		1,853	0.33	3,667

STREAM FLOWS

Gauging Station	04/09/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	48	464
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	24	254
SMTT : San Miguel Creek at Tilden, Texas	212	212
ARWT : Atascosa River at Whitsett, Texas	431	493
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	97	1,580
NCAT : Nueces River at Calallen, Texas	13	315
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	667	961

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 961	961
Estuary Inflows (Measured at NCAT)	315
PassThru Surplus / -Deficit:	-281

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/10/2002
04/09/2002	131	1,234	11,635	3,050	1,816	44.0	43.7

Report Generated: 04/10/2002 at 8:06:40 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 11, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/11/2001	199.1	263,986	38.0%	85.2	97,669	40.5%	361,655	38.6%
04/11/2002	199.3	266,478	38.3%	93.1	223,604	92.7%	490,082	52.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/10/2002	83	206	0.00	82	218	0.00	424
MTD		2,020	0.21		2,071	0.33	4,091

STREAM FLOWS

Gauging Station	04/10/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,036	1,501
NRRT : Nueces River at Tilden, Texas	0	1
FRRT : Frio River at Tilden, Texas	22	276
SMRT : San Miguel Creek at Tilden, Texas	1,096	1,308
ARWT : Atascosa River at Whitsett, Texas	1,511	2,004
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	107	1,687
NCAT : Nueces River at Calallen, Texas	0	315
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMRT)-Release From Choke Canyon	2,088	3,049

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 3,049	3,049
Estuary Inflows (Measured at NCAT)	315
PassThru Surplus / -Deficit:	-2,370

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/11/2002
04/10/2002	138	1,372	11,773	3,050	1,678	44.0	44.0

Report Generated: 04/11/2002 at 4:33:37 PM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 12, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/12/2001	199.1	263,548	37.9%	85.4	99,218	41.1%	362,766	38.7%
04/12/2002	199.3	266,625	38.3%	93.1	224,351	93.0%	490,976	52.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/11/2002	87	257	0.00	87	370	0.00	627
MTD		2,277	0.21		2,441	0.33	4,718

STREAM FLOWS

Gauging Station	04/11/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,580	3,081
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	22	298
SMTT : San Miguel Creek at Tilden, Texas	351	1,659
ARWT : Atascosa River at Whitsett, Texas	619	2,623
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	115	1,802
NCAT : Nueces River at Calallen, Texas	0	315
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,888	4,937

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 4,937	3,500
Estuary Inflows (Measured at NCAT)	315
PassThru Surplus / -Deficit:	-2,821

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/12/2002
04/11/2002	138	1,510	11,912	3,050	1,540	44.0	44.0

Report Generated: 04/12/2002 at 6:18:31 PM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 13, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/13/2001	199.1	263,256	37.9%	85.3	98,829	41.0%	362,085	38.7%
04/13/2002	199.3	266,772	38.4%	93.1	224,726	93.2%	491,498	52.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/12/2002	90	274	0.00	89	360	0.00	634
MTD		2,551	0.21		2,801	0.33	5,352

STREAM FLOWS

Gauging Station	04/12/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	419	3,500
NRRT : Nueces River at Tilden, Texas	0	1
FRRT : Frio River at Tilden, Texas	260	558
SMTT : San Miguel Creek at Tilden, Texas	125	1,785
ARWT : Atascosa River at Whitsett, Texas	97	2,721
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	115	1,918
NCAT : Nueces River at Calallen, Texas	0	315
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	738	5,675

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 5,675	3,500
Estuary Inflows (Measured at NCAT)	315
PassThru Surplus / -Deficit:	-2,821

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/13/2002
04/12/2002	138	1,648	12,050	3,050	1,402	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 14, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/14/2001	199.1	263,256	37.9%	85.3	98,183	40.7%	361,439	38.6%
04/14/2002	199.3	267,066	38.4%	93.1	224,913	93.2%	491,979	52.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/13/2002	90	292	0.00	87	338	0.00	630
MTD		2,843	0.21		3,139	0.33	5,982

STREAM FLOWS

Gauging Station	04/13/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	155	3,654
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	439	996
SMTT : San Miguel Creek at Tilden, Texas	62	1,846
ARWT : Atascosa River at Whitsett, Texas	54	2,774
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	246	2,164
NCAT : Nueces River at Calallen, Texas	0	315
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	590	6,265

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 6,265	3,500
Estuary Inflows (Measured at NCAT)	315
PassThru Surplus / -Deficit:	-2,821

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/14/2002
04/13/2002	138	1,786	12,188	3,050	1,264	44.0	44.1

Report Generated: 04/14/2002 at 8:46:23 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 15, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/15/2001	199.1	262,965	37.8%	85.3	98,312	40.8%	361,277	38.6%
04/15/2002	199.3	266,919	38.4%	93.0	223,044	92.5%	489,963	52.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/14/2002	88	214	0.00	88	293	0.00	507
MTD		3,057	0.21		3,432	0.33	6,489

STREAM FLOWS

Gauging Station	04/14/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	113	3,768
NRRT : Nueces River at Tilden, Texas	0	1
FRRT : Frio River at Tilden, Texas	143	1,139
SMTT : San Miguel Creek at Tilden, Texas	34	1,880
ARWT : Atascosa River at Whitsett, Texas	40	2,814
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	320	2,483
NCAT : Nueces River at Calallen, Texas	0	315
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	224	6,489

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 6,489	3,500
Estuary Inflows (Measured at NCAT)	315
PassThru Surplus / -Deficit:	-2,821

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/15/2002
04/14/2002	138	1,924	12,325	3,050	1,126	44.0	44.1

Report Generated: 04/15/2002 at 8:07:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 16, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/16/2001	199.0	262,673	37.8%	85.3	98,183	40.7%	360,856	38.5%
04/16/2002	199.3	266,919	38.4%	93.1	223,604	92.7%	490,523	52.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/15/2002	92	223	0.00	91	359	0.00	582
MTD		3,280	0.21		3,791	0.33	7,071

STREAM FLOWS

Gauging Station	04/15/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	3,859
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	75	1,215
SMTT : San Miguel Creek at Tilden, Texas	19	1,899
ARWT : Atascosa River at Whitsett, Texas	32	2,846
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	322	2,805
NCAT : Nueces River at Calallen, Texas	0	315
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	120	6,609

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 6,609	3,500
Estuary Inflows (Measured at NCAT)	315
PassThru Surplus / -Deficit:	-2,821

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/16/2002
04/15/2002	138	2,062	12,464	3,050	988	44.0	44.1

Report Generated: 04/16/2002 at 8:05:02 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 17, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/17/2001	199.0	262,382	37.7%	85.3	98,183	40.7%	360,565	38.5%
04/17/2002	199.3	266,625	38.3%	93.0	222,298	92.1%	488,923	52.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/16/2002	92	274	0.00	90	358	0.00	632
MTD		3,554	0.21		4,149	0.33	7,703

STREAM FLOWS

Gauging Station	04/16/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	105	3,964
NRRT : Nueces River at Tilden, Texas	0	1
FRRT : Frio River at Tilden, Texas	58	1,272
SMTT : San Miguel Creek at Tilden, Texas	10	1,909
ARWT : Atascosa River at Whitsett, Texas	26	2,871
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	322	3,126
NCAT : Nueces River at Calallen, Texas	0	315
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	107	6,716

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 6,716	3,500
Estuary Inflows (Measured at NCAT)	315
PassThru Surplus / -Deficit:	-2,821

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/17/2002
04/16/2002	96	2,158	12,559	3,050	892	44.0	44.1

Report Generated: 04/17/2002 at 8:24:40 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 18, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/18/2001	199.0	262,091	37.7%	85.2	97,412	40.4%	359,503	38.4%
04/18/2002	199.3	266,478	38.3%	93.0	222,484	92.2%	488,962	52.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/17/2002	89	317	0.00	88	391	0.00	708
MTD		3,871	0.21		4,540	0.33	8,411

STREAM FLOWS

Gauging Station	04/17/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	788	4,752
NRRT : Nueces River at Tilden, Texas	0	1
FRRT : Frio River at Tilden, Texas	42	1,314
SMTT : San Miguel Creek at Tilden, Texas	5	1,914
ARWT : Atascosa River at Whitsett, Texas	822	3,693
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	322	3,448
NCAT : Nueces River at Calallen, Texas	4	319
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	769	7,486

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 7,486	3,500
Estuary Inflows (Measured at NCAT)	319
PassThru Surplus / -Deficit:	-2,817

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/18/2002
04/17/2002	69	2,227	12,628	3,050	823	44.0	44.1

Report Generated: 04/18/2002 at 8:24:51 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 19, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/19/2001	199.0	261,946	37.7%	85.2	97,029	40.2%	358,975	38.3%
04/19/2002	199.3	266,331	38.3%	93.1	223,604	92.7%	489,935	52.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/18/2002	90	317	0.00	87	381	0.00	698
MTD		4,188	0.21		4,921	0.33	9,109

STREAM FLOWS

Gauging Station	04/18/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,973	6,725
NRRT : Nueces River at Tilden, Texas	0	1
FRRT : Frio River at Tilden, Texas	34	1,348
SMTT : San Miguel Creek at Tilden, Texas	2	1,915
ARWT : Atascosa River at Whitsett, Texas	1,006	4,700
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	290	3,738
NCAT : Nueces River at Calallen, Texas	0	319
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,943	9,429

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 9,429	3,500
Estuary Inflows (Measured at NCAT)	319
PassThru Surplus / -Deficit:	-2,817

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/19/2002
04/18/2002	69	2,296	12,698	3,050	754	44.0	44.1

Report Generated: 04/19/2002 at 11:22:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 20, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/20/2001	199.0	261,801	37.7%	85.1	96,392	40.0%	358,193	38.2%
04/20/2002	199.3	266,037	38.3%	93.1	223,417	92.6%	489,454	52.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/19/2002	87	222	0.00	86	294	0.00	516
MTD		4,410	0.21		5,215	0.33	9,625

STREAM FLOWS

Gauging Station	04/19/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	750	7,476
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	28	1,376
SMTT : San Miguel Creek at Tilden, Texas	0	1,916
ARWT : Atascosa River at Whitsett, Texas	139	4,839
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	260	3,998
NCAT : Nueces River at Calallen, Texas	30	349
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	713	10,141

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 10,141	3,500
Estuary Inflows (Measured at NCAT)	349
PassThru Surplus / -Deficit:	-2,787

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/20/2002
04/19/2002	69	2,365	12,767	3,050	685	44.0	44.1

Report Generated: 04/20/2002 at 5:16:36 PM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 21, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/21/2001	199.0	261,510	37.6%	85.1	96,265	39.9%	357,775	38.2%
04/21/2002	199.2	265,743	38.2%	93.0	222,857	92.4%	488,600	52.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/20/2002	91	291	0.00	88	326	0.00	617
MTD		4,701	0.21		5,541	0.33	10,242

STREAM FLOWS

Gauging Station	04/20/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	230	7,706
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	24	1,399
SMTT : San Miguel Creek at Tilden, Texas	0	1,916
ARWT : Atascosa River at Whitsett, Texas	67	4,906
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	4,139
NCAT : Nueces River at Calallen, Texas	60	408
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	189	10,330

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 10,330	3,500
Estuary Inflows (Measured at NCAT)	408
PassThru Surplus / -Deficit:	-2,728

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/21/2002
04/20/2002	111	2,476	12,877	3,050	574	44.0	44.1

Report Generated: 04/21/2002 at 9:13:17 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 22, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/22/2001	198.9	261,220	37.6%	85.0	95,129	39.4%	356,349	38.1%
04/22/2002	199.2	265,597	38.2%	93.1	223,417	92.6%	489,014	52.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/21/2002	92	291	0.00	89	348	0.00	639
MTD		4,992	0.21		5,889	0.33	10,881

STREAM FLOWS

Gauging Station	04/21/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	159	7,865
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	20	1,419
SMTT : San Miguel Creek at Tilden, Texas	0	1,916
ARWT : Atascosa River at Whitsett, Texas	40	4,946
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	4,280
NCAT : Nueces River at Calallen, Texas	16	424
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	113	10,443

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 10,443	3,500
Estuary Inflows (Measured at NCAT)	424
PassThru Surplus / -Deficit:	-2,712

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/22/2002
04/21/2002	137	2,613	13,015	3,050	437	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 23, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/23/2001	198.9	260,785	37.5%	85.1	96,392	40.0%	357,177	38.1%
04/23/2002	199.2	265,303	38.2%	93.0	222,484	92.2%	487,787	52.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/22/2002	91	222	0.00	85	261	0.00	483
MTD		5,214	0.21		6,150	0.33	11,364

STREAM FLOWS

Gauging Station	04/22/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	117	7,982
NRRT : Nueces River at Tilden, Texas	0	1
FRRT : Frio River at Tilden, Texas	20	1,439
SMTT : San Miguel Creek at Tilden, Texas	0	1,916
ARWT : Atascosa River at Whitsett, Texas	28	4,974
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	4,421
NCAT : Nueces River at Calallen, Texas	0	424
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	71	10,515

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 10,515	3,500
Estuary Inflows (Measured at NCAT)	424
PassThru Surplus / -Deficit:	-2,712

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/23/2002
04/22/2002	137	2,750	13,151	3,050	300	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 24, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/24/2001	198.9	261,220	37.6%	85.1	95,885	39.7%	357,105	38.1%
04/24/2002	199.2	265,157	38.1%	93.0	222,484	92.2%	487,641	52.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/23/2002	94	307	0.00	92	369	0.00	676
MTD		5,521	0.21		6,519	0.33	12,040

STREAM FLOWS

Gauging Station	04/23/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	8,079
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	28	1,467
SMTT : San Miguel Creek at Tilden, Texas	0	1,916
ARWT : Atascosa River at Whitsett, Texas	24	4,997
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	4,562
NCAT : Nueces River at Calallen, Texas	0	424
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	60	10,574

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 10,574	3,500
Estuary Inflows (Measured at NCAT)	424
PassThru Surplus / -Deficit:	-2,712

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/24/2002
04/23/2002	136	2,886	13,287	3,050	164	44.0	44.0

Report Generated: 04/24/2002 at 9:12:56 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 25, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/25/2001	198.9	260,930	37.5%	85.1	95,633	39.6%	356,563	38.1%
04/25/2002	199.2	265,010	38.1%	93.0	222,112	92.1%	487,122	52.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/24/2002	95	290	0.00	93	336	0.00	626
MTD		5,811	0.21		6,855	0.33	12,666

STREAM FLOWS

Gauging Station	04/24/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	8,168
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	38	1,505
SMTT : San Miguel Creek at Tilden, Texas	0	1,916
ARWT : Atascosa River at Whitsett, Texas	20	5,017
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	187	4,748
NCAT : Nueces River at Calallen, Texas	0	424
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	62	10,636

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 10,636	3,500
Estuary Inflows (Measured at NCAT)	424
PassThru Surplus / -Deficit:	-2,712

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/25/2002
04/24/2002	136	3,022	13,424	3,050	28	44.0	43.9

Report Generated: 04/25/2002 at 8:09:21 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 26, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/26/2001	198.9	260,495	37.5%	85.0	95,255	39.5%	355,750	38.0%
04/26/2002	199.2	264,717	38.1%	93.0	221,553	91.8%	486,270	51.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/25/2002	89	247	0.00	89	336	0.00	583
MTD		6,058	0.21		7,191	0.33	13,249

STREAM FLOWS

Gauging Station	04/25/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	8,252
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	32	1,536
SMTT : San Miguel Creek at Tilden, Texas	0	1,916
ARWT : Atascosa River at Whitsett, Texas	16	5,033
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	345	5,094
NCAT : Nueces River at Calallen, Texas	0	424
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	50	10,686

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 10,686	3,500
Estuary Inflows (Measured at NCAT)	424
PassThru Surplus / -Deficit:	-2,712

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/26/2002
04/25/2002	136	3,158	13,560	3,050	-108	44.0	43.9

Report Generated: 04/26/2002 at 8:26:11 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 27, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/27/2001	198.9	260,495	37.5%	85.0	95,003	39.4%	355,498	38.0%
04/27/2002	199.2	264,425	38.0%	92.9	219,881	91.1%	484,306	51.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/26/2002	90	298	0.00	88	324	0.00	622
MTD		6,356	0.21		7,515	0.33	13,871

STREAM FLOWS

Gauging Station	04/26/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	8,329
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	26	1,562
SMTT : San Miguel Creek at Tilden, Texas	0	1,916
ARWT : Atascosa River at Whitsett, Texas	14	5,048
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	463	5,556
NCAT : Nueces River at Calallen, Texas	48	472
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	38	10,723

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 10,723	3,500
Estuary Inflows (Measured at NCAT)	472
PassThru Surplus / -Deficit:	-2,664

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/27/2002
04/26/2002	138	3,296	13,697	3,050	-246	44.0	43.8

Report Generated: 04/27/2002 at 8:10:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 28, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/28/2001	198.9	260,640	37.5%	85.0	94,627	39.2%	355,267	37.9%
04/28/2002	199.1	264,132	38.0%	92.8	218,954	90.8%	483,086	51.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/27/2002	98	324	0.00	95	410	0.00	734
MTD		6,680	0.21		7,925	0.33	14,605

STREAM FLOWS

Gauging Station	04/27/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	8,403
NRRT : Nueces River at Tilden, Texas	0	1
FRRT : Frio River at Tilden, Texas	20	1,582
SMRT : San Miguel Creek at Tilden, Texas	0	1,916
ARWT : Atascosa River at Whitsett, Texas	13	5,060
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	457	6,013
NCAT : Nueces River at Calallen, Texas	175	646
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMRT)-Release From Choke Canyon	28	10,751

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 10,751	3,500
Estuary Inflows (Measured at NCAT)	646
PassThru Surplus / -Deficit:	-2,490

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/28/2002
04/27/2002	137	3,433	13,834	3,050	-383	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 29, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/29/2001	198.9	260,495	37.5%	85.0	94,377	39.1%	354,872	37.9%
04/29/2002	199.1	263,840	37.9%	92.8	218,954	90.8%	482,794	51.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/28/2002	97	323	0.00	94	399	0.00	722
MTD		7,003	0.21		8,324	0.33	15,327

STREAM FLOWS

Gauging Station	04/28/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	8,474
NRRT : Nueces River at Tilden, Texas	0	1
FRRT : Frio River at Tilden, Texas	19	1,601
SMTT : San Miguel Creek at Tilden, Texas	0	1,916
ARWT : Atascosa River at Whitsett, Texas	12	5,072
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	514	6,527
NCAT : Nueces River at Calallen, Texas	202	849
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	25	10,776

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 10,776	3,500
Estuary Inflows (Measured at NCAT)	849
PassThru Surplus / -Deficit:	-2,287

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/29/2002
04/28/2002	137	3,569	13,971	3,050	-519	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 30, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/30/2001	198.9	260,351	37.4%	85.0	94,127	39.0%	354,478	37.9%
04/30/2002	199.1	263,548	37.9%	92.7	217,474	90.1%	481,022	51.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/29/2002	101	366	0.00	98	484	0.00	850
MTD		7,369	0.21		8,808	0.33	16,177

STREAM FLOWS

Gauging Station	04/29/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	8,541
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	18	1,619
SMTT : San Miguel Creek at Tilden, Texas	0	1,916
ARWT : Atascosa River at Whitsett, Texas	12	5,084
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	586	7,112
NCAT : Nueces River at Calallen, Texas	228	1,077
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	20	10,796

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 10,796	3,500
Estuary Inflows (Measured at NCAT)	1,077
PassThru Surplus / -Deficit:	-2,059

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	04/30/2002
04/29/2002	137	3,706	14,108	3,050	-656	44.0	43.7

Report Generated: 04/30/2002 at 8:13:44 AM