

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 1, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/01/2001	198.9	260,351	37.4%	84.9	93,754	38.9%	354,105	37.8%
05/01/2002	199.1	263,110	37.8%	92.7	217,104	90.0%	480,214	51.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/30/2002	101	382	0.00	96	441	0.00	823
MTD		7,751	0.21		9,249	0.33	17,000

STREAM FLOWS

Gauging Station	04/30/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	8,607
NRRT : Nueces River at Tilden, Texas	0	1
FRRT : Frio River at Tilden, Texas	18	1,637
SMTT : San Miguel Creek at Tilden, Texas	0	1,916
ARWT : Atascosa River at Whitsett, Texas	11	5,095
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	588	7,700
NCAT : Nueces River at Calallen, Texas	308	1,385
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	18	10,814

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 04/04/2002)	-136
Return Flow Credit (Effective: 04/04/2002)	500
Passthru Target: 3,500 Reservoir Inflow: 10,814	3,500
Estuary Inflows (Measured at NCAT)	1,385
PassThru Surplus / -Deficit:	-1,751

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/01/2002
04/30/2002	137	3,843	14,245	3,050	-793	44.0	43.7

Report Generated: 05/01/2002 at 8:19:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 2, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/02/2001	198.9	260,206	37.4%	84.9	93,382	38.7%	353,588	37.8%
05/02/2002	199.0	262,237	37.7%	92.6	215,445	89.3%	477,682	51.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/01/2002	105	381	0.00	96	440	0.00	821
MTD		381	0.00		440	0.00	821

STREAM FLOWS

Gauging Station	05/01/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	66
NRRT : Nueces River at Tilden, Texas	0	0
FRRT : Frio River at Tilden, Texas	17	17
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	10
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	592	592
NCAT : Nueces River at Calallen, Texas	300	300
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	17	17

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,751
Return Flow Credit (Effective:)	0
Passthru Target: 23,500 Reservoir Inflow: 17	17
Estuary Inflows (Measured at NCAT)	300
PassThru Surplus / -Deficit:	-1,468

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/02/2002
05/01/2002	137	137	14,382	4,100	3,963	44.0	43.6

Report Generated: 05/02/2002 at 8:24:50 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 3, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/03/2001	198.8	259,917	37.4%	84.8	92,641	38.4%	352,558	37.6%
05/03/2002	199.0	261,946	37.7%	92.6	214,894	89.1%	476,840	50.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/02/2002	102	347	0.00	96	407	0.00	754
MTD		728	0.00		847	0.00	1,575

STREAM FLOWS

Gauging Station	05/02/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	131
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	16	33
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	18
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	594	1,185
NCAT : Nueces River at Calallen, Texas	292	592
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	16	33

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,751
Return Flow Credit (Effective:)	0
Passthru Target: 23,500 Reservoir Inflow: 33	33
Estuary Inflows (Measured at NCAT)	592
PassThru Surplus / -Deficit:	-1,192

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/03/2002
05/02/2002	137	274	14,519	4,100	3,826	44.0	43.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 4, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/04/2001	198.8	259,627	37.3%	84.8	92,518	38.4%	352,145	37.6%
05/04/2002	199.0	261,655	37.6%	92.6	214,342	88.8%	475,997	50.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/03/2002	87	161	0.00	91	268	0.00	429
MTD		889	0.00		1,115	0.00	2,004

STREAM FLOWS

Gauging Station	05/03/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	197
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	15	48
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	27
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	594	1,779
NCAT : Nueces River at Calallen, Texas	343	935
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	15	48

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,751
Return Flow Credit (Effective:)	0
Passthru Target: 23,500 Reservoir Inflow: 48	48
Estuary Inflows (Measured at NCAT)	935
PassThru Surplus / -Deficit:	-864

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/04/2002
05/03/2002	123	397	14,642	4,100	3,703	44.0	43.6

Report Generated: 05/04/2002 at 8:02:56 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 5, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/05/2001	198.8	259,483	37.3%	84.8	92,518	38.4%	352,001	37.6%
05/05/2002	199.0	261,510	37.6%	92.5	213,241	88.4%	474,751	50.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/04/2002	94	288	0.00	90	363	0.00	651
MTD		1,177	0.00		1,478	0.00	2,655

STREAM FLOWS

Gauging Station	05/04/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	260
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	14	62
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	35
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	592	2,370
NCAT : Nueces River at Calallen, Texas	260	1,195
Reservoir Inflow		
Computed as: NRMT+FRIT+SMTT+ARWT	22	70

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,751
Return Flow Credit (Effective:)	0
Passthru Target: 23,500 Reservoir Inflow: 70	70
Estuary Inflows (Measured at NCAT)	1,195
PassThru Surplus / -Deficit:	-626

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/05/2002
05/04/2002	111	509	14,753	4,100	3,591	44.0	43.6

Report Generated: 05/05/2002 at 9:45:24 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 6, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/06/2001	198.8	259,772	37.4%	84.8	91,905	38.1%	351,677	37.6%
05/06/2002	198.9	261,075	37.6%	92.5	212,875	88.2%	473,950	50.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/05/2002	94	363	0.00	93	459	0.00	822
MTD		1,540	0.00		1,937	0.00	3,477

STREAM FLOWS

Gauging Station	05/05/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	322
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	12	74
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	43
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	580	2,950
NCAT : Nueces River at Calallen, Texas	268	1,463
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	20	90

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,751
Return Flow Credit (Effective:)	0
Passthru Target: 23,500 Reservoir Inflow: 90	90
Estuary Inflows (Measured at NCAT)	1,463
PassThru Surplus / -Deficit:	-378

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/06/2002
05/05/2002	111	620	14,864	4,100	3,480	44.0	43.6

Report Generated: 05/06/2002 at 8:25:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 7, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/07/2001	198.9	260,206	37.4%	84.8	91,783	38.0%	351,989	37.6%
05/07/2002	198.9	260,785	37.5%	92.4	211,777	87.8%	472,562	50.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/06/2002	94	346	0.00	92	394	0.00	740
MTD		1,886	0.00		2,331	0.00	4,217

STREAM FLOWS

Gauging Station	05/06/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	383
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	11	85
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	51
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	294	3,243
NCAT : Nueces River at Calallen, Texas	248	1,711
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	18	108

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,751
Return Flow Credit (Effective:)	0
Passthru Target: 23,500 Reservoir Inflow: 108	108
Estuary Inflows (Measured at NCAT)	1,711
PassThru Surplus / -Deficit:	-148

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/07/2002
05/06/2002	111	731	14,975	4,100	3,369	44.0	43.5

Report Generated: 05/07/2002 at 8:00:28 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 8, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/08/2001	198.8	259,917	37.4%	84.8	92,395	38.3%	352,312	37.6%
05/08/2002	198.9	260,495	37.5%	92.4	210,498	87.3%	470,993	50.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/07/2002	95	380	0.00	93	468	0.00	848
MTD		2,266	0.00		2,799	0.00	5,065

STREAM FLOWS

Gauging Station	05/07/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	443
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	10	94
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	58
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	377	3,621
NCAT : Nueces River at Calallen, Texas	81	1,792
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	17	125

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 125	125
Estuary Inflows (Measured at NCAT)	1,792
PassThru Surplus / -Deficit:	416

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/08/2002
05/07/2002	111	842	15,086	4,100	3,258	44.0	43.4

Report Generated: 05/08/2002 at 8:14:40 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 9, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/09/2001	198.8	259,772	37.4%	84.8	92,027	38.1%	351,799	37.6%
05/09/2002	198.9	260,206	37.4%	92.3	210,134	87.1%	470,340	50.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/08/2002	94	388	0.00	93	499	0.00	887
MTD		2,654	0.00		3,298	0.00	5,952

STREAM FLOWS

Gauging Station	05/08/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	502
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	9	103
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	64
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	258	3,879
NCAT : Nueces River at Calallen, Texas	44	1,836
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	15	140

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 140	140
Estuary Inflows (Measured at NCAT)	1,836
PassThru Surplus / -Deficit:	445

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/09/2002
05/08/2002	92	933	15,178	4,100	3,167	44.0	43.3

Report Generated: 05/09/2002 at 8:06:55 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 10, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/10/2001	198.9	260,061	37.4%	84.8	91,661	38.0%	351,722	37.6%
05/10/2002	198.8	259,772	37.4%	92.3	209,769	87.0%	469,541	50.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/09/2002	94	345	0.00	93	424	0.00	769
MTD		2,999	0.00		3,722	0.00	6,721

STREAM FLOWS

Gauging Station	05/09/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	560
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	9	112
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	70
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	308	4,186
NCAT : Nueces River at Calallen, Texas	9	1,845
Reservoir Inflow		
Computed as: NRMT+FRIT+SMTT+ARWT	15	156

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 156	156
Estuary Inflows (Measured at NCAT)	1,845
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/10/2002
05/09/2002	76	1,010	15,254	4,100	3,090	44.0	43.3

Report Generated: 05/10/2002 at 8:12:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 11, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/11/2001	198.9	260,495	37.5%	84.7	90,688	37.6%	351,183	37.5%
05/11/2002	198.8	259,339	37.3%	92.2	207,225	85.9%	466,564	49.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/10/2002	92	378	0.00	90	465	0.00	843
MTD		3,377	0.00		4,187	0.00	7,564

STREAM FLOWS

Gauging Station	05/10/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	617
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	9	121
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	76
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	371	4,558
NCAT : Nueces River at Calallen, Texas	0	1,845
Reservoir Inflow		
Computed as: NRMT+FRIT+SMTT+ARWT	15	171

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 171	171
Estuary Inflows (Measured at NCAT)	1,845
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/11/2002
05/10/2002	76	1,085	15,330	4,100	3,015	44.0	43.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 12, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/12/2001	198.9	260,351	37.4%	84.7	91,295	37.8%	351,646	37.5%
05/12/2002	198.8	258,906	37.2%	92.2	206,682	85.7%	465,588	49.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/11/2002	93	395	0.00	90	485	0.00	880
MTD		3,772	0.00		4,672	0.00	8,444

STREAM FLOWS

Gauging Station	05/11/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	673
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	7	128
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	81
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	320	4,877
NCAT : Nueces River at Calallen, Texas	2	1,846
Reservoir Inflow		
Computed as: NRMT+FRIT+SMTT+ARWT	12	183

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 183	183
Estuary Inflows (Measured at NCAT)	1,846
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/12/2002
05/11/2002	76	1,161	15,406	4,100	2,939	44.0	43.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 13, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/13/2001	198.9	260,206	37.4%	84.8	91,783	38.0%	351,989	37.6%
05/13/2002	198.7	258,330	37.2%	92.2	208,314	86.4%	466,644	49.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/12/2002	95	377	0.00	94	476	0.00	853
MTD		4,149	0.00		5,148	0.00	9,297

STREAM FLOWS

Gauging Station	05/12/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	728
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	5	133
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	86
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	284	5,161
NCAT : Nueces River at Calallen, Texas	36	1,882
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	10	192

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 192	192
Estuary Inflows (Measured at NCAT)	1,882
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/13/2002
05/12/2002	76	1,237	15,482	4,100	2,863	44.0	43.3

Report Generated: 05/13/2002 at 8:26:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 14, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/14/2001	198.9	260,061	37.4%	84.8	91,661	38.0%	351,722	37.6%
05/14/2002	198.7	257,754	37.1%	92.2	207,588	86.1%	465,342	49.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/13/2002	69	142	0.00	71	222	0.03	364
MTD		4,291	0.00		5,370	0.03	9,661

STREAM FLOWS

Gauging Station	05/13/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	784
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	4	137
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	90
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	284	5,445
NCAT : Nueces River at Calallen, Texas	4	1,886
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	8	200

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 200	200
Estuary Inflows (Measured at NCAT)	1,886
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/14/2002
05/13/2002	92	1,329	15,573	4,100	2,771	44.0	43.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 15, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/15/2001	198.8	259,772	37.4%	84.7	91,173	37.8%	350,945	37.5%
05/15/2002	198.7	257,467	37.0%	92.1	206,319	85.5%	463,786	49.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/14/2002	83	251	0.00	83	306	0.00	557
MTD		4,542	0.00		5,676	0.03	10,218

STREAM FLOWS

Gauging Station	05/14/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	838
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	3	140
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	93
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	242	5,687
NCAT : Nueces River at Calallen, Texas	16	1,902
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	6	206

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 206	206
Estuary Inflows (Measured at NCAT)	1,902
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/15/2002
05/14/2002	80	1,409	15,654	4,100	2,691	44.0	43.2

Report Generated: 05/15/2002 at 2:36:50 PM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 16, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/16/2001	198.8	259,627	37.3%	84.7	90,931	37.7%	350,558	37.4%
05/16/2002	198.7	257,179	37.0%	92.1	205,054	85.0%	462,233	49.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/15/2002	88	293	0.00	85	337	0.00	630
MTD		4,835	0.00		6,013	0.03	10,848

STREAM FLOWS

Gauging Station	05/15/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	891
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	2	142
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	96
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	5,905
NCAT : Nueces River at Calallen, Texas	42	1,944
Reservoir Inflow		
Computed as: NRMT+FRIT+SMTT+ARWT	5	211

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 211	211
Estuary Inflows (Measured at NCAT)	1,944
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/16/2002
05/15/2002	80	1,489	15,734	4,100	2,611	44.0	43.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 17, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/17/2001	198.8	259,483	37.3%	84.7	91,052	37.7%	350,535	37.4%
05/17/2002	198.6	257,036	37.0%	92.1	205,235	85.1%	462,271	49.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/16/2002	95	359	0.44	91	442	0.43	801
MTD		5,194	0.44		6,455	0.46	11,649

STREAM FLOWS

Gauging Station	05/16/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	945
NRRT : Nueces River at Tilden, Texas	0	0
FRRT : Frio River at Tilden, Texas	1	144
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	100
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	208	6,114
NCAT : Nueces River at Calallen, Texas	6	1,949
Reservoir Inflow		
Computed as: NRRT+FRRT+SMTT+ARWT	5	216

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 216	216
Estuary Inflows (Measured at NCAT)	1,949
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/17/2002
05/16/2002	97	1,586	15,831	4,100	2,514	44.0	43.0

Report Generated: 05/17/2002 at 3:08:37 PM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 18, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/18/2001	198.8	259,194	37.3%	84.7	90,688	37.6%	349,882	37.4%
05/18/2002	198.7	258,186	37.1%	92.2	207,225	85.9%	465,411	49.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/17/2002	96	193	1.07	92	422	0.20	615
MTD		5,387	1.51		6,877	0.66	12,264

STREAM FLOWS

Gauging Station	05/17/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,004
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	1	145
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	104
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	191	6,304
NCAT : Nueces River at Calallen, Texas	4	1,953
Reservoir Inflow		
Computed as: NRMT+FRIT+SMTT+ARWT	6	222

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 222	222
Estuary Inflows (Measured at NCAT)	1,953
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/18/2002
05/17/2002	121	1,707	15,952	4,100	2,393	44.0	43.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 19, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/19/2001	198.8	258,762	37.2%	84.7	91,295	37.8%	350,057	37.4%
05/19/2002	198.7	257,610	37.1%	92.1	205,958	85.4%	463,568	49.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/18/2002	81	301	0.00	79	379	0.00	680
MTD		5,688	1.51		7,256	0.66	12,944

STREAM FLOWS

Gauging Station	05/18/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	1,070
NRRT : Nueces River at Tilden, Texas	0	0
FRRT : Frio River at Tilden, Texas	1	146
SMTT : San Miguel Creek at Tilden, Texas	34	34
ARWT : Atascosa River at Whitsett, Texas	15	119
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	0	6,304
NCAT : Nueces River at Calallen, Texas	46	1,999
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	35	257

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 257	257
Estuary Inflows (Measured at NCAT)	1,999
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/19/2002
05/18/2002	121	1,828	16,073	4,100	2,272	44.0	43.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 20, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/20/2001	198.7	258,474	37.2%	84.7	91,173	37.8%	349,647	37.3%
05/20/2002	198.6	256,892	36.9%	92.1	205,054	85.0%	461,946	49.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/19/2002	80	284	0.00	80	316	0.00	600
MTD		5,972	1.51		7,572	0.66	13,544

STREAM FLOWS

Gauging Station	05/19/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	1,151
NRRT : Nueces River at Tilden, Texas	32	32
FRRT : Frio River at Tilden, Texas	0	146
SMTT : San Miguel Creek at Tilden, Texas	280	314
ARWT : Atascosa River at Whitsett, Texas	54	173
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	103	6,408
NCAT : Nueces River at Calallen, Texas	32	2,031
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	296	553

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 553	553
Estuary Inflows (Measured at NCAT)	2,031
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/20/2002
05/19/2002	120	1,949	16,193	4,100	2,151	44.0	43.0

Report Generated: 05/20/2002 at 8:27:35 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 21, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/21/2001	198.8	259,483	37.3%	84.7	91,295	37.8%	350,778	37.5%
05/21/2002	198.6	256,606	36.9%	92.0	204,693	84.9%	461,299	49.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/20/2002	83	259	0.00	84	357	0.00	616
MTD		6,231	1.51		7,929	0.66	14,160

STREAM FLOWS

Gauging Station	05/20/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	145	1,296
NRRT : Nueces River at Tilden, Texas	488	520
FRRT : Frio River at Tilden, Texas	0	147
SMTT : San Miguel Creek at Tilden, Texas	121	435
ARWT : Atascosa River at Whitsett, Texas	139	312
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	199	6,606
NCAT : Nueces River at Calallen, Texas	0	2,031
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	201	754

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 754	754
Estuary Inflows (Measured at NCAT)	2,031
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/21/2002
05/20/2002	120	2,069	16,314	4,100	2,031	44.0	43.3

Report Generated: 05/21/2002 at 8:32:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 22, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/22/2001	198.8	259,194	37.3%	84.8	91,783	38.0%	350,977	37.5%
05/22/2002	198.6	256,319	36.9%	92.0	203,792	84.5%	460,111	49.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/21/2002	85	300	0.00	86	231	0.00	531
MTD		6,531	1.51		8,160	0.66	14,691

STREAM FLOWS

Gauging Station	05/21/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	417	1,713
NRRT : Nueces River at Tilden, Texas	871	1,391
FRRT : Frio River at Tilden, Texas	6	153
SMTT : San Miguel Creek at Tilden, Texas	30	464
ARWT : Atascosa River at Whitsett, Texas	36	348
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	199	6,805
NCAT : Nueces River at Calallen, Texas	0	2,031
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	387	1,141

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 1,141	1,141
Estuary Inflows (Measured at NCAT)	2,031
PassThru Surplus / -Deficit:	-361

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/22/2002
05/21/2002	121	2,190	16,434	4,100	1,910	44.0	43.3

Report Generated: 05/22/2002 at 8:16:02 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 23, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/23/2001	198.8	258,762	37.2%	84.7	91,173	37.8%	349,935	37.4%
05/23/2002	198.6	256,033	36.8%	92.0	203,792	84.5%	459,825	49.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/22/2002	89	275	0.00	88	367	0.00	642
MTD		6,806	1.51		8,527	0.66	15,333

STREAM FLOWS

Gauging Station	05/22/2002 (AcFt)	MTD (AcFt)
<u>NTRT</u> : Nueces River at Three Rivers, Texas	1,112	2,825
<u>NRRT</u> : Nueces River at Tilden, Texas	1,000	2,392
<u>FRRT</u> : Frio River at Tilden, Texas	46	198
<u>SMTT</u> : San Miguel Creek at Tilden, Texas	9	474
<u>ARWT</u> : Atascosa River at Whitsett, Texas	22	370
Release from Choke Canyon Reservoir	66	1,441
<u>NRMT</u> : Nueces River at Mathis, Texas (La Fruta Bridge)	185	6,989
<u>NCAT</u> : Nueces River at Calallen, Texas	0	2,031
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,101	2,242

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 <u>Salinity Relief Credit</u> : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 2,242	2,242
Estuary Inflows (Measured at NCAT)	2,031
PassThru Surplus / -Deficit:	-1,462

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/23/2002
05/22/2002	120	2,310	16,555	4,100	1,790	44.0	43.1

Report Generated: 05/23/2002 at 8:13:42 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 24, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/24/2001	198.7	258,042	37.1%	84.7	90,567	37.5%	348,609	37.2%
05/24/2002	198.6	255,747	36.8%	92.0	203,792	84.5%	459,539	49.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/23/2002	86	292	0.00	88	388	0.00	680
MTD		7,098	1.51		8,915	0.66	16,013

STREAM FLOWS

Gauging Station	05/23/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,280	4,105
NRRT : Nueces River at Tilden, Texas	949	3,341
FRRT : Frio River at Tilden, Texas	22	220
SMTT : San Miguel Creek at Tilden, Texas	2	476
ARWT : Atascosa River at Whitsett, Texas	14	384
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	7,170
NCAT : Nueces River at Calallen, Texas	0	2,031
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,238	3,480

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 3,480	3,480
Estuary Inflows (Measured at NCAT)	2,031
PassThru Surplus / -Deficit:	-2,700

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/24/2002
05/23/2002	121	2,431	16,675	4,100	1,669	44.0	43.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 25, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/25/2001	198.7	257,610	37.1%	84.6	90,085	37.3%	347,695	37.1%
05/25/2002	198.5	255,318	36.7%	92.1	204,874	84.9%	460,192	49.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/24/2002	86	200	0.00	84	378	0.00	578
MTD		7,298	1.51		9,293	0.66	16,591

STREAM FLOWS

Gauging Station	05/24/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,268	5,373
NRRT : Nueces River at Tilden, Texas	994	4,335
FRRT : Frio River at Tilden, Texas	11	231
SMTT : San Miguel Creek at Tilden, Texas	0	476
ARWT : Atascosa River at Whitsett, Texas	10	393
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	7,352
NCAT : Nueces River at Calallen, Texas	0	2,031
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,214	4,694

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 4,694	4,694
Estuary Inflows (Measured at NCAT)	2,031
PassThru Surplus / -Deficit:	-3,914

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/25/2002
05/24/2002	132	2,562	16,807	4,100	1,538	44.0	43.0

Report Generated: 05/25/2002 at 8:34:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 26, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/26/2001	198.7	257,179	37.0%	84.6	90,205	37.4%	347,384	37.1%
05/26/2002	198.5	254,747	36.6%	92.1	205,777	85.3%	460,524	49.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/25/2002	92	274	0.00	89	358	0.00	632
MTD		7,572	1.51		9,651	0.66	17,223

STREAM FLOWS

Gauging Station	05/25/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,312	6,685
NRTT : Nueces River at Tilden, Texas	1,072	5,407
FRIT : Frio River at Tilden, Texas	8	239
SMTT : San Miguel Creek at Tilden, Texas	0	476
ARWT : Atascosa River at Whitsett, Texas	7	401
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	7,535
NCAT : Nueces River at Calallen, Texas	0	2,031
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,255	5,949

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 5,949	5,949
Estuary Inflows (Measured at NCAT)	2,031
PassThru Surplus / -Deficit:	-5,169

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/26/2002
05/25/2002	138	2,701	16,945	4,100	1,399	44.0	43.0

Report Generated: 05/26/2002 at 8:44:21 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 27, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/27/2001	198.6	256,892	36.9%	84.6	90,326	37.4%	347,218	37.1%
05/27/2002	198.5	254,462	36.6%	92.1	205,958	85.4%	460,420	49.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/26/2002	92	291	0.00	91	379	0.00	670
MTD		7,863	1.51		10,030	0.66	17,893

STREAM FLOWS

Gauging Station	05/26/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,391	8,077
NRRT : Nueces River at Tilden, Texas	1,118	6,525
FRRT : Frio River at Tilden, Texas	7	245
SMTT : San Miguel Creek at Tilden, Texas	0	476
ARWT : Atascosa River at Whitsett, Texas	6	406
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	7,718
NCAT : Nueces River at Calallen, Texas	1	2,032
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,333	7,281

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 7,281	7,281
Estuary Inflows (Measured at NCAT)	2,032
PassThru Surplus / -Deficit:	-6,501

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/27/2002
05/26/2002	139	2,840	17,084	4,100	1,260	44.0	43.0

Report Generated: 05/27/2002 at 8:16:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 28, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/28/2001	198.6	256,462	36.9%	84.6	89,845	37.2%	346,307	37.0%
05/28/2002	198.4	254,177	36.6%	92.1	206,501	85.6%	460,678	49.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/27/2002	95	323	0.00	91	432	0.00	755
MTD		8,186	1.51		10,462	0.66	18,648

STREAM FLOWS

Gauging Station	05/27/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,455	9,532
NRRT : Nueces River at Tilden, Texas	1,052	7,577
FRRT : Frio River at Tilden, Texas	4	250
SMTT : San Miguel Creek at Tilden, Texas	0	476
ARWT : Atascosa River at Whitsett, Texas	4	410
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	439	8,156
NCAT : Nueces River at Calallen, Texas	0	2,032
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,394	8,675

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 8,675	8,675
Estuary Inflows (Measured at NCAT)	2,032
PassThru Surplus / -Deficit:	-7,894

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/28/2002
05/27/2002	139	2,979	17,223	4,100	1,121	44.0	43.0

Report Generated: 05/28/2002 at 8:26:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 29, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/29/2001	198.6	256,033	36.8%	84.6	89,365	37.0%	345,398	36.9%
05/29/2002	198.4	254,035	36.5%	92.1	205,958	85.4%	459,993	49.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/28/2002	89	249	0.00	88	421	0.00	670
MTD		8,435	1.51		10,883	0.66	19,318

STREAM FLOWS

Gauging Station	05/28/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,413	10,945
NRRT : Nueces River at Tilden, Texas	381	7,958
FRRT : Frio River at Tilden, Texas	3	252
SMTT : San Miguel Creek at Tilden, Texas	0	476
ARWT : Atascosa River at Whitsett, Texas	3	414
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	883	9,040
NCAT : Nueces River at Calallen, Texas	93	2,125
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,350	10,025

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 10,025	10,025
Estuary Inflows (Measured at NCAT)	2,125
PassThru Surplus / -Deficit:	-9,151

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/29/2002
05/28/2002	139	3,118	17,362	4,100	982	44.0	42.8

Report Generated: 05/29/2002 at 8:23:27 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 30, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/30/2001	198.6	255,747	36.8%	84.5	88,769	36.8%	344,516	36.8%
05/30/2002	198.4	253,750	36.5%	92.0	204,332	84.7%	458,082	48.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/29/2002	95	290	0.00	96	389	0.02	679
MTD		8,725	1.51		11,272	0.68	19,997

STREAM FLOWS

Gauging Station	05/29/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	697	11,642
NRTT : Nueces River at Tilden, Texas	131	8,089
FRIT : Frio River at Tilden, Texas	2	254
SMTT : San Miguel Creek at Tilden, Texas	0	476
ARWT : Atascosa River at Whitsett, Texas	3	417
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,078	10,118
NCAT : Nueces River at Calallen, Texas	615	2,740
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	633	10,658

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 10,658	10,658
Estuary Inflows (Measured at NCAT)	2,740
PassThru Surplus / -Deficit:	-9,169

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/30/2002
05/29/2002	139	3,257	17,502	4,100	843	44.0	42.8

Report Generated: 05/30/2002 at 8:21:06 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 31, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/31/2001	198.5	255,318	36.7%	84.5	88,176	36.6%	343,494	36.7%
05/31/2002	198.4	253,466	36.5%	92.0	203,432	84.3%	456,898	48.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/30/2002	94	199	0.00	93	241	0.00	440
MTD		8,924	1.51		11,513	0.68	20,437

STREAM FLOWS

Gauging Station	05/30/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	286	11,928
NRTT : Nueces River at Tilden, Texas	85	8,174
FRIT : Frio River at Tilden, Texas	1	255
SMTT : San Miguel Creek at Tilden, Texas	0	476
ARWT : Atascosa River at Whitsett, Texas	3	419
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,221	11,338
NCAT : Nueces River at Calallen, Texas	889	3,630
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	221	10,880

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 10,880	10,880
Estuary Inflows (Measured at NCAT)	3,630
PassThru Surplus / -Deficit:	-8,501

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	05/31/2002
05/30/2002	139	3,396	17,641	4,100	704	44.0	42.8

Report Generated: 05/31/2002 at 8:16:21 AM