

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 1, 2002

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/01/2001	198.5	255,175	36.7%	84.5	88,176	36.6%	343,351	36.7%
06/01/2002	198.4	253,182	36.4%	91.9	202,353	83.9%	455,535	48.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/31/2002	91	290	0.00	94	471	0.00	761
MTD		9,214	1.51		11,984	0.68	21,198

STREAM FLOWS

Gauging Station	05/31/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	195	12,122
NRTT : Nueces River at Tilden, Texas	62	8,236
FRTT : Frio River at Tilden, Texas	1	256
SMTT : San Miguel Creek at Tilden, Texas	0	476
ARWT : Atascosa River at Whitsett, Texas	3	422
Release from Choke Canyon Reservoir	66	2,031
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,302	12,640
NCAT : Nueces River at Calallen, Texas	998	4,628
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	130	11,009

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 23,500 Salinity Relief Credit : 0 Effective:	23,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 05/07/2002)	-1,751
Return Flow Credit (Effective: 05/07/2002)	500
Passthru Target: 23,500 Reservoir Inflow: 11,009	11,009
Estuary Inflows (Measured at NCAT)	4,628
PassThru Surplus / -Deficit:	-7,632

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/01/2002
05/31/2002	139	3,536	17,780	4,100	564	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 2, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/02/2001	198.5	254,747	36.6%	84.4	87,234	36.2%	341,981	36.5%
06/02/2002	198.4	253,040	36.4%	91.8	200,560	83.1%	453,600	48.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/01/2002	92	281	0.00	89	365	0.00	646
MTD		281	0.00		365	0.00	646

STREAM FLOWS

Gauging Station	06/01/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	147	147
NRTT : Nueces River at Tilden, Texas	40	40
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	3
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,296	1,296
NCAT : Nueces River at Calallen, Texas	1,018	1,018
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	82	82

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-7,632
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 82	82
Estuary Inflows (Measured at NCAT)	1,018
PassThru Surplus / -Deficit:	-6,695

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/02/2002
06/01/2002	139	139	17,920	4,100	3,961	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 3, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/03/2001	198.4	254,177	36.6%	84.4	87,234	36.2%	341,411	36.5%
06/03/2002	198.3	252,756	36.4%	91.7	198,773	82.4%	451,529	48.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/02/2002	93	248	0.00	91	301	0.00	549
MTD		529	0.00		666	0.00	1,195

STREAM FLOWS

Gauging Station	06/02/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	117	264
NRTT : Nueces River at Tilden, Texas	26	66
FRIT : Frio River at Tilden, Texas	0	0
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	5
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,169	2,465
NCAT : Nueces River at Calallen, Texas	1,036	2,054
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	52	133

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-7,632
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 133	133
Estuary Inflows (Measured at NCAT)	2,054
PassThru Surplus / -Deficit:	-5,711

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/03/2002
06/02/2002	139	278	18,059	4,100	3,822	44.0	42.8

Report Generated: 06/03/2002 at 8:38:32 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 4, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/04/2001	198.4	253,608	36.5%	84.3	86,417	35.8%	340,025	36.3%
06/04/2002	198.3	252,472	36.3%	91.7	197,704	82.0%	450,176	48.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/03/2002	95	322	0.00	92	342	0.00	664
MTD		851	0.00		1,008	0.00	1,859

STREAM FLOWS

Gauging Station	06/03/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	361
NRRT : Nueces River at Tilden, Texas	17	82
FRRT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	8
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	927	3,392
NCAT : Nueces River at Calallen, Texas	881	2,936
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	32	165

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-7,632
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 165	165
Estuary Inflows (Measured at NCAT)	2,936
PassThru Surplus / -Deficit:	-4,862

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/04/2002
06/03/2002	139	418	18,198	4,100	3,682	44.0	42.7

Report Generated: 06/04/2002 at 8:06:06 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 5, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/05/2001	198.4	253,182	36.4%	84.3	86,417	35.8%	339,599	36.3%
06/05/2002	198.3	252,189	36.3%	91.6	197,170	81.7%	449,359	48.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/04/2002	95	371	0.00	93	466	0.00	837
MTD		1,222	0.00		1,475	0.00	2,697

STREAM FLOWS

Gauging Station	06/04/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	459
NRIT : Nueces River at Tilden, Texas	11	93
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	10
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,038	4,431
NCAT : Nueces River at Calallen, Texas	834	3,770
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	32	197

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-7,632
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 197	197
Estuary Inflows (Measured at NCAT)	3,770
PassThru Surplus / -Deficit:	-4,060

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/05/2002
06/04/2002	139	556	18,336	4,100	3,544	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 6, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/06/2001	198.4	252,898	36.4%	84.3	86,185	35.7%	339,083	36.2%
06/06/2002	198.3	251,906	36.2%	91.6	197,348	81.8%	449,254	48.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/05/2002	97	264	0.00	94	311	0.00	575
MTD		1,486	0.00		1,786	0.00	3,272

STREAM FLOWS

Gauging Station	06/05/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	87	546
NRRT : Nueces River at Tilden, Texas	7	100
FRRT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	13
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	204	4,635
NCAT : Nueces River at Calallen, Texas	740	4,510
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	22	219

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-7,632
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 219	219
Estuary Inflows (Measured at NCAT)	4,510
PassThru Surplus / -Deficit:	-3,341

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/06/2002
06/05/2002	138	695	18,475	4,100	3,405	44.0	42.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 7, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/07/2001	198.3	252,472	36.3%	84.2	85,260	35.3%	337,732	36.1%
06/07/2002	198.2	251,340	36.1%	91.6	195,927	81.2%	447,267	47.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/06/2002	98	337	0.00	93	248	0.00	585
MTD		1,823	0.00		2,034	0.00	3,857

STREAM FLOWS

Gauging Station	06/06/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	79	625
NRRT : Nueces River at Tilden, Texas	5	105
FRRT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	15
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	457	5,092
NCAT : Nueces River at Calallen, Texas	202	4,712
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	14	233

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-7,632
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 233	233
Estuary Inflows (Measured at NCAT)	4,712
PassThru Surplus / -Deficit:	-3,153

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/07/2002
06/06/2002	139	833	18,613	4,100	3,267	44.0	42.5

Report Generated: 06/07/2002 at 8:02:16 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 8, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/08/2001	198.3	252,048	36.3%	84.2	84,687	35.1%	336,735	36.0%
06/08/2002	198.2	250,917	36.1%	91.5	194,156	80.5%	445,073	47.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/07/2002	97	329	0.00	95	391	0.00	720
MTD		2,152	0.00		2,425	0.00	4,577

STREAM FLOWS

Gauging Station	06/07/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	73	699
NRRT : Nueces River at Tilden, Texas	3	108
FRRT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	18
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,245	6,336
NCAT : Nueces River at Calallen, Texas	314	5,026
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	8	241

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-7,632
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 241	241
Estuary Inflows (Measured at NCAT)	5,026
PassThru Surplus / -Deficit:	-2,847

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/08/2002
06/07/2002	139	972	18,752	4,100	3,128	44.0	42.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 9, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/09/2001	198.3	251,906	36.2%	84.2	84,687	35.1%	336,593	35.9%
06/09/2002	198.2	250,635	36.0%	91.4	193,626	80.3%	444,261	47.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/08/2002	96	329	0.00	94	298	0.14	627
MTD		2,481	0.00		2,723	0.14	5,204

STREAM FLOWS

Gauging Station	06/08/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	766
NRRT : Nueces River at Tilden, Texas	2	110
FRRT : Frio River at Tilden, Texas	0	1
SMRT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	21
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,260	7,597
NCAT : Nueces River at Calallen, Texas	933	5,959
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMRT)-Release From Choke Canyon	2	243

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-7,632
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 243	243
Estuary Inflows (Measured at NCAT)	5,959
PassThru Surplus / -Deficit:	-1,916

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/09/2002
06/08/2002	139	1,111	18,891	4,100	2,989	44.0	42.5

Report Generated: 06/09/2002 at 8:34:15 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 10, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/10/2001	198.3	251,482	36.2%	84.2	84,573	35.1%	336,055	35.9%
06/10/2002	198.2	250,212	36.0%	91.4	193,273	80.1%	443,485	47.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/09/2002	95	329	0.00	95	391	0.01	720
MTD		2,810	0.00		3,114	0.15	5,924

STREAM FLOWS

Gauging Station	06/09/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	66	832
NRRT : Nueces River at Tilden, Texas	1	111
FRRT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	23
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	399	7,996
NCAT : Nueces River at Calallen, Texas	983	6,942
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	0	243

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-7,632
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 243	243
Estuary Inflows (Measured at NCAT)	6,942
PassThru Surplus / -Deficit:	-934

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/10/2002
06/09/2002	139	1,250	19,030	4,100	2,850	44.0	42.5

Report Generated: 06/10/2002 at 8:08:22 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 11, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/11/2001	198.2	251,199	36.1%	84.1	83,890	34.8%	335,089	35.8%
06/11/2002	198.1	249,789	35.9%	91.4	192,567	79.8%	442,356	47.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/10/2002	96	328	0.00	96	411	0.00	739
MTD		3,137	0.00		3,525	0.15	6,662

STREAM FLOWS

Gauging Station	06/10/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	895
NRRT : Nueces River at Tilden, Texas	1	112
FRRT : Frio River at Tilden, Texas	0	1
SMRT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	26
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	324	8,319
NCAT : Nueces River at Calallen, Texas	343	7,285
Reservoir Inflow		
Computed as: NRRT+FRRT+SMRT+ARWT	3	246

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-7,632
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 246	246
Estuary Inflows (Measured at NCAT)	7,285
PassThru Surplus / -Deficit:	-593

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/11/2002
06/10/2002	139	1,389	19,169	4,100	2,711	44.0	42.3

Report Generated: 06/11/2002 at 8:10:58 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 12, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/12/2001	198.2	250,776	36.1%	84.1	83,437	34.6%	334,213	35.7%
06/12/2002	198.1	249,368	35.9%	91.3	191,863	79.5%	441,231	47.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/11/2002	98	327	0.00	94	359	0.00	686
MTD		3,464	0.00		3,884	0.15	7,348

STREAM FLOWS

Gauging Station	06/11/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	957
NRTT : Nueces River at Tilden, Texas	32	143
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	28
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	484	8,803
NCAT : Nueces River at Calallen, Texas	139	7,424
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	34	281

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-7,632
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 281	281
Estuary Inflows (Measured at NCAT)	7,424
PassThru Surplus / -Deficit:	-489

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/12/2002
06/11/2002	140	1,529	19,309	4,100	2,571	44.0	42.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 13, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/13/2001	198.2	250,494	36.0%	84.0	82,762	34.3%	333,256	35.6%
06/13/2002	198.1	248,806	35.8%	91.3	191,159	79.2%	439,965	47.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/12/2002	99	335	0.00	96	409	0.00	744
MTD		3,799	0.00		4,293	0.15	8,092

STREAM FLOWS

Gauging Station	06/12/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,018
NRTT : Nueces River at Tilden, Texas	50	193
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	32
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	276	9,079
NCAT : Nueces River at Calallen, Texas	195	7,618
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	54	334

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-7,632
Return Flow Credit (Effective:)	0
Passthru Target: 23,000 Reservoir Inflow: 334	334
Estuary Inflows (Measured at NCAT)	7,618
PassThru Surplus / -Deficit:	-348

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/13/2002
06/12/2002	140	1,669	19,449	4,100	2,431	44.0	42.2

Report Generated: 06/13/2002 at 8:26:54 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 14, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/14/2001	198.2	250,071	36.0%	83.9	81,647	33.8%	331,718	35.4%
06/14/2002	198.0	248,385	35.7%	91.3	190,632	79.0%	439,017	46.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/13/2002	99	351	0.00	96	358	0.00	709
MTD		4,150	0.00		4,651	0.15	8,801

STREAM FLOWS

Gauging Station	06/13/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	1,096
NRRT : Nueces River at Tilden, Texas	19	212
FRRT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	36
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	248	9,328
NCAT : Nueces River at Calallen, Texas	52	7,670
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	12	346

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/13/2002)	-7,632
Return Flow Credit (Effective:)	500
Passthru Target: 23,000 Reservoir Inflow: 346	346
Estuary Inflows (Measured at NCAT)	7,670
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/14/2002
06/13/2002	140	1,809	19,589	4,100	2,291	44.0	42.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 15, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/15/2001	198.1	249,649	35.9%	83.9	81,647	33.8%	331,296	35.4%
06/15/2002	198.0	248,105	35.7%	91.2	190,106	78.8%	438,211	46.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/14/2002	99	261	0.00	97	255	0.00	516
MTD		4,411	0.00		4,906	0.15	9,317

STREAM FLOWS

Gauging Station	06/14/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	1,199
NRTT : Nueces River at Tilden, Texas	8	220
FRIT : Frio River at Tilden, Texas	0	1
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	40
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	230	9,558
NCAT : Nueces River at Calallen, Texas	16	7,686
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	38	384

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/13/2002)	-7,632
Return Flow Credit (Effective:)	500
Passthru Target: 23,000 Reservoir Inflow: 384	384
Estuary Inflows (Measured at NCAT)	7,686
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/15/2002
06/14/2002	140	1,949	19,729	4,100	2,151	44.0	42.2

Report Generated: 06/15/2002 at 7:48:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 16, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/16/2001	198.1	249,368	35.9%	83.9	81,758	33.9%	331,126	35.4%
06/16/2002	198.0	247,685	35.6%	91.2	189,580	78.6%	437,265	46.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/15/2002	101	383	0.00	98	469	0.00	852
MTD		4,794	0.00		5,375	0.15	10,169

STREAM FLOWS

Gauging Station	06/15/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	79	1,278
NRTT : Nueces River at Tilden, Texas	4	224
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	43
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	9,776
NCAT : Nueces River at Calallen, Texas	26	7,712
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	14	398

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/13/2002)	-7,632
Return Flow Credit (Effective:)	500
Passthru Target: 23,000 Reservoir Inflow: 398	398
Estuary Inflows (Measured at NCAT)	7,712
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/16/2002
06/15/2002	140	2,089	19,870	4,100	2,011	44.0	42.2

Report Generated: 06/16/2002 at 9:09:19 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 17, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/17/2001	198.1	248,946	35.8%	83.9	81,315	33.7%	330,261	35.3%
06/17/2002	197.9	245,871	35.4%	91.2	189,580	78.6%	435,451	46.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/16/2002	98	381	0.00	95	327	0.00	708
MTD		5,175	0.00		5,702	0.15	10,877

STREAM FLOWS

Gauging Station	06/16/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	1,346
NRRT : Nueces River at Tilden, Texas	2	226
FRRT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	47
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	210	9,987
NCAT : Nueces River at Calallen, Texas	28	7,740
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	2	401

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/13/2002)	-7,632
Return Flow Credit (Effective:)	500
Passthru Target: 23,000 Reservoir Inflow: 401	401
Estuary Inflows (Measured at NCAT)	7,740
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/17/2002
06/16/2002	140	2,230	20,010	4,100	1,870	44.0	42.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 18, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/18/2001	198.0	248,525	35.7%	83.8	80,874	33.5%	329,399	35.2%
06/18/2002	197.8	245,593	35.3%	91.2	188,880	78.3%	434,473	46.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/17/2002	99	397	0.00	98	296	0.00	693
MTD		5,572	0.00		5,998	0.15	11,570

STREAM FLOWS

Gauging Station	06/17/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	1,407
NRTT : Nueces River at Tilden, Texas	0	226
FRIT : Frio River at Tilden, Texas	0	2
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	51
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	208	10,195
NCAT : Nueces River at Calallen, Texas	13	7,753
Reservoir Inflow		
Computed as: NRMT+FRIT+SMTT+ARWT	5	405

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/13/2002)	-7,632
Return Flow Credit (Effective:)	500
Passthru Target: 23,000 Reservoir Inflow: 405	405
Estuary Inflows (Measured at NCAT)	7,753
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/18/2002
06/17/2002	140	2,370	20,150	4,100	1,730	44.0	42.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 19, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/19/2001	198.0	247,965	35.7%	83.8	80,326	33.3%	328,291	35.1%
06/19/2002	197.8	245,176	35.3%	91.1	187,831	77.9%	433,007	46.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/18/2002	100	364	0.00	96	407	0.00	771
MTD		5,936	0.00		6,405	0.15	12,341

STREAM FLOWS

Gauging Station	06/18/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,467
NRTT : Nueces River at Tilden, Texas	0	226
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	55
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	240	10,435
NCAT : Nueces River at Calallen, Texas	1	7,754
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	4	409

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/13/2002)	-7,632
Return Flow Credit (Effective:)	500
Passthru Target: 23,000 Reservoir Inflow: 409	409
Estuary Inflows (Measured at NCAT)	7,754
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/19/2002
06/18/2002	142	2,512	20,292	4,100	1,588	44.0	42.0

Report Generated: 06/19/2002 at 8:10:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 20, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/20/2001	198.0	247,545	35.6%	83.7	79,782	33.1%	327,327	35.0%
06/20/2002	197.8	244,760	35.2%	91.0	186,959	77.5%	431,719	46.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/19/2002	98	364	0.00	98	426	0.00	790
MTD		6,300	0.00		6,831	0.15	13,131

STREAM FLOWS

Gauging Station	06/19/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,526
NRTT : Nueces River at Tilden, Texas	0	226
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	59
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	10,697
NCAT : Nueces River at Calallen, Texas	0	7,754
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	4	413

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/13/2002)	-7,632
Return Flow Credit (Effective:)	500
Passthru Target: 23,000 Reservoir Inflow: 413	413
Estuary Inflows (Measured at NCAT)	7,754
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/20/2002
06/19/2002	142	2,654	20,434	4,100	1,446	44.0	42.0

Report Generated: 06/20/2002 at 8:03:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 21, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/21/2001	197.9	247,126	35.5%	83.7	79,456	32.9%	326,582	34.9%
06/21/2002	197.7	244,344	35.1%	91.0	186,611	77.4%	430,955	46.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/20/2002	98	291	0.00	95	385	0.00	676
MTD		6,591	0.00		7,216	0.15	13,807

STREAM FLOWS

Gauging Station	06/20/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,586
NRTT : Nueces River at Tilden, Texas	0	226
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	62
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	268	10,965
NCAT : Nueces River at Calallen, Texas	0	7,754
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	4	417

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/13/2002)	-7,632
Return Flow Credit (Effective:)	500
Passthru Target: 23,000 Reservoir Inflow: 417	417
Estuary Inflows (Measured at NCAT)	7,754
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/21/2002
06/20/2002	142	2,796	20,576	4,100	1,304	44.0	41.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 22, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/22/2001	197.9	246,707	35.5%	83.7	79,132	32.8%	325,839	34.8%
06/22/2002	197.7	243,928	35.1%	91.0	186,089	77.1%	430,017	45.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/21/2002	95	331	0.00	94	81	0.00	412
MTD		6,922	0.00		7,297	0.15	14,219

STREAM FLOWS

Gauging Station	06/21/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	1,644
NRTT : Nueces River at Tilden, Texas	0	226
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	66
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	258	11,223
NCAT : Nueces River at Calallen, Texas	0	7,754
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	4	421

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/13/2002)	-7,632
Return Flow Credit (Effective:)	500
Passthru Target: 23,000 Reservoir Inflow: 421	421
Estuary Inflows (Measured at NCAT)	7,754
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/22/2002
06/21/2002	143	2,939	20,719	4,100	1,161	44.0	41.9

Report Generated: 06/23/2002 at 7:59:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 23, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/23/2001	197.9	246,428	35.4%	83.6	78,595	32.6%	325,023	34.7%
06/23/2002	197.7	243,375	35.0%	91.0	185,394	76.9%	428,769	45.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/22/2002	97	338	0.00	96	385	0.00	723
MTD		7,260	0.00		7,682	0.15	14,942

STREAM FLOWS

Gauging Station	06/22/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,703
NRTT : Nueces River at Tilden, Texas	0	226
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	70
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	195	11,418
NCAT : Nueces River at Calallen, Texas	28	7,781
Reservoir Inflow		
Computed as: NRMT+FRIT+SMTT+ARWT	4	425

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/13/2002)	-7,632
Return Flow Credit (Effective:)	500
Passthru Target: 23,000 Reservoir Inflow: 425	425
Estuary Inflows (Measured at NCAT)	7,781
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/23/2002
06/22/2002	143	3,081	20,862	4,100	1,019	44.0	41.9

Report Generated: 06/23/2002 at 8:52:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 24, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/24/2001	197.8	245,732	35.3%	83.6	78,061	32.4%	323,793	34.6%
06/24/2002	197.7	243,099	35.0%	90.9	184,353	76.4%	427,452	45.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/23/2002	97	362	0.00	96	434	0.00	796
MTD		7,622	0.00		8,116	0.15	15,738

STREAM FLOWS

Gauging Station	06/23/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	1,761
NRTT : Nueces River at Tilden, Texas	0	226
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	74
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	197	11,614
NCAT : Nueces River at Calallen, Texas	6	7,787
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	4	428

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/13/2002)	-7,632
Return Flow Credit (Effective:)	500
Passthru Target: 23,000 Reservoir Inflow: 428	428
Estuary Inflows (Measured at NCAT)	7,787
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/24/2002
06/23/2002	141	3,222	21,003	4,100	878	44.0	41.9

Report Generated: 06/24/2002 at 8:04:29 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 25, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/25/2001	197.9	246,011	35.4%	83.5	77,635	32.2%	323,646	34.6%
06/25/2002	197.6	242,823	34.9%	90.8	183,487	76.1%	426,310	45.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/24/2002	98	346	0.00	98	383	0.00	729
MTD		7,968	0.00		8,499	0.15	16,467

STREAM FLOWS

Gauging Station	06/24/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	1,818
NRTT : Nueces River at Tilden, Texas	0	226
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	77
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	238	11,852
NCAT : Nueces River at Calallen, Texas	0	7,787
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	4	432

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/13/2002)	-7,632
Return Flow Credit (Effective:)	500
Passthru Target: 23,000 Reservoir Inflow: 432	432
Estuary Inflows (Measured at NCAT)	7,787
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/25/2002
06/24/2002	146	3,368	21,149	4,100	732	44.0	41.8

Report Generated: 06/25/2002 at 8:03:15 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 26, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/26/2001	197.8	245,732	35.3%	83.5	77,212	32.0%	322,944	34.5%
06/26/2002	197.6	242,547	34.9%	90.8	182,968	75.8%	425,515	45.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/25/2002	100	361	0.00	99	252	0.00	613
MTD		8,329	0.00		8,751	0.15	17,080

STREAM FLOWS

Gauging Station	06/25/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	1,876
NRTT : Nueces River at Tilden, Texas	0	226
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	81
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	306	12,158
NCAT : Nueces River at Calallen, Texas	0	7,787
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	4	436

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/13/2002)	-7,632
Return Flow Credit (Effective:)	500
Passthru Target: 23,000 Reservoir Inflow: 436	436
Estuary Inflows (Measured at NCAT)	7,787
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/26/2002
06/25/2002	153	3,521	21,301	4,100	579	44.0	41.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 27, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/27/2001	197.8	245,176	35.3%	83.4	76,687	31.8%	321,863	34.4%
06/27/2002	197.6	242,823	34.9%	90.8	183,141	75.9%	425,964	45.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/26/2002	102	273	0.94	99	443	0.63	716
MTD		8,602	0.94		9,194	0.78	17,796

STREAM FLOWS

Gauging Station	06/26/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	56	1,931
NRTT : Nueces River at Tilden, Texas	0	226
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	85
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	331	12,490
NCAT : Nueces River at Calallen, Texas	0	7,787
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	4	440

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/13/2002)	-7,632
Return Flow Credit (Effective:)	500
Passthru Target: 23,000 Reservoir Inflow: 440	440
Estuary Inflows (Measured at NCAT)	7,787
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/27/2002
06/26/2002	180	3,701	21,481	4,100	399	44.0	41.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 28, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/28/2001	197.8	244,760	35.2%	83.4	76,373	31.7%	321,133	34.3%
06/28/2002	197.6	242,547	34.9%	90.8	182,795	75.8%	425,342	45.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/27/2002	88	145	0.03	89	320	0.09	465
MTD		8,747	0.97		9,514	0.87	18,261

STREAM FLOWS

Gauging Station	06/27/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	69	2,001
NRRT : Nueces River at Tilden, Texas	0	226
FRRT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	89
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	254	12,744
NCAT : Nueces River at Calallen, Texas	11	7,798
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	4	444

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/13/2002)	-7,632
Return Flow Credit (Effective:)	500
Passthru Target: 23,000 Reservoir Inflow: 444	444
Estuary Inflows (Measured at NCAT)	7,798
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/28/2002
06/27/2002	148	3,849	21,629	4,100	251	44.0	41.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 29, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/29/2001	197.7	244,344	35.1%	83.3	75,541	31.3%	319,885	34.2%
06/29/2002	197.6	242,685	34.9%	90.9	183,833	76.2%	426,518	45.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/28/2002	92	112	0.50	89	Pan overflow	0.80	112
MTD		8,859	1.47		9,514	1.67	18,373

STREAM FLOWS

Gauging Station	06/28/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	64	2,064
NRTT : Nueces River at Tilden, Texas	0	226
FRIT : Frio River at Tilden, Texas	0	3
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	93
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	12,889
NCAT : Nueces River at Calallen, Texas	75	7,873
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	4	448

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/13/2002)	-7,632
Return Flow Credit (Effective:)	500
Passthru Target: 23,000 Reservoir Inflow: 448	448
Estuary Inflows (Measured at NCAT)	7,873
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/29/2002
06/28/2002	145	3,994	21,774	4,100	106	44.0	41.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 30, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/30/2001	197.7	243,790	35.1%	83.3	75,438	31.3%	319,228	34.1%
06/30/2002	197.7	243,652	35.0%	90.8	183,141	75.9%	426,793	45.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/29/2002	80	48	0.16	82	0	0.36	48
MTD		8,907	1.63		9,514	2.03	18,421

STREAM FLOWS

Gauging Station	06/29/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	2,132
NRIT : Nueces River at Tilden, Texas	2	228
FRIT : Frio River at Tilden, Texas	1	4
SMTT : San Miguel Creek at Tilden, Texas	75	75
ARWT : Atascosa River at Whitsett, Texas	206	299
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	54	12,942
NCAT : Nueces River at Calallen, Texas	46	7,919
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	78	526

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 23,000 Salinity Relief Credit : 0 Effective:	23,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/13/2002)	-7,632
Return Flow Credit (Effective:)	500
Passthru Target: 23,000 Reservoir Inflow: 526	526
Estuary Inflows (Measured at NCAT)	7,919
PassThru Surplus / -Deficit:	261

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2002		Elevation (Ft)	
				Allocation	Remaining	Full	06/30/2002
06/29/2002	146	4,140	21,920	4,100	-40	44.0	41.7

Report Generated: 06/30/2002 at 8:01:44 AM