

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 1, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/01/2001	196.5	227,978	32.8%	90.4	176,445	73.1%	404,423	43.2%
10/01/2002	220.4	693,455	99.7%	94.0	241,241	100.0%	934,696	99.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/30/2002	89	272	0.00	92	393	0.00	665
MTD		9,879	7.78		8,005	4.32	17,884

STREAM FLOWS

Gauging Station	09/30/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,264	231,538
NRTT : Nueces River at Tilden, Texas	189	433,278
FRTT : Frio River at Tilden, Texas	445	243,891
SMTT : San Miguel Creek at Tilden, Texas	91	118,832
ARWT : Atascosa River at Whitsett, Texas	97	70,401
Release from Choke Canyon Reservoir	66	263,761
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	810	833,855
NCAT : Nueces River at Calallen, Texas	5,062	611,320
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,735	932,297

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 28,500 Effective: 09/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 932,297	0
Estuary Inflows (Measured at NCAT)	611,320
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/01/2002
09/30/2002	145	4,333	35,322	4,100	-233	44.0	44.1

Report Generated: 10/01/2002 at 8:15:46 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 2, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/02/2001	196.5	227,582	32.7%	90.4	175,593	72.8%	403,175	43.1%
10/02/2002	220.4	693,196	99.7%	94.0	241,241	100.0%	934,437	99.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/01/2002	90	408	0.00	92	269	0.00	677
MTD		408	0.00		269	0.00	677

STREAM FLOWS

Gauging Station	10/01/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,127	1,127
NRTT : Nueces River at Tilden, Texas	159	159
FRIT : Frio River at Tilden, Texas	437	437
SMTT : San Miguel Creek at Tilden, Texas	87	87
ARWT : Atascosa River at Whitsett, Texas	93	93
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	727	727
NCAT : Nueces River at Calallen, Texas	1,904	1,904
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,586	1,586

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 0 Salinity Relief Credit : 0 Effective:	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 1,586	0
Estuary Inflows (Measured at NCAT)	1,904
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/02/2002
10/01/2002	146	146	35,468	3,050	2,904	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 3, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/03/2001	196.5	227,319	32.7%	90.3	174,064	72.2%	401,383	42.9%
10/03/2002	220.4	692,936	99.7%	94.0	241,241	100.0%	934,177	99.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/02/2002	90	347	0.00	93	269	0.00	616
MTD		755	0.00		538	0.00	1,293

STREAM FLOWS

Gauging Station	10/02/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,032	2,160
NRTT : Nueces River at Tilden, Texas	137	296
FRIT : Frio River at Tilden, Texas	429	865
SMTT : San Miguel Creek at Tilden, Texas	85	173
ARWT : Atascosa River at Whitsett, Texas	87	181
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	397	1,124
NCAT : Nueces River at Calallen, Texas	1,044	2,948
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,481	3,067

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 3,067	0
Estuary Inflows (Measured at NCAT)	2,948
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/03/2002
10/02/2002	142	288	35,610	3,050	2,762	44.0	44.0

Report Generated: 10/03/2002 at 8:39:21 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 4, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/04/2001	196.4	226,398	32.6%	90.2	173,216	71.8%	399,614	42.7%
10/04/2002	220.4	692,677	99.6%	94.0	241,241	100.0%	933,918	99.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/03/2002	89	287	0.00	92	202	0.00	489
MTD		1,042	0.00		740	0.00	1,782

STREAM FLOWS

Gauging Station	10/03/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	963	3,122
NRRT : Nueces River at Tilden, Texas	123	419
FRRT : Frio River at Tilden, Texas	423	1,288
SMTT : San Miguel Creek at Tilden, Texas	81	254
ARWT : Atascosa River at Whitsett, Texas	83	264
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	379	1,503
NCAT : Nueces River at Calallen, Texas	457	3,404
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,401	4,468

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 4,468	0
Estuary Inflows (Measured at NCAT)	3,404
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/04/2002
10/03/2002	145	434	35,756	3,050	2,616	44.0	44.0

Report Generated: 10/04/2002 at 8:10:35 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 5, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/05/2001	196.5	227,978	32.8%	90.2	172,371	71.5%	400,349	42.7%
10/05/2002	220.4	692,677	99.6%	94.0	241,241	100.0%	933,918	99.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/04/2002	91	377	0.00	95	258	0.00	635
MTD		1,419	0.00		998	0.00	2,417

STREAM FLOWS

Gauging Station	10/04/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	895	4,018
NRTT : Nueces River at Tilden, Texas	111	530
FRIT : Frio River at Tilden, Texas	417	1,705
SMTT : San Miguel Creek at Tilden, Texas	77	331
ARWT : Atascosa River at Whitsett, Texas	77	341
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	359	1,862
NCAT : Nueces River at Calallen, Texas	314	3,718
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,324	5,792

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 5,792	0
Estuary Inflows (Measured at NCAT)	3,718
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/05/2002
10/04/2002	145	579	35,901	3,050	2,471	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 6, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/06/2001	196.5	227,450	32.7%	90.3	174,573	72.4%	402,023	42.9%
10/06/2002	220.4	692,418	99.6%	94.0	241,241	100.0%	933,659	99.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/05/2002	86	302	0.00	90	157	0.01	459
MTD		1,721	0.00		1,155	0.01	2,876

STREAM FLOWS

Gauging Station	10/05/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	838	4,855
NRTT : Nueces River at Tilden, Texas	103	633
FRIT : Frio River at Tilden, Texas	413	2,118
SMTT : San Miguel Creek at Tilden, Texas	77	409
ARWT : Atascosa River at Whitsett, Texas	71	413
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	345	2,207
NCAT : Nueces River at Calallen, Texas	290	4,008
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,262	7,055

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 7,055	0
Estuary Inflows (Measured at NCAT)	4,008
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/06/2002
10/05/2002	146	724	36,046	3,050	2,326	44.0	43.9

Report Generated: 10/06/2002 at 8:48:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 7, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/07/2001	196.5	226,924	32.6%	90.3	173,555	71.9%	400,479	42.8%
10/07/2002	220.4	692,158	99.6%	94.0	241,241	100.0%	933,399	99.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/06/2002	91	377	0.00	95	269	0.00	646
MTD		2,098	0.00		1,424	0.01	3,522

STREAM FLOWS

Gauging Station	10/06/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	790	5,645
NRRT : Nueces River at Tilden, Texas	93	727
FRRT : Frio River at Tilden, Texas	409	2,527
SMTT : San Miguel Creek at Tilden, Texas	73	482
ARWT : Atascosa River at Whitsett, Texas	67	480
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	339	2,547
NCAT : Nueces River at Calallen, Texas	306	4,313
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,207	8,262

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 8,262	0
Estuary Inflows (Measured at NCAT)	4,313
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/07/2002
10/06/2002	146	870	36,192	3,050	2,180	44.0	43.9

Report Generated: 10/07/2002 at 8:45:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 8, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/08/2001	196.4	226,792	32.6%	90.2	172,709	71.6%	399,501	42.7%
10/08/2002	220.4	691,899	99.5%	94.0	241,241	100.0%	933,140	99.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/07/2002	86	226	0.19	87	258	0.34	484
MTD		2,324	0.19		1,682	0.35	4,006

STREAM FLOWS

Gauging Station	10/07/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	752	6,398
NRRT : Nueces River at Tilden, Texas	87	814
FRRT : Frio River at Tilden, Texas	403	2,930
SMTT : San Miguel Creek at Tilden, Texas	75	558
ARWT : Atascosa River at Whitsett, Texas	64	544
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	339	2,886
NCAT : Nueces River at Calallen, Texas	288	4,601
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,165	9,427

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 9,427	0
Estuary Inflows (Measured at NCAT)	4,601
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/08/2002
10/07/2002	146	1,016	36,338	3,050	2,034	44.0	43.9

Report Generated: 10/08/2002 at 8:13:26 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 9, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/09/2001	196.4	226,530	32.6%	90.2	172,371	71.5%	398,901	42.6%
10/09/2002	220.4	693,196	99.7%	94.0	241,241	100.0%	934,437	99.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/08/2002	88	272	0.50	90	168	0.08	440
MTD		2,596	0.69		1,850	0.43	4,446

STREAM FLOWS

Gauging Station	10/08/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	732	7,130
NRTT : Nueces River at Tilden, Texas	81	895
FRIT : Frio River at Tilden, Texas	401	3,331
SMTT : San Miguel Creek at Tilden, Texas	73	631
ARWT : Atascosa River at Whitsett, Texas	60	603
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	314	3,200
NCAT : Nueces River at Calallen, Texas	254	4,855
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,141	10,568

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 10,568	0
Estuary Inflows (Measured at NCAT)	4,855
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/09/2002
10/08/2002	146	1,162	36,484	3,050	1,888	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 10, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/10/2001	196.4	226,398	32.6%	90.2	172,033	71.3%	398,431	42.5%
10/10/2002	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/09/2002	80	242	0.14	85	202	0.09	444
MTD		2,838	0.83		2,052	0.52	4,890

STREAM FLOWS

Gauging Station	10/09/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	758	7,888
NRTT : Nueces River at Tilden, Texas	73	969
FRIT : Frio River at Tilden, Texas	409	3,740
SMTT : San Miguel Creek at Tilden, Texas	93	725
ARWT : Atascosa River at Whitsett, Texas	66	669
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	601	3,801
NCAT : Nueces River at Calallen, Texas	262	5,117
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,195	11,763

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 11,763	0
Estuary Inflows (Measured at NCAT)	5,117
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/10/2002
10/09/2002	145	1,308	36,630	3,050	1,742	44.0	43.9

Report Generated: 10/10/2002 at 8:07:58 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 11, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/11/2001	196.4	226,398	32.6%	90.2	171,864	71.2%	398,262	42.5%
10/11/2002	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/10/2002	83	302	0.00	86	280	0.00	582
MTD		3,140	0.83		2,332	0.52	5,472

STREAM FLOWS

Gauging Station	10/10/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,050	8,938
NRTT : Nueces River at Tilden, Texas	60	1,028
FRIT : Frio River at Tilden, Texas	409	4,149
SMTT : San Miguel Creek at Tilden, Texas	101	826
ARWT : Atascosa River at Whitsett, Texas	1,941	2,610
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,010	4,812
NCAT : Nueces River at Calallen, Texas	470	5,588
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,495	13,258

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 13,258	0
Estuary Inflows (Measured at NCAT)	5,588
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/11/2002
10/10/2002	145	1,453	36,775	3,050	1,597	44.0	44.0

Report Generated: 10/11/2002 at 8:48:35 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 12, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/12/2001	196.4	226,136	32.5%	90.1	171,526	71.1%	397,662	42.5%
10/12/2002	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/11/2002	84	257	0.00	86	213	0.00	470
MTD		3,397	0.83		2,545	0.52	5,942

STREAM FLOWS

Gauging Station	10/11/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,871	12,809
NRRT : Nueces River at Tilden, Texas	56	1,084
FRRT : Frio River at Tilden, Texas	407	4,556
SMTT : San Miguel Creek at Tilden, Texas	643	1,469
ARWT : Atascosa River at Whitsett, Texas	3,891	6,501
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,606	6,418
NCAT : Nueces River at Calallen, Texas	1,129	6,717
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	4,855	18,113

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 18,113	0
Estuary Inflows (Measured at NCAT)	6,717
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/12/2002
10/11/2002	145	1,598	36,920	3,050	1,452	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 13, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/13/2001	196.4	226,661	32.6%	90.1	171,526	71.1%	398,187	42.5%
10/13/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/12/2002	87	257	0.00	90	224	0.00	481
MTD		3,654	0.83		2,769	0.52	6,423

STREAM FLOWS

Gauging Station	10/12/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,407	17,216
NRTT : Nueces River at Tilden, Texas	52	1,135
FRIT : Frio River at Tilden, Texas	538	5,094
SMTT : San Miguel Creek at Tilden, Texas	3,077	4,546
ARWT : Atascosa River at Whitsett, Texas	1,461	7,962
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,743	8,160
NCAT : Nueces River at Calallen, Texas	2,382	9,099
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	7,956	26,069

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 26,069	0
Estuary Inflows (Measured at NCAT)	9,099
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/13/2002
10/12/2002	145	1,743	37,065	3,050	1,307	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 14, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/14/2001	196.4	225,611	32.4%	90.1	171,189	71.0%	396,800	42.4%
10/14/2002	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/13/2002	72	318	0.00	75	202	0.00	520
MTD		3,972	0.83		2,971	0.52	6,943

STREAM FLOWS

Gauging Station	10/13/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,898	20,114
NRTT : Nueces River at Tilden, Texas	46	1,181
FRIT : Frio River at Tilden, Texas	1,040	6,134
SMTT : San Miguel Creek at Tilden, Texas	998	5,544
ARWT : Atascosa River at Whitsett, Texas	1,312	9,274
Release from Choke Canyon Reservoir	993	1,779
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,362	10,522
NCAT : Nueces River at Calallen, Texas	3,077	12,176
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	3,944	30,013

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 30,013	0
Estuary Inflows (Measured at NCAT)	12,176
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/14/2002
10/13/2002	145	1,888	37,210	3,050	1,162	44.0	44.2

Report Generated: 10/14/2002 at 8:07:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 15, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/15/2001	196.3	225,219	32.4%	90.1	170,515	70.7%	395,734	42.3%
10/15/2002	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/14/2002	64	106	0.00	66	56	0.00	162
MTD		4,078	0.83		3,027	0.52	7,105

STREAM FLOWS

Gauging Station	10/14/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,136	23,250
NRRT : Nueces River at Tilden, Texas	44	1,225
FRRT : Frio River at Tilden, Texas	2,005	8,139
SMTT : San Miguel Creek at Tilden, Texas	296	5,840
ARWT : Atascosa River at Whitsett, Texas	375	9,649
Release from Choke Canyon Reservoir	1,425	2,817
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,005	12,527
NCAT : Nueces River at Calallen, Texas	3,891	16,067
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	4,012	34,412

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 34,412	0
Estuary Inflows (Measured at NCAT)	16,067
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/15/2002
10/14/2002	145	2,033	37,355	3,050	1,017	44.0	44.2

Report Generated: 10/15/2002 at 9:56:36 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 16, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/16/2001	196.3	224,565	32.3%	90.1	170,347	70.6%	394,912	42.2%
10/16/2002	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/15/2002	74	212	0.00	73	213	0.00	425
MTD		4,290	0.83		3,240	0.52	7,530

STREAM FLOWS

Gauging Station	10/15/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,454	26,704
NRIT : Nueces River at Tilden, Texas	48	1,272
FRIT : Frio River at Tilden, Texas	3,533	11,672
SMTT : San Miguel Creek at Tilden, Texas	218	6,058
ARWT : Atascosa River at Whitsett, Texas	208	9,858
Release from Choke Canyon Reservoir	2,001	4,818
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,794	14,322
NCAT : Nueces River at Calallen, Texas	3,752	19,818
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	5,205	39,617

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 39,617	0
Estuary Inflows (Measured at NCAT)	19,818
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/16/2002
10/15/2002	144	2,177	37,499	3,050	873	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 17, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/17/2001	196.2	224,044	32.2%	90.0	169,674	70.3%	393,718	42.0%
10/17/2002	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/16/2002	76	288	0.00	80	224	0.00	512
MTD		4,578	0.83		3,464	0.52	8,042

STREAM FLOWS

Gauging Station	10/16/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,454	30,158
NRRT : Nueces River at Tilden, Texas	95	1,368
FRRT : Frio River at Tilden, Texas	3,017	14,689
SMTT : San Miguel Creek at Tilden, Texas	177	6,235
ARWT : Atascosa River at Whitsett, Texas	151	10,008
Release from Choke Canyon Reservoir	2,001	6,818
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,958	17,279
NCAT : Nueces River at Calallen, Texas	3,375	23,193
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	4,647	44,264

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 44,264	0
Estuary Inflows (Measured at NCAT)	23,193
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/17/2002
10/16/2002	145	2,322	37,644	3,050	728	44.0	44.2

Report Generated: 10/17/2002 at 10:17:53 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 18, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/18/2001	196.2	223,783	32.2%	90.0	168,835	70.0%	392,618	41.9%
10/18/2002	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/17/2002	82	273	0.00	85	236	0.00	509
MTD		4,851	0.83		3,700	0.52	8,551

STREAM FLOWS

Gauging Station	10/17/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,375	33,533
NRRT : Nueces River at Tilden, Texas	466	1,834
FRRT : Frio River at Tilden, Texas	2,283	16,972
SMTT : San Miguel Creek at Tilden, Texas	159	6,394
ARWT : Atascosa River at Whitsett, Texas	121	10,129
Release from Choke Canyon Reservoir	1,751	8,569
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,858	20,138
NCAT : Nueces River at Calallen, Texas	4,784	27,977
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	4,065	48,329

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 48,329	0
Estuary Inflows (Measured at NCAT)	27,977
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/18/2002
10/17/2002	144	2,466	37,788	3,050	584	44.0	44.2

Report Generated: 10/18/2002 at 9:21:42 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 19, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/19/2001	196.2	223,523	32.1%	90.0	168,332	69.8%	391,855	41.8%
10/19/2002	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/18/2002	83	227	0.00	85	168	0.01	395
MTD		5,078	0.83		3,868	0.53	8,946

STREAM FLOWS

Gauging Station	10/18/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,295	36,828
NRRT : Nueces River at Tilden, Texas	776	2,610
FRRT : Frio River at Tilden, Texas	1,491	18,462
SMTT : San Miguel Creek at Tilden, Texas	135	6,529
ARWT : Atascosa River at Whitsett, Texas	101	10,231
Release from Choke Canyon Reservoir	1,501	10,070
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,437	21,575
NCAT : Nueces River at Calallen, Texas	5,260	33,237
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,420	51,749

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 51,749	0
Estuary Inflows (Measured at NCAT)	33,237
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/19/2002
10/18/2002	144	2,610	37,932	3,050	440	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 20, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/20/2001	196.2	223,133	32.1%	89.9	167,997	69.6%	391,130	41.8%
10/20/2002	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/19/2002	80	121	0.44	89	11	0.05	132
MTD		5,199	1.27		3,879	0.58	9,078

STREAM FLOWS

Gauging Station	10/19/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	0	33,533
NRTT : Nueces River at Tilden, Texas	0	1,834
FRIT : Frio River at Tilden, Texas	0	16,972
SMTT : San Miguel Creek at Tilden, Texas	0	6,394
ARWT : Atascosa River at Whitsett, Texas	0	10,129
Release from Choke Canyon Reservoir	1,501	11,571
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	0	20,138
NCAT : Nueces River at Calallen, Texas	0	27,977
Reservoir Inflow		
Computed as: NRMT+FRIT+SMTT+ARWT	0	48,329

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 48,329	0
Estuary Inflows (Measured at NCAT)	27,977
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/20/2002
10/19/2002	144	2,754	38,076	3,050	296	44.0	44.1

Report Generated: 10/20/2002 at 8:53:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 21, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/21/2001	196.2	223,133	32.1%	89.9	167,663	69.5%	390,796	41.7%
10/21/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/20/2002	78	167	0.05	76	90	0.00	257
MTD		5,366	1.32		4,070	0.58	9,436

STREAM FLOWS

Gauging Station	10/20/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,692	44,113
NRTT : Nueces River at Tilden, Texas	1,036	4,587
FRIT : Frio River at Tilden, Texas	623	19,927
SMTT : San Miguel Creek at Tilden, Texas	109	6,759
ARWT : Atascosa River at Whitsett, Texas	81	10,401
Release from Choke Canyon Reservoir	1,251	12,821
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,163	23,542
NCAT : Nueces River at Calallen, Texas	2,025	38,815
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	3,174	57,978

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 57,978	0
Estuary Inflows (Measured at NCAT)	38,815
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/21/2002
10/20/2002	144	2,898	38,220	3,050	152	44.0	44.1

Report Generated: 10/21/2002 at 10:40:08 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 22, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/22/2001	196.2	223,003	32.1%	89.9	167,329	69.4%	390,332	41.7%
10/22/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/21/2002	82	273	0.13	88	179	0.05	452
MTD		5,639	1.45		4,249	0.63	9,888

STREAM FLOWS

Gauging Station	10/21/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,692	47,805
NRTT : Nueces River at Tilden, Texas	1,036	5,624
FRIT : Frio River at Tilden, Texas	623	20,551
SMTT : San Miguel Creek at Tilden, Texas	109	6,868
ARWT : Atascosa River at Whitsett, Texas	81	10,483
Release from Choke Canyon Reservoir	687	13,508
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,163	24,705
NCAT : Nueces River at Calallen, Texas	2,025	40,839
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	3,738	61,716

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 61,716	0
Estuary Inflows (Measured at NCAT)	40,839
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/22/2002
10/21/2002	144	3,042	38,364	3,050	8	44.0	44.3

Report Generated: 10/22/2002 at 9:55:15 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 23, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/23/2001	196.1	222,873	32.1%	89.9	166,661	69.1%	389,534	41.6%
10/23/2002	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/22/2002	84	303	1.75	86	415	0.95	718
MTD		5,942	3.20		4,664	1.58	10,606

STREAM FLOWS

Gauging Station	10/22/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,680	50,485
NRIT : Nueces River at Tilden, Texas	723	6,346
FRIT : Frio River at Tilden, Texas	540	21,091
SMIT : San Miguel Creek at Tilden, Texas	89	6,957
ARWT : Atascosa River at Whitsett, Texas	67	10,550
Release from Choke Canyon Reservoir	284	13,792
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,386	26,091
NCAT : Nueces River at Calallen, Texas	2,263	43,102
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	3,025	64,741

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 64,741	0
Estuary Inflows (Measured at NCAT)	43,102
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/23/2002
10/22/2002	144	3,185	38,507	3,050	-135	44.0	44.3

Report Generated: 10/23/2002 at 8:44:53 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 24, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/24/2001	196.1	222,614	32.0%	89.9	166,828	69.2%	389,442	41.6%
10/24/2002	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/23/2002	75	121	0.08	82	112	0.02	233
MTD		6,063	3.28		4,776	1.60	10,839

STREAM FLOWS

Gauging Station	10/23/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,878	53,363
NRRT : Nueces River at Tilden, Texas	629	6,975
FRRT : Frio River at Tilden, Texas	540	21,631
SMTT : San Miguel Creek at Tilden, Texas	109	7,067
ARWT : Atascosa River at Whitsett, Texas	123	10,673
Release from Choke Canyon Reservoir	588	14,379
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,303	28,393
NCAT : Nueces River at Calallen, Texas	3,434	46,536
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	2,940	67,681

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 67,681	0
Estuary Inflows (Measured at NCAT)	46,536
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/24/2002
10/23/2002	141	3,326	38,648	3,050	-276	44.0	44.3

Report Generated: 10/24/2002 at 8:26:18 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 25, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/25/2001	196.1	221,966	31.9%	89.9	167,329	69.4%	389,295	41.6%
10/25/2002	221.0	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/24/2002	73	91	4.00	82	-1	1.96	90
MTD		6,154	7.28		4,775	3.56	10,929

STREAM FLOWS

Gauging Station	10/24/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	6,312	59,675
NRRT : Nueces River at Tilden, Texas	861	7,837
FRRT : Frio River at Tilden, Texas	689	22,319
SMTT : San Miguel Creek at Tilden, Texas	1,032	8,099
ARWT : Atascosa River at Whitsett, Texas	1,683	12,357
Release from Choke Canyon Reservoir	1,475	15,854
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,910	32,304
NCAT : Nueces River at Calallen, Texas	5,538	52,074
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	6,558	74,239

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 74,239	0
Estuary Inflows (Measured at NCAT)	52,074
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/25/2002
10/24/2002	143	3,469	38,791	3,050	-419	44.0	44.2

Report Generated: 10/25/2002 at 9:01:43 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 26, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/26/2001	196.0	221,319	31.8%	89.9	166,661	69.1%	387,980	41.4%
10/26/2002	221.0	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/25/2002	69	167	0.35	77	-1	0.10	166
MTD		6,321	7.63		4,774	3.66	11,095

STREAM FLOWS

Gauging Station	10/25/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	14,888	74,563
NRIT : Nueces River at Tilden, Texas	1,765	9,601
FRIT : Frio River at Tilden, Texas	1,707	24,026
SMTT : San Miguel Creek at Tilden, Texas	4,129	12,228
ARWT : Atascosa River at Whitsett, Texas	7,166	19,522
Release from Choke Canyon Reservoir	4,212	20,066
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	13,677	45,981
NCAT : Nueces River at Calallen, Texas	8,496	60,570
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	16,511	90,750

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 90,750	0
Estuary Inflows (Measured at NCAT)	60,570
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/26/2002
10/25/2002	142	3,611	38,933	3,050	-561	44.0	44.2

Report Generated: 10/26/2002 at 8:05:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 27, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/27/2001	196.0	221,061	31.8%	89.8	165,828	68.7%	386,889	41.3%
10/27/2002	221.1	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/26/2002	65	76	0.03	65	269	0.51	345
MTD		6,397	7.66		5,043	4.17	11,440

STREAM FLOWS

Gauging Station	10/26/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	19,572	94,135
NRRT : Nueces River at Tilden, Texas	2,164	11,765
FRRT : Frio River at Tilden, Texas	1,564	25,591
SMTT : San Miguel Creek at Tilden, Texas	11,315	23,542
ARWT : Atascosa River at Whitsett, Texas	16,039	35,561
Release from Choke Canyon Reservoir	6,626	26,692
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	19,056	65,037
NCAT : Nueces River at Calallen, Texas	11,930	72,500
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	25,825	116,575

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 116,575	0
Estuary Inflows (Measured at NCAT)	72,500
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/27/2002
10/26/2002	142	3,753	39,075	3,050	-703	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 28, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/28/2001	196.0	220,803	31.8%	89.8	164,998	68.4%	385,801	41.2%
10/28/2002	221.1	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/27/2002	73	61	0.12	77	303	0.03	364
MTD		6,458	7.78		5,346	4.20	11,804

STREAM FLOWS

Gauging Station	10/27/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	24,019	118,153
NRTT : Nueces River at Tilden, Texas	2,799	14,564
FRTT : Frio River at Tilden, Texas	1,985	27,576
SMTT : San Miguel Creek at Tilden, Texas	11,116	34,658
ARWT : Atascosa River at Whitsett, Texas	12,386	47,948
Release from Choke Canyon Reservoir	8,000	34,692
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	19,711	84,748
NCAT : Nueces River at Calallen, Texas	16,972	89,472
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	29,120	145,695

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 145,695	0
Estuary Inflows (Measured at NCAT)	89,472
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/28/2002
10/27/2002	142	3,895	39,217	3,050	-845	44.0	44.2

Report Generated: 10/28/2002 at 8:19:48 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 29, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/29/2001	196.0	220,416	31.7%	89.7	164,500	68.2%	384,916	41.1%
10/29/2002	221.0	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/28/2002	73	45	0.04	77	123	0.00	168
MTD		6,503	7.82		5,469	4.20	11,972

STREAM FLOWS

Gauging Station	10/28/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	25,805	143,958
NRRT : Nueces River at Tilden, Texas	4,387	18,951
FRRT : Frio River at Tilden, Texas	3,573	31,149
SMTT : San Miguel Creek at Tilden, Texas	2,600	37,258
ARWT : Atascosa River at Whitsett, Texas	5,439	53,387
Release from Choke Canyon Reservoir	8,000	42,691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	21,438	106,186
NCAT : Nueces River at Calallen, Texas	23,622	113,093
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	23,979	169,674

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 169,674	0
Estuary Inflows (Measured at NCAT)	113,093
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/29/2002
10/28/2002	142	4,037	39,359	3,050	-987	44.0	44.2

Report Generated: 10/29/2002 at 8:11:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 30, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/30/2001	195.9	220,030	31.6%	89.7	164,003	68.0%	384,033	41.0%
10/30/2002	220.9	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/29/2002	75	151	0.00	78	191	0.00	342
MTD		6,654	7.82		5,662	4.20	12,316

STREAM FLOWS

Gauging Station	10/29/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	22,828	166,786
NRRT : Nueces River at Tilden, Texas	6,312	25,263
FRRT : Frio River at Tilden, Texas	7,642	38,791
SMTT : San Miguel Creek at Tilden, Texas	496	37,755
ARWT : Atascosa River at Whitsett, Texas	1,584	54,971
Release from Choke Canyon Reservoir	8,000	50,691
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	22,629	128,815
NCAT : Nueces River at Calallen, Texas	27,393	140,486
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	22,966	192,640

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 192,640	0
Estuary Inflows (Measured at NCAT)	140,486
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/30/2002
10/29/2002	142	4,179	39,501	3,050	-1,129	44.0	44.3

Report Generated: 10/30/2002 at 8:40:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: October 31, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
10/31/2001	195.9	219,773	31.6%	89.7	163,672	67.8%	383,445	40.9%
10/31/2002	220.9	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/30/2002	83	409	0.00	83	224	0.00	633
MTD		7,063	7.82		5,886	4.20	12,949

STREAM FLOWS

Gauging Station	10/30/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	19,453	186,239
NRRT : Nueces River at Tilden, Texas	6,570	31,833
FRRT : Frio River at Tilden, Texas	9,071	47,862
SMTT : San Miguel Creek at Tilden, Texas	377	38,132
ARWT : Atascosa River at Whitsett, Texas	627	55,598
Release from Choke Canyon Reservoir	8,000	58,690
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	21,438	150,253
NCAT : Nueces River at Calallen, Texas	27,393	167,879
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	20,902	213,542

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 213,542	0
Estuary Inflows (Measured at NCAT)	167,879
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2002		Elevation (Ft)	
				Allocation	Remaining	Full	10/31/2002
10/30/2002	150	4,329	39,651	3,050	-1,279	44.0	44.2

Report Generated: 10/31/2002 at 9:02:13 AM