

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 1, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/01/2001	200.3	281,148	40.4%	94.0	241,241	100.0%	522,389	55.8%
12/01/2002	220.4	692,158	99.6%	94.0	241,241	100.0%	933,399	99.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/30/2002	72	211	0.00	71	191	0.00	402
MTD		5,569	2.44		4,416	2.27	9,985

STREAM FLOWS

Gauging Station	11/30/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,334	251,222
NRRT : Nueces River at Tilden, Texas	320	94,174
FRRT : Frio River at Tilden, Texas	601	35,138
SMTT : San Miguel Creek at Tilden, Texas	36	6,352
ARWT : Atascosa River at Whitsett, Texas	115	45,859
Release from Choke Canyon Reservoir	66	39,527
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	550	224,333
NCAT : Nueces River at Calallen, Texas	796	358,416
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,906	253,185

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 9,000 Effective: 11/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 253,185	0
Estuary Inflows (Measured at NCAT)	358,416
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/01/2002
11/30/2002	124	2,621	42,414	3,050	429	44.0	44.2

Report Generated: 12/01/2002 at 8:39:32 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 2, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/02/2001	200.4	282,520	40.6%	94.0	241,241	100.0%	523,761	55.9%
12/02/2002	220.4	691,899	99.5%	94.0	241,241	100.0%	933,140	99.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/01/2002	65	196	0.00	68	112	0.00	308
MTD		196	0.00		112	0.00	308

STREAM FLOWS

Gauging Station	12/01/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,314	1,314
NRRT : Nueces River at Tilden, Texas	316	316
FRRT : Frio River at Tilden, Texas	596	596
SMTT : San Miguel Creek at Tilden, Texas	36	36
ARWT : Atascosa River at Whitsett, Texas	109	109
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	516	516
NCAT : Nueces River at Calallen, Texas	830	830
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,880	1,880

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 1,880	0
Estuary Inflows (Measured at NCAT)	830
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/02/2002
12/01/2002	124	124	42,538	3,050	2,926	44.0	44.2

Report Generated: 12/02/2002 at 8:26:12 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 3, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/03/2001	200.6	286,662	41.2%	94.0	241,241	100.0%	527,903	56.4%
12/03/2002	220.4	693,455	99.7%	94.0	241,241	100.0%	934,696	99.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/02/2002	74	60	0.00	75	79	0.00	139
MTD		256	0.00		191	0.00	447

STREAM FLOWS

Gauging Station	12/02/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,298	2,612
NRTT : Nueces River at Tilden, Texas	308	623
FRIT : Frio River at Tilden, Texas	590	1,185
SMTT : San Miguel Creek at Tilden, Texas	38	73
ARWT : Atascosa River at Whitsett, Texas	105	214
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	494	1,010
NCAT : Nueces River at Calallen, Texas	792	1,622
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,860	3,740

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 3,740	0
Estuary Inflows (Measured at NCAT)	1,622
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/03/2002
12/02/2002	124	248	42,662	3,050	2,802	44.0	44.1

Report Generated: 12/03/2002 at 8:33:06 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 4, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/04/2001	200.7	287,432	41.3%	94.0	241,241	100.0%	528,673	56.5%
12/04/2002	220.4	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/03/2002	78	136	0.30	80	79	0.00	215
MTD		392	0.30		270	0.00	662

STREAM FLOWS

Gauging Station	12/03/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,280	3,893
NRRT : Nueces River at Tilden, Texas	300	923
FRRT : Frio River at Tilden, Texas	590	1,775
SMTT : San Miguel Creek at Tilden, Texas	38	111
ARWT : Atascosa River at Whitsett, Texas	101	316
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	494	1,505
NCAT : Nueces River at Calallen, Texas	691	2,313
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,842	5,582

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 5,582	0
Estuary Inflows (Measured at NCAT)	2,313
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/04/2002
12/03/2002	125	373	42,787	3,050	2,677	44.0	44.0

Report Generated: 12/04/2002 at 8:11:16 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 5, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/05/2001	200.7	287,741	41.4%	94.0	241,241	100.0%	528,982	56.5%
12/05/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/04/2002	51	182	0.21	61	101	0.06	283
MTD		574	0.51		371	0.06	945

STREAM FLOWS

Gauging Station	12/04/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,270	5,163
NRRT : Nueces River at Tilden, Texas	298	1,221
FRRT : Frio River at Tilden, Texas	592	2,366
SMTT : San Miguel Creek at Tilden, Texas	48	159
ARWT : Atascosa River at Whitsett, Texas	99	415
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	969	2,473
NCAT : Nueces River at Calallen, Texas	605	2,918
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,844	7,426

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 7,426	0
Estuary Inflows (Measured at NCAT)	2,918
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/05/2002
12/04/2002	124	497	42,911	3,050	2,553	44.0	44.1

Report Generated: 12/05/2002 at 8:21:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 6, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/06/2001	200.7	287,432	41.3%	94.0	241,241	100.0%	528,673	56.5%
12/06/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/05/2002	49	121	0.00	48	22	0.00	143
MTD		695	0.51		393	0.06	1,088

STREAM FLOWS

Gauging Station	12/05/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,264	6,427
NRIT : Nueces River at Tilden, Texas	296	1,517
FRIT : Frio River at Tilden, Texas	592	2,958
SMIT : San Miguel Creek at Tilden, Texas	67	226
ARWT : Atascosa River at Whitsett, Texas	135	550
Release from Choke Canyon Reservoir	93	355
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,064	3,537
NCAT : Nueces River at Calallen, Texas	1,358	4,276
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	1,830	9,256

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 9,256	0
Estuary Inflows (Measured at NCAT)	4,276
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/06/2002
12/05/2002	124	621	43,035	3,050	2,429	44.0	44.1

Report Generated: 12/06/2002 at 8:25:34 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 7, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/07/2001	200.7	287,124	41.3%	94.0	241,241	100.0%	528,365	56.4%
12/07/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/06/2002	56	61	0.00	59	146	0.00	207
MTD		756	0.51		539	0.06	1,295

STREAM FLOWS

Gauging Station	12/06/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,388	7,815
NRRT : Nueces River at Tilden, Texas	288	1,804
FRRT : Frio River at Tilden, Texas	596	3,553
SMTT : San Miguel Creek at Tilden, Texas	50	276
ARWT : Atascosa River at Whitsett, Texas	179	728
Release from Choke Canyon Reservoir	119	474
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	284	3,821
NCAT : Nueces River at Calallen, Texas	1,614	5,889
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,914	11,170

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 11,170	0
Estuary Inflows (Measured at NCAT)	5,889
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/07/2002
12/06/2002	0	621	43,035	3,050	2,429	44.0	44.0

Report Generated: 12/07/2002 at 8:21:38 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 8, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/08/2001	200.7	287,278	41.3%	94.0	241,241	100.0%	528,519	56.4%
12/08/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/07/2002	58	45	0.00	63	11	0.02	56
MTD		801	0.51		550	0.08	1,351

STREAM FLOWS

Gauging Station	12/07/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,447	9,262
NRRT : Nueces River at Tilden, Texas	278	2,082
FRRT : Frio River at Tilden, Texas	588	4,141
SMTT : San Miguel Creek at Tilden, Texas	46	322
ARWT : Atascosa River at Whitsett, Texas	197	925
Release from Choke Canyon Reservoir	119	594
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	36	3,857
NCAT : Nueces River at Calallen, Texas	752	6,642
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,961	13,131

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 13,131	0
Estuary Inflows (Measured at NCAT)	6,642
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/08/2002
12/07/2002	124	870	43,283	3,050	2,180	44.0	44.0

Report Generated: 12/08/2002 at 9:07:27 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 9, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/09/2001	200.7	287,741	41.4%	94.0	241,241	100.0%	528,982	56.5%
12/09/2002	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/08/2002	67	15	0.76	68	Pan overflow	1.22	26
MTD		816	1.27		561	1.30	1,377

STREAM FLOWS

Gauging Station	12/08/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,435	10,697
NRRT : Nueces River at Tilden, Texas	268	2,350
FRRT : Frio River at Tilden, Texas	588	4,728
SMTT : San Miguel Creek at Tilden, Texas	44	365
ARWT : Atascosa River at Whitsett, Texas	149	1,074
Release from Choke Canyon Reservoir	119	713
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	197	4,053
NCAT : Nueces River at Calallen, Texas	260	6,902
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,947	15,078

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 15,078	0
Estuary Inflows (Measured at NCAT)	6,902
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/09/2002
12/08/2002	124	994	43,408	3,050	2,056	44.0	44.0

Report Generated: 12/09/2002 at 8:16:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 10, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/10/2001	200.7	287,124	41.3%	94.0	241,241	100.0%	528,365	56.4%
12/10/2002	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/09/2002	51	15	0.34	52	Pan overflow	0.97	15
MTD		831	1.61		561	2.27	1,392

STREAM FLOWS

Gauging Station	12/09/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,820	12,517
NRRT : Nueces River at Tilden, Texas	276	2,626
FRRT : Frio River at Tilden, Texas	603	5,332
SMTT : San Miguel Creek at Tilden, Texas	252	617
ARWT : Atascosa River at Whitsett, Texas	204	1,278
Release from Choke Canyon Reservoir	943	1,655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	917	4,970
NCAT : Nueces River at Calallen, Texas	570	7,472
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,733	16,811

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 16,811	0
Estuary Inflows (Measured at NCAT)	7,472
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/10/2002
12/09/2002	124	1,118	43,531	3,050	1,932	44.0	44.3

Report Generated: 12/10/2002 at 9:06:05 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 11, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/11/2001	200.7	287,432	41.3%	94.0	241,241	100.0%	528,673	56.5%
12/11/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/10/2002	58	106	0.00	59	135	0.00	241
MTD		937	1.61		696	2.27	1,633

STREAM FLOWS

Gauging Station	12/10/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,891	16,408
NRRT : Nueces River at Tilden, Texas	282	2,908
FRRT : Frio River at Tilden, Texas	619	5,951
SMTT : San Miguel Creek at Tilden, Texas	71	689
ARWT : Atascosa River at Whitsett, Texas	909	2,187
Release from Choke Canyon Reservoir	2,001	3,656
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,397	6,368
NCAT : Nueces River at Calallen, Texas	1,977	9,449
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	2,580	19,391

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 19,391	0
Estuary Inflows (Measured at NCAT)	9,449
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/11/2002
12/10/2002	124	1,241	43,655	3,050	1,809	44.0	44.3

Report Generated: 12/11/2002 at 9:31:11 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 12, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/12/2001	200.7	287,741	41.4%	94.0	241,241	100.0%	528,982	56.5%
12/12/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/11/2002	56	45	0.21	62	101	0.68	146
MTD		982	1.82		797	2.95	1,779

STREAM FLOWS

Gauging Station	12/11/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,446	20,854
NRRT : Nueces River at Tilden, Texas	270	3,178
FRRT : Frio River at Tilden, Texas	586	6,537
SMTT : San Miguel Creek at Tilden, Texas	276	965
ARWT : Atascosa River at Whitsett, Texas	768	2,956
Release from Choke Canyon Reservoir	1,626	5,282
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,104	8,472
NCAT : Nueces River at Calallen, Texas	2,839	12,287
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,682	23,074

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 23,074	0
Estuary Inflows (Measured at NCAT)	12,287
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/12/2002
12/11/2002	124	1,365	43,779	3,050	1,685	44.0	44.2

Report Generated: 12/12/2002 at 8:51:34 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 13, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/13/2001	200.7	287,432	41.3%	94.0	241,241	100.0%	528,673	56.5%
12/13/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/12/2002	67	197	0.17	69	168	0.11	365
MTD		1,179	1.99		965	3.06	2,144

STREAM FLOWS

Gauging Station	12/12/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,513	24,368
NRRT : Nueces River at Tilden, Texas	266	3,444
FRRT : Frio River at Tilden, Texas	597	7,134
SMTT : San Miguel Creek at Tilden, Texas	359	1,324
ARWT : Atascosa River at Whitsett, Texas	820	3,775
Release from Choke Canyon Reservoir	1,626	6,908
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,970	12,442
NCAT : Nueces River at Calallen, Texas	3,494	15,781
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	2,845	25,918

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 25,918	0
Estuary Inflows (Measured at NCAT)	15,781
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/13/2002
12/12/2002	124	1,489	43,903	3,050	1,561	44.0	44.2

Report Generated: 12/13/2002 at 8:37:14 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 14, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/14/2001	200.7	287,124	41.3%	94.0	241,241	100.0%	528,365	56.4%
12/14/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/13/2002	69	136	0.00	70	135	0.00	271
MTD		1,315	1.99		1,100	3.06	2,415

STREAM FLOWS

Gauging Station	12/13/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,824	29,191
NRRT : Nueces River at Tilden, Texas	264	3,708
FRRT : Frio River at Tilden, Texas	661	7,795
SMTT : San Miguel Creek at Tilden, Texas	365	1,689
ARWT : Atascosa River at Whitsett, Texas	3,394	7,170
Release from Choke Canyon Reservoir	1,251	8,158
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	4,228	16,670
NCAT : Nueces River at Calallen, Texas	5,598	21,378
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	4,599	30,517

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 30,517	0
Estuary Inflows (Measured at NCAT)	21,378
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/14/2002
12/13/2002	124	1,613	44,027	3,050	1,437	44.0	44.2

Report Generated: 12/14/2002 at 8:32:02 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 15, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/15/2001	200.7	287,124	41.3%	94.0	241,241	100.0%	528,365	56.4%
12/15/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/14/2002	70	167	0.00	70	123	0.00	290
MTD		1,482	1.99		1,223	3.06	2,705

STREAM FLOWS

Gauging Station	12/14/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	5,677	34,869
NRIT : Nueces River at Tilden, Texas	260	3,968
FRIT : Frio River at Tilden, Texas	623	8,418
SMIT : San Miguel Creek at Tilden, Texas	159	1,848
ARWT : Atascosa River at Whitsett, Texas	5,042	12,212
Release from Choke Canyon Reservoir	278	8,436
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,930	20,600
NCAT : Nueces River at Calallen, Texas	6,809	28,187
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	6,181	36,699

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 36,699	0
Estuary Inflows (Measured at NCAT)	28,187
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/15/2002
12/14/2002	124	1,737	44,151	3,050	1,313	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 16, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/16/2001	200.7	287,124	41.3%	94.0	241,241	100.0%	528,365	56.4%
12/16/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/15/2002	76	136	0.00	79	101	0.00	237
MTD		1,618	1.99		1,324	3.06	2,942

STREAM FLOWS

Gauging Station	12/15/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	5,717	40,585
NRRT : Nueces River at Tilden, Texas	254	4,222
FRRT : Frio River at Tilden, Texas	613	9,032
SMTT : San Miguel Creek at Tilden, Texas	97	1,945
ARWT : Atascosa River at Whitsett, Texas	1,090	13,301
Release from Choke Canyon Reservoir	119	8,555
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,970	24,570
NCAT : Nueces River at Calallen, Texas	6,888	35,075
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	6,308	43,007

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 43,007	0
Estuary Inflows (Measured at NCAT)	35,075
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/16/2002
12/15/2002	124	1,861	44,275	3,050	1,189	44.0	44.2

Report Generated: 12/16/2002 at 8:37:55 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 17, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/17/2001	200.6	286,662	41.2%	94.0	241,241	100.0%	527,903	56.4%
12/17/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/16/2002	79	121	0.00	80	79	0.00	200
MTD		1,739	1.99		1,403	3.06	3,142

STREAM FLOWS

Gauging Station	12/16/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,481	43,067
NRRT : Nueces River at Tilden, Texas	248	4,470
FRRT : Frio River at Tilden, Texas	609	9,641
SMTT : San Miguel Creek at Tilden, Texas	77	2,023
ARWT : Atascosa River at Whitsett, Texas	474	13,776
Release from Choke Canyon Reservoir	151	8,706
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,970	28,540
NCAT : Nueces River at Calallen, Texas	6,868	41,943
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,017	46,024

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 46,024	0
Estuary Inflows (Measured at NCAT)	41,943
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/17/2002
12/16/2002	124	1,985	44,398	3,050	1,065	44.0	44.2

Report Generated: 12/17/2002 at 8:28:06 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 18, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/18/2001	200.6	286,354	41.2%	94.0	241,241	100.0%	527,595	56.3%
12/18/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/17/2002	81	182	0.00	81	168	0.00	350
MTD		1,921	1.99		1,571	3.06	3,492

STREAM FLOWS

Gauging Station	12/17/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,840	44,907
NRRT : Nueces River at Tilden, Texas	240	4,710
FRRT : Frio River at Tilden, Texas	597	10,239
SMTT : San Miguel Creek at Tilden, Texas	62	2,084
ARWT : Atascosa River at Whitsett, Texas	324	14,099
Release from Choke Canyon Reservoir	198	8,905
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,136	31,677
NCAT : Nueces River at Calallen, Texas	7,007	48,950
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	2,301	48,325

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 48,325	0
Estuary Inflows (Measured at NCAT)	48,950
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/18/2002
12/17/2002	124	2,108	44,522	3,050	942	44.0	44.2

Report Generated: 12/18/2002 at 8:23:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 19, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/19/2001	200.6	286,046	41.1%	94.0	241,241	100.0%	527,287	56.3%
12/19/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/18/2002	81	257	0.00	84	258	0.00	515
MTD		2,178	1.99		1,829	3.06	4,007

STREAM FLOWS

Gauging Station	12/18/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,663	46,570
NRTT : Nueces River at Tilden, Texas	236	4,947
FRIT : Frio River at Tilden, Texas	586	10,824
SMTT : San Miguel Creek at Tilden, Texas	54	2,138
ARWT : Atascosa River at Whitsett, Texas	242	14,342
Release from Choke Canyon Reservoir	198	9,103
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,391	33,068
NCAT : Nueces River at Calallen, Texas	6,312	55,262
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,104	50,429

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 50,429	0
Estuary Inflows (Measured at NCAT)	55,262
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/19/2002
12/18/2002	124	2,232	44,646	3,050	818	44.0	44.3

Report Generated: 12/19/2002 at 9:12:18 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 20, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/20/2001	200.6	285,738	41.1%	94.0	241,241	100.0%	526,979	56.3%
12/20/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/19/2002	76	318	0.00	69	269	0.00	587
MTD		2,496	1.99		2,098	3.06	4,594

STREAM FLOWS

Gauging Station	12/19/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,558	48,128
NRTT : Nueces River at Tilden, Texas	234	5,181
FRIT : Frio River at Tilden, Texas	568	11,392
SMTT : San Miguel Creek at Tilden, Texas	44	2,182
ARWT : Atascosa River at Whitsett, Texas	191	14,532
Release from Choke Canyon Reservoir	198	9,302
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,243	35,311
NCAT : Nueces River at Calallen, Texas	4,129	59,391
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,971	52,400

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 52,400	0
Estuary Inflows (Measured at NCAT)	59,391
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/20/2002
12/19/2002	124	2,356	44,770	3,050	694	44.0	44.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 21, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/21/2001	200.6	285,584	41.1%	94.0	241,241	100.0%	526,825	56.3%
12/21/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/20/2002	67	136	0.00	71	123	0.00	259
MTD		2,632	1.99		2,221	3.06	4,853

STREAM FLOWS

Gauging Station	12/20/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,483	49,611
NRRT : Nueces River at Tilden, Texas	230	5,411
FRRT : Frio River at Tilden, Texas	558	11,950
SMTT : San Miguel Creek at Tilden, Texas	38	2,219
ARWT : Atascosa River at Whitsett, Texas	157	14,689
Release from Choke Canyon Reservoir	198	9,500
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	673	35,984
NCAT : Nueces River at Calallen, Texas	3,454	62,845
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,880	54,280

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 54,280	0
Estuary Inflows (Measured at NCAT)	62,845
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/21/2002
12/20/2002	124	2,480	44,893	3,050	570	44.0	44.3

Report Generated: 12/21/2002 at 8:23:29 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 22, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/22/2001	200.6	285,584	41.1%	94.0	241,241	100.0%	526,825	56.3%
12/22/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/21/2002	74	182	0.00	79	123	0.00	305
MTD		2,814	1.99		2,344	3.06	5,158

STREAM FLOWS

Gauging Station	12/21/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,435	51,046
NRRT : Nueces River at Tilden, Texas	230	5,641
FRRT : Frio River at Tilden, Texas	554	12,504
SMTT : San Miguel Creek at Tilden, Texas	36	2,255
ARWT : Atascosa River at Whitsett, Texas	137	14,826
Release from Choke Canyon Reservoir	198	9,699
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	365	36,349
NCAT : Nueces River at Calallen, Texas	1,759	64,604
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,826	56,106

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 56,106	0
Estuary Inflows (Measured at NCAT)	64,604
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/22/2002
12/21/2002	124	2,603	45,017	3,050	447	44.0	44.3

Report Generated: 12/22/2002 at 7:51:02 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 23, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/23/2001	200.6	285,431	41.1%	94.0	241,241	100.0%	526,672	56.2%
12/23/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/22/2002	69	91	0.04	71	101	0.14	192
MTD		2,905	2.03		2,445	3.20	5,350

STREAM FLOWS

Gauging Station	12/22/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,401	52,448
NRTT : Nueces River at Tilden, Texas	228	5,870
FRIT : Frio River at Tilden, Texas	548	13,051
SMTT : San Miguel Creek at Tilden, Texas	34	2,289
ARWT : Atascosa River at Whitsett, Texas	121	14,947
Release from Choke Canyon Reservoir	198	9,897
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	320	36,669
NCAT : Nueces River at Calallen, Texas	754	65,358
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,785	57,891

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 57,891	0
Estuary Inflows (Measured at NCAT)	65,358
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/23/2002
12/22/2002	123	2,727	45,141	3,050	323	44.0	44.3

Report Generated: 12/23/2002 at 8:18:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 24, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/24/2001	200.5	285,124	41.0%	94.0	241,241	100.0%	526,365	56.2%
12/24/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/23/2002	80	227	1.00	82	381	0.00	608
MTD		3,132	3.03		2,826	3.20	5,958

STREAM FLOWS

Gauging Station	12/23/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,395	53,843
NRRT : Nueces River at Tilden, Texas	220	6,090
FRRT : Frio River at Tilden, Texas	544	13,595
SMTT : San Miguel Creek at Tilden, Texas	50	2,338
ARWT : Atascosa River at Whitsett, Texas	119	15,066
Release from Choke Canyon Reservoir	200	10,098
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	508	37,177
NCAT : Nueces River at Calallen, Texas	528	65,886
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,788	59,679

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 59,679	0
Estuary Inflows (Measured at NCAT)	65,886
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/24/2002
12/23/2002	123	2,850	45,264	3,050	200	44.0	44.3

Report Generated: 12/24/2002 at 8:28:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 25, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/25/2001	200.5	284,970	41.0%	94.0	241,241	100.0%	526,211	56.2%
12/25/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/24/2002	56	227	0.00	57	213	0.00	440
MTD		3,359	3.03		3,039	3.20	6,398

STREAM FLOWS

Gauging Station	12/24/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,604	55,447
NRTT : Nueces River at Tilden, Texas	232	6,322
FRIT : Frio River at Tilden, Texas	590	14,185
SMTT : San Miguel Creek at Tilden, Texas	46	2,384
ARWT : Atascosa River at Whitsett, Texas	498	15,564
Release from Choke Canyon Reservoir	387	10,485
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,233	38,410
NCAT : Nueces River at Calallen, Texas	619	66,505
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,852	61,531

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 61,531	0
Estuary Inflows (Measured at NCAT)	66,505
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/25/2002
12/24/2002	124	2,974	45,388	3,050	76	44.0	44.3

Report Generated: 12/25/2002 at 8:39:16 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 26, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/26/2001	200.5	284,663	40.9%	94.0	241,241	100.0%	525,904	56.2%
12/26/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/25/2002	53	106	0.00	56	79	0.00	185	
MTD		3,465	3.03		3,118	3.20	6,583	

STREAM FLOWS

Gauging Station	12/25/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,422	57,869
NRRT : Nueces River at Tilden, Texas	214	6,537
FRRT : Frio River at Tilden, Texas	558	14,743
SMTT : San Miguel Creek at Tilden, Texas	34	2,418
ARWT : Atascosa River at Whitsett, Texas	814	16,378
Release from Choke Canyon Reservoir	500	10,985
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	463	38,872
NCAT : Nueces River at Calallen, Texas	1,433	67,939
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	2,513	64,044

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 64,044	0
Estuary Inflows (Measured at NCAT)	67,939
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/26/2002
12/25/2002	123	3,097	45,511	3,050	-47	44.0	44.3

Report Generated: 12/26/2002 at 8:23:15 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 27, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/27/2001	200.5	284,356	40.9%	94.0	241,241	100.0%	525,597	56.1%
12/27/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/26/2002	55	45	0.00	54	0	0.08	45
MTD		3,510	3.03		3,118	3.28	6,628

STREAM FLOWS

Gauging Station	12/26/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,461	60,330
NRIT : Nueces River at Tilden, Texas	198	6,735
FRIT : Frio River at Tilden, Texas	534	15,277
SMIT : San Miguel Creek at Tilden, Texas	30	2,448
ARWT : Atascosa River at Whitsett, Texas	393	16,771
Release from Choke Canyon Reservoir	500	11,485
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	461	39,333
NCAT : Nueces River at Calallen, Texas	802	68,741
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	2,525	66,569

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 66,569	0
Estuary Inflows (Measured at NCAT)	68,741
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/27/2002
12/26/2002	132	3,230	45,643	3,050	-180	44.0	44.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 28, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/28/2001	200.5	284,203	40.9%	94.0	241,241	100.0%	525,444	56.1%
12/28/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/27/2002	68	91	0.00	67	79	0.00	170
MTD		3,601	3.03		3,197	3.28	6,798

STREAM FLOWS

Gauging Station	12/27/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,985	62,315
NRTT : Nueces River at Tilden, Texas	193	6,928
FRIT : Frio River at Tilden, Texas	526	15,803
SMTT : San Miguel Creek at Tilden, Texas	30	2,477
ARWT : Atascosa River at Whitsett, Texas	204	16,976
Release from Choke Canyon Reservoir	500	11,985
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	526	39,859
NCAT : Nueces River at Calallen, Texas	631	69,372
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,041	68,610

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 68,610	0
Estuary Inflows (Measured at NCAT)	69,372
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/28/2002
12/27/2002	139	3,368	45,782	3,050	-318	44.0	44.2

Report Generated: 12/28/2002 at 8:45:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 29, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/29/2001	200.5	284,050	40.9%	94.0	241,241	100.0%	525,291	56.1%
12/29/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/28/2002	71	91	0.00	71	79	0.00	170
MTD		3,692	3.03		3,276	3.28	6,968

STREAM FLOWS

Gauging Station	12/28/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,812	64,127
NRTT : Nueces River at Tilden, Texas	187	7,114
FRIT : Frio River at Tilden, Texas	524	16,327
SMTT : San Miguel Creek at Tilden, Texas	28	2,505
ARWT : Atascosa River at Whitsett, Texas	151	17,127
Release from Choke Canyon Reservoir	500	12,486
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	437	40,296
NCAT : Nueces River at Calallen, Texas	667	70,039
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,864	70,473

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 70,473	0
Estuary Inflows (Measured at NCAT)	70,039
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/29/2002
12/28/2002	140	3,508	45,922	3,050	-458	44.0	44.2

Report Generated: 12/29/2002 at 7:49:27 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 30, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/30/2001	200.4	283,744	40.8%	94.0	241,241	100.0%	524,985	56.1%
12/30/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/29/2002	77	136	0.04	80	135	0.00	271
MTD		3,828	3.07		3,411	3.28	7,239

STREAM FLOWS

Gauging Station	12/29/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,749	65,876
NRRT : Nueces River at Tilden, Texas	181	7,295
FRRT : Frio River at Tilden, Texas	534	16,861
SMTT : San Miguel Creek at Tilden, Texas	32	2,537
ARWT : Atascosa River at Whitsett, Texas	129	17,256
Release from Choke Canyon Reservoir	500	12,986
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	429	40,724
NCAT : Nueces River at Calallen, Texas	510	70,549
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,814	72,288

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 72,288	0
Estuary Inflows (Measured at NCAT)	70,549
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/30/2002
12/29/2002	139	3,647	46,061	3,050	-597	44.0	44.2

Report Generated: 12/30/2002 at 8:22:48 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 31, 2002**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/31/2001	200.4	283,438	40.8%	94.0	241,241	100.0%	524,679	56.0%
12/31/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/30/2002	80	318	0.11	80	247	0.30	565
MTD		4,146	3.18		3,658	3.58	7,804

STREAM FLOWS

Gauging Station	12/30/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	14	65,891
NRTT : Nueces River at Tilden, Texas	187	7,481
FRIT : Frio River at Tilden, Texas	532	17,393
SMTT : San Miguel Creek at Tilden, Texas	38	2,575
ARWT : Atascosa River at Whitsett, Texas	109	17,365
Release from Choke Canyon Reservoir	496	13,482
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	983	41,707
NCAT : Nueces River at Calallen, Texas	494	71,043
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	865	73,153

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 73,153	0
Estuary Inflows (Measured at NCAT)	71,043
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	12/31/2002
12/30/2002	139	3,787	46,201	3,050	-737	44.0	44.3

Report Generated: 12/31/2002 at 10:53:52 AM