

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 1, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/01/2002	200.4	283,132	40.7%	94.0	241,241	100.0%	524,373	56.0%
01/01/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/31/2002	68	182	0.00	66	202	0.00	384
MTD		4,328	3.18		3,860	3.58	8,188

STREAM FLOWS

Gauging Station	12/31/2002 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,717	67,608
NRTT : Nueces River at Tilden, Texas	193	7,674
FRIT : Frio River at Tilden, Texas	520	17,913
SMTT : San Miguel Creek at Tilden, Texas	36	2,610
ARWT : Atascosa River at Whitsett, Texas	105	17,470
Release from Choke Canyon Reservoir	496	13,978
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,521	44,228
NCAT : Nueces River at Calallen, Texas	1,372	72,415
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,777	74,930

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2002	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2002)	500
Passthru Target: 0 Reservoir Inflow: 74,930	0
Estuary Inflows (Measured at NCAT)	72,415
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2002		Elevation (Ft)	
				Allocation	Remaining	Full	01/01/2003
12/31/2002	139	3,926	46,340	3,050	-876	44.0	44.2

Report Generated: 01/01/2003 at 8:27:14 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 2, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/02/2002	200.4	282,826	40.7%	94.0	241,241	100.0%	524,067	56.0%
01/02/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/01/2003	78	257	0.00	78	191	0.00	448
MTD		257	0.00		191	0.00	448

STREAM FLOWS

Gauging Station	01/01/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,701	1,701
NRTT : Nueces River at Tilden, Texas	197	197
FRIT : Frio River at Tilden, Texas	514	514
SMTT : San Miguel Creek at Tilden, Texas	32	32
ARWT : Atascosa River at Whitsett, Texas	101	101
Release from Choke Canyon Reservoir	496	496
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,066	1,066
NCAT : Nueces River at Calallen, Texas	3,097	3,097
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,751	1,751

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 1,751	0
Estuary Inflows (Measured at NCAT)	3,097
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/02/2003
01/01/2003	139	139	139	3,050	2,911	44.0	44.2

Report Generated: 01/02/2003 at 7:57:54 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 3, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/03/2002	200.4	282,368	40.6%	94.0	241,241	100.0%	523,609	55.9%
01/03/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/02/2003	63	182	0.00	62	146	0.00	328
MTD		439	0.00		337	0.00	776

STREAM FLOWS

Gauging Station	01/02/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,671	3,373
NRRT : Nueces River at Tilden, Texas	193	389
FRRT : Frio River at Tilden, Texas	508	1,022
SMTT : San Miguel Creek at Tilden, Texas	30	62
ARWT : Atascosa River at Whitsett, Texas	109	210
Release from Choke Canyon Reservoir	397	893
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,268	2,334
NCAT : Nueces River at Calallen, Texas	2,045	5,141
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,812	3,563

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 3,563	0
Estuary Inflows (Measured at NCAT)	5,141
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/03/2003
01/02/2003	140	279	279	3,050	2,771	44.0	44.3

Report Generated: 01/03/2003 at 8:33:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 4, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/04/2002	200.3	282,062	40.6%	94.0	241,241	100.0%	523,303	55.9%
01/04/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/03/2003	68	121	0.00	70	135	0.00	256
MTD		560	0.00		472	0.00	1,032

STREAM FLOWS

Gauging Station	01/03/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,421	4,794
NRRT : Nueces River at Tilden, Texas	351	740
FRRT : Frio River at Tilden, Texas	502	1,524
SMTT : San Miguel Creek at Tilden, Texas	28	89
ARWT : Atascosa River at Whitsett, Texas	93	304
Release from Choke Canyon Reservoir	250	1,147
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	544	2,878
NCAT : Nueces River at Calallen, Texas	1,719	6,860
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,701	5,260

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 5,260	0
Estuary Inflows (Measured at NCAT)	6,860
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/04/2003
01/03/2003	140	419	419	3,050	2,631	44.0	44.3

Report Generated: 01/04/2003 at 9:01:03 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 5, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/05/2002	200.4	282,368	40.6%	94.0	241,241	100.0%	523,609	55.9%
01/05/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/04/2003	71	167	0.00	75	135	0.00	302
MTD		727	0.00		607	0.00	1,334

STREAM FLOWS

Gauging Station	01/04/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,175	5,969
NRTT : Nueces River at Tilden, Texas	177	917
FRIT : Frio River at Tilden, Texas	498	2,023
SMTT : San Miguel Creek at Tilden, Texas	26	115
ARWT : Atascosa River at Whitsett, Texas	89	393
Release from Choke Canyon Reservoir	151	1,298
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	532	3,410
NCAT : Nueces River at Calallen, Texas	893	7,753
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,548	6,809

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 6,809	0
Estuary Inflows (Measured at NCAT)	7,753
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/05/2003
01/04/2003	139	558	558	3,050	2,492	44.0	44.3

Report Generated: 01/05/2003 at 7:55:32 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 6, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/06/2002	200.3	282,215	40.6%	94.0	241,241	100.0%	523,456	55.9%
01/06/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/05/2003	74	136	0.00	75	168	0.00	304
MTD		863	0.00		775	0.00	1,638

STREAM FLOWS

Gauging Station	01/05/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,118	7,086
NRRT : Nueces River at Tilden, Texas	171	1,088
FRRT : Frio River at Tilden, Texas	498	2,521
SMTT : San Miguel Creek at Tilden, Texas	26	141
ARWT : Atascosa River at Whitsett, Texas	85	478
Release from Choke Canyon Reservoir	151	1,449
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	532	3,942
NCAT : Nueces River at Calallen, Texas	679	8,432
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,491	8,299

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 8,299	0
Estuary Inflows (Measured at NCAT)	8,432
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/06/2003
01/05/2003	139	697	697	3,050	2,353	44.0	44.3

Report Generated: 01/06/2003 at 8:37:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 7, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/07/2002	200.3	281,910	40.5%	94.0	241,241	100.0%	523,151	55.9%
01/07/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/06/2003	69	167	0.00	73	146	0.00	313
MTD		1,030	0.00		921	0.00	1,951

STREAM FLOWS

Gauging Station	01/06/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,098	8,184
NRRT : Nueces River at Tilden, Texas	171	1,258
FRRT : Frio River at Tilden, Texas	492	3,013
SMTT : San Miguel Creek at Tilden, Texas	24	165
ARWT : Atascosa River at Whitsett, Texas	83	562
Release from Choke Canyon Reservoir	151	1,600
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	572	4,514
NCAT : Nueces River at Calallen, Texas	611	9,044
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,463	9,762

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 9,762	0
Estuary Inflows (Measured at NCAT)	9,044
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/07/2003
01/06/2003	139	837	837	3,050	2,213	44.0	44.3

Report Generated: 01/07/2003 at 8:55:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 8, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/08/2002	200.3	281,757	40.5%	94.0	241,241	100.0%	522,998	55.8%
01/08/2003	220.4	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/07/2003	62	121	0.00	64	101	0.00	222
MTD		1,151	0.00		1,022	0.00	2,173

STREAM FLOWS

Gauging Station	01/07/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,084	9,268
NRRT : Nueces River at Tilden, Texas	171	1,429
FRRT : Frio River at Tilden, Texas	486	3,500
SMTT : San Miguel Creek at Tilden, Texas	24	189
ARWT : Atascosa River at Whitsett, Texas	79	641
Release from Choke Canyon Reservoir	119	1,719
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	331	4,845
NCAT : Nueces River at Calallen, Texas	534	9,578
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,475	11,237

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 11,237	0
Estuary Inflows (Measured at NCAT)	9,578
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/08/2003
01/07/2003	139	975	975	3,050	2,075	44.0	44.3

Report Generated: 01/08/2003 at 8:37:29 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 9, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/09/2002	200.3	281,605	40.5%	94.0	241,241	100.0%	522,846	55.8%
01/09/2003	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/08/2003	72	197	0.00	72	135	0.00	332
MTD		1,348	0.00		1,157	0.00	2,505

STREAM FLOWS

Gauging Station	01/08/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	961	10,229
NRRT : Nueces River at Tilden, Texas	169	1,598
FRRT : Frio River at Tilden, Texas	484	3,984
SMTT : San Miguel Creek at Tilden, Texas	22	210
ARWT : Atascosa River at Whitsett, Texas	79	721
Release from Choke Canyon Reservoir	66	1,785
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	300	5,145
NCAT : Nueces River at Calallen, Texas	326	9,903
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,401	12,638

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 12,638	0
Estuary Inflows (Measured at NCAT)	9,903
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/09/2003
01/08/2003	139	1,114	1,114	3,050	1,936	44.0	44.3

Report Generated: 01/09/2003 at 8:51:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 10, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/10/2002	200.3	281,453	40.5%	94.0	241,241	100.0%	522,694	55.8%
01/10/2003	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/09/2003	77	212	0.00	80	168	0.00	380
MTD		1,560	0.00		1,325	0.00	2,885

STREAM FLOWS

Gauging Station	01/09/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	435	10,663
NRIT : Nueces River at Tilden, Texas	167	1,765
FRIT : Frio River at Tilden, Texas	486	4,470
SMTT : San Miguel Creek at Tilden, Texas	22	232
ARWT : Atascosa River at Whitsett, Texas	77	798
Release from Choke Canyon Reservoir	66	1,850
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	504	5,649
NCAT : Nueces River at Calallen, Texas	260	10,163
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	877	13,516

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 13,516	0
Estuary Inflows (Measured at NCAT)	10,163
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/10/2003
01/09/2003	139	1,253	1,253	3,050	1,797	44.0	44.3

Report Generated: 01/10/2003 at 8:42:54 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 11, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/11/2002	200.3	281,757	40.5%	94.0	241,241	100.0%	522,998	55.8%
01/11/2003	220.4	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/10/2003	62	302	0.00	62	0	0.09	302
MTD		1,862	0.00		1,325	0.09	3,187

STREAM FLOWS

Gauging Station	01/10/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	423	11,086
NRRT : Nueces River at Tilden, Texas	163	1,927
FRRT : Frio River at Tilden, Texas	486	4,957
SMTT : San Miguel Creek at Tilden, Texas	20	252
ARWT : Atascosa River at Whitsett, Texas	75	873
Release from Choke Canyon Reservoir	66	1,916
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	637	6,286
NCAT : Nueces River at Calallen, Texas	510	10,673
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	863	14,379

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 14,379	0
Estuary Inflows (Measured at NCAT)	10,673
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/11/2003
01/10/2003	139	1,392	1,392	3,050	1,658	44.0	44.4

Report Generated: 01/11/2003 at 10:47:36 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 12, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/12/2002	200.3	281,453	40.5%	94.0	241,241	100.0%	522,694	55.8%
01/12/2003	220.4	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/11/2003	49	30	0.53	50	34	0.48	64
MTD		1,892	0.53		1,572	0.57	3,464

STREAM FLOWS

Gauging Station	01/11/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	413	11,499
NRRT : Nueces River at Tilden, Texas	157	2,084
FRRT : Frio River at Tilden, Texas	490	5,447
SMTT : San Miguel Creek at Tilden, Texas	20	272
ARWT : Atascosa River at Whitsett, Texas	71	945
Release from Choke Canyon Reservoir	66	1,981
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	222	6,509
NCAT : Nueces River at Calallen, Texas	645	11,318
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	858	15,237

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 15,237	0
Estuary Inflows (Measured at NCAT)	11,318
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/12/2003
01/11/2003	139	1,531	1,531	3,050	1,519	44.0	44.4

Report Generated: 01/12/2003 at 9:52:57 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 13, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/13/2002	200.3	281,300	40.5%	94.0	241,241	100.0%	522,541	55.8%
01/13/2003	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/12/2003	44	15	0.31	48	79	0.38	94
MTD		1,907	0.84		1,651	0.95	3,558

STREAM FLOWS

Gauging Station	01/12/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	421	11,920
NRRT : Nueces River at Tilden, Texas	159	2,243
FRRT : Frio River at Tilden, Texas	496	5,943
SMTT : San Miguel Creek at Tilden, Texas	24	296
ARWT : Atascosa River at Whitsett, Texas	75	1,020
Release from Choke Canyon Reservoir	66	2,047
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	286	6,795
NCAT : Nueces River at Calallen, Texas	284	11,602
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	875	16,112

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 16,112	0
Estuary Inflows (Measured at NCAT)	11,602
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/13/2003
01/12/2003	139	1,670	1,670	3,050	1,380	44.0	44.4

Report Generated: 01/13/2003 at 8:44:02 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 14, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/14/2002	200.3	281,148	40.4%	94.0	241,241	100.0%	522,389	55.8%
01/14/2003	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/13/2003	49	15	0.00	52	45	0.00	60
MTD		1,922	0.84		1,696	0.95	3,618

STREAM FLOWS

Gauging Station	01/13/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	439	12,359
NRRT : Nueces River at Tilden, Texas	159	2,402
FRRT : Frio River at Tilden, Texas	494	6,437
SMTT : San Miguel Creek at Tilden, Texas	24	320
ARWT : Atascosa River at Whitsett, Texas	113	1,133
Release from Choke Canyon Reservoir	66	2,112
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	272	7,067
NCAT : Nueces River at Calallen, Texas	210	11,813
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	891	17,004

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 17,004	0
Estuary Inflows (Measured at NCAT)	11,813
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/14/2003
01/13/2003	138	1,809	1,809	3,050	1,241	44.0	44.3

Report Generated: 01/14/2003 at 8:37:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 15, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/15/2002	200.3	280,996	40.4%	94.0	241,241	100.0%	522,237	55.8%
01/15/2003	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/14/2003	57	61	0.00	57	22	0.00	83
MTD		1,983	0.84		1,718	0.95	3,701

STREAM FLOWS

Gauging Station	01/14/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	508	12,867
NRRT : Nueces River at Tilden, Texas	159	2,561
FRRT : Frio River at Tilden, Texas	500	6,938
SMTT : San Miguel Creek at Tilden, Texas	20	339
ARWT : Atascosa River at Whitsett, Texas	240	1,374
Release from Choke Canyon Reservoir	66	2,178
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	7,198
NCAT : Nueces River at Calallen, Texas	270	12,083
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	963	17,966

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 17,966	0
Estuary Inflows (Measured at NCAT)	12,083
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/15/2003
01/14/2003	139	1,947	1,947	3,050	1,103	44.0	44.3

Report Generated: 01/15/2003 at 8:24:11 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 16, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/16/2002	200.2	280,844	40.4%	94.0	241,241	100.0%	522,085	55.7%
01/16/2003	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/15/2003	62	76	0.00	59	56	0.00	132
MTD		2,059	0.84		1,774	0.95	3,833

STREAM FLOWS

Gauging Station	01/15/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	639	13,506
NRRT : Nueces River at Tilden, Texas	165	2,725
FRRT : Frio River at Tilden, Texas	312	7,249
SMTT : San Miguel Creek at Tilden, Texas	19	359
ARWT : Atascosa River at Whitsett, Texas	214	1,588
Release from Choke Canyon Reservoir	66	2,243
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	7,325
NCAT : Nueces River at Calallen, Texas	131	12,214
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	905	18,871

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 18,871	0
Estuary Inflows (Measured at NCAT)	12,214
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/16/2003
01/15/2003	138	2,085	2,085	3,050	965	44.0	44.2

Report Generated: 01/16/2003 at 8:20:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 17, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/17/2002	200.2	280,691	40.4%	94.0	241,241	100.0%	521,932	55.7%
01/17/2003	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/16/2003	62	318	0.00	59	202	0.00	520
MTD		2,377	0.84		1,976	0.95	4,353

STREAM FLOWS

Gauging Station	01/16/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	592	14,097
NRIT : Nueces River at Tilden, Texas	157	2,882
FRIT : Frio River at Tilden, Texas	308	7,557
SMTT : San Miguel Creek at Tilden, Texas	19	378
ARWT : Atascosa River at Whitsett, Texas	153	1,741
Release from Choke Canyon Reservoir	66	2,309
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	621	7,946
NCAT : Nueces River at Calallen, Texas	123	12,337
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	853	19,724

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 19,724	0
Estuary Inflows (Measured at NCAT)	12,337
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/17/2003
01/16/2003	138	2,223	2,223	3,050	827	44.0	44.3

Report Generated: 01/17/2003 at 8:23:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 18, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/18/2002	200.2	280,539	40.3%	94.0	241,241	100.0%	521,780	55.7%
01/18/2003	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/17/2003	48	151	0.00	48	90	0.00	241
MTD		2,528	0.84		2,066	0.95	4,594

STREAM FLOWS

Gauging Station	01/17/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	506	14,604
NRTT : Nueces River at Tilden, Texas	145	3,027
FRIT : Frio River at Tilden, Texas	314	7,871
SMTT : San Miguel Creek at Tilden, Texas	36	414
ARWT : Atascosa River at Whitsett, Texas	121	1,862
Release from Choke Canyon Reservoir	66	2,374
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	264	8,210
NCAT : Nueces River at Calallen, Texas	494	12,831
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	790	20,514

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 20,514	0
Estuary Inflows (Measured at NCAT)	12,831
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/18/2003
01/17/2003	138	2,361	2,361	3,050	689	44.0	44.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 19, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/19/2002	200.2	280,387	40.3%	94.0	241,241	100.0%	521,628	55.7%
01/19/2003	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/18/2003	56	136	0.00	53	135	0.00	271
MTD		2,664	0.84		2,201	0.95	4,865

STREAM FLOWS

Gauging Station	01/18/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	443	15,046
NRTT : Nueces River at Tilden, Texas	137	3,164
FRIT : Frio River at Tilden, Texas	320	8,190
SMTT : San Miguel Creek at Tilden, Texas	36	450
ARWT : Atascosa River at Whitsett, Texas	103	1,965
Release from Choke Canyon Reservoir	66	2,440
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	139	8,349
NCAT : Nueces River at Calallen, Texas	405	13,236
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	732	21,247

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 21,247	0
Estuary Inflows (Measured at NCAT)	13,236
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/19/2003
01/18/2003	139	2,500	2,500	3,050	550	44.0	44.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 20, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/20/2002	200.2	280,235	40.3%	94.0	241,241	100.0%	521,476	55.7%
01/20/2003	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/19/2003	68	45	0.00	65	45	0.00	90
MTD		2,709	0.84		2,246	0.95	4,955

STREAM FLOWS

Gauging Station	01/19/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	401	15,447
NRRT : Nueces River at Tilden, Texas	139	3,303
FRRT : Frio River at Tilden, Texas	320	8,510
SMTT : San Miguel Creek at Tilden, Texas	34	484
ARWT : Atascosa River at Whitsett, Texas	91	2,056
Release from Choke Canyon Reservoir	66	2,505
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	8,476
NCAT : Nueces River at Calallen, Texas	169	13,405
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	689	21,935

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 21,935	0
Estuary Inflows (Measured at NCAT)	13,405
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/20/2003
01/19/2003	139	2,639	2,639	3,050	411	44.0	44.3

Report Generated: 01/20/2003 at 8:54:55 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 21, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/21/2002	200.2	280,235	40.3%	94.0	241,241	100.0%	521,476	55.7%
01/21/2003	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/20/2003	79	212	0.00	80	146	0.00	358
MTD		2,921	0.84		2,392	0.95	5,313

STREAM FLOWS

Gauging Station	01/20/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	381	15,828
NRRT : Nueces River at Tilden, Texas	147	3,450
FRRT : Frio River at Tilden, Texas	312	8,821
SMTT : San Miguel Creek at Tilden, Texas	32	515
ARWT : Atascosa River at Whitsett, Texas	81	2,138
Release from Choke Canyon Reservoir	66	2,571
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	125	8,601
NCAT : Nueces River at Calallen, Texas	133	13,538
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	659	22,594

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 22,594	0
Estuary Inflows (Measured at NCAT)	13,538
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/21/2003
01/20/2003	140	2,779	2,779	3,050	271	44.0	44.4

Report Generated: 01/21/2003 at 8:48:36 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 22, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/22/2002	200.2	280,083	40.3%	94.0	241,241	100.0%	521,324	55.7%
01/22/2003	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/21/2003	79	212	0.00	80	135	0.00	347
MTD		3,133	0.84		2,527	0.95	5,660

STREAM FLOWS

Gauging Station	01/21/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	379	16,208
NRRT : Nueces River at Tilden, Texas	153	3,603
FRRT : Frio River at Tilden, Texas	308	9,129
SMTT : San Miguel Creek at Tilden, Texas	28	543
ARWT : Atascosa River at Whitsett, Texas	75	2,213
Release from Choke Canyon Reservoir	66	2,636
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	125	8,726
NCAT : Nueces River at Calallen, Texas	115	13,653
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	649	23,244

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 23,244	0
Estuary Inflows (Measured at NCAT)	13,653
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/22/2003
01/21/2003	139	2,918	2,918	3,050	132	44.0	44.3

Report Generated: 01/22/2003 at 8:25:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 23, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/23/2002	200.2	279,932	40.3%	94.0	241,241	100.0%	521,173	55.7%
01/23/2003	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/22/2003	56	182	0.00	57	123	0.00	305
MTD		3,315	0.84		2,650	0.95	5,965

STREAM FLOWS

Gauging Station	01/22/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	381	16,589
NRIT : Nueces River at Tilden, Texas	153	3,756
FRIT : Frio River at Tilden, Texas	304	9,433
SMTT : San Miguel Creek at Tilden, Texas	26	569
ARWT : Atascosa River at Whitsett, Texas	73	2,287
Release from Choke Canyon Reservoir	66	2,702
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	278	9,004
NCAT : Nueces River at Calallen, Texas	81	13,734
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	645	23,889

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 23,889	0
Estuary Inflows (Measured at NCAT)	13,734
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/23/2003
01/22/2003	140	3,057	3,057	3,050	-7	44.0	44.4

Report Generated: 01/23/2003 at 8:31:25 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 24, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/24/2002	200.2	279,780	40.2%	94.0	241,241	100.0%	521,021	55.6%
01/24/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/23/2003	51	Pan Froze	0.00	49	Pan Froze	0.00	0
MTD		3,315	0.84		2,650	0.95	5,965

STREAM FLOWS

Gauging Station	01/23/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	373	16,962
NRRT : Nueces River at Tilden, Texas	147	3,903
FRRT : Frio River at Tilden, Texas	302	9,734
SMTT : San Miguel Creek at Tilden, Texas	22	591
ARWT : Atascosa River at Whitsett, Texas	73	2,360
Release from Choke Canyon Reservoir	66	2,767
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	375	9,379
NCAT : Nueces River at Calallen, Texas	181	13,915
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	631	24,520

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 24,520	0
Estuary Inflows (Measured at NCAT)	13,915
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/24/2003
01/23/2003	139	3,197	3,197	3,050	-147	44.0	44.3

Report Generated: 01/24/2003 at 8:28:39 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 25, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/25/2002	200.2	279,932	40.3%	94.0	241,241	100.0%	521,173	55.7%
01/25/2003	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/24/2003	45	212	0.10	45	168	0.15	380
MTD		3,527	0.94		2,818	1.10	6,345

STREAM FLOWS

Gauging Station	01/24/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	363	17,325
NRRT : Nueces River at Tilden, Texas	139	4,041
FRRT : Frio River at Tilden, Texas	300	10,034
SMTT : San Miguel Creek at Tilden, Texas	19	610
ARWT : Atascosa River at Whitsett, Texas	71	2,432
Release from Choke Canyon Reservoir	66	2,833
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	87	9,466
NCAT : Nueces River at Calallen, Texas	341	14,256
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	617	25,137

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 25,137	0
Estuary Inflows (Measured at NCAT)	14,256
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/25/2003
01/24/2003	132	3,329	3,329	3,050	-279	44.0	44.3

Report Generated: 01/25/2003 at 8:14:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 26, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/26/2002	200.2	279,780	40.2%	94.0	241,241	100.0%	521,021	55.6%
01/26/2003	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/25/2003	51	15	0.21	54	0	0.31	15
MTD		3,542	1.15		2,818	1.41	6,360

STREAM FLOWS

Gauging Station	01/25/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	353	17,678
NRRT : Nueces River at Tilden, Texas	131	4,172
FRRT : Frio River at Tilden, Texas	302	10,336
SMTT : San Miguel Creek at Tilden, Texas	19	629
ARWT : Atascosa River at Whitsett, Texas	71	2,503
Release from Choke Canyon Reservoir	66	2,898
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	129	9,595
NCAT : Nueces River at Calallen, Texas	143	14,399
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	609	25,745

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 25,745	0
Estuary Inflows (Measured at NCAT)	14,399
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/26/2003
01/25/2003	118	3,447	3,447	3,050	-397	44.0	44.3

Report Generated: 01/26/2003 at 8:16:15 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 27, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/27/2002	200.2	279,780	40.2%	94.0	241,241	100.0%	521,021	55.6%
01/27/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/26/2003	48	61	0.00	47	0	0.02	61
MTD		3,603	1.15		2,818	1.43	6,421

STREAM FLOWS

Gauging Station	01/26/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	341	18,020
NRIT : Nueces River at Tilden, Texas	127	4,300
FRIT : Frio River at Tilden, Texas	306	10,642
SMTT : San Miguel Creek at Tilden, Texas	18	647
ARWT : Atascosa River at Whitsett, Texas	75	2,579
Release from Choke Canyon Reservoir	66	2,964
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	445	10,040
NCAT : Nueces River at Calallen, Texas	129	14,528
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	600	26,345

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 26,345	0
Estuary Inflows (Measured at NCAT)	14,528
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/27/2003
01/26/2003	118	3,565	3,565	3,050	-515	44.0	44.3

Report Generated: 01/27/2003 at 8:19:34 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 28, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/28/2002	200.2	279,628	40.2%	94.0	241,241	100.0%	520,869	55.6%
01/28/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/27/2003	52	30	0.02	50	45	0.06	75
MTD		3,633	1.17		2,863	1.49	6,496

STREAM FLOWS

Gauging Station	01/27/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	328	18,347
NRRT : Nueces River at Tilden, Texas	123	4,423
FRRT : Frio River at Tilden, Texas	304	10,945
SMTT : San Miguel Creek at Tilden, Texas	14	661
ARWT : Atascosa River at Whitsett, Texas	75	2,654
Release from Choke Canyon Reservoir	66	3,029
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	238	10,278
NCAT : Nueces River at Calallen, Texas	302	14,830
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	580	26,925

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 26,925	0
Estuary Inflows (Measured at NCAT)	14,830
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/28/2003
01/27/2003	117	3,682	3,682	3,050	-632	44.0	44.3

Report Generated: 01/28/2003 at 8:35:46 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 29, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/29/2002	200.2	279,476	40.2%	94.0	241,241	100.0%	520,717	55.6%
01/29/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/28/2003	62	15	0.01	59	0	0.08	15
MTD		3,648	1.18		2,863	1.57	6,511

STREAM FLOWS

Gauging Station	01/28/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	320	18,667
NRTT : Nueces River at Tilden, Texas	121	4,544
FRIT : Frio River at Tilden, Texas	298	11,243
SMTT : San Miguel Creek at Tilden, Texas	13	675
ARWT : Atascosa River at Whitsett, Texas	75	2,729
Release from Choke Canyon Reservoir	66	3,095
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	10,389
NCAT : Nueces River at Calallen, Texas	210	15,040
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	565	27,490

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 27,490	0
Estuary Inflows (Measured at NCAT)	15,040
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/29/2003
01/28/2003	117	3,799	3,799	3,050	-749	44.0	44.3

Report Generated: 01/29/2003 at 8:24:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 30, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/30/2002	200.2	279,324	40.2%	94.0	240,471	99.7%	519,795	55.5%
01/30/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/29/2003	66	167	0.00	66	101	0.00	268
MTD		3,815	1.18		2,964	1.57	6,779

STREAM FLOWS

Gauging Station	01/29/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	316	18,983
NRTT : Nueces River at Tilden, Texas	119	4,663
FRIT : Frio River at Tilden, Texas	292	11,535
SMTT : San Miguel Creek at Tilden, Texas	13	688
ARWT : Atascosa River at Whitsett, Texas	75	2,805
Release from Choke Canyon Reservoir	93	3,188
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	185	10,574
NCAT : Nueces River at Calallen, Texas	111	15,152
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	527	28,017

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 28,017	0
Estuary Inflows (Measured at NCAT)	15,152
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/30/2003
01/29/2003	130	3,929	3,929	3,050	-879	44.0	44.3

Report Generated: 01/30/2003 at 8:17:22 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 31, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/31/2002	200.1	279,021	40.1%	94.0	241,241	100.0%	520,262	55.6%
01/31/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/30/2003	59	106	0.00	62	112	0.00	218
MTD		3,921	1.18		3,076	1.57	6,997

STREAM FLOWS

Gauging Station	01/30/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	399	19,382
NRTT : Nueces River at Tilden, Texas	117	4,780
FRIT : Frio River at Tilden, Texas	290	11,825
SMTT : San Miguel Creek at Tilden, Texas	13	701
ARWT : Atascosa River at Whitsett, Texas	69	2,874
Release from Choke Canyon Reservoir	121	3,309
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	347	10,921
NCAT : Nueces River at Calallen, Texas	143	15,294
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	580	28,598

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 28,598	0
Estuary Inflows (Measured at NCAT)	15,294
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/31/2003
01/30/2003	140	4,069	4,069	3,050	-1,019	44.0	44.3

Report Generated: 01/31/2003 at 8:24:10 AM