

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 1, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/01/2002	200.1	278,567	40.1%	94.0	241,241	100.0%	519,808	55.5%
02/01/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/31/2003	61	76	0.00	69	79	0.00	155
MTD		3,997	1.18		3,155	1.57	7,152

STREAM FLOWS

Gauging Station	01/31/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	389	19,771
NRRT : Nueces River at Tilden, Texas	113	4,893
FRRT : Frio River at Tilden, Texas	292	12,116
SMTT : San Miguel Creek at Tilden, Texas	13	713
ARWT : Atascosa River at Whitsett, Texas	67	2,942
Release from Choke Canyon Reservoir	121	3,430
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	300	11,221
NCAT : Nueces River at Calallen, Texas	306	15,600
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	572	29,170

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 2,500 Effective: 01/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 01/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 29,170	0
Estuary Inflows (Measured at NCAT)	15,600
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/01/2003
01/31/2003	140	4,208	4,208	3,050	-1,158	44.0	44.3

Report Generated: 02/01/2003 at 8:14:21 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 2, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/02/2002	200.1	277,962	40.0%	94.0	241,241	100.0%	519,203	55.4%
02/02/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/01/2003	71	106	0.00	72	101	0.00	207
MTD		106	0.00		101	0.00	207

STREAM FLOWS

Gauging Station	02/01/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	377	377
NRRT : Nueces River at Tilden, Texas	107	107
FRRT : Frio River at Tilden, Texas	292	292
SMTT : San Miguel Creek at Tilden, Texas	12	12
ARWT : Atascosa River at Whitsett, Texas	66	66
Release from Choke Canyon Reservoir	121	121
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	272	272
NCAT : Nueces River at Calallen, Texas	284	284
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	560	560

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	1,250
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 2,500 Reservoir Inflow: 560	560
Estuary Inflows (Measured at NCAT)	284
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/02/2003
02/01/2003	140	140	4,348	3,040	2,900	44.0	44.3

Report Generated: 02/02/2003 at 8:48:29 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 3, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/03/2002	200.0	277,810	40.0%	94.0	240,471	99.7%	518,281	55.3%
02/03/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/02/2003	78	151	0.00	79	146	0.00	297
MTD		257	0.00		247	0.00	504

STREAM FLOWS

Gauging Station	02/02/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	363	740
NRRT : Nueces River at Tilden, Texas	111	218
FRRT : Frio River at Tilden, Texas	294	586
SMTT : San Miguel Creek at Tilden, Texas	12	24
ARWT : Atascosa River at Whitsett, Texas	64	129
Release from Choke Canyon Reservoir	121	242
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	266	538
NCAT : Nueces River at Calallen, Texas	214	498
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	548	1,108

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	1,250
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 2,500 Reservoir Inflow: 1,108	1,108
Estuary Inflows (Measured at NCAT)	498
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/03/2003
02/02/2003	139	279	4,487	3,040	2,761	44.0	44.3

Report Generated: 02/03/2003 at 8:08:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 4, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/04/2002	200.0	277,659	39.9%	94.0	240,471	99.7%	518,130	55.3%
02/04/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/03/2003	83	424	0.00	85	314	0.00	738
MTD		681	0.00		561	0.00	1,242

STREAM FLOWS

Gauging Station	02/03/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	375	1,116
NRRT : Nueces River at Tilden, Texas	119	337
FRRT : Frio River at Tilden, Texas	294	879
SMTT : San Miguel Creek at Tilden, Texas	13	38
ARWT : Atascosa River at Whitsett, Texas	64	193
Release from Choke Canyon Reservoir	210	453
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	431	969
NCAT : Nueces River at Calallen, Texas	179	677
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	472	1,580

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	1,250
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 2,500 Reservoir Inflow: 1,580	1,580
Estuary Inflows (Measured at NCAT)	677
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/04/2003
02/03/2003	139	418	4,626	3,040	2,622	44.0	44.3

Report Generated: 02/04/2003 at 9:31:13 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 5, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/05/2002	200.0	277,659	39.9%	94.0	241,048	99.9%	518,707	55.4%
02/05/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/04/2003	62	197	0.00	64	258	0.00	455
MTD		878	0.00		819	0.00	1,697

STREAM FLOWS

Gauging Station	02/04/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	588	1,703
NRRT : Nueces River at Tilden, Texas	125	463
FRRT : Frio River at Tilden, Texas	292	1,171
SMTT : San Miguel Creek at Tilden, Texas	14	52
ARWT : Atascosa River at Whitsett, Texas	64	256
Release from Choke Canyon Reservoir	302	754
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	609	1,578
NCAT : Nueces River at Calallen, Texas	308	985
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	592	2,172

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	1,250
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 2,500 Reservoir Inflow: 2,172	2,172
Estuary Inflows (Measured at NCAT)	985
PassThru Surplus / -Deficit:	563

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/05/2003
02/04/2003	139	557	4,765	3,040	2,483	44.0	44.3

Report Generated: 02/05/2003 at 9:37:06 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 6, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/06/2002	200.1	277,962	40.0%	94.0	241,241	100.0%	519,203	55.4%
02/06/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/05/2003	62	15	0.07	67	11	0.04	26
MTD		893	0.07		830	0.04	1,723

STREAM FLOWS

Gauging Station	02/05/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	621	2,324
NRRT : Nueces River at Tilden, Texas	131	594
FRRT : Frio River at Tilden, Texas	292	1,463
SMTT : San Miguel Creek at Tilden, Texas	14	65
ARWT : Atascosa River at Whitsett, Texas	62	318
Release from Choke Canyon Reservoir	302	1,056
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	494	2,072
NCAT : Nueces River at Calallen, Texas	631	1,616
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	625	2,797

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	1,250
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 2,500 Reservoir Inflow: 2,797	2,500
Estuary Inflows (Measured at NCAT)	1,616
PassThru Surplus / -Deficit:	866

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/06/2003
02/05/2003	140	697	4,906	3,040	2,343	44.0	44.2

Report Generated: 02/06/2003 at 8:41:22 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 7, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/07/2002	200.0	277,508	39.9%	93.9	239,894	99.4%	517,402	55.2%
02/07/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/06/2003	55	15	0.09	65	135	0.24	150
MTD		908	0.16		965	0.28	1,873

STREAM FLOWS

Gauging Station	02/06/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	627	2,952
NRRT : Nueces River at Tilden, Texas	121	715
FRRT : Frio River at Tilden, Texas	290	1,753
SMTT : San Miguel Creek at Tilden, Texas	14	80
ARWT : Atascosa River at Whitsett, Texas	62	379
Release from Choke Canyon Reservoir	302	1,358
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	673	2,745
NCAT : Nueces River at Calallen, Texas	532	2,148
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	630	3,427

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	1,250
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 2,500 Reservoir Inflow: 3,427	2,500
Estuary Inflows (Measured at NCAT)	2,148
PassThru Surplus / -Deficit:	1,398

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/07/2003
02/06/2003	141	838	5,047	3,040	2,202	44.0	44.2

Report Generated: 02/07/2003 at 8:37:39 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 8, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/08/2002	200.0	277,508	39.9%	93.9	239,894	99.4%	517,402	55.2%
02/08/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/07/2003	41	45	0.36	44	34	0.53	79
MTD		953	0.52		999	0.81	1,952

STREAM FLOWS

Gauging Station	02/07/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	627	3,579
NRRT : Nueces River at Tilden, Texas	115	830
FRRT : Frio River at Tilden, Texas	292	2,045
SMTT : San Miguel Creek at Tilden, Texas	14	94
ARWT : Atascosa River at Whitsett, Texas	62	441
Release from Choke Canyon Reservoir	302	1,659
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	858	3,603
NCAT : Nueces River at Calallen, Texas	721	2,868
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	632	4,058

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	1,250
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 2,500 Reservoir Inflow: 4,058	2,500
Estuary Inflows (Measured at NCAT)	2,868
PassThru Surplus / -Deficit:	2,118

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/08/2003
02/07/2003	141	979	5,188	3,040	2,061	44.0	44.2

Report Generated: 02/08/2003 at 8:37:29 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 9, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/09/2002	200.0	277,357	39.9%	93.9	239,510	99.3%	516,867	55.2%
02/09/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/08/2003	43	15	0.10	46	11	0.08	26
MTD		968	0.62		1,010	0.89	1,978

STREAM FLOWS

Gauging Station	02/08/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	619	4,198
NRRT : Nueces River at Tilden, Texas	115	945
FRRT : Frio River at Tilden, Texas	294	2,338
SMTT : San Miguel Creek at Tilden, Texas	16	110
ARWT : Atascosa River at Whitsett, Texas	66	506
Release from Choke Canyon Reservoir	302	1,961
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	576	4,178
NCAT : Nueces River at Calallen, Texas	1,191	4,059
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	628	4,686

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	1,250
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 2,500 Reservoir Inflow: 4,686	2,500
Estuary Inflows (Measured at NCAT)	4,059
PassThru Surplus / -Deficit:	3,309

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/09/2003
02/08/2003	141	1,121	5,329	3,040	1,919	44.0	44.2

Report Generated: 02/09/2003 at 8:36:05 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 10, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/10/2002	200.0	277,206	39.9%	94.0	241,241	100.0%	518,447	55.4%
02/10/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/09/2003	60	136	0.01	63	135	0.01	271
MTD		1,104	0.63		1,145	0.90	2,249

STREAM FLOWS

Gauging Station	02/09/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	617	4,816
NRRT : Nueces River at Tilden, Texas	117	1,062
FRRT : Frio River at Tilden, Texas	298	2,636
SMTT : San Miguel Creek at Tilden, Texas	14	125
ARWT : Atascosa River at Whitsett, Texas	66	572
Release from Choke Canyon Reservoir	302	2,263
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	693	4,871
NCAT : Nueces River at Calallen, Texas	770	4,830
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	628	5,314

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	1,250
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 2,500 Reservoir Inflow: 5,314	2,500
Estuary Inflows (Measured at NCAT)	4,830
PassThru Surplus / -Deficit:	4,080

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/10/2003
02/09/2003	141	1,262	5,470	3,040	1,778	44.0	44.2

Report Generated: 02/10/2003 at 8:37:38 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 11, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/11/2002	200.0	276,904	39.8%	93.9	239,894	99.4%	516,798	55.2%
02/11/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/10/2003	68	182	0.00	67	135	0.02	317
MTD		1,286	0.63		1,280	0.92	2,566

STREAM FLOWS

Gauging Station	02/10/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	611	5,427
NRRT : Nueces River at Tilden, Texas	125	1,187
FRRT : Frio River at Tilden, Texas	294	2,930
SMTT : San Miguel Creek at Tilden, Texas	13	138
ARWT : Atascosa River at Whitsett, Texas	66	637
Release from Choke Canyon Reservoir	298	2,561
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	597	5,469
NCAT : Nueces River at Calallen, Texas	740	5,570
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	621	5,935

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/11/2003	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	0
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 625 Reservoir Inflow: 5,935	625
Estuary Inflows (Measured at NCAT)	5,570
PassThru Surplus / -Deficit:	5,445

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/11/2003
02/10/2003	141	1,403	5,611	3,040	1,637	44.0	44.2

Report Generated: 02/11/2003 at 8:28:56 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 12, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/12/2002	200.0	276,753	39.8%	93.9	238,551	98.9%	515,304	55.0%
02/12/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/11/2003	77	76	0.00	72	112	0.00	188
MTD		1,362	0.63		1,392	0.92	2,754

STREAM FLOWS

Gauging Station	02/11/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	619	6,046
NRIT : Nueces River at Tilden, Texas	127	1,314
FRIT : Frio River at Tilden, Texas	292	3,222
SMTT : San Miguel Creek at Tilden, Texas	13	152
ARWT : Atascosa River at Whitsett, Texas	66	703
Release from Choke Canyon Reservoir	298	2,858
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	496	5,965
NCAT : Nueces River at Calallen, Texas	649	6,219
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	627	6,561

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/11/2003	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	0
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 625 Reservoir Inflow: 6,561	625
Estuary Inflows (Measured at NCAT)	6,219
PassThru Surplus / -Deficit:	6,094

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/12/2003
02/11/2003	141	1,544	5,752	3,040	1,496	44.0	44.2

Report Generated: 02/12/2003 at 1:08:40 PM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 13, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/13/2002	200.0	276,603	39.8%	93.9	238,551	98.9%	515,154	55.0%
02/13/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/12/2003	74	61	0.01	74	79	0.05	140
MTD		1,423	0.64		1,471	0.97	2,894

STREAM FLOWS

Gauging Station	02/12/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	657	6,703
NRIT : Nueces River at Tilden, Texas	123	1,437
FRIT : Frio River at Tilden, Texas	292	3,513
SMIT : San Miguel Creek at Tilden, Texas	13	165
ARWT : Atascosa River at Whitsett, Texas	64	766
Release from Choke Canyon Reservoir	397	3,255
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	758	6,723
NCAT : Nueces River at Calallen, Texas	540	6,759
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	565	7,127

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/11/2003	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	0
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 625 Reservoir Inflow: 7,127	625
Estuary Inflows (Measured at NCAT)	6,759
PassThru Surplus / -Deficit:	6,634

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/13/2003
02/12/2003	141	1,684	5,893	3,040	1,356	44.0	44.1

Report Generated: 02/13/2003 at 9:20:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 14, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/14/2002	200.0	276,452	39.8%	93.8	238,360	98.8%	514,812	55.0%
02/14/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/13/2003	77	91	0.01	76	56	0.03	147
MTD		1,514	0.65		1,527	1.00	3,041

STREAM FLOWS

Gauging Station	02/13/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	774	7,477
NRRT : Nueces River at Tilden, Texas	117	1,554
FRRT : Frio River at Tilden, Texas	290	3,803
SMTT : San Miguel Creek at Tilden, Texas	13	178
ARWT : Atascosa River at Whitsett, Texas	62	828
Release from Choke Canyon Reservoir	397	3,652
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,058	7,781
NCAT : Nueces River at Calallen, Texas	913	7,672
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	679	7,806

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/11/2003	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	0
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 625 Reservoir Inflow: 7,806	625
Estuary Inflows (Measured at NCAT)	7,672
PassThru Surplus / -Deficit:	7,547

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/14/2003
02/13/2003	141	1,825	6,034	3,040	1,215	44.0	44.1

Report Generated: 02/14/2003 at 8:27:18 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 15, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/15/2002	200.0	276,301	39.7%	93.8	238,168	98.7%	514,469	54.9%
02/15/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/14/2003	78	91	0.60	76	Pan overflow	1.36	91
MTD		1,605	1.25		1,527	2.36	3,132

STREAM FLOWS

Gauging Station	02/14/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	770	8,248
NRRT : Nueces River at Tilden, Texas	119	1,673
FRRT : Frio River at Tilden, Texas	290	4,093
SMTT : San Miguel Creek at Tilden, Texas	13	190
ARWT : Atascosa River at Whitsett, Texas	62	889
Release from Choke Canyon Reservoir	397	4,049
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	943	8,724
NCAT : Nueces River at Calallen, Texas	1,501	9,173
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	675	8,482

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/11/2003	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	0
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 625 Reservoir Inflow: 8,482	625
Estuary Inflows (Measured at NCAT)	9,173
PassThru Surplus / -Deficit:	9,048

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/15/2003
02/14/2003	141	1,966	6,174	3,040	1,074	44.0	44.1

Report Generated: 02/15/2003 at 8:24:50 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 16, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/16/2002	199.9	276,151	39.7%	93.9	239,127	99.1%	515,278	55.0%
02/16/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/15/2003	77	409	0.04	75	325	0.15	734
MTD		2,014	1.29		1,852	2.51	3,866

STREAM FLOWS

Gauging Station	02/15/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	850	9,097
NRRT : Nueces River at Tilden, Texas	129	1,802
FRRT : Frio River at Tilden, Texas	296	4,389
SMTT : San Miguel Creek at Tilden, Texas	14	204
ARWT : Atascosa River at Whitsett, Texas	64	953
Release from Choke Canyon Reservoir	518	4,567
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,187	9,911
NCAT : Nueces River at Calallen, Texas	1,947	11,120
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	641	9,122

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/11/2003	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	0
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 625 Reservoir Inflow: 9,122	625
Estuary Inflows (Measured at NCAT)	11,120
PassThru Surplus / -Deficit:	10,995

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/16/2003
02/15/2003	141	2,106	6,315	3,040	934	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 17, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/17/2002	199.9	276,000	39.7%	93.8	237,977	98.6%	513,977	54.9%
02/17/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/16/2003	60	257	0.00	56	247	0.00	504
MTD		2,271	1.29		2,099	2.51	4,370

STREAM FLOWS

Gauging Station	02/16/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,056	10,153
NRRT : Nueces River at Tilden, Texas	131	1,933
FRRT : Frio River at Tilden, Texas	294	4,683
SMTT : San Miguel Creek at Tilden, Texas	12	216
ARWT : Atascosa River at Whitsett, Texas	67	1,020
Release from Choke Canyon Reservoir	596	5,163
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,084	11,995
NCAT : Nueces River at Calallen, Texas	3,136	14,256
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	767	9,889

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/11/2003	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	0
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 625 Reservoir Inflow: 9,889	625
Estuary Inflows (Measured at NCAT)	14,256
PassThru Surplus / -Deficit:	14,131

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/17/2003
02/16/2003	140	2,247	6,455	3,040	793	44.0	44.1

Report Generated: 02/17/2003 at 8:20:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 18, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/18/2002	199.9	275,699	39.7%	93.8	237,785	98.6%	513,484	54.8%
02/18/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/17/2003	70	212	0.00	64	123	0.00	335
MTD		2,483	1.29		2,222	2.51	4,705

STREAM FLOWS

Gauging Station	02/17/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,062	11,215
NRRT : Nueces River at Tilden, Texas	129	2,062
FRRT : Frio River at Tilden, Texas	290	4,972
SMTT : San Miguel Creek at Tilden, Texas	11	227
ARWT : Atascosa River at Whitsett, Texas	111	1,131
Release from Choke Canyon Reservoir	596	5,758
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,070	13,065
NCAT : Nueces River at Calallen, Texas	3,732	17,988
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	767	10,656

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/11/2003	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	0
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 625 Reservoir Inflow: 10,656	625
Estuary Inflows (Measured at NCAT)	17,988
PassThru Surplus / -Deficit:	17,863

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/18/2003
02/17/2003	140	2,387	6,595	3,040	653	44.0	44.1

Report Generated: 02/18/2003 at 8:16:36 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 19, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/19/2002	199.9	275,549	39.6%	93.8	237,211	98.3%	512,760	54.8%
02/19/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/18/2003	79	197	0.00	73	213	0.00	410
MTD		2,680	1.29		2,435	2.51	5,115

STREAM FLOWS

Gauging Station	02/18/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,092	12,307
NRRT : Nueces River at Tilden, Texas	125	2,187
FRRT : Frio River at Tilden, Texas	296	5,268
SMTT : San Miguel Creek at Tilden, Texas	12	239
ARWT : Atascosa River at Whitsett, Texas	81	1,213
Release from Choke Canyon Reservoir	601	6,360
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	959	14,024
NCAT : Nueces River at Calallen, Texas	2,422	20,410
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	798	11,455

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/11/2003	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	0
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 625 Reservoir Inflow: 11,455	625
Estuary Inflows (Measured at NCAT)	20,410
PassThru Surplus / -Deficit:	20,285

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/19/2003
02/18/2003	140	2,527	6,735	3,040	513	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 20, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/20/2002	199.9	275,549	39.6%	93.8	237,785	98.6%	513,334	54.8%
02/20/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/19/2003	76	167	0.34	75	112	0.18	279
MTD		2,847	1.63		2,547	2.69	5,394

STREAM FLOWS

Gauging Station	02/19/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,050	13,357
NRRT : Nueces River at Tilden, Texas	131	2,318
FRRT : Frio River at Tilden, Texas	292	5,560
SMTT : San Miguel Creek at Tilden, Texas	12	252
ARWT : Atascosa River at Whitsett, Texas	67	1,280
Release from Choke Canyon Reservoir	599	6,959
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	957	14,981
NCAT : Nueces River at Calallen, Texas	1,719	22,129
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	755	12,209

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/11/2003	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	0
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 625 Reservoir Inflow: 12,209	625
Estuary Inflows (Measured at NCAT)	22,129
PassThru Surplus / -Deficit:	22,004

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/20/2003
02/19/2003	140	2,666	6,875	3,040	374	44.0	44.2

Report Generated: 02/20/2003 at 8:46:27 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 21, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/21/2002	199.9	275,398	39.6%	93.8	237,403	98.4%	512,801	54.8%
02/21/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/20/2003	57	61	0.38	70	90	0.60	151
MTD		2,908	2.01		2,637	3.29	5,545

STREAM FLOWS

Gauging Station	02/20/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,066	14,423
NRRT : Nueces River at Tilden, Texas	147	2,465
FRRT : Frio River at Tilden, Texas	292	5,852
SMTT : San Miguel Creek at Tilden, Texas	17	269
ARWT : Atascosa River at Whitsett, Texas	75	1,356
Release from Choke Canyon Reservoir	601	7,561
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,058	16,039
NCAT : Nueces River at Calallen, Texas	1,485	23,614
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	774	12,983

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/11/2003	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	0
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 625 Reservoir Inflow: 12,983	625
Estuary Inflows (Measured at NCAT)	23,614
PassThru Surplus / -Deficit:	23,489

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/21/2003
02/20/2003	139	2,806	7,014	3,040	234	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 22, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/22/2002	199.9	275,248	39.6%	93.8	237,494	98.4%	512,742	54.8%
02/22/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/21/2003	65	151	0.04	65	157	0.01	308
MTD		3,059	2.05		2,794	3.30	5,853

STREAM FLOWS

Gauging Station	02/21/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,163	15,586
NRRT : Nueces River at Tilden, Texas	157	2,622
FRRT : Frio River at Tilden, Texas	278	6,130
SMTT : San Miguel Creek at Tilden, Texas	189	458
ARWT : Atascosa River at Whitsett, Texas	117	1,473
Release from Choke Canyon Reservoir	599	8,160
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,777	17,815
NCAT : Nueces River at Calallen, Texas	1,707	25,321
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,030	14,013

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/11/2003	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	0
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 625 Reservoir Inflow: 14,013	625
Estuary Inflows (Measured at NCAT)	25,321
PassThru Surplus / -Deficit:	25,196

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/22/2003
02/21/2003	139	2,945	7,154	3,040	95	44.0	44.2

Report Generated: 02/22/2003 at 8:31:25 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 23, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/23/2002	199.8	274,798	39.5%	93.8	236,447	98.0%	511,245	54.6%
02/23/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/22/2003	76	227	0.00	72	179	0.00	406
MTD		3,286	2.05		2,973	3.30	6,259

STREAM FLOWS

Gauging Station	02/22/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,308	16,894
NRIT : Nueces River at Tilden, Texas	187	2,809
FRIT : Frio River at Tilden, Texas	278	6,408
SMTT : San Miguel Creek at Tilden, Texas	296	753
ARWT : Atascosa River at Whitsett, Texas	494	1,967
Release from Choke Canyon Reservoir	601	8,762
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,338	19,153
NCAT : Nueces River at Calallen, Texas	2,819	28,139
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,280	15,293

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/11/2003	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	0
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 625 Reservoir Inflow: 15,293	625
Estuary Inflows (Measured at NCAT)	28,139
PassThru Surplus / -Deficit:	28,014

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/23/2003
02/22/2003	140	3,085	7,293	3,040	-45	44.0	44.2

Report Generated: 02/23/2003 at 8:17:50 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 24, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/24/2002	199.8	274,497	39.5%	93.7	235,874	97.8%	510,371	54.5%
02/24/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/23/2003	83	363	0.00	81	292	0.00	655
MTD		3,649	2.05		3,265	3.30	6,914

STREAM FLOWS

Gauging Station	02/23/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,727	18,621
NRIT : Nueces River at Tilden, Texas	351	3,160
FRIT : Frio River at Tilden, Texas	304	6,711
SMTT : San Miguel Creek at Tilden, Texas	123	876
ARWT : Atascosa River at Whitsett, Texas	717	2,684
Release from Choke Canyon Reservoir	601	9,363
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,056	20,209
NCAT : Nueces River at Calallen, Texas	2,521	30,660
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,552	16,846

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/11/2003	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	0
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 625 Reservoir Inflow: 16,846	625
Estuary Inflows (Measured at NCAT)	30,660
PassThru Surplus / -Deficit:	30,535

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/24/2003
02/23/2003	140	3,225	7,433	3,040	-185	44.0	44.2

Report Generated: 02/24/2003 at 8:26:29 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 25, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/25/2002	199.8	274,198	39.4%	93.7	235,874	97.8%	510,072	54.5%
02/25/2003	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/24/2003	45	15	0.11	51	123	0.02	138
MTD		3,664	2.16		3,388	3.32	7,052

STREAM FLOWS

Gauging Station	02/24/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,961	20,582
NRRT : Nueces River at Tilden, Texas	216	3,376
FRRT : Frio River at Tilden, Texas	304	7,015
SMTT : San Miguel Creek at Tilden, Texas	60	936
ARWT : Atascosa River at Whitsett, Texas	381	3,065
Release from Choke Canyon Reservoir	601	9,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,453	21,662
NCAT : Nueces River at Calallen, Texas	1,850	32,510
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,723	18,569

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/11/2003	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	0
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 625 Reservoir Inflow: 18,569	625
Estuary Inflows (Measured at NCAT)	32,510
PassThru Surplus / -Deficit:	32,385

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/25/2003
02/24/2003	140	3,365	7,574	3,040	-325	44.0	44.1

Report Generated: 02/25/2003 at 8:38:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 26, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/26/2002	199.8	274,048	39.4%	93.8	237,403	98.4%	511,451	54.6%
02/26/2003	220.4	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/25/2003	34	15	0.01	35	0	0.01	15
MTD		3,679	2.17		3,388	3.33	7,067

STREAM FLOWS

Gauging Station	02/25/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,423	22,006
NRRT : Nueces River at Tilden, Texas	149	3,525
FRRT : Frio River at Tilden, Texas	284	7,299
SMTT : San Miguel Creek at Tilden, Texas	38	974
ARWT : Atascosa River at Whitsett, Texas	197	3,261
Release from Choke Canyon Reservoir	502	10,467
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,124	23,786
NCAT : Nueces River at Calallen, Texas	2,620	35,131
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,243	19,811

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/11/2003	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	0
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 625 Reservoir Inflow: 19,811	625
Estuary Inflows (Measured at NCAT)	35,131
PassThru Surplus / -Deficit:	35,006

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/26/2003
02/25/2003	136	3,502	7,710	3,040	-462	44.0	44.2

Report Generated: 02/26/2003 at 8:18:36 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 27, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/27/2002	199.8	273,599	39.4%	93.7	234,731	97.3%	508,330	54.3%
02/27/2003	220.4	693,455	99.7%	94.0	241,241	100.0%	934,696	99.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/26/2003	41	15	0.02	42	0	0.00	15
MTD		3,694	2.19		3,388	3.33	7,082

STREAM FLOWS

Gauging Station	02/26/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	951	22,957
NRRT : Nueces River at Tilden, Texas	125	3,650
FRRT : Frio River at Tilden, Texas	282	7,581
SMTT : San Miguel Creek at Tilden, Texas	32	1,005
ARWT : Atascosa River at Whitsett, Texas	141	3,402
Release from Choke Canyon Reservoir	351	10,818
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	615	24,402
NCAT : Nueces River at Calallen, Texas	3,196	38,326
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	913	20,724

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/11/2003	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	0
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 625 Reservoir Inflow: 20,724	625
Estuary Inflows (Measured at NCAT)	38,326
PassThru Surplus / -Deficit:	38,201

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/27/2003
02/26/2003	139	3,641	7,849	3,040	-601	44.0	44.1

Report Generated: 02/27/2003 at 8:42:19 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 28, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/28/2002	199.8	273,449	39.3%	93.6	234,540	97.2%	507,989	54.2%
02/28/2003	220.4	692,936	99.7%	94.0	241,241	100.0%	934,177	99.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/27/2003	56	136	0.00	53	90	0.00	226
MTD		3,830	2.19		3,478	3.33	7,308

STREAM FLOWS

Gauging Station	02/27/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	713	23,669
NRRT : Nueces River at Tilden, Texas	115	3,766
FRRT : Frio River at Tilden, Texas	284	7,865
SMTT : San Miguel Creek at Tilden, Texas	28	1,033
ARWT : Atascosa River at Whitsett, Texas	113	3,515
Release from Choke Canyon Reservoir	302	11,120
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	254	24,656
NCAT : Nueces River at Calallen, Texas	1,356	39,682
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	723	21,447

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/11/2003	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 02/01/2003)	0
Return Flow Credit (Effective: 02/01/2003)	500
Passthru Target: 625 Reservoir Inflow: 21,447	625
Estuary Inflows (Measured at NCAT)	39,682
PassThru Surplus / -Deficit:	39,557

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2003		Elevation (Ft)	
				Allocation	Remaining	Full	02/28/2003
02/27/2003	139	3,779	7,988	3,040	-739	44.0	44.2

Report Generated: 02/28/2003 at 8:16:38 AM