

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 1, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/01/2002	199.1	263,110	37.8%	92.7	217,104	90.0%	480,214	51.3%
05/01/2003	220.4	693,974	99.8%	93.8	237,020	98.3%	930,994	99.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/30/2003	87	318	0.00	86	223	0.00	541
MTD		9,626	0.30		6,746	0.25	16,372

STREAM FLOWS

Gauging Station	04/30/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	4,109
NRRT : Nueces River at Tilden, Texas	36	2,213
FRRT : Frio River at Tilden, Texas	177	6,167
SMTT : San Miguel Creek at Tilden, Texas	6	281
ARWT : Atascosa River at Whitsett, Texas	30	1,102
Release from Choke Canyon Reservoir	66	2,104
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	137	5,391
NCAT : Nueces River at Calallen, Texas	56	4,037
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	214	8,969

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 04/11/2003	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2003)	500
Passthru Target: 875 Reservoir Inflow: 8,969	875
Estuary Inflows (Measured at NCAT)	4,037
PassThru Surplus / -Deficit:	3,662

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/01/2003
04/30/2003	140	4,338	16,735	3,050	-1,288	44.0	42.8

Report Generated: 05/01/2003 at 8:48:28 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 2, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/02/2002	199.0	262,237	37.7%	92.6	215,445	89.3%	477,682	51.0%
05/02/2003	220.4	693,974	99.8%	93.8	236,829	98.2%	930,803	99.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/01/2003	87	302	0.00	90	223	0.00	525
MTD		302	0.00		223	0.00	525

STREAM FLOWS

Gauging Station	05/01/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	91
NRTT : Nueces River at Tilden, Texas	34	34
FRIT : Frio River at Tilden, Texas	171	171
SMTT : San Miguel Creek at Tilden, Texas	5	5
ARWT : Atascosa River at Whitsett, Texas	30	30
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	105
NCAT : Nueces River at Calallen, Texas	54	54
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	202	202

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 202	202
Estuary Inflows (Measured at NCAT)	54
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/02/2003
05/01/2003	140	140	16,874	4,100	3,960	44.0	42.8

Report Generated: 05/02/2003 at 8:21:32 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 3, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/03/2002	199.0	261,946	37.7%	92.6	214,894	89.1%	476,840	50.9%
05/03/2003	220.4	693,715	99.8%	93.8	236,447	98.0%	930,162	99.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/02/2003	89	378	0.00	88	178	0.00	556
MTD		680	0.00		401	0.00	1,081

STREAM FLOWS

Gauging Station	05/02/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	177
NRRT : Nueces River at Tilden, Texas	34	67
FRRT : Frio River at Tilden, Texas	167	337
SMTT : San Miguel Creek at Tilden, Texas	5	10
ARWT : Atascosa River at Whitsett, Texas	30	60
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	210
NCAT : Nueces River at Calallen, Texas	34	87
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	191	393

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 393	393
Estuary Inflows (Measured at NCAT)	87
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/03/2003
05/02/2003	140	279	17,014	4,100	3,821	44.0	42.8

Report Generated: 05/03/2003 at 8:17:40 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 4, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/04/2002	199.0	261,655	37.6%	92.6	214,342	88.8%	475,997	50.8%
05/04/2003	220.4	693,715	99.8%	93.7	235,302	97.5%	929,017	99.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/03/2003	83	227	0.00	84	178	0.00	405
MTD		907	0.00		579	0.00	1,486

STREAM FLOWS

Gauging Station	05/03/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	258
NRTT : Nueces River at Tilden, Texas	30	97
FRIT : Frio River at Tilden, Texas	161	498
SMTT : San Miguel Creek at Tilden, Texas	4	14
ARWT : Atascosa River at Whitsett, Texas	28	87
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	316
NCAT : Nueces River at Calallen, Texas	28	115
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	181	574

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 574	574
Estuary Inflows (Measured at NCAT)	115
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/04/2003
05/03/2003	140	419	17,154	4,100	3,681	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 5, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/05/2002	199.0	261,510	37.6%	92.5	213,241	88.4%	474,751	50.7%
05/05/2003	220.4	693,715	99.8%	93.7	235,302	97.5%	929,017	99.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/04/2003	92	393	0.00	93	289	0.00	682
MTD		1,300	0.00		868	0.00	2,168

STREAM FLOWS

Gauging Station	05/04/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	77	335
NRIT : Nueces River at Tilden, Texas	30	127
FRIT : Frio River at Tilden, Texas	161	659
SMIT : San Miguel Creek at Tilden, Texas	4	18
ARWT : Atascosa River at Whitsett, Texas	28	115
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	103	419
NCAT : Nueces River at Calallen, Texas	18	133
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	176	751

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 751	751
Estuary Inflows (Measured at NCAT)	133
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/05/2003
05/04/2003	140	558	17,293	4,100	3,542	44.0	42.8

Report Generated: 05/05/2003 at 8:21:56 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 6, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/06/2002	198.9	261,075	37.6%	92.5	212,875	88.2%	473,950	50.6%
05/06/2003	220.4	693,715	99.8%	93.7	235,493	97.6%	929,208	99.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/05/2003	93	348	0.00	96	189	0.00	537
MTD		1,648	0.00		1,057	0.00	2,705

STREAM FLOWS

Gauging Station	05/05/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	411
NRIT : Nueces River at Tilden, Texas	28	155
FRIT : Frio River at Tilden, Texas	159	818
SMIT : San Miguel Creek at Tilden, Texas	3	21
ARWT : Atascosa River at Whitsett, Texas	28	143
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	107	526
NCAT : Nueces River at Calallen, Texas	9	142
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	172	922

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 922	922
Estuary Inflows (Measured at NCAT)	142
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/06/2003
05/05/2003	140	699	17,434	4,100	3,401	44.0	42.7

Report Generated: 05/06/2003 at 8:09:59 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 7, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/07/2002	198.9	260,785	37.5%	92.4	211,777	87.8%	472,562	50.5%
05/07/2003	220.4	693,715	99.8%	93.7	235,302	97.5%	929,017	99.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/06/2003	92	378	0.00	90	311	0.00	689
MTD		2,026	0.00		1,368	0.00	3,394

STREAM FLOWS

Gauging Station	05/06/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	71	482
NRTT : Nueces River at Tilden, Texas	24	179
FRIT : Frio River at Tilden, Texas	159	977
SMTT : San Miguel Creek at Tilden, Texas	2	23
ARWT : Atascosa River at Whitsett, Texas	28	171
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	103	629
NCAT : Nueces River at Calallen, Texas	22	163
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	167	1,089

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 1,089	1,089
Estuary Inflows (Measured at NCAT)	163
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/07/2003
05/06/2003	140	839	17,574	4,100	3,261	44.0	42.6

Report Generated: 05/07/2003 at 8:16:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 8, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/08/2002	198.9	260,495	37.5%	92.4	210,498	87.3%	470,993	50.3%
05/08/2003	220.4	693,455	99.7%	93.7	234,921	97.4%	928,376	99.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/07/2003	92	453	0.00	89	311	0.00	764
MTD		2,479	0.00		1,679	0.00	4,158

STREAM FLOWS

Gauging Station	05/07/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	67	550
NRRT : Nueces River at Tilden, Texas	19	198
FRRT : Frio River at Tilden, Texas	157	1,133
SMTT : San Miguel Creek at Tilden, Texas	1	25
ARWT : Atascosa River at Whitsett, Texas	26	197
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	101	730
NCAT : Nueces River at Calallen, Texas	3	167
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	160	1,249

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 1,249	1,249
Estuary Inflows (Measured at NCAT)	167
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/08/2003
05/07/2003	139	978	17,713	4,100	3,122	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 9, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/09/2002	198.9	260,206	37.4%	92.3	210,134	87.1%	470,340	50.2%
05/09/2003	220.4	693,196	99.7%	93.7	234,921	97.4%	928,117	99.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/08/2003	91	499	0.00	90	266	0.00	765
MTD		2,978	0.00		1,945	0.00	4,923

STREAM FLOWS

Gauging Station	05/08/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	62	611
NRTT : Nueces River at Tilden, Texas	18	216
FRIT : Frio River at Tilden, Texas	155	1,288
SMTT : San Miguel Creek at Tilden, Texas	1	25
ARWT : Atascosa River at Whitsett, Texas	26	222
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	113	844
NCAT : Nueces River at Calallen, Texas	0	167
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	199	1,449

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 1,449	1,449
Estuary Inflows (Measured at NCAT)	167
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/09/2003
05/08/2003	139	1,117	17,852	4,100	2,983	44.0	42.6

Report Generated: 05/09/2003 at 8:05:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 10, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/10/2002	198.8	259,772	37.4%	92.3	209,769	87.0%	469,541	50.1%
05/10/2003	220.4	692,936	99.7%	93.6	233,589	96.8%	926,525	98.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/09/2003	92	453	0.00	90	321	0.00	774
MTD		3,431	0.00		2,266	0.00	5,697

STREAM FLOWS

Gauging Station	05/09/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	671
NRTT : Nueces River at Tilden, Texas	16	232
FRIT : Frio River at Tilden, Texas	155	1,443
SMTT : San Miguel Creek at Tilden, Texas	0	26
ARWT : Atascosa River at Whitsett, Texas	26	248
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	123	967
NCAT : Nueces River at Calallen, Texas	0	167
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	198	1,646

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 1,646	1,646
Estuary Inflows (Measured at NCAT)	167
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/10/2003
05/09/2003	139	1,256	17,991	4,100	2,844	44.0	42.6

Report Generated: 05/10/2003 at 7:49:18 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 11, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/11/2002	198.8	259,339	37.3%	92.2	207,225	85.9%	466,564	49.8%
05/11/2003	220.4	692,677	99.6%	93.6	233,780	96.9%	926,457	98.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/10/2003	93	393	0.00	92	388	0.00	781
MTD		3,824	0.00		2,654	0.00	6,478

STREAM FLOWS

Gauging Station	05/10/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	58	728
NRTT : Nueces River at Tilden, Texas	15	248
FRIT : Frio River at Tilden, Texas	151	1,594
SMTT : San Miguel Creek at Tilden, Texas	0	26
ARWT : Atascosa River at Whitsett, Texas	26	274
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	123	1,090
NCAT : Nueces River at Calallen, Texas	26	193
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	192	1,838

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 1,838	1,838
Estuary Inflows (Measured at NCAT)	193
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/11/2003
05/10/2003	139	1,394	18,129	4,100	2,706	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 12, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/12/2002	198.8	258,906	37.2%	92.2	206,682	85.7%	465,588	49.7%
05/12/2003	220.4	692,158	99.6%	93.6	234,160	97.1%	926,318	98.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/11/2003	87	392	0.00	87	377	0.00	769
MTD		4,216	0.00		3,031	0.00	7,247

STREAM FLOWS

Gauging Station	05/11/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	54	782
NRTT : Nueces River at Tilden, Texas	14	262
FRIT : Frio River at Tilden, Texas	147	1,741
SMTT : San Miguel Creek at Tilden, Texas	0	26
ARWT : Atascosa River at Whitsett, Texas	26	300
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	107	1,197
NCAT : Nueces River at Calallen, Texas	40	233
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	187	2,026

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 2,026	2,026
Estuary Inflows (Measured at NCAT)	233
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/12/2003
05/11/2003	139	1,533	18,268	4,100	2,567	44.0	42.6

Report Generated: 05/12/2003 at 8:07:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 13, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/13/2002	198.7	258,330	37.2%	92.2	208,314	86.4%	466,644	49.8%
05/13/2003	220.4	691,639	99.5%	93.6	232,830	96.5%	924,469	98.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/12/2003	90	407	0.00	88	321	0.00	728
MTD		4,623	0.00		3,352	0.00	7,975

STREAM FLOWS

Gauging Station	05/12/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	52	834
NRRT : Nueces River at Tilden, Texas	14	276
FRRT : Frio River at Tilden, Texas	143	1,884
SMRT : San Miguel Creek at Tilden, Texas	0	27
ARWT : Atascosa River at Whitsett, Texas	24	324
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	93	1,290
NCAT : Nueces River at Calallen, Texas	28	260
Reservoir Inflow		
Computed as: NRRT+FRRT+SMRT+ARWT	181	2,206

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 2,206	2,206
Estuary Inflows (Measured at NCAT)	260
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/13/2003
05/12/2003	138	1,671	18,406	4,100	2,429	44.0	42.5

Report Generated: 05/13/2003 at 8:23:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 14, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/14/2002	198.7	257,754	37.1%	92.2	207,588	86.1%	465,342	49.7%
05/14/2003	220.3	690,602	99.3%	93.5	232,071	96.2%	922,673	98.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/13/2003	94	482	0.00	91	386	0.00	868
MTD		5,105	0.00		3,738	0.00	8,843

STREAM FLOWS

Gauging Station	05/13/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	50	883
NRTT : Nueces River at Tilden, Texas	13	289
FRIT : Frio River at Tilden, Texas	139	2,023
SMTT : San Miguel Creek at Tilden, Texas	0	27
ARWT : Atascosa River at Whitsett, Texas	24	347
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	107	1,397
NCAT : Nueces River at Calallen, Texas	2	263
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	176	2,382

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 2,382	2,382
Estuary Inflows (Measured at NCAT)	263
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/14/2003
05/13/2003	138	1,809	18,544	4,100	2,291	44.0	42.4

Report Generated: 05/14/2003 at 8:02:15 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 15, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/15/2002	198.7	257,467	37.0%	92.1	206,319	85.5%	463,786	49.5%
05/15/2003	220.3	690,602	99.3%	93.6	232,640	96.4%	923,242	98.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/14/2003	96	633	0.00	93	376	0.00	1,009
MTD		5,738	0.00		4,114	0.00	9,852

STREAM FLOWS

Gauging Station	05/14/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	46	929
NRTT : Nueces River at Tilden, Texas	12	301
FRIT : Frio River at Tilden, Texas	133	2,156
SMTT : San Miguel Creek at Tilden, Texas	0	27
ARWT : Atascosa River at Whitsett, Texas	24	371
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	248	1,646
NCAT : Nueces River at Calallen, Texas	0	263
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	169	2,551

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 2,551	2,551
Estuary Inflows (Measured at NCAT)	263
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/15/2003
05/14/2003	138	1,947	18,682	4,100	2,153	44.0	42.3

Report Generated: 05/15/2003 at 8:14:18 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 16, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/16/2002	198.6	257,179	37.0%	92.1	205,054	85.0%	462,233	49.4%
05/16/2003	220.3	690,083	99.3%	93.4	229,801	95.3%	919,884	98.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/15/2003	97	557	0.00	91	385	0.00	942
MTD		6,295	0.00		4,499	0.00	10,794

STREAM FLOWS

Gauging Station	05/15/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	44	973
NRTT : Nueces River at Tilden, Texas	11	312
FRIT : Frio River at Tilden, Texas	131	2,287
SMTT : San Miguel Creek at Tilden, Texas	0	27
ARWT : Atascosa River at Whitsett, Texas	24	395
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	224	1,870
NCAT : Nueces River at Calallen, Texas	3	265
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	166	2,717

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 2,717	2,717
Estuary Inflows (Measured at NCAT)	265
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/16/2003
05/15/2003	138	2,085	18,820	4,100	2,015	44.0	42.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 17, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/17/2002	198.6	257,036	37.0%	92.1	205,235	85.1%	462,271	49.4%
05/17/2003	220.3	690,083	99.3%	93.5	231,124	95.8%	921,207	98.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/16/2003	101	618	0.00	98	463	0.00	1,081
MTD		6,913	0.00		4,962	0.00	11,875

STREAM FLOWS

Gauging Station	05/16/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	42	1,014
NRTT : Nueces River at Tilden, Texas	11	323
FRIT : Frio River at Tilden, Texas	127	2,414
SMTT : San Miguel Creek at Tilden, Texas	0	27
ARWT : Atascosa River at Whitsett, Texas	24	419
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	165	2,035
NCAT : Nueces River at Calallen, Texas	38	303
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	161	2,879

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 2,879	2,879
Estuary Inflows (Measured at NCAT)	303
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/17/2003
05/16/2003	138	2,224	18,958	4,100	1,876	44.0	42.6

Report Generated: 05/17/2003 at 8:13:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 18, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/18/2002	198.7	258,186	37.1%	92.2	207,225	85.9%	465,411	49.7%
05/18/2003	220.3	689,569	99.2%	93.5	231,124	95.8%	920,693	98.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/17/2003	97	497	0.00	91	254	0.00	751
MTD		7,410	0.00		5,216	0.00	12,626

STREAM FLOWS

Gauging Station	05/17/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	40	1,054
NRTT : Nueces River at Tilden, Texas	10	332
FRIT : Frio River at Tilden, Texas	123	2,537
SMTT : San Miguel Creek at Tilden, Texas	0	27
ARWT : Atascosa River at Whitsett, Texas	22	441
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	177	2,211
NCAT : Nueces River at Calallen, Texas	1	304
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	155	3,034

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 3,034	3,034
Estuary Inflows (Measured at NCAT)	304
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/18/2003
05/17/2003	138	2,361	19,096	4,100	1,739	44.0	42.6

Report Generated: 05/18/2003 at 8:12:43 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 19, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/19/2002	198.7	257,610	37.1%	92.1	205,958	85.4%	463,568	49.5%
05/19/2003	220.3	689,054	99.1%	93.4	229,801	95.3%	918,855	98.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/18/2003	94	529	0.00	91	330	0.00	859
MTD		7,939	0.00		5,546	0.00	13,485

STREAM FLOWS

Gauging Station	05/18/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	38	1,092
NRTT : Nueces River at Tilden, Texas	9	342
FRIT : Frio River at Tilden, Texas	121	2,658
SMTT : San Miguel Creek at Tilden, Texas	0	27
ARWT : Atascosa River at Whitsett, Texas	22	463
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	189	2,400
NCAT : Nueces River at Calallen, Texas	0	304
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	152	3,186

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 3,186	3,186
Estuary Inflows (Measured at NCAT)	304
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/19/2003
05/18/2003	138	2,499	19,234	4,100	1,601	44.0	42.6

Report Generated: 05/19/2003 at 8:04:38 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 20, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/20/2002	198.6	256,892	36.9%	92.1	205,054	85.0%	461,946	49.3%
05/20/2003	220.2	688,540	99.0%	93.4	229,990	95.3%	918,530	98.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/19/2003	97	602	0.00	95	418	0.00	1,020
MTD		8,541	0.00		5,964	0.00	14,505

STREAM FLOWS

Gauging Station	05/19/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	36	1,127
NRRT : Nueces River at Tilden, Texas	9	350
FRRT : Frio River at Tilden, Texas	119	2,777
SMTT : San Miguel Creek at Tilden, Texas	0	27
ARWT : Atascosa River at Whitsett, Texas	4	467
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	2,614
NCAT : Nueces River at Calallen, Texas	0	304
Reservoir Inflow		
Computed as: NRRT+FRRT+SMTT+ARWT	132	3,318

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 3,318	3,318
Estuary Inflows (Measured at NCAT)	304
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/20/2003
05/19/2003	138	2,636	19,371	4,100	1,464	44.0	42.2

Report Generated: 05/20/2003 at 8:14:34 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 21, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/21/2002	198.6	256,606	36.9%	92.0	204,693	84.9%	461,299	49.3%
05/21/2003	220.2	688,283	99.0%	93.4	230,179	95.4%	918,462	98.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/20/2003	97	556	0.00	92	385	0.00	941
MTD		9,097	0.00		6,349	0.00	15,446

STREAM FLOWS

Gauging Station	05/20/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	34	1,161
NRTT : Nueces River at Tilden, Texas	9	359
FRIT : Frio River at Tilden, Texas	111	2,888
SMTT : San Miguel Creek at Tilden, Texas	0	27
ARWT : Atascosa River at Whitsett, Texas	19	486
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	242	2,856
NCAT : Nueces River at Calallen, Texas	0	304
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	139	3,457

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 3,457	3,457
Estuary Inflows (Measured at NCAT)	304
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/21/2003
05/20/2003	138	2,774	19,509	4,100	1,326	44.0	42.1

Report Generated: 05/21/2003 at 8:01:58 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 22, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/22/2002	198.6	256,319	36.9%	92.0	203,792	84.5%	460,111	49.1%
05/22/2003	220.2	688,025	99.0%	93.4	229,423	95.1%	917,448	98.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/21/2003	88	391	0.00	88	275	0.00	666
MTD		9,488	0.00		6,624	0.00	16,112

STREAM FLOWS

Gauging Station	05/21/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	32	1,193
NRTT : Nueces River at Tilden, Texas	10	369
FRTT : Frio River at Tilden, Texas	107	2,995
SMTT : San Miguel Creek at Tilden, Texas	0	27
ARWT : Atascosa River at Whitsett, Texas	18	504
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	254	3,110
NCAT : Nueces River at Calallen, Texas	10	314
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	135	3,592

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 3,592	3,592
Estuary Inflows (Measured at NCAT)	314
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/22/2003
05/21/2003	137	2,911	19,646	4,100	1,189	44.0	42.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 23, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/23/2002	198.6	256,033	36.8%	92.0	203,792	84.5%	459,825	49.1%
05/23/2003	220.2	687,768	98.9%	93.3	228,292	94.6%	916,060	97.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/22/2003	88	301	0.00	87	230	0.00	531
MTD		9,789	0.00		6,854	0.00	16,643

STREAM FLOWS

Gauging Station	05/22/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	30	1,223
NRTT : Nueces River at Tilden, Texas	10	379
FRIT : Frio River at Tilden, Texas	103	3,099
SMTT : San Miguel Creek at Tilden, Texas	0	27
ARWT : Atascosa River at Whitsett, Texas	18	522
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	246	3,357
NCAT : Nueces River at Calallen, Texas	46	360
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	131	3,723

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 3,723	3,723
Estuary Inflows (Measured at NCAT)	360
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/23/2003
05/22/2003	137	3,048	19,783	4,100	1,052	44.0	42.1

Report Generated: 05/23/2003 at 8:03:06 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 24, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/24/2002	198.6	255,747	36.8%	92.0	203,792	84.5%	459,539	49.1%
05/24/2003	220.2	687,252	98.8%	93.3	227,728	94.4%	914,980	97.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/23/2003	92	451	0.00	90	296	0.00	747
MTD		10,240	0.00		7,150	0.00	17,390

STREAM FLOWS

Gauging Station	05/23/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	30	1,253
NRTT : Nueces River at Tilden, Texas	10	388
FRIT : Frio River at Tilden, Texas	101	3,200
SMTT : San Miguel Creek at Tilden, Texas	0	27
ARWT : Atascosa River at Whitsett, Texas	18	540
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	3,583
NCAT : Nueces River at Calallen, Texas	40	400
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	128	3,852

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 3,852	3,852
Estuary Inflows (Measured at NCAT)	400
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/24/2003
05/23/2003	137	3,185	19,920	4,100	915	44.0	42.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 25, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/25/2002	198.5	255,318	36.7%	92.0	204,874	84.9%	460,192	49.1%
05/25/2003	220.2	686,473	98.7%	93.3	227,164	94.2%	913,637	97.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/24/2003	93	630	0.00	91	383	0.00	1,013
MTD		10,870	0.00		7,533	0.00	18,403

STREAM FLOWS

Gauging Station	05/24/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	28	1,280
NRTT : Nueces River at Tilden, Texas	9	397
FRIT : Frio River at Tilden, Texas	99	3,299
SMTT : San Miguel Creek at Tilden, Texas	0	27
ARWT : Atascosa River at Whitsett, Texas	17	557
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	224	3,807
NCAT : Nueces River at Calallen, Texas	10	410
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	125	3,977

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 3,977	3,977
Estuary Inflows (Measured at NCAT)	410
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/25/2003
05/24/2003	137	3,322	20,057	4,100	778	44.0	42.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 26, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/26/2002	198.5	254,747	36.6%	92.1	205,777	85.3%	460,524	49.2%
05/26/2003	220.2	686,473	98.7%	93.2	226,600	93.9%	913,073	97.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/25/2003	93	540	0.00	91	416	0.00	956
MTD		11,410	0.00		7,949	0.00	19,359

STREAM FLOWS

Gauging Station	05/25/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	28	1,308
NRTT : Nueces River at Tilden, Texas	8	405
FRIT : Frio River at Tilden, Texas	95	3,394
SMTT : San Miguel Creek at Tilden, Texas	0	27
ARWT : Atascosa River at Whitsett, Texas	17	574
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	4,028
NCAT : Nueces River at Calallen, Texas	24	434
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	120	4,097

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 4,097	4,097
Estuary Inflows (Measured at NCAT)	434
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/26/2003
05/25/2003	137	3,459	20,194	4,100	641	44.0	42.0

Report Generated: 05/26/2003 at 7:54:40 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 27, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/27/2002	198.5	254,462	36.6%	92.1	205,958	85.4%	460,420	49.2%
05/27/2003	220.1	685,695	98.6%	93.2	226,600	93.9%	912,295	97.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/26/2003	87	300	0.00	88	230	0.00	530
MTD		11,710	0.00		8,179	0.00	19,889

STREAM FLOWS

Gauging Station	05/26/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	28	1,336
NRTT : Nueces River at Tilden, Texas	8	413
FRIT : Frio River at Tilden, Texas	91	3,486
SMTT : San Miguel Creek at Tilden, Texas	0	27
ARWT : Atascosa River at Whitsett, Texas	16	589
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	206	4,234
NCAT : Nueces River at Calallen, Texas	36	469
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	115	4,212

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 4,212	4,212
Estuary Inflows (Measured at NCAT)	469
PassThru Surplus / -Deficit:	419

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/27/2003
05/26/2003	137	3,596	20,331	4,100	504	44.0	42.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 28, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/28/2002	198.4	254,177	36.6%	92.1	206,501	85.6%	460,678	49.2%
05/28/2003	220.1	685,695	98.6%	93.2	226,225	93.8%	911,920	97.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/27/2003	89	345	0.00	86	251	0.24	596
MTD		12,055	0.00		8,430	0.24	20,485

STREAM FLOWS

Gauging Station	05/27/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	26	1,362
NRTT : Nueces River at Tilden, Texas	10	423
FRIT : Frio River at Tilden, Texas	89	3,575
SMTT : San Miguel Creek at Tilden, Texas	0	27
ARWT : Atascosa River at Whitsett, Texas	16	605
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	242	4,476
NCAT : Nueces River at Calallen, Texas	1	471
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	116	4,328

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 4,328	4,328
Estuary Inflows (Measured at NCAT)	471
PassThru Surplus / -Deficit:	305

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/28/2003
05/27/2003	137	3,733	20,468	4,100	367	44.0	41.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 29, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/29/2002	198.4	254,035	36.5%	92.1	205,958	85.4%	459,993	49.1%
05/29/2003	220.1	685,695	98.6%	93.2	225,662	93.5%	911,357	97.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/28/2003	90	495	0.00	90	295	0.00	790
MTD		12,550	0.00		8,725	0.24	21,275

STREAM FLOWS

Gauging Station	05/28/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	26	1,388
NRTT : Nueces River at Tilden, Texas	4	428
FRIT : Frio River at Tilden, Texas	87	3,662
SMTT : San Miguel Creek at Tilden, Texas	0	27
ARWT : Atascosa River at Whitsett, Texas	17	622
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	280	4,756
NCAT : Nueces River at Calallen, Texas	0	471
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	109	4,437

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 4,437	4,437
Estuary Inflows (Measured at NCAT)	471
PassThru Surplus / -Deficit:	196

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/29/2003
05/28/2003	138	3,871	20,606	4,100	229	44.0	41.8

Report Generated: 05/29/2003 at 8:23:56 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 30, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/30/2002	198.4	253,750	36.5%	92.0	204,332	84.7%	458,082	48.9%
05/30/2003	220.1	685,176	98.5%	93.1	224,351	93.0%	909,527	97.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/29/2003	95	525	0.00	97	360	0.00	885
MTD		13,075	0.00		9,085	0.24	22,160

STREAM FLOWS

Gauging Station	05/29/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	26	1,413
NRTT : Nueces River at Tilden, Texas	2	430
FRIT : Frio River at Tilden, Texas	85	3,748
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	16	639
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	4,976
NCAT : Nueces River at Calallen, Texas	15	485
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	104	4,540

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 4,540	4,540
Estuary Inflows (Measured at NCAT)	485
PassThru Surplus / -Deficit:	107

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/30/2003
05/29/2003	138	4,009	20,744	4,100	91	44.0	41.8

Report Generated: 05/30/2003 at 8:33:50 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 31, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/31/2002	198.4	253,466	36.5%	92.0	203,432	84.3%	456,898	48.8%
05/31/2003	220.1	684,660	98.5%	93.1	223,604	92.7%	908,264	97.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/30/2003	98	749	0.00	98	413	0.00	1,162
MTD		13,824	0.00		9,498	0.24	23,322

STREAM FLOWS

Gauging Station	05/30/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	60	1,473
NRTT : Nueces River at Tilden, Texas	2	432
FRIT : Frio River at Tilden, Texas	85	3,833
SMTT : San Miguel Creek at Tilden, Texas	0	28
ARWT : Atascosa River at Whitsett, Texas	16	654
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	318	5,294
NCAT : Nueces River at Calallen, Texas	0	485
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	103	4,643

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	3,662
Return Flow Credit (Effective: 05/01/2003)	500
Passthru Target: 25,500 Reservoir Inflow: 4,643	4,643
Estuary Inflows (Measured at NCAT)	485
PassThru Surplus / -Deficit:	4

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2003		Elevation (Ft)	
				Allocation	Remaining	Full	05/31/2003
05/30/2003	138	4,147	20,882	4,100	-47	44.0	41.7

Report Generated: 05/31/2003 at 8:27:49 AM