

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 1, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/01/2002	220.1	683,889	98.4%	93.8	238,168	98.7%	922,057	98.5%
09/01/2003	220.0	682,346	98.1%	93.5	230,935	95.7%	913,281	97.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/31/2003	97	224	0.04	93	253	0.00	477
MTD		15,220	0.11		10,576	0.37	25,796

STREAM FLOWS

Gauging Station	08/31/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	5,500
NRRT : Nueces River at Tilden, Texas	3	830
FRRT : Frio River at Tilden, Texas	127	5,592
SMTT : San Miguel Creek at Tilden, Texas	0	48
ARWT : Atascosa River at Whitsett, Texas	10	678
Release from Choke Canyon Reservoir	66	2,031
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	6,890
NCAT : Nueces River at Calallen, Texas	16	1,218
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	137	9,109

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 4,875 Effective: 08/11/2003	1,625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2003)	0
Return Flow Credit (Effective: 08/01/2003)	500
Passthru Target: 1,625 Reservoir Inflow: 9,109	1,625
Estuary Inflows (Measured at NCAT)	1,218
PassThru Surplus / -Deficit:	93

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/01/2003
08/31/2003	147	4,647	34,379	4,100	-547	44.0	42.8

Report Generated: 09/01/2003 at 7:58:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 2, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/02/2002	220.0	683,632	98.3%	93.8	238,168	98.7%	921,800	98.4%
09/02/2003	220.0	682,346	98.1%	93.4	230,368	95.5%	912,714	97.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/01/2003	89	239	0.35	89	0	0.03	239
MTD		239	0.35		0	0.03	239

STREAM FLOWS

Gauging Station	09/01/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	75	75
NRTT : Nueces River at Tilden, Texas	2	2
FRIT : Frio River at Tilden, Texas	129	129
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	10
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	155
NCAT : Nueces River at Calallen, Texas	30	30
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	139	139

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 139	139
Estuary Inflows (Measured at NCAT)	30
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/02/2003
09/01/2003	147	147	34,526	4,100	3,953	44.0	42.8

Report Generated: 09/02/2003 at 9:03:49 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 3, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/03/2002	220.0	683,117	98.3%	93.8	237,785	98.6%	920,902	98.3%
09/03/2003	220.0	683,632	98.3%	93.4	230,557	95.6%	914,189	97.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/02/2003	84	180	0.95	82	176	1.08	356	
MTD		419	1.30		176	1.11	595	

STREAM FLOWS

Gauging Station	09/02/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	169
NRTT : Nueces River at Tilden, Texas	7	9
FRIT : Frio River at Tilden, Texas	151	280
SMTT : San Miguel Creek at Tilden, Texas	246	247
ARWT : Atascosa River at Whitsett, Texas	10	20
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	163	318
NCAT : Nueces River at Calallen, Texas	10	40
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	425	564

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 564	564
Estuary Inflows (Measured at NCAT)	40
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/03/2003
09/02/2003	147	294	34,673	4,100	3,806	44.0	42.7

Report Generated: 09/03/2003 at 8:35:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 4, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/04/2002	220.0	682,603	98.2%	93.8	237,785	98.6%	920,388	98.3%
09/04/2003	220.1	685,695	98.6%	93.4	230,557	95.6%	916,252	97.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/03/2003	84	150	1.32	86	132	0.55	282
MTD		569	2.62		308	1.66	877

STREAM FLOWS

Gauging Station	09/03/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	268
NRTT : Nueces River at Tilden, Texas	13	21
FRTT : Frio River at Tilden, Texas	258	538
SMTT : San Miguel Creek at Tilden, Texas	248	495
ARWT : Atascosa River at Whitsett, Texas	175	195
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	171	488
NCAT : Nueces River at Calallen, Texas	8	48
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	540	1,104

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 1,104	1,104
Estuary Inflows (Measured at NCAT)	48
PassThru Surplus / -Deficit:	-463

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/04/2003
09/03/2003	147	441	34,820	4,100	3,659	44.0	42.7

Report Generated: 09/04/2003 at 8:45:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 5, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/05/2002	220.0	682,091	98.1%	93.8	237,020	98.3%	919,111	98.1%
09/05/2003	220.1	685,176	98.5%	93.5	231,882	96.1%	917,058	97.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/04/2003	82	105	0.08	85	155	0.87	260
MTD		674	2.70		463	2.53	1,137

STREAM FLOWS

Gauging Station	09/04/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	528	796
NRTT : Nueces River at Tilden, Texas	10	32
FRIT : Frio River at Tilden, Texas	220	758
SMTT : San Miguel Creek at Tilden, Texas	129	624
ARWT : Atascosa River at Whitsett, Texas	1,616	1,811
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	175	663
NCAT : Nueces River at Calallen, Texas	36	84
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	812	1,916

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 1,916	1,916
Estuary Inflows (Measured at NCAT)	84
PassThru Surplus / -Deficit:	-1,239

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/05/2003
09/04/2003	147	588	34,967	4,100	3,512	44.0	42.8

Report Generated: 09/05/2003 at 8:26:14 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 6, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/06/2002	220.0	681,582	98.0%	93.8	236,638	98.1%	918,220	98.0%
09/06/2003	220.2	686,733	98.8%	93.6	232,830	96.5%	919,563	98.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/05/2003	90	345	0.78	88	188	0.06	533
MTD		1,019	3.48		651	2.59	1,670

STREAM FLOWS

Gauging Station	09/05/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,104	2,900
NRTT : Nueces River at Tilden, Texas	24	56
FRTT : Frio River at Tilden, Texas	276	1,034
SMTT : San Miguel Creek at Tilden, Texas	343	967
ARWT : Atascosa River at Whitsett, Texas	2,064	3,875
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	844
NCAT : Nueces River at Calallen, Texas	95	179
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,658	4,574

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 4,574	4,574
Estuary Inflows (Measured at NCAT)	179
PassThru Surplus / -Deficit:	-3,802

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/06/2003
09/05/2003	147	735	35,114	4,100	3,365	44.0	43.1

Report Generated: 09/06/2003 at 10:40:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 7, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/07/2002	220.0	681,327	98.0%	93.7	236,065	97.9%	917,392	98.0%
09/07/2003	220.2	688,025	99.0%	93.7	234,731	97.3%	922,756	98.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/06/2003	90	331	0.00	88	299	0.00	630	
MTD		1,350	3.48		950	2.59	2,300	

STREAM FLOWS

Gauging Station	09/06/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,275	6,175
NRTT : Nueces River at Tilden, Texas	89	145
FRTT : Frio River at Tilden, Texas	234	1,268
SMTT : San Miguel Creek at Tilden, Texas	1,721	2,688
ARWT : Atascosa River at Whitsett, Texas	2,561	6,436
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	173	1,016
NCAT : Nueces River at Calallen, Texas	85	264
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	5,165	9,739

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 9,739	9,739
Estuary Inflows (Measured at NCAT)	264
PassThru Surplus / -Deficit:	-8,882

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/07/2003
09/06/2003	147	882	35,261	4,100	3,218	44.0	43.1

Report Generated: 09/07/2003 at 10:19:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 8, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/08/2002	220.0	681,836	98.1%	93.7	236,256	97.9%	918,092	98.0%
09/08/2003	220.2	687,252	98.8%	93.7	236,256	97.9%	923,508	98.6%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/07/2003	90	391	0.00	89	323	0.00	714	
MTD		1,741	3.48		1,273	2.59	3,014	

STREAM FLOWS

Gauging Station	09/07/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,136	9,312
NRTT : Nueces River at Tilden, Texas	133	278
FRTT : Frio River at Tilden, Texas	290	1,558
SMTT : San Miguel Creek at Tilden, Texas	379	3,067
ARWT : Atascosa River at Whitsett, Texas	2,322	8,758
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	175	1,191
NCAT : Nueces River at Calallen, Texas	24	288
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,740	13,479

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 13,479	13,479
Estuary Inflows (Measured at NCAT)	288
PassThru Surplus / -Deficit:	-12,598

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/08/2003
09/07/2003	147	1,029	35,408	4,100	3,071	44.0	43.1

Report Generated: 09/08/2003 at 8:26:28 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 9, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/09/2002	220.2	688,025	99.0%	93.9	238,743	99.0%	926,768	99.0%
09/09/2003	220.2	688,540	99.0%	93.8	237,494	98.4%	926,034	98.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/08/2003	91	406	0.00	90	290	0.00	696
MTD		2,147	3.48		1,563	2.59	3,710

STREAM FLOWS

Gauging Station	09/08/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,739	12,051
NRTT : Nueces River at Tilden, Texas	359	637
FRTT : Frio River at Tilden, Texas	286	1,844
SMTT : San Miguel Creek at Tilden, Texas	93	3,161
ARWT : Atascosa River at Whitsett, Texas	1,393	10,152
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	175	1,366
NCAT : Nueces River at Calallen, Texas	14	302
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,053	16,532

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 16,532	16,532
Estuary Inflows (Measured at NCAT)	302
PassThru Surplus / -Deficit:	-15,636

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/09/2003
09/08/2003	147	1,176	35,555	4,100	2,924	44.0	43.1

Report Generated: 09/09/2003 at 10:05:58 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 10, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/10/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/10/2003	220.2	688,283	99.0%	93.8	237,785	98.6%	926,068	98.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/09/2003	95	421	0.00	93	268	0.01	689
MTD		2,568	3.48		1,831	2.60	4,399

STREAM FLOWS

Gauging Station	09/09/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,785	13,835
NRTT : Nueces River at Tilden, Texas	284	921
FRTT : Frio River at Tilden, Texas	181	2,025
SMTT : San Miguel Creek at Tilden, Texas	34	3,194
ARWT : Atascosa River at Whitsett, Texas	379	10,531
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	322	1,687
NCAT : Nueces River at Calallen, Texas	1	303
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,933	18,465

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 18,465	18,465
Estuary Inflows (Measured at NCAT)	303
PassThru Surplus / -Deficit:	-17,569

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/10/2003
09/09/2003	147	1,323	35,702	4,100	2,777	44.0	43.0

Report Generated: 09/10/2003 at 8:30:15 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 11, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/11/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/11/2003	220.2	688,025	99.0%	93.9	238,551	98.9%	926,576	98.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/10/2003	94	421	0.00	94	268	0.01	689
MTD		2,989	3.48		2,099	2.61	5,088

STREAM FLOWS

Gauging Station	09/10/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,016	14,852
NRIT : Nueces River at Tilden, Texas	157	1,078
FRIT : Frio River at Tilden, Texas	185	2,209
SMTT : San Miguel Creek at Tilden, Texas	19	3,214
ARWT : Atascosa River at Whitsett, Texas	173	10,704
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	601	2,289
NCAT : Nueces River at Calallen, Texas	67	371
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,155	19,620

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 19,620	19,620
Estuary Inflows (Measured at NCAT)	371
PassThru Surplus / -Deficit:	-18,656

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/11/2003
09/10/2003	146	1,469	35,848	4,100	2,631	44.0	42.9

Report Generated: 09/11/2003 at 8:15:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 12, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/12/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/12/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/11/2003	93	363	4.02	96	0	2.23	363
MTD		3,352	7.50		2,099	4.84	5,451

STREAM FLOWS

Gauging Station	09/11/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	639	15,491
NRTT : Nueces River at Tilden, Texas	85	1,163
FRTT : Frio River at Tilden, Texas	183	2,392
SMTT : San Miguel Creek at Tilden, Texas	13	3,226
ARWT : Atascosa River at Whitsett, Texas	99	10,803
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	609	2,898
NCAT : Nueces River at Calallen, Texas	379	750
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	769	20,389

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 20,389	20,389
Estuary Inflows (Measured at NCAT)	750
PassThru Surplus / -Deficit:	-19,046

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/12/2003
09/11/2003	149	1,618	35,997	4,100	2,482	44.0	42.8

Report Generated: 09/12/2003 at 8:50:55 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 13, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/13/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/13/2003	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/12/2003	83	257	0.00	82	168	0.25	425
MTD		3,609	7.50		2,267	5.09	5,876

STREAM FLOWS

Gauging Station	09/12/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,481	17,972
NRIT : Nueces River at Tilden, Texas	169	1,332
FRIT : Frio River at Tilden, Texas	246	2,638
SMTT : San Miguel Creek at Tilden, Texas	143	3,369
ARWT : Atascosa River at Whitsett, Texas	736	11,539
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,025	4,923
NCAT : Nueces River at Calallen, Texas	1,739	2,489
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,805	23,194

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 23,194	23,194
Estuary Inflows (Measured at NCAT)	2,489
PassThru Surplus / -Deficit:	-20,112

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/13/2003
09/12/2003	146	1,764	36,143	4,100	2,336	44.0	42.9

Report Generated: 09/13/2003 at 9:33:22 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 14, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/14/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/14/2003	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/13/2003	89	303	0.00	89	247	0.00	550
MTD		3,912	7.50		2,514	5.09	6,426

STREAM FLOWS

Gauging Station	09/13/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,719	20,692
NRIT : Nueces River at Tilden, Texas	169	1,501
FRIT : Frio River at Tilden, Texas	218	2,856
SMTT : San Miguel Creek at Tilden, Texas	331	3,701
ARWT : Atascosa River at Whitsett, Texas	1,540	13,080
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,025	6,948
NCAT : Nueces River at Calallen, Texas	4,863	7,352
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	3,204	26,397

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 26,397	26,397
Estuary Inflows (Measured at NCAT)	7,352
PassThru Surplus / -Deficit:	-18,453

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/14/2003
09/13/2003	147	1,911	36,290	4,100	2,189	44.0	42.9

Report Generated: 09/14/2003 at 8:19:49 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 15, 2003

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/15/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/15/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/14/2003	88	288	2.37	88	269	0.09	557
MTD		4,200	9.87		2,783	5.18	6,983

STREAM FLOWS

Gauging Station	09/14/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,719	23,411
NRIT : Nueces River at Tilden, Texas	169	1,669
FRIT : Frio River at Tilden, Texas	324	3,180
SMTT : San Miguel Creek at Tilden, Texas	145	3,846
ARWT : Atascosa River at Whitsett, Texas	2,878	15,958
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,693	8,641
NCAT : Nueces River at Calallen, Texas	4,486	11,838
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	3,122	29,520

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru	28,500
Monthly Target: 28,500	
Salinity Relief Credit : 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru	28,500
Target: 28,500	
Reservoir Inflow: 29,520	
Estuary Inflows (Measured at NCAT)	11,838
PassThru Surplus / -Deficit:	-16,069

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/15/2003
09/14/2003	144	2,055	36,433	4,100	2,045	44.0	42.9

Report Generated: 09/15/2003 at 8:03:02 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 16, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/16/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/16/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/15/2003	88	318	0.00	85	123	0.06	441
MTD		4,518	9.87		2,906	5.24	7,424

STREAM FLOWS

Gauging Station	09/15/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,327	27,738
NRTT : Nueces River at Tilden, Texas	588	2,257
FRIT : Frio River at Tilden, Texas	472	3,652
SMTT : San Miguel Creek at Tilden, Texas	101	3,947
ARWT : Atascosa River at Whitsett, Texas	1,100	17,058
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,937	10,578
NCAT : Nueces River at Calallen, Texas	3,772	15,609
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4,835	34,355

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	28,500
Monthly Target: 28,500	
Salinity Relief Credit : 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru	28,500
Target: 28,500	
Reservoir Inflow: 34,355	
Estuary Inflows (Measured at NCAT)	15,609
PassThru Surplus / -Deficit:	-12,298

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/16/2003
09/15/2003	146	2,200	36,579	4,100	1,900	44.0	44.0

Report Generated: 09/16/2003 at 10:08:02 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 17, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/17/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/17/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/16/2003	86	333	0.00	85	191	0.00	524
MTD		4,851	9.87		3,097	5.24	7,948

STREAM FLOWS

Gauging Station	09/16/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,868	29,606
NRIT : Nueces River at Tilden, Texas	1,010	3,267
FRIT : Frio River at Tilden, Texas	314	3,966
SMTT : San Miguel Creek at Tilden, Texas	26	3,973
ARWT : Atascosa River at Whitsett, Texas	361	17,419
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,045	12,623
NCAT : Nueces River at Calallen, Texas	3,811	19,421
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,142	36,497

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 36,497	28,500
Estuary Inflows (Measured at NCAT)	19,421
PassThru Surplus / -Deficit:	-8,486

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/17/2003
09/16/2003	146	2,346	36,725	4,100	1,754	44.0	44.1

Report Generated: 09/17/2003 at 8:29:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 18, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/18/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/18/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/17/2003	86	182	0.05	83	112	0.45	294
MTD		5,033	9.92		3,209	5.69	8,242

STREAM FLOWS

Gauging Station	09/17/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,745	31,351
NRTT : Nueces River at Tilden, Texas	957	4,224
FRTT : Frio River at Tilden, Texas	246	4,212
SMTT : San Miguel Creek at Tilden, Texas	26	3,999
ARWT : Atascosa River at Whitsett, Texas	224	17,643
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,957	14,580
NCAT : Nueces River at Calallen, Texas	3,891	23,311
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,951	38,448

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 38,448	28,500
Estuary Inflows (Measured at NCAT)	23,311
PassThru Surplus / -Deficit:	-4,596

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/18/2003
09/17/2003	146	2,492	36,871	4,100	1,608	44.0	44.0

Report Generated: 09/18/2003 at 8:26:58 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 19, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/19/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/19/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/18/2003	77	151	0.64	76	0	1.33	151
MTD		5,184	10.56		3,209	7.02	8,393

STREAM FLOWS

Gauging Station	09/18/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,918	33,269
NRIT : Nueces River at Tilden, Texas	425	4,649
FRIT : Frio River at Tilden, Texas	290	4,502
SMTT : San Miguel Creek at Tilden, Texas	351	4,350
ARWT : Atascosa River at Whitsett, Texas	240	17,883
Release from Choke Canyon Reservoir	383	1,497
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,362	16,942
NCAT : Nueces River at Calallen, Texas	4,030	27,341
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,176	40,624

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 40,624	28,500
Estuary Inflows (Measured at NCAT)	27,341
PassThru Surplus / -Deficit:	-566

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/19/2003
09/18/2003	147	2,639	37,018	4,100	1,461	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 20, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/20/2002	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%
09/20/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/19/2003	82	242	0.02	80	168	0.02	410
MTD		5,426	10.58		3,377	7.04	8,803

STREAM FLOWS

Gauging Station	09/19/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,997	36,266
NRTT : Nueces River at Tilden, Texas	363	5,012
FRIT : Frio River at Tilden, Texas	848	5,350
SMTT : San Miguel Creek at Tilden, Texas	971	5,321
ARWT : Atascosa River at Whitsett, Texas	1,949	19,833
Release from Choke Canyon Reservoir	850	2,346
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,255	20,197
NCAT : Nueces River at Calallen, Texas	5,340	32,680
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	3,966	44,590

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 44,590	28,500
Estuary Inflows (Measured at NCAT)	32,680
PassThru Surplus / -Deficit:	4,773

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/20/2003
09/19/2003	148	2,786	37,165	4,100	1,314	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 21, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/21/2002	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%
09/21/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/20/2003	75	45	0.60	80	0	0.92	45
MTD		5,471	11.18		3,377	7.96	8,848

STREAM FLOWS

Gauging Station	09/20/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,744	41,010
NRTT : Nueces River at Tilden, Texas	260	5,272
FRTT : Frio River at Tilden, Texas	413	5,762
SMTT : San Miguel Creek at Tilden, Texas	99	5,420
ARWT : Atascosa River at Whitsett, Texas	11,354	31,187
Release from Choke Canyon Reservoir	1,000	3,347
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,652	23,850
NCAT : Nueces River at Calallen, Texas	6,412	39,092
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	4,256	48,846

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 48,846	28,500
Estuary Inflows (Measured at NCAT)	39,092
PassThru Surplus / -Deficit:	11,185

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/21/2003
09/20/2003	148	2,934	37,313	4,100	1,166	44.0	44.0

Report Generated: 09/21/2003 at 8:33:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 22, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/22/2002	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/22/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/21/2003	74	45	0.10	75	112	0.39	157
MTD		5,516	11.28		3,489	8.35	9,005

STREAM FLOWS

Gauging Station	09/21/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	8,238	49,248
NRTT : Nueces River at Tilden, Texas	395	5,667
FRIT : Frio River at Tilden, Texas	407	6,169
SMTT : San Miguel Creek at Tilden, Texas	208	5,628
ARWT : Atascosa River at Whitsett, Texas	8,079	39,266
Release from Choke Canyon Reservoir	1,000	4,347
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	6,173	30,023
NCAT : Nueces River at Calallen, Texas	7,166	46,258
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	7,853	56,698

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 56,698	28,500
Estuary Inflows (Measured at NCAT)	46,258
PassThru Surplus / -Deficit:	18,351

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/22/2003
09/21/2003	147	3,082	37,461	4,100	1,018	44.0	44.0

Report Generated: 09/22/2003 at 8:31:34 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 23, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/23/2002	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/23/2003	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/22/2003	83	197	0.00	81	112	0.00	309
MTD		5,713	11.28		3,601	8.35	9,314

STREAM FLOWS

Gauging Station	09/22/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	8,674	57,922
NRIT : Nueces River at Tilden, Texas	274	5,941
FRIT : Frio River at Tilden, Texas	466	6,636
SMTT : San Miguel Creek at Tilden, Texas	433	6,061
ARWT : Atascosa River at Whitsett, Texas	1,447	40,713
Release from Choke Canyon Reservoir	1,000	5,348
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	8,019	38,043
NCAT : Nueces River at Calallen, Texas	8,000	54,257
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	8,573	65,272

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 65,272	28,500
Estuary Inflows (Measured at NCAT)	54,257
PassThru Surplus / -Deficit:	26,350

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/23/2003
09/22/2003	146	3,228	37,607	4,100	872	44.0	44.0

Report Generated: 09/23/2003 at 9:13:09 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 24, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/24/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/24/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/23/2003	85	333	0.00	84	236	0.00	569	
MTD		6,046	11.28		3,837	8.35	9,883	

STREAM FLOWS

Gauging Station	09/23/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,891	61,813
NRTT : Nueces River at Tilden, Texas	351	6,292
FRTT : Frio River at Tilden, Texas	377	7,013
SMTT : San Miguel Creek at Tilden, Texas	119	6,180
ARWT : Atascosa River at Whitsett, Texas	895	41,608
Release from Choke Canyon Reservoir	992	6,340
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	8,595	46,638
NCAT : Nueces River at Calallen, Texas	8,972	63,230
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,394	68,666

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 68,666	28,500
Estuary Inflows (Measured at NCAT)	63,230
PassThru Surplus / -Deficit:	35,323

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/24/2003
09/23/2003	146	3,374	37,753	4,100	726	44.0	44.0

Report Generated: 09/24/2003 at 8:29:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 25, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/25/2002	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
09/25/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/24/2003	87	348	0.00	84	258	0.00	606
MTD		6,394	11.28		4,095	8.35	10,489

STREAM FLOWS

Gauging Station	09/24/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,620	64,433
NRIT : Nueces River at Tilden, Texas	812	7,104
FRIT : Frio River at Tilden, Texas	353	7,366
SMTT : San Miguel Creek at Tilden, Texas	42	6,222
ARWT : Atascosa River at Whitsett, Texas	597	42,206
Release from Choke Canyon Reservoir	992	7,333
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	4,188	50,826
NCAT : Nueces River at Calallen, Texas	10,441	73,671
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,023	70,689

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 70,689	28,500
Estuary Inflows (Measured at NCAT)	73,671
PassThru Surplus / -Deficit:	45,764

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/25/2003
09/24/2003	146	3,520	37,899	4,100	580	44.0	44.0

Report Generated: 09/25/2003 at 8:11:38 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 26, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/26/2002	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%
09/26/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/25/2003	87	273	0.10	86	202	0.00	475
MTD		6,667	11.38		4,297	8.35	10,964

STREAM FLOWS

Gauging Station	09/25/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,719	67,153
NRTT : Nueces River at Tilden, Texas	1,088	8,192
FRIT : Frio River at Tilden, Texas	318	7,684
SMTT : San Miguel Creek at Tilden, Texas	26	6,248
ARWT : Atascosa River at Whitsett, Texas	443	42,648
Release from Choke Canyon Reservoir	397	7,730
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,914	52,739
NCAT : Nueces River at Calallen, Texas	9,806	83,477
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,666	73,355

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	
Monthly Target: 28,500	28,500
Salinity Relief Credit : 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru	
Target: 28,500	28,500
Reservoir Inflow: 73,355	
Estuary Inflows (Measured at NCAT)	83,477
PassThru Surplus / -Deficit:	55,570

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/26/2003
09/25/2003	147	3,667	38,046	4,100	433	44.0	44.0

Report Generated: 09/26/2003 at 8:15:35 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 27, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/27/2002	220.4	693,715	99.8%	94.0	241,241	100.0%	934,956	99.8%
09/27/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/26/2003	87	303	0.00	86	168	0.00	471
MTD		6,970	11.38		4,465	8.35	11,435

STREAM FLOWS

Gauging Station	09/26/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,144	69,296
NRTT : Nueces River at Tilden, Texas	713	8,905
FRTT : Frio River at Tilden, Texas	300	7,984
SMTT : San Miguel Creek at Tilden, Texas	20	6,267
ARWT : Atascosa River at Whitsett, Texas	341	42,990
Release from Choke Canyon Reservoir	397	8,127
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,846	54,586
NCAT : Nueces River at Calallen, Texas	6,789	90,265
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,066	75,421

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 75,421	28,500
Estuary Inflows (Measured at NCAT)	90,265
PassThru Surplus / -Deficit:	62,358

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/27/2003
09/26/2003	148	3,815	38,194	4,100	285	44.0	44.0

Report Generated: 09/27/2003 at 7:49:15 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 28, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/28/2002	220.4	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
09/28/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/27/2003	89	348	0.00	86	280	0.00	628	
MTD		7,318	11.38		4,745	8.35	12,063	

STREAM FLOWS

Gauging Station	09/27/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,675	70,972
NRTT : Nueces River at Tilden, Texas	218	9,123
FRTT : Frio River at Tilden, Texas	280	8,264
SMTT : San Miguel Creek at Tilden, Texas	17	6,285
ARWT : Atascosa River at Whitsett, Texas	302	43,291
Release from Choke Canyon Reservoir	191	8,317
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,594	56,179
NCAT : Nueces River at Calallen, Texas	4,506	94,771
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,782	77,203

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	93
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 28,500 Reservoir Inflow: 77,203	28,500
Estuary Inflows (Measured at NCAT)	94,771
PassThru Surplus / -Deficit:	66,864

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/28/2003
09/27/2003	148	3,963	38,342	4,100	137	44.0	44.0

Report Generated: 09/28/2003 at 9:06:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 29, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/29/2002	220.4	693,196	99.7%	94.0	241,241	100.0%	934,437	99.8%
09/29/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/28/2003	89	409	0.00	84	157	0.00	566
MTD		7,727	11.38		4,902	8.35	12,629

STREAM FLOWS

Gauging Station	09/28/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	790	71,762
NRTT : Nueces River at Tilden, Texas	121	9,244
FRIT : Frio River at Tilden, Texas	256	8,520
SMTT : San Miguel Creek at Tilden, Texas	15	6,300
ARWT : Atascosa River at Whitsett, Texas	264	43,555
Release from Choke Canyon Reservoir	66	8,383
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,330	57,509
NCAT : Nueces River at Calallen, Texas	3,335	98,106
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	996	78,199

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 7,125 Effective: 09/28/2003	21,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	0
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 21,375 Reservoir Inflow: 78,199	21,375
Estuary Inflows (Measured at NCAT)	98,106
PassThru Surplus / -Deficit:	77,231

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/29/2003
09/28/2003	147	4,110	38,489	4,100	-10	44.0	44.0

Report Generated: 09/29/2003 at 8:06:43 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 30, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/30/2002	220.4	692,936	99.7%	94.0	241,241	100.0%	934,177	99.8%
09/30/2003	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/29/2003	83	393	0.00	82	527	0.00	920
MTD		8,120	11.38		5,429	8.35	13,549

STREAM FLOWS

Gauging Station	09/29/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	516	72,278
NRTT : Nueces River at Tilden, Texas	89	9,333
FRIT : Frio River at Tilden, Texas	236	8,756
SMTT : San Miguel Creek at Tilden, Texas	12	6,312
ARWT : Atascosa River at Whitsett, Texas	232	43,788
Release from Choke Canyon Reservoir	66	8,448
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	695	58,204
NCAT : Nueces River at Calallen, Texas	2,442	100,548
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	699	78,898

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 7,125 Effective: 09/28/2003	21,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 09/01/2003)	0
Return Flow Credit (Effective: 09/01/2003)	500
Passthru Target: 21,375 Reservoir Inflow: 78,898	21,375
Estuary Inflows (Measured at NCAT)	100,548
PassThru Surplus / -Deficit:	79,673

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2003		Elevation (Ft)	
				Allocation	Remaining	Full	09/30/2003
09/29/2003	147	4,257	38,636	4,100	-157	44.0	44.0

Report Generated: 09/30/2003 at 10:26:55 AM