

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 1, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/01/2002	220.4	692,158	99.6%	94.0	241,241	100.0%	933,399	99.7%
12/01/2003	220.3	689,569	99.2%	94.0	241,048	99.9%	930,617	99.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/30/2003	75	90	0.00	73	101	0.00	191
MTD		5,979	0.92		5,170	1.24	11,149

STREAM FLOWS

Gauging Station	11/30/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	401	19,989
NRIT : Nueces River at Tilden, Texas	232	9,643
FRIT : Frio River at Tilden, Texas	169	5,806
SMTT : San Miguel Creek at Tilden, Texas	7	192
ARWT : Atascosa River at Whitsett, Texas	22	1,072
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	278	15,177
NCAT : Nueces River at Calallen, Texas	310	26,704
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	511	24,021

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 6,750 Effective: 11/11/2003	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2003)	500
Passthru Target: 2,250 Reservoir Inflow: 24,021	2,250
Estuary Inflows (Measured at NCAT)	26,704
PassThru Surplus / -Deficit:	24,954

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/01/2003
11/30/2003	142	4,281	47,731	3,050	-1,231	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 2, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/02/2002	220.4	691,899	99.5%	94.0	241,241	100.0%	933,140	99.6%
12/02/2003	220.3	690,083	99.3%	94.0	241,241	100.0%	931,324	99.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/01/2003	67	60	0.11	73	34	0.10	94
MTD		60	0.11		34	0.10	94

STREAM FLOWS

Gauging Station	12/01/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	397	397
NRRT : Nueces River at Tilden, Texas	232	232
FRRT : Frio River at Tilden, Texas	165	165
SMTT : San Miguel Creek at Tilden, Texas	7	7
ARWT : Atascosa River at Whitsett, Texas	24	24
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	202	202
NCAT : Nueces River at Calallen, Texas	236	236
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	503	503

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 503	0
Estuary Inflows (Measured at NCAT)	236
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/02/2003
12/01/2003	142	142	47,873	3,050	2,908	44.0	43.8

Report Generated: 12/02/2003 at 9:00:20 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 3, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/03/2002	220.4	693,455	99.7%	94.0	241,241	100.0%	934,696	99.8%
12/03/2003	220.3	690,342	99.3%	94.0	241,241	100.0%	931,583	99.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/02/2003	73	166	0.00	71	157	0.00	323
MTD		226	0.11		191	0.10	417

STREAM FLOWS

Gauging Station	12/02/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	347	744
NRTT : Nueces River at Tilden, Texas	230	463
FRIT : Frio River at Tilden, Texas	165	330
SMTT : San Miguel Creek at Tilden, Texas	7	13
ARWT : Atascosa River at Whitsett, Texas	24	48
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	200	403
NCAT : Nueces River at Calallen, Texas	137	373
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	453	956

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 956	0
Estuary Inflows (Measured at NCAT)	373
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/03/2003
12/02/2003	141	283	48,014	3,050	2,767	44.0	43.8

Report Generated: 12/03/2003 at 9:12:15 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 4, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/04/2002	220.4	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
12/04/2003	220.3	690,083	99.3%	94.0	241,241	100.0%	931,324	99.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/03/2003	75	151	0.00	78	112	0.00	263
MTD		377	0.11		303	0.10	680

STREAM FLOWS

Gauging Station	12/03/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	339	1,084
NRRT : Nueces River at Tilden, Texas	222	685
FRRT : Frio River at Tilden, Texas	163	492
SMTT : San Miguel Creek at Tilden, Texas	7	21
ARWT : Atascosa River at Whitsett, Texas	24	71
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	200	603
NCAT : Nueces River at Calallen, Texas	99	472
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	444	1,400

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 1,400	0
Estuary Inflows (Measured at NCAT)	472
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/04/2003
12/03/2003	141	425	48,156	3,050	2,625	44.0	43.7

Report Generated: 12/04/2003 at 7:58:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 5, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/05/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/05/2003	220.3	689,826	99.2%	94.0	241,241	100.0%	931,067	99.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/04/2003	71	211	0.00	70	191	0.00	402
MTD		588	0.11		494	0.10	1,082

STREAM FLOWS

Gauging Station	12/04/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	328	1,411
NRRT : Nueces River at Tilden, Texas	214	899
FRRT : Frio River at Tilden, Texas	163	655
SMTT : San Miguel Creek at Tilden, Texas	7	28
ARWT : Atascosa River at Whitsett, Texas	24	95
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	200	804
NCAT : Nueces River at Calallen, Texas	89	562
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	432	1,832

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 1,832	0
Estuary Inflows (Measured at NCAT)	562
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/05/2003
12/04/2003	141	565	48,297	3,050	2,485	44.0	43.7

Report Generated: 12/05/2003 at 8:11:19 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 6, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/06/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/06/2003	220.3	689,826	99.2%	94.0	241,241	100.0%	931,067	99.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/05/2003	59	331	0.00	58	224	0.00	555
MTD		919	0.11		718	0.10	1,637

STREAM FLOWS

Gauging Station	12/05/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	318	1,729
NRRT : Nueces River at Tilden, Texas	204	1,104
FRRT : Frio River at Tilden, Texas	163	818
SMTT : San Miguel Creek at Tilden, Texas	7	35
ARWT : Atascosa River at Whitsett, Texas	44	139
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	300	1,104
NCAT : Nueces River at Calallen, Texas	71	633
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	422	2,254

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 2,254	0
Estuary Inflows (Measured at NCAT)	633
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/06/2003
12/05/2003	141	707	48,438	3,050	2,343	44.0	43.7

Report Generated: 12/06/2003 at 7:47:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 7, 2003**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%		
	936,512	100%						
12/07/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/07/2003	220.3	689,054	99.1%	94.0	240,471	99.7%	929,525	99.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/06/2003	58	135	0.00	56	123	0.00	258
MTD		1,054	0.11		841	0.10	1,895

STREAM FLOWS

Gauging Station	12/06/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	318	2,047
NRTT : Nueces River at Tilden, Texas	195	1,298
FRIT : Frio River at Tilden, Texas	157	975
SMTT : San Miguel Creek at Tilden, Texas	7	42
ARWT : Atascosa River at Whitsett, Texas	46	185
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	230	1,334
NCAT : Nueces River at Calallen, Texas	169	802
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	416	2,670

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 2,670	0
Estuary Inflows (Measured at NCAT)	802
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/07/2003
12/06/2003	141	848	48,579	3,050	2,202	44.0	43.7

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 8, 2003

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/08/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/08/2003	220.2	688,283	99.0%	93.9	240,087	99.5%	928,370	99.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/07/2003	68	135	0.00	68	168	0.00	303
MTD		1,189	0.11		1,009	0.10	2,198

STREAM FLOWS

Gauging Station	12/07/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	308	2,354
NRRT : Nueces River at Tilden, Texas	187	1,485
FRRT : Frio River at Tilden, Texas	157	1,131
SMTT : San Miguel Creek at Tilden, Texas	7	49
ARWT : Atascosa River at Whitsett, Texas	44	228
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	185	1,519
NCAT : Nueces River at Calallen, Texas	151	953
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	406	3,076

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 3,076	0
Estuary Inflows (Measured at NCAT)	953
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/08/2003
12/07/2003	142	990	48,721	3,050	2,060	44.0	43.7

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 9, 2003

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/09/2002	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/09/2003	220.2	688,025	99.0%	93.9	239,318	99.2%	927,343	99.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/08/2003	80	195	0.00	79	123	0.00	318
MTD		1,384	0.11		1,132	0.10	2,516

STREAM FLOWS

Gauging Station	12/08/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	290	2,644
NRTT : Nueces River at Tilden, Texas	185	1,669
FRTT : Frio River at Tilden, Texas	159	1,290
SMTT : San Miguel Creek at Tilden, Texas	7	56
ARWT : Atascosa River at Whitsett, Texas	38	266
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	1,646
NCAT : Nueces River at Calallen, Texas	83	1,036
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	390	3,467

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 3,467	0
Estuary Inflows (Measured at NCAT)	1,036
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/09/2003
12/08/2003	142	1,132	48,863	3,050	1,918	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 10, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/10/2002	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/10/2003	220.2	687,511	98.9%	94.0	240,279	99.6%	927,790	99.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/09/2003	74	434	0.00	74	347	0.00	781
MTD		1,818	0.11		1,479	0.10	3,297

STREAM FLOWS

Gauging Station	12/09/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	278	2,922
NRTT : Nueces River at Tilden, Texas	183	1,852
FRTT : Frio River at Tilden, Texas	153	1,443
SMTT : San Miguel Creek at Tilden, Texas	7	64
ARWT : Atascosa River at Whitsett, Texas	36	302
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	546	2,191
NCAT : Nueces River at Calallen, Texas	71	1,108
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	372	3,839

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 3,839	0
Estuary Inflows (Measured at NCAT)	1,108
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/10/2003
12/09/2003	138	1,270	49,001	3,050	1,780	44.0	43.5

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 11, 2003

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/11/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/11/2003	220.2	687,252	98.8%	93.9	239,510	99.3%	926,762	99.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/10/2003	64	180	0.00	62	157	0.00	337
MTD		1,998	0.11		1,636	0.10	3,634

STREAM FLOWS

Gauging Station	12/10/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	268	3,190
NRTT : Nueces River at Tilden, Texas	181	2,033
FRTT : Frio River at Tilden, Texas	151	1,594
SMTT : San Miguel Creek at Tilden, Texas	7	70
ARWT : Atascosa River at Whitsett, Texas	34	335
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	375	2,567
NCAT : Nueces River at Calallen, Texas	324	1,431
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	360	4,199

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 4,199	0
Estuary Inflows (Measured at NCAT)	1,431
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/11/2003
12/10/2003	141	1,411	49,142	3,050	1,639	44.0	43.4

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 12, 2003

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/12/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/12/2003	220.2	686,733	98.8%	93.9	239,510	99.3%	926,243	98.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/11/2003	67	135	0.08	68	112	0.01	247
MTD		2,133	0.19		1,748	0.11	3,881

STREAM FLOWS

Gauging Station	12/11/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	264	3,454
NRTT : Nueces River at Tilden, Texas	181	2,213
FRIT : Frio River at Tilden, Texas	151	1,745
SMTT : San Miguel Creek at Tilden, Texas	7	77
ARWT : Atascosa River at Whitsett, Texas	30	365
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	2,672
NCAT : Nueces River at Calallen, Texas	312	1,743
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	356	4,555

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 4,555	0
Estuary Inflows (Measured at NCAT)	1,743
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/12/2003
12/11/2003	142	1,553	49,285	3,050	1,497	44.0	43.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 13, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/13/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/13/2003	220.2	687,252	98.8%	94.0	241,241	100.0%	928,493	99.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/12/2003	66	135	0.12	71	101	0.03	236
MTD		2,268	0.31		1,849	0.14	4,117

STREAM FLOWS

Gauging Station	12/12/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	266	3,720
NRTT : Nueces River at Tilden, Texas	177	2,390
FRIT : Frio River at Tilden, Texas	151	1,896
SMTT : San Miguel Creek at Tilden, Texas	7	84
ARWT : Atascosa River at Whitsett, Texas	26	391
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	2,819
NCAT : Nueces River at Calallen, Texas	67	1,810
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	358	4,913

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 4,913	0
Estuary Inflows (Measured at NCAT)	1,810
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/13/2003
12/12/2003	142	1,696	49,427	3,050	1,354	44.0	43.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 14, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/14/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/14/2003	220.2	686,473	98.7%	93.9	239,702	99.4%	926,175	98.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/13/2003	65	210	0.00	74	134	0.00	344
MTD		2,478	0.31		1,983	0.14	4,461

STREAM FLOWS

Gauging Station	12/13/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	262	3,982
NRTT : Nueces River at Tilden, Texas	173	2,563
FRTT : Frio River at Tilden, Texas	147	2,043
SMTT : San Miguel Creek at Tilden, Texas	8	92
ARWT : Atascosa River at Whitsett, Texas	24	415
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	198	3,017
NCAT : Nueces River at Calallen, Texas	81	1,892
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	351	5,265

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 5,265	0
Estuary Inflows (Measured at NCAT)	1,892
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/14/2003
12/13/2003	142	1,838	49,569	3,050	1,212	44.0	43.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 15, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/15/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/15/2003	220.2	686,214	98.7%	93.8	238,360	98.8%	924,574	98.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/14/2003	73	150	0.00	70	145	0.00	295
MTD		2,628	0.31		2,128	0.14	4,756

STREAM FLOWS

Gauging Station	12/14/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	248	4,230
NRTT : Nueces River at Tilden, Texas	173	2,735
FRTT : Frio River at Tilden, Texas	143	2,185
SMTT : San Miguel Creek at Tilden, Texas	7	99
ARWT : Atascosa River at Whitsett, Texas	20	435
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	3,166
NCAT : Nueces River at Calallen, Texas	115	2,007
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	333	5,597

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 5,597	0
Estuary Inflows (Measured at NCAT)	2,007
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/15/2003
12/14/2003	142	1,980	49,712	3,050	1,070	44.0	43.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 16, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/16/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/16/2003	220.1	685,695	98.6%	94.0	241,241	100.0%	926,936	99.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/15/2003	80	300	0.00	80	303	0.00	603
MTD		2,928	0.31		2,431	0.14	5,359

STREAM FLOWS

Gauging Station	12/15/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	244	4,474
NRTT : Nueces River at Tilden, Texas	175	2,910
FRTT : Frio River at Tilden, Texas	143	2,328
SMTT : San Miguel Creek at Tilden, Texas	7	106
ARWT : Atascosa River at Whitsett, Texas	18	453
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	3,315
NCAT : Nueces River at Calallen, Texas	48	2,054
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	329	5,926

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 5,926	0
Estuary Inflows (Measured at NCAT)	2,054
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/16/2003
12/15/2003	142	2,123	49,854	3,050	927	44.0	43.4

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 17, 2003

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/17/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/17/2003	220.1	685,176	98.5%	93.9	238,935	99.0%	924,111	98.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/16/2003	62	315	0.00	59	190	0.00	505
MTD		3,243	0.31		2,621	0.14	5,864

STREAM FLOWS

Gauging Station	12/16/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	242	4,716
NRTT : Nueces River at Tilden, Texas	177	3,087
FRTT : Frio River at Tilden, Texas	141	2,469
SMTT : San Miguel Creek at Tilden, Texas	7	113
ARWT : Atascosa River at Whitsett, Texas	17	469
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	516	3,831
NCAT : Nueces River at Calallen, Texas	64	2,118
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	325	6,251

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 6,251	0
Estuary Inflows (Measured at NCAT)	2,118
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/17/2003
12/16/2003	142	2,264	49,996	3,050	786	44.0	43.5

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 18, 2003

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/18/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/18/2003	220.1	684,660	98.5%	93.9	239,127	99.1%	923,787	98.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/17/2003	66	165	0.00	65	168	0.00	333
MTD		3,408	0.31		2,789	0.14	6,197

STREAM FLOWS

Gauging Station	12/17/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	236	4,953
NRTT : Nueces River at Tilden, Texas	171	3,257
FRTT : Frio River at Tilden, Texas	139	2,608
SMTT : San Miguel Creek at Tilden, Texas	7	120
ARWT : Atascosa River at Whitsett, Texas	15	485
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	3,958
NCAT : Nueces River at Calallen, Texas	290	2,408
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	317	6,568

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 6,568	0
Estuary Inflows (Measured at NCAT)	2,408
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/18/2003
12/17/2003	142	2,406	50,138	3,050	644	44.0	43.4

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 19, 2003

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/19/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/19/2003	220.1	684,146	98.4%	93.9	238,935	99.0%	923,081	98.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/18/2003	69	150	0.00	65	168	0.00	318
MTD		3,558	0.31		2,957	0.14	6,515

STREAM FLOWS

Gauging Station	12/18/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	232	5,185
NRTT : Nueces River at Tilden, Texas	165	3,422
FRTT : Frio River at Tilden, Texas	137	2,745
SMTT : San Miguel Creek at Tilden, Texas	7	128
ARWT : Atascosa River at Whitsett, Texas	15	500
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	4,111
NCAT : Nueces River at Calallen, Texas	54	2,461
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	311	6,879

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 6,879	0
Estuary Inflows (Measured at NCAT)	2,461
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/19/2003
12/18/2003	142	2,548	50,279	3,050	502	44.0	43.3

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 20, 2003

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/20/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/20/2003	220.1	683,889	98.4%	93.9	238,551	98.9%	922,440	98.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/19/2003	65	165	0.00	64	145	0.00	310
MTD		3,723	0.31		3,102	0.14	6,825

STREAM FLOWS

Gauging Station	12/19/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	220	5,405
NRTT : Nueces River at Tilden, Texas	161	3,583
FRIT : Frio River at Tilden, Texas	137	2,882
SMTT : San Miguel Creek at Tilden, Texas	6	134
ARWT : Atascosa River at Whitsett, Texas	14	514
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	4,260
NCAT : Nueces River at Calallen, Texas	60	2,521
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	298	7,177

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 7,177	0
Estuary Inflows (Measured at NCAT)	2,521
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/20/2003
12/19/2003	142	2,690	50,421	3,050	360	44.0	43.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 21, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/21/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/21/2003	220.0	683,632	98.3%	93.8	237,977	98.6%	921,609	98.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/20/2003	70	180	0.00	69	178	0.00	358
MTD		3,903	0.31		3,280	0.14	7,183

STREAM FLOWS

Gauging Station	12/20/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	210	5,616
NRRT : Nueces River at Tilden, Texas	159	3,742
FRRT : Frio River at Tilden, Texas	137	3,019
SMTT : San Miguel Creek at Tilden, Texas	6	140
ARWT : Atascosa River at Whitsett, Texas	14	528
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	4,409
NCAT : Nueces River at Calallen, Texas	56	2,577
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	288	7,465

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 7,465	0
Estuary Inflows (Measured at NCAT)	2,577
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/21/2003
12/20/2003	138	2,828	50,559	3,050	222	44.0	43.3

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 22, 2003

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/22/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/22/2003	220.0	683,632	98.3%	93.8	237,403	98.4%	921,035	98.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/21/2003	76	150	0.00	74	156	0.00	306
MTD		4,053	0.31		3,436	0.14	7,489

STREAM FLOWS

Gauging Station	12/21/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	204	5,820
NRTT : Nueces River at Tilden, Texas	161	3,903
FRIT : Frio River at Tilden, Texas	137	3,156
SMTT : San Miguel Creek at Tilden, Texas	6	146
ARWT : Atascosa River at Whitsett, Texas	14	542
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	4,558
NCAT : Nueces River at Calallen, Texas	13	2,590
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	282	7,746

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 7,746	0
Estuary Inflows (Measured at NCAT)	2,590
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/22/2003
12/21/2003	142	2,970	50,701	3,050	80	44.0	43.3

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 23, 2003

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/23/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/23/2003	220.0	683,374	98.3%	93.9	239,318	99.2%	922,692	98.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/22/2003	82	269	0.00	80	246	0.00	515
MTD		4,322	0.31		3,682	0.14	8,004

STREAM FLOWS

Gauging Station	12/22/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	262	6,082
NRTT : Nueces River at Tilden, Texas	161	4,063
FRTT : Frio River at Tilden, Texas	139	3,295
SMTT : San Miguel Creek at Tilden, Texas	6	152
ARWT : Atascosa River at Whitsett, Texas	15	557
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	4,706
NCAT : Nueces River at Calallen, Texas	38	2,628
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	341	8,088

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 8,088	0
Estuary Inflows (Measured at NCAT)	2,628
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/23/2003
12/22/2003	142	3,112	50,843	3,050	-62	44.0	43.2

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 24, 2003

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/24/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/24/2003	220.0	682,860	98.2%	93.8	238,168	98.7%	921,028	98.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/23/2003	66	239	0.00	63	245	0.00	484
MTD		4,561	0.31		3,927	0.14	8,488

STREAM FLOWS

Gauging Station	12/23/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	256	6,338
NRTT : Nueces River at Tilden, Texas	161	4,224
FRIT : Frio River at Tilden, Texas	141	3,436
SMTT : San Miguel Creek at Tilden, Texas	6	157
ARWT : Atascosa River at Whitsett, Texas	16	573
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	286	4,992
NCAT : Nueces River at Calallen, Texas	46	2,673
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	337	8,425

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 8,425	0
Estuary Inflows (Measured at NCAT)	2,673
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/24/2003
12/23/2003	142	3,254	50,985	3,050	-204	44.0	43.2

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 25, 2003

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/25/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/25/2003	220.0	682,860	98.2%	93.8	237,977	98.6%	920,837	98.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/24/2003	64	135	0.00	65	123	0.00	258
MTD		4,696	0.31		4,050	0.14	8,746

STREAM FLOWS

Gauging Station	12/24/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	256	6,594
NRTT : Nueces River at Tilden, Texas	157	4,381
FRTT : Frio River at Tilden, Texas	143	3,579
SMTT : San Miguel Creek at Tilden, Texas	7	164
ARWT : Atascosa River at Whitsett, Texas	15	589
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	5,097
NCAT : Nueces River at Calallen, Texas	107	2,780
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	340	8,765

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 8,765	0
Estuary Inflows (Measured at NCAT)	2,780
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/25/2003
12/24/2003	142	3,396	51,127	3,050	-346	44.0	43.2

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 26, 2003

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/26/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/26/2003	220.0	682,860	98.2%	93.8	237,977	98.6%	920,837	98.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/25/2003	68	60	0.00	70	67	0.00	127
MTD		4,756	0.31		4,117	0.14	8,873

STREAM FLOWS

Gauging Station	12/25/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	252	6,846
NRTT : Nueces River at Tilden, Texas	151	4,532
FRTT : Frio River at Tilden, Texas	143	3,722
SMTT : San Miguel Creek at Tilden, Texas	7	171
ARWT : Atascosa River at Whitsett, Texas	15	604
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	5,209
NCAT : Nueces River at Calallen, Texas	36	2,816
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	336	9,101

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 9,101	0
Estuary Inflows (Measured at NCAT)	2,816
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/26/2003
12/25/2003	128	3,524	51,255	3,050	-474	44.0	43.2

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 27, 2003

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/27/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/27/2003	220.0	683,374	98.3%	93.8	237,785	98.6%	921,159	98.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/26/2003	79	120	0.00	79	123	0.00	243
MTD		4,876	0.31		4,240	0.14	9,116

STREAM FLOWS

Gauging Station	12/26/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	244	7,090
NRTT : Nueces River at Tilden, Texas	151	4,683
FRTT : Frio River at Tilden, Texas	143	3,865
SMTT : San Miguel Creek at Tilden, Texas	6	176
ARWT : Atascosa River at Whitsett, Texas	16	619
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	113	5,322
NCAT : Nueces River at Calallen, Texas	28	2,844
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	327	9,429

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 9,429	0
Estuary Inflows (Measured at NCAT)	2,844
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/27/2003
12/26/2003	142	3,665	51,397	3,050	-615	44.0	43.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 28, 2003**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/28/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/28/2003	220.1	683,889	98.4%	93.8	238,168	98.7%	922,057	98.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/27/2003	75	90	0.00	72	100	0.00	190	
MTD		4,966	0.31		4,340	0.14	9,306	

STREAM FLOWS

Gauging Station	12/27/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	244	7,335
NRTT : Nueces River at Tilden, Texas	135	4,818
FRIT : Frio River at Tilden, Texas	145	4,010
SMTT : San Miguel Creek at Tilden, Texas	6	182
ARWT : Atascosa River at Whitsett, Texas	20	639
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	113	5,435
NCAT : Nueces River at Calallen, Texas	30	2,874
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	330	9,758

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 9,758	0
Estuary Inflows (Measured at NCAT)	2,874
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/28/2003
12/27/2003	141	3,807	51,538	3,050	-757	44.0	43.2

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 29, 2003

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/29/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/29/2003	220.1	684,403	98.4%	93.9	238,743	99.0%	923,146	98.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/28/2003	69	195	0.16	71	11	0.22	206
MTD		5,161	0.47		4,351	0.36	9,512

STREAM FLOWS

Gauging Station	12/28/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	232	7,567
NRTT : Nueces River at Tilden, Texas	131	4,949
FRIT : Frio River at Tilden, Texas	145	4,155
SMTT : San Miguel Creek at Tilden, Texas	6	189
ARWT : Atascosa River at Whitsett, Texas	19	658
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	234	5,669
NCAT : Nueces River at Calallen, Texas	40	2,913
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	318	10,076

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 10,076	0
Estuary Inflows (Measured at NCAT)	2,913
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/29/2003
12/28/2003	141	3,948	51,680	3,050	-898	44.0	43.2

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 30, 2003

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/30/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/30/2003	220.1	683,889	98.4%	93.8	237,977	98.6%	921,866	98.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/29/2003	62	210	0.00	60	178	0.00	388
MTD		5,371	0.47		4,529	0.36	9,900

STREAM FLOWS

Gauging Station	12/29/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	222	7,789
NRTT : Nueces River at Tilden, Texas	125	5,074
FRIT : Frio River at Tilden, Texas	145	4,300
SMTT : San Miguel Creek at Tilden, Texas	6	195
ARWT : Atascosa River at Whitsett, Texas	19	677
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	189	5,858
NCAT : Nueces River at Calallen, Texas	62	2,975
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	308	10,384

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 10,384	0
Estuary Inflows (Measured at NCAT)	2,975
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/30/2003
12/29/2003	141	4,089	51,821	3,050	-1,039	44.0	43.0

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 31, 2003

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/31/2002	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/31/2003	220.1	684,146	98.4%	93.8	237,785	98.6%	921,931	98.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/30/2003	65	180	0.00	64	234	0.00	414
MTD		5,551	0.47		4,763	0.36	10,314

STREAM FLOWS

Gauging Station	12/30/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	212	8,002
NRTT : Nueces River at Tilden, Texas	121	5,195
FRTT : Frio River at Tilden, Texas	143	4,442
SMTT : San Miguel Creek at Tilden, Texas	6	200
ARWT : Atascosa River at Whitsett, Texas	18	695
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	119	5,977
NCAT : Nueces River at Calallen, Texas	93	3,068
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	296	10,679

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 10,679	0
Estuary Inflows (Measured at NCAT)	3,068
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	12/31/2003
12/30/2003	141	4,230	51,961	3,050	-1,180	44.0	43.0