

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 1, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/01/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/01/2004	220.1	684,403	98.4%	93.8	237,403	98.4%	921,806	98.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/31/2003	70	30	0.03	69	56	0.00	86
MTD		5,581	0.50		4,819	0.36	10,400

STREAM FLOWS

Gauging Station	12/31/2003 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	206	8,208
NRTT : Nueces River at Tilden, Texas	125	5,320
FRIT : Frio River at Tilden, Texas	141	4,583
SMTT : San Miguel Creek at Tilden, Texas	6	206
ARWT : Atascosa River at Whitsett, Texas	17	712
Release from Choke Canyon Reservoir	66	2,031
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	119	6,096
NCAT : Nueces River at Calallen, Texas	56	3,124
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	287	10,967

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 4,500 Effective: 12/01/2003	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2003)	500
Passthru Target: 0 Reservoir Inflow: 10,967	0
Estuary Inflows (Measured at NCAT)	3,124
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2003		Elevation (Ft)	
				Allocation	Remaining	Full	01/01/2004
12/31/2003	141	4,371	52,102	3,050	-1,321	44.0	43.0

Report Generated: 01/01/2004 at 8:42:21 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 2, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/02/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/02/2004	220.1	684,403	98.4%	93.8	237,977	98.6%	922,380	98.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/01/2004	76	90	0.00	78	89	0.00	179
MTD		90	0.00		89	0.00	179

STREAM FLOWS

Gauging Station	01/01/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	204	204
NRTT : Nueces River at Tilden, Texas	133	133
FRIT : Frio River at Tilden, Texas	139	139
SMTT : San Miguel Creek at Tilden, Texas	6	6
ARWT : Atascosa River at Whitsett, Texas	17	17
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	119	119
NCAT : Nueces River at Calallen, Texas	38	38
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	283	283

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 283	283
Estuary Inflows (Measured at NCAT)	38
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/02/2004
01/01/2004	141	141	141	3,050	2,909	44.0	43.0

Report Generated: 01/02/2004 at 10:04:38 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 3, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/03/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/03/2004	220.1	684,146	98.4%	93.8	237,494	98.4%	921,640	98.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/02/2004	84	150	0.00	84	178	0.00	328
MTD		240	0.00		267	0.00	507

STREAM FLOWS

Gauging Station	01/02/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	212	417
NRRT : Nueces River at Tilden, Texas	139	272
FRRT : Frio River at Tilden, Texas	141	280
SMTT : San Miguel Creek at Tilden, Texas	3	9
ARWT : Atascosa River at Whitsett, Texas	17	34
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	119	238
NCAT : Nueces River at Calallen, Texas	26	64
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	291	575

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 575	575
Estuary Inflows (Measured at NCAT)	64
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/03/2004
01/02/2004	141	282	282	3,050	2,768	44.0	42.9

Report Generated: 01/03/2004 at 8:41:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 4, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/04/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/04/2004	220.1	684,146	98.4%	93.8	237,977	98.6%	922,123	98.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/03/2004	83	210	0.00	79	145	0.00	355
MTD		450	0.00		412	0.00	862

STREAM FLOWS

Gauging Station	01/03/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	218	635
NRTT : Nueces River at Tilden, Texas	141	413
FRIT : Frio River at Tilden, Texas	143	423
SMTT : San Miguel Creek at Tilden, Texas	3	12
ARWT : Atascosa River at Whitsett, Texas	17	51
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	119	357
NCAT : Nueces River at Calallen, Texas	17	80
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	299	873

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 873	873
Estuary Inflows (Measured at NCAT)	80
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/04/2004
01/03/2004	141	422	422	3,050	2,628	44.0	42.9

Report Generated: 01/04/2004 at 9:08:40 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 5, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/05/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/05/2004	220.1	683,889	98.4%	93.9	239,510	99.3%	923,399	98.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/04/2004	81	389	0.00	79	212	0.00	601
MTD		839	0.00		624	0.00	1,463

STREAM FLOWS

Gauging Station	01/04/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	222	858
NRTT : Nueces River at Tilden, Texas	141	554
FRIT : Frio River at Tilden, Texas	141	564
SMTT : San Miguel Creek at Tilden, Texas	2	13
ARWT : Atascosa River at Whitsett, Texas	18	69
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	117	474
NCAT : Nueces River at Calallen, Texas	32	112
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	299	1,173

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 1,173	1,173
Estuary Inflows (Measured at NCAT)	112
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/05/2004
01/04/2004	141	563	563	3,050	2,487	44.0	42.9

Report Generated: 01/05/2004 at 7:54:20 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 6, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/06/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/06/2004	220.0	683,632	98.3%	93.9	239,318	99.2%	922,950	98.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/05/2004	49	240	0.00	51	224	0.00	464
MTD		1,079	0.00		848	0.00	1,927

STREAM FLOWS

Gauging Station	01/05/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	220	1,078
NRRT : Nueces River at Tilden, Texas	139	693
FRRT : Frio River at Tilden, Texas	141	705
SMTT : San Miguel Creek at Tilden, Texas	0	13
ARWT : Atascosa River at Whitsett, Texas	15	84
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	187	661
NCAT : Nueces River at Calallen, Texas	16	128
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	296	1,468

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 1,468	1,468
Estuary Inflows (Measured at NCAT)	128
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/06/2004
01/05/2004	140	703	703	3,050	2,347	44.0	43.0

Report Generated: 01/06/2004 at 9:54:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 7, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/07/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/07/2004	220.0	683,374	98.3%	93.8	237,403	98.4%	920,777	98.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/06/2004	41	180	0.00	41	111	0.00	291
MTD		1,259	0.00		959	0.00	2,218

STREAM FLOWS

Gauging Station	01/06/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	212	1,290
NRTT : Nueces River at Tilden, Texas	137	830
FRIT : Frio River at Tilden, Texas	139	844
SMTT : San Miguel Creek at Tilden, Texas	0	13
ARWT : Atascosa River at Whitsett, Texas	14	98
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	844
NCAT : Nueces River at Calallen, Texas	38	166
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	286	1,754

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 1,754	1,754
Estuary Inflows (Measured at NCAT)	166
PassThru Surplus / -Deficit:	161

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/07/2004
01/06/2004	140	843	843	3,050	2,207	44.0	42.9

Report Generated: 01/07/2004 at 9:49:03 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 8, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/08/2003	220.4	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
01/08/2004	220.0	682,860	98.2%	93.8	237,020	98.3%	919,880	98.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/07/2004	49	45	0.16	46	11	0.59	56
MTD		1,304	0.16		970	0.59	2,274

STREAM FLOWS

Gauging Station	01/07/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	212	1,503
NRTT : Nueces River at Tilden, Texas	137	967
FRIT : Frio River at Tilden, Texas	139	983
SMTT : San Miguel Creek at Tilden, Texas	0	13
ARWT : Atascosa River at Whitsett, Texas	14	112
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	1,026
NCAT : Nueces River at Calallen, Texas	38	203
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	286	2,040

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 2,040	2,040
Estuary Inflows (Measured at NCAT)	203
PassThru Surplus / -Deficit:	-87

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/08/2004
01/07/2004	140	984	984	3,050	2,066	44.0	42.8

Report Generated: 01/08/2004 at 8:52:25 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 9, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/09/2003	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%
01/09/2004	220.0	682,603	98.2%	93.8	238,360	98.8%	920,963	98.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/08/2004	57	30	0.03	56	11	0.01	41
MTD		1,334	0.19		981	0.60	2,315

STREAM FLOWS

Gauging Station	01/08/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	212	1,715
NRRT : Nueces River at Tilden, Texas	133	1,100
FRRT : Frio River at Tilden, Texas	133	1,116
SMTT : San Miguel Creek at Tilden, Texas	0	13
ARWT : Atascosa River at Whitsett, Texas	13	126
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	1,167
NCAT : Nueces River at Calallen, Texas	34	237
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	280	2,320

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 2,320	2,320
Estuary Inflows (Measured at NCAT)	237
PassThru Surplus / -Deficit:	-333

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/09/2004
01/08/2004	140	1,124	1,124	3,050	1,926	44.0	42.8

Report Generated: 01/09/2004 at 8:35:26 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 10, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/10/2003	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%
01/10/2004	220.0	682,091	98.1%	93.8	238,168	98.7%	920,259	98.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/09/2004	68	179	0.00	65	156	0.00	335
MTD		1,513	0.19		1,137	0.60	2,650

STREAM FLOWS

Gauging Station	01/09/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	208	1,923
NRRT : Nueces River at Tilden, Texas	133	1,233
FRRT : Frio River at Tilden, Texas	131	1,247
SMTT : San Miguel Creek at Tilden, Texas	0	13
ARWT : Atascosa River at Whitsett, Texas	14	140
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	131	1,298
NCAT : Nueces River at Calallen, Texas	14	251
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	274	2,594

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 2,594	2,500
Estuary Inflows (Measured at NCAT)	251
PassThru Surplus / -Deficit:	-499

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/10/2004
01/09/2004	140	1,265	1,265	3,050	1,785	44.0	42.8

Report Generated: 01/10/2004 at 8:34:40 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 11, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/11/2003	220.4	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
01/11/2004	220.0	681,836	98.1%	93.8	237,403	98.4%	919,239	98.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/10/2004	63	164	0.00	65	123	0.00	287
MTD		1,677	0.19		1,260	0.60	2,937

STREAM FLOWS

Gauging Station	01/10/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	204	2,128
NRRT : Nueces River at Tilden, Texas	137	1,370
FRRT : Frio River at Tilden, Texas	131	1,378
SMTT : San Miguel Creek at Tilden, Texas	0	13
ARWT : Atascosa River at Whitsett, Texas	13	154
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	109	1,407
NCAT : Nueces River at Calallen, Texas	28	279
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	270	2,864

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 2,864	2,500
Estuary Inflows (Measured at NCAT)	279
PassThru Surplus / -Deficit:	-471

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/11/2004
01/10/2004	140	1,405	1,405	3,050	1,645	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 12, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/12/2003	220.4	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
01/12/2004	220.0	681,582	98.0%	93.8	237,403	98.4%	918,985	98.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/11/2004	66	134	0.00	64	123	0.00	257
MTD		1,811	0.19		1,383	0.60	3,194

STREAM FLOWS

Gauging Station	01/11/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	204	2,332
NRRT : Nueces River at Tilden, Texas	137	1,507
FRRT : Frio River at Tilden, Texas	131	1,509
SMTT : San Miguel Creek at Tilden, Texas	0	13
ARWT : Atascosa River at Whitsett, Texas	12	166
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	107	1,515
NCAT : Nueces River at Calallen, Texas	34	312
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	270	3,134

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 3,134	2,500
Estuary Inflows (Measured at NCAT)	312
PassThru Surplus / -Deficit:	-438

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/12/2004
01/11/2004	140	1,545	1,545	3,050	1,505	44.0	42.8

Report Generated: 01/12/2004 at 8:41:42 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 13, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/13/2003	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%
01/13/2004	220.0	681,582	98.0%	93.8	237,403	98.4%	918,985	98.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/12/2004	70	120	0.00	70	111	0.00	231
MTD		1,931	0.19		1,494	0.60	3,425

STREAM FLOWS

Gauging Station	01/12/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	208	2,541
NRRT : Nueces River at Tilden, Texas	137	1,644
FRRT : Frio River at Tilden, Texas	129	1,638
SMTT : San Miguel Creek at Tilden, Texas	0	13
ARWT : Atascosa River at Whitsett, Texas	12	177
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	1,620
NCAT : Nueces River at Calallen, Texas	7	319
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	272	3,406

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 3,406	2,500
Estuary Inflows (Measured at NCAT)	319
PassThru Surplus / -Deficit:	-431

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/13/2004
01/12/2004	140	1,686	1,686	3,050	1,364	44.0	42.7

Report Generated: 01/13/2004 at 9:17:43 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 14, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/14/2003	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
01/14/2004	220.0	681,836	98.1%	93.8	237,403	98.4%	919,239	98.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/13/2004	73	90	0.00	70	11	0.00	101
MTD		2,021	0.19		1,505	0.60	3,526

STREAM FLOWS

Gauging Station	01/13/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	206	2,747
NRRT : Nueces River at Tilden, Texas	137	1,781
FRRT : Frio River at Tilden, Texas	125	1,763
SMTT : San Miguel Creek at Tilden, Texas	2	16
ARWT : Atascosa River at Whitsett, Texas	12	189
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	1,731
NCAT : Nueces River at Calallen, Texas	15	335
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	268	3,674

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 3,674	2,500
Estuary Inflows (Measured at NCAT)	335
PassThru Surplus / -Deficit:	-415

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/14/2004
01/13/2004	141	1,826	1,826	3,050	1,224	44.0	42.6

Report Generated: 01/14/2004 at 9:16:09 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 15, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/15/2003	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
01/15/2004	220.0	682,346	98.1%	93.8	237,494	98.4%	919,840	98.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/14/2004	66	15	0.17	67	11	0.06	26
MTD		2,036	0.36		1,516	0.66	3,552

STREAM FLOWS

Gauging Station	01/14/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	6	2,753
NRRT : Nueces River at Tilden, Texas	137	1,918
FRRT : Frio River at Tilden, Texas	127	1,890
SMTT : San Miguel Creek at Tilden, Texas	5	21
ARWT : Atascosa River at Whitsett, Texas	12	201
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	1,842
NCAT : Nueces River at Calallen, Texas	24	359
Reservoir Inflow		
Computed as: NRRT+FRRT+SMTT+ARWT	281	3,955

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 3,955	2,500
Estuary Inflows (Measured at NCAT)	359
PassThru Surplus / -Deficit:	-391

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/15/2004
01/14/2004	141	1,967	1,967	3,050	1,083	44.0	42.6

Report Generated: 01/15/2004 at 8:49:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 16, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/16/2003	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
01/16/2004	220.0	682,860	98.2%	93.8	237,785	98.6%	920,645	98.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/15/2004	67	15	0.17	67	100	0.34	115
MTD		2,051	0.53		1,616	1.00	3,667

STREAM FLOWS

Gauging Station	01/15/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	210	2,964
NRRT : Nueces River at Tilden, Texas	135	2,052
FRRT : Frio River at Tilden, Texas	131	2,021
SMTT : San Miguel Creek at Tilden, Texas	6	27
ARWT : Atascosa River at Whitsett, Texas	14	216
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	111	1,953
NCAT : Nueces River at Calallen, Texas	38	396
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	282	4,237

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 4,237	2,500
Estuary Inflows (Measured at NCAT)	396
PassThru Surplus / -Deficit:	-354

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/16/2004
01/15/2004	141	2,107	2,107	3,050	943	44.0	42.6

Report Generated: 01/16/2004 at 8:29:50 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 17, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/17/2003	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
01/17/2004	220.1	684,660	98.5%	93.9	238,743	99.0%	923,403	98.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/16/2004	70	45	0.40	70	11	0.28	56
MTD		2,096	0.93		1,627	1.28	3,723

STREAM FLOWS

Gauging Station	01/16/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	216	3,180
NRRT : Nueces River at Tilden, Texas	131	2,184
FRRT : Frio River at Tilden, Texas	139	2,160
SMTT : San Miguel Creek at Tilden, Texas	7	34
ARWT : Atascosa River at Whitsett, Texas	18	233
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	115	2,068
NCAT : Nueces River at Calallen, Texas	18	415
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	296	4,534

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 4,534	2,500
Estuary Inflows (Measured at NCAT)	415
PassThru Surplus / -Deficit:	-335

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/17/2004
01/16/2004	120	2,228	2,228	3,050	822	44.0	42.6

Report Generated: 01/17/2004 at 8:33:03 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 18, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/18/2003	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%
01/18/2004	220.1	685,436	98.6%	93.9	240,087	99.5%	925,523	98.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/17/2004	71	255	0.00	76	213	0.00	468
MTD		2,351	0.93		1,840	1.28	4,191

STREAM FLOWS

Gauging Station	01/17/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	214	3,394
NRRT : Nueces River at Tilden, Texas	127	2,311
FRRT : Frio River at Tilden, Texas	141	2,301
SMTT : San Miguel Creek at Tilden, Texas	7	41
ARWT : Atascosa River at Whitsett, Texas	20	253
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	137	2,205
NCAT : Nueces River at Calallen, Texas	46	461
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	297	4,830

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 4,830	2,500
Estuary Inflows (Measured at NCAT)	461
PassThru Surplus / -Deficit:	-289

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/18/2004
01/17/2004	139	2,366	2,366	3,050	684	44.0	42.6

Report Generated: 01/18/2004 at 8:32:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 19, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/19/2003	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
01/19/2004	220.1	685,176	98.5%	93.9	239,127	99.1%	924,303	98.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/18/2004	59	240	0.00	60	212	0.00	452
MTD		2,591	0.93		2,052	1.28	4,643

STREAM FLOWS

Gauging Station	01/18/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	204	3,599
NRRT : Nueces River at Tilden, Texas	121	2,432
FRRT : Frio River at Tilden, Texas	139	2,440
SMTT : San Miguel Creek at Tilden, Texas	7	48
ARWT : Atascosa River at Whitsett, Texas	24	277
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	651	2,856
NCAT : Nueces River at Calallen, Texas	73	534
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	285	5,116

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 5,116	2,500
Estuary Inflows (Measured at NCAT)	534
PassThru Surplus / -Deficit:	-216

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/19/2004
01/18/2004	139	2,506	2,506	3,050	544	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 20, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/20/2003	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
01/20/2004	220.1	684,917	98.5%	93.8	237,494	98.4%	922,411	98.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/19/2004	59	165	0.00	56	212	0.00	377
MTD		2,756	0.93		2,264	1.28	5,020

STREAM FLOWS

Gauging Station	01/19/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	198	3,797
NRRT : Nueces River at Tilden, Texas	115	2,547
FRRT : Frio River at Tilden, Texas	143	2,582
SMTT : San Miguel Creek at Tilden, Texas	7	55
ARWT : Atascosa River at Whitsett, Texas	24	301
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	135	2,991
NCAT : Nueces River at Calallen, Texas	457	991
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	283	5,398

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 5,398	2,500
Estuary Inflows (Measured at NCAT)	991
PassThru Surplus / -Deficit:	241

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/20/2004
01/19/2004	139	2,645	2,645	3,050	405	44.0	44.0

Report Generated: 01/20/2004 at 8:50:53 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 21, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/21/2003	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
01/21/2004	220.1	684,403	98.4%	93.8	237,494	98.4%	921,897	98.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/20/2004	63	120	0.00	62	123	0.00	243
MTD		2,876	0.93		2,387	1.28	5,263

STREAM FLOWS

Gauging Station	01/20/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	191	3,988
NRTT : Nueces River at Tilden, Texas	113	2,660
FRIT : Frio River at Tilden, Texas	143	2,725
SMTT : San Miguel Creek at Tilden, Texas	6	61
ARWT : Atascosa River at Whitsett, Texas	26	327
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	101	3,093
NCAT : Nueces River at Calallen, Texas	210	1,201
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	274	5,672

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 5,672	2,500
Estuary Inflows (Measured at NCAT)	1,201
PassThru Surplus / -Deficit:	451

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/21/2004
01/20/2004	139	2,784	2,784	3,050	266	44.0	44.0

Report Generated: 01/21/2004 at 8:38:55 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 22, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/22/2003	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%
01/22/2004	220.0	683,632	98.3%	93.8	237,494	98.4%	921,126	98.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/21/2004	61	90	0.04	59	67	0.00	157
MTD		2,966	0.97		2,454	1.28	5,420

STREAM FLOWS

Gauging Station	01/21/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	191	4,178
NRRT : Nueces River at Tilden, Texas	111	2,771
FRRT : Frio River at Tilden, Texas	155	2,880
SMTT : San Miguel Creek at Tilden, Texas	6	66
ARWT : Atascosa River at Whitsett, Texas	20	346
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	99	3,192
NCAT : Nueces River at Calallen, Texas	71	1,272
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	285	5,958

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 5,958	2,500
Estuary Inflows (Measured at NCAT)	1,272
PassThru Surplus / -Deficit:	522

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/22/2004
01/21/2004	139	2,923	2,923	3,050	127	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 23, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/23/2003	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%
01/23/2004	220.1	685,176	98.5%	93.8	237,403	98.4%	922,579	98.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/22/2004	54	60	0.10	55	45	0.04	105
MTD		3,026	1.07		2,499	1.32	5,525

STREAM FLOWS

Gauging Station	01/22/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	185	4,363
NRRT : Nueces River at Tilden, Texas	109	2,880
FRRT : Frio River at Tilden, Texas	212	3,093
SMTT : San Miguel Creek at Tilden, Texas	6	72
ARWT : Atascosa River at Whitsett, Texas	18	365
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	99	3,291
NCAT : Nueces River at Calallen, Texas	19	1,292
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	337	6,295

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 6,295	2,500
Estuary Inflows (Measured at NCAT)	1,292
PassThru Surplus / -Deficit:	542

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/23/2004
01/22/2004	139	3,062	3,062	3,050	-12	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 24, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/24/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/24/2004	220.2	686,214	98.7%	93.8	238,168	98.7%	924,382	98.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/23/2004	64	90	0.50	62	45	0.62	135
MTD		3,116	1.57		2,544	1.94	5,660

STREAM FLOWS

Gauging Station	01/23/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	179	4,542
NRRT : Nueces River at Tilden, Texas	111	2,991
FRRT : Frio River at Tilden, Texas	214	3,307
SMTT : San Miguel Creek at Tilden, Texas	6	78
ARWT : Atascosa River at Whitsett, Texas	16	381
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	101	3,392
NCAT : Nueces River at Calallen, Texas	24	1,316
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	333	6,628

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 6,628	2,500
Estuary Inflows (Measured at NCAT)	1,316
PassThru Surplus / -Deficit:	566

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/24/2004
01/23/2004	139	3,202	3,202	3,050	-152	44.0	44.0

Report Generated: 01/24/2004 at 8:35:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 25, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/25/2003	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%
01/25/2004	220.2	686,473	98.7%	93.9	238,551	98.9%	925,024	98.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/24/2004	68	75	0.11	67	33	0.13	108
MTD		3,191	1.68		2,577	2.07	5,768

STREAM FLOWS

Gauging Station	01/24/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	185	4,726
NRRT : Nueces River at Tilden, Texas	115	3,107
FRRT : Frio River at Tilden, Texas	189	3,496
SMTT : San Miguel Creek at Tilden, Texas	8	86
ARWT : Atascosa River at Whitsett, Texas	17	398
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	3,498
NCAT : Nueces River at Calallen, Texas	42	1,357
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	316	6,944

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 6,944	2,500
Estuary Inflows (Measured at NCAT)	1,357
PassThru Surplus / -Deficit:	607

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/25/2004
01/24/2004	139	3,341	3,341	3,050	-291	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 26, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/26/2003	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%
01/26/2004	220.2	686,214	98.7%	93.9	239,127	99.1%	925,341	98.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/25/2004	73	165	0.00	78	168	0.00	333
MTD		3,356	1.68		2,745	2.07	6,101

STREAM FLOWS

Gauging Station	01/25/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	185	4,911
NRRT : Nueces River at Tilden, Texas	121	3,228
FRRT : Frio River at Tilden, Texas	173	3,668
SMTT : San Miguel Creek at Tilden, Texas	10	95
ARWT : Atascosa River at Whitsett, Texas	22	420
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	3,603
NCAT : Nueces River at Calallen, Texas	46	1,403
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	301	7,245

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 7,245	2,500
Estuary Inflows (Measured at NCAT)	1,403
PassThru Surplus / -Deficit:	653

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/26/2004
01/25/2004	139	3,480	3,480	3,050	-430	44.0	44.0

Report Generated: 01/26/2004 at 8:40:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 27, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/27/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/27/2004	220.1	685,955	98.7%	93.8	238,168	98.7%	924,123	98.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/26/2004	72	360	0.00	72	335	0.12	695
MTD		3,716	1.68		3,080	2.19	6,796

STREAM FLOWS

Gauging Station	01/26/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	187	5,098
NRIT : Nueces River at Tilden, Texas	137	3,365
FRIT : Frio River at Tilden, Texas	165	3,833
SMTT : San Miguel Creek at Tilden, Texas	9	104
ARWT : Atascosa River at Whitsett, Texas	26	446
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	333	3,936
NCAT : Nueces River at Calallen, Texas	54	1,457
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	295	7,540

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 7,540	2,500
Estuary Inflows (Measured at NCAT)	1,457
PassThru Surplus / -Deficit:	707

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/27/2004
01/26/2004	139	3,619	3,619	3,050	-569	44.0	44.0

Report Generated: 01/27/2004 at 10:11:59 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 28, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/28/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/28/2004	220.1	685,695	98.6%	93.8	237,977	98.6%	923,672	98.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/27/2004	58	195	0.00	55	134	0.00	329
MTD		3,911	1.68		3,214	2.19	7,125

STREAM FLOWS

Gauging Station	01/27/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	198	5,296
NRRT : Nueces River at Tilden, Texas	143	3,507
FRRT : Frio River at Tilden, Texas	159	3,992
SMTT : San Miguel Creek at Tilden, Texas	8	112
ARWT : Atascosa River at Whitsett, Texas	26	472
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	135	4,071
NCAT : Nueces River at Calallen, Texas	117	1,574
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	299	7,839

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 7,839	2,500
Estuary Inflows (Measured at NCAT)	1,574
PassThru Surplus / -Deficit:	824

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/28/2004
01/27/2004	139	3,758	3,758	3,050	-708	44.0	44.0

Report Generated: 01/28/2004 at 8:30:39 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 29, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/29/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/29/2004	220.1	685,436	98.6%	93.8	237,977	98.6%	923,413	98.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/28/2004	58	75	0.00	58	56	0.09	131
MTD		3,986	1.68		3,270	2.28	7,256

STREAM FLOWS

Gauging Station	01/28/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	214	5,510
NRRT : Nueces River at Tilden, Texas	145	3,652
FRRT : Frio River at Tilden, Texas	157	4,149
SMTT : San Miguel Creek at Tilden, Texas	6	118
ARWT : Atascosa River at Whitsett, Texas	24	495
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	4,176
NCAT : Nueces River at Calallen, Texas	105	1,679
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	312	8,151

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 8,151	2,500
Estuary Inflows (Measured at NCAT)	1,679
PassThru Surplus / -Deficit:	929

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/29/2004
01/28/2004	139	3,897	3,897	3,050	-847	44.0	44.0

Report Generated: 01/29/2004 at 8:00:13 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 30, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/30/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/30/2004	220.1	685,955	98.7%	93.9	238,935	99.0%	924,890	98.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/29/2004	67	60	0.01	71	45	0.04	105
MTD		4,046	1.69		3,315	2.32	7,361

STREAM FLOWS

Gauging Station	01/29/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	230	5,741
NRRT : Nueces River at Tilden, Texas	145	3,797
FRRT : Frio River at Tilden, Texas	155	4,303
SMTT : San Miguel Creek at Tilden, Texas	6	124
ARWT : Atascosa River at Whitsett, Texas	22	517
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	107	4,284
NCAT : Nueces River at Calallen, Texas	75	1,754
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	326	8,477

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 8,477	2,500
Estuary Inflows (Measured at NCAT)	1,754
PassThru Surplus / -Deficit:	1,004

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/30/2004
01/29/2004	139	4,035	4,035	3,050	-985	44.0	44.0

Report Generated: 01/30/2004 at 9:15:17 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: January 31, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
01/31/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/31/2004	220.1	684,917	98.5%	93.8	238,360	98.8%	923,277	98.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/30/2004	67	180	0.00	58	100	0.00	280
MTD		4,226	1.69		3,415	2.32	7,641

STREAM FLOWS

Gauging Station	01/30/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	242	5,983
NRRT : Nueces River at Tilden, Texas	139	3,936
FRRT : Frio River at Tilden, Texas	155	4,458
SMTT : San Miguel Creek at Tilden, Texas	6	130
ARWT : Atascosa River at Whitsett, Texas	20	537
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	137	4,421
NCAT : Nueces River at Calallen, Texas	79	1,834
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	337	8,814

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 8,814	2,500
Estuary Inflows (Measured at NCAT)	1,834
PassThru Surplus / -Deficit:	1,084

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	01/31/2004
01/30/2004	139	4,174	4,174	3,050	-1,124	44.0	44.1

Report Generated: 01/31/2004 at 7:36:22 AM