

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 1, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/01/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/01/2004	220.1	684,403	98.4%	93.8	238,360	98.8%	922,763	98.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/31/2004	68	105	0.00	64	100	0.00	205
MTD		4,331	1.69		3,515	2.32	7,846

STREAM FLOWS

Gauging Station	01/31/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	208	6,191
NRTT : Nueces River at Tilden, Texas	137	4,073
FRIT : Frio River at Tilden, Texas	157	4,615
SMTT : San Miguel Creek at Tilden, Texas	6	136
ARWT : Atascosa River at Whitsett, Texas	18	555
Release from Choke Canyon Reservoir	66	2,031
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	4,526
NCAT : Nueces River at Calallen, Texas	87	1,921
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	306	9,120

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 01/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 9,120	2,500
Estuary Inflows (Measured at NCAT)	1,921
PassThru Surplus / -Deficit:	1,171

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/01/2004
01/31/2004	139	4,313	4,313	3,050	-1,263	44.0	44.1

Report Generated: 02/01/2004 at 9:01:24 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 2, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/02/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/02/2004	220.1	684,403	98.4%	93.8	238,360	98.8%	922,763	98.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/01/2004	69	105	0.00	73	89	0.00	194
MTD		105	0.00		89	0.00	194

STREAM FLOWS

Gauging Station	02/01/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	198	198
NRTT : Nueces River at Tilden, Texas	139	139
FRIT : Frio River at Tilden, Texas	157	157
SMTT : San Miguel Creek at Tilden, Texas	6	6
ARWT : Atascosa River at Whitsett, Texas	16	16
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	103	103
NCAT : Nueces River at Calallen, Texas	22	22
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	296	296

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 296	296
Estuary Inflows (Measured at NCAT)	22
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/02/2004
02/01/2004	139	139	4,452	3,040	2,901	44.0	44.1

Report Generated: 02/02/2004 at 9:13:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 3, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/03/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/03/2004	220.1	684,146	98.4%	93.8	237,977	98.6%	922,123	98.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/02/2004	68	330	0.00	64	223	0.00	553
MTD		435	0.00		312	0.00	747

STREAM FLOWS

Gauging Station	02/02/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	197	395
NRTT : Nueces River at Tilden, Texas	139	278
FRTT : Frio River at Tilden, Texas	153	310
SMTT : San Miguel Creek at Tilden, Texas	6	12
ARWT : Atascosa River at Whitsett, Texas	14	30
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	125	228
NCAT : Nueces River at Calallen, Texas	6	28
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	290	586

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 586	586
Estuary Inflows (Measured at NCAT)	28
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/03/2004
02/02/2004	139	277	4,590	3,040	2,763	44.0	44.0

Report Generated: 02/03/2004 at 11:00:41 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 4, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/04/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/04/2004	220.1	684,146	98.4%	93.8	237,494	98.4%	921,640	98.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/03/2004	66	120	0.00	62	134	0.00	254
MTD		555	0.00		446	0.00	1,001

STREAM FLOWS

Gauging Station	02/03/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	195	590
NRTT : Nueces River at Tilden, Texas	139	417
FRTT : Frio River at Tilden, Texas	151	461
SMTT : San Miguel Creek at Tilden, Texas	6	17
ARWT : Atascosa River at Whitsett, Texas	13	43
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	97	326
NCAT : Nueces River at Calallen, Texas	11	38
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	285	871

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 871	871
Estuary Inflows (Measured at NCAT)	38
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/04/2004
02/03/2004	138	415	4,729	3,040	2,625	44.0	44.0

Report Generated: 02/04/2004 at 8:52:04 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 5, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/05/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/05/2004	220.1	684,403	98.4%	93.8	238,360	98.8%	922,763	98.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/04/2004	75	60	0.13	74	78	0.05	138
MTD		615	0.13		524	0.05	1,139

STREAM FLOWS

Gauging Station	02/04/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	195	784
NRTT : Nueces River at Tilden, Texas	137	554
FRIT : Frio River at Tilden, Texas	149	609
SMTT : San Miguel Creek at Tilden, Texas	6	23
ARWT : Atascosa River at Whitsett, Texas	13	56
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	95	421
NCAT : Nueces River at Calallen, Texas	36	74
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	283	1,154

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 1,154	1,154
Estuary Inflows (Measured at NCAT)	74
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/05/2004
02/04/2004	138	553	4,866	3,040	2,487	44.0	44.0

Report Generated: 02/05/2004 at 8:44:58 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 6, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/06/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/06/2004	220.1	684,403	98.4%	93.8	238,168	98.7%	922,571	98.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/05/2004	72	270	0.00	67	167	0.00	437
MTD		885	0.13		691	0.05	1,576

STREAM FLOWS

Gauging Station	02/05/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	198	983
NRTT : Nueces River at Tilden, Texas	135	689
FRIT : Frio River at Tilden, Texas	145	754
SMTT : San Miguel Creek at Tilden, Texas	6	29
ARWT : Atascosa River at Whitsett, Texas	13	70
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	105	526
NCAT : Nueces River at Calallen, Texas	7	81
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	283	1,438

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 1,438	1,438
Estuary Inflows (Measured at NCAT)	81
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/06/2004
02/05/2004	137	690	5,004	3,040	2,350	44.0	44.0

Report Generated: 02/06/2004 at 8:59:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 7, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/07/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/07/2004	220.1	684,146	98.4%	93.8	237,494	98.4%	921,640	98.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/06/2004	62	225	0.00	59	212	0.00	437
MTD		1,110	0.13		903	0.05	2,013

STREAM FLOWS

Gauging Station	02/06/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	195	1,177
NRTT : Nueces River at Tilden, Texas	135	824
FRTT : Frio River at Tilden, Texas	143	897
SMTT : San Miguel Creek at Tilden, Texas	5	34
ARWT : Atascosa River at Whitsett, Texas	13	83
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	681
NCAT : Nueces River at Calallen, Texas	11	92
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	277	1,715

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 1,715	1,715
Estuary Inflows (Measured at NCAT)	92
PassThru Surplus / -Deficit:	48

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/07/2004
02/06/2004	137	828	5,141	3,040	2,212	44.0	44.1

Report Generated: 02/07/2004 at 8:34:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 8, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/08/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/08/2004	220.1	683,889	98.4%	93.8	237,494	98.4%	921,383	98.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/07/2004	65	225	0.00	62	178	0.00	403
MTD		1,335	0.13		1,081	0.05	2,416

STREAM FLOWS

Gauging Station	02/07/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	191	1,368
NRTT : Nueces River at Tilden, Texas	139	963
FRIT : Frio River at Tilden, Texas	139	1,036
SMTT : San Miguel Creek at Tilden, Texas	5	39
ARWT : Atascosa River at Whitsett, Texas	14	97
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	101	782
NCAT : Nueces River at Calallen, Texas	34	126
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	269	1,984

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 1,984	1,984
Estuary Inflows (Measured at NCAT)	126
PassThru Surplus / -Deficit:	-188

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/08/2004
02/07/2004	138	966	5,279	3,040	2,074	44.0	44.1

Report Generated: 02/08/2004 at 8:44:43 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 9, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/09/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/09/2004	220.1	683,889	98.4%	93.8	237,403	98.4%	921,292	98.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/08/2004	65	105	0.00	64	123	0.00	228
MTD		1,440	0.13		1,204	0.05	2,644

STREAM FLOWS

Gauging Station	02/08/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	189	1,556
NRTT : Nueces River at Tilden, Texas	133	1,096
FRIT : Frio River at Tilden, Texas	139	1,175
SMTT : San Miguel Creek at Tilden, Texas	5	44
ARWT : Atascosa River at Whitsett, Texas	13	110
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	99	881
NCAT : Nueces River at Calallen, Texas	40	166
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	267	2,251

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 2,251	2,251
Estuary Inflows (Measured at NCAT)	166
PassThru Surplus / -Deficit:	-415

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/09/2004
02/08/2004	138	1,104	5,417	3,040	1,936	44.0	44.1

Report Generated: 02/09/2004 at 8:35:28 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 10, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/10/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/10/2004	220.0	683,632	98.3%	93.8	237,977	98.6%	921,609	98.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/09/2004	68	75	0.21	66	0	0.12	75
MTD		1,515	0.34		1,204	0.17	2,719

STREAM FLOWS

Gauging Station	02/09/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	189	1,745
NRTT : Nueces River at Tilden, Texas	131	1,227
FRIT : Frio River at Tilden, Texas	135	1,310
SMTT : San Miguel Creek at Tilden, Texas	5	49
ARWT : Atascosa River at Whitsett, Texas	14	124
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	103	985
NCAT : Nueces River at Calallen, Texas	17	183
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	263	2,514

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 2,514	2,500
Estuary Inflows (Measured at NCAT)	183
PassThru Surplus / -Deficit:	-646

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/10/2004
02/09/2004	138	1,242	5,555	3,040	1,798	44.0	43.9

Report Generated: 02/10/2004 at 9:33:39 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 11, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/11/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/11/2004	220.1	683,889	98.4%	93.9	238,551	98.9%	922,440	98.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/10/2004	53	15	0.02	63	11	0.09	26
MTD		1,530	0.36		1,215	0.26	2,745

STREAM FLOWS

Gauging Station	02/10/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	193	1,937
NRTT : Nueces River at Tilden, Texas	129	1,356
FRIT : Frio River at Tilden, Texas	135	1,445
SMTT : San Miguel Creek at Tilden, Texas	6	55
ARWT : Atascosa River at Whitsett, Texas	15	139
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	115	1,100
NCAT : Nueces River at Calallen, Texas	1	183
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	268	2,782

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 2,782	2,500
Estuary Inflows (Measured at NCAT)	183
PassThru Surplus / -Deficit:	-646

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/11/2004
02/10/2004	138	1,379	5,693	3,040	1,661	44.0	44.0

Report Generated: 02/11/2004 at 8:22:49 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 12, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/12/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/12/2004	220.0	683,374	98.3%	93.9	239,702	99.4%	923,076	98.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/11/2004	52	75	0.01	51	11	0.02	86
MTD		1,605	0.37		1,226	0.28	2,831

STREAM FLOWS

Gauging Station	02/11/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	191	2,128
NRTT : Nueces River at Tilden, Texas	131	1,487
FRIT : Frio River at Tilden, Texas	131	1,576
SMTT : San Miguel Creek at Tilden, Texas	6	60
ARWT : Atascosa River at Whitsett, Texas	16	154
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	1,243
NCAT : Nueces River at Calallen, Texas	15	199
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	262	3,044

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 3,044	2,500
Estuary Inflows (Measured at NCAT)	199
PassThru Surplus / -Deficit:	-630

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/12/2004
02/11/2004	138	1,518	5,831	3,040	1,522	44.0	44.0

Report Generated: 02/12/2004 at 8:20:57 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 13, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/13/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/13/2004	220.0	683,117	98.3%	93.8	238,360	98.8%	921,477	98.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/12/2004	48	105	0.00	48	45	0.13	150
MTD		1,710	0.37		1,271	0.41	2,981

STREAM FLOWS

Gauging Station	02/12/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	189	2,316
NRTT : Nueces River at Tilden, Texas	135	1,622
FRIT : Frio River at Tilden, Texas	133	1,709
SMTT : San Miguel Creek at Tilden, Texas	6	66
ARWT : Atascosa River at Whitsett, Texas	15	169
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	272	1,515
NCAT : Nueces River at Calallen, Texas	32	231
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	262	3,305

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 3,305	2,500
Estuary Inflows (Measured at NCAT)	231
PassThru Surplus / -Deficit:	-598

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/13/2004
02/12/2004	138	1,655	5,969	3,040	1,385	44.0	44.0

Report Generated: 02/13/2004 at 8:26:39 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 14, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/14/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/14/2004	220.0	683,632	98.3%	93.9	239,127	99.1%	922,759	98.5%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/13/2004	40	75	0.23	40	101	0.22	176
MTD		1,785	0.60		1,372	0.63	3,157

STREAM FLOWS

Gauging Station	02/13/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	189	2,505
NRTT : Nueces River at Tilden, Texas	133	1,755
FRTT : Frio River at Tilden, Texas	133	1,842
SMTT : San Miguel Creek at Tilden, Texas	6	71
ARWT : Atascosa River at Whitsett, Texas	17	186
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	101	1,616
NCAT : Nueces River at Calallen, Texas	127	358
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	262	3,567

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 3,567	2,500
Estuary Inflows (Measured at NCAT)	358
PassThru Surplus / -Deficit:	-471

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/14/2004
02/13/2004	138	1,793	6,106	3,040	1,247	44.0	44.0

Report Generated: 02/14/2004 at 8:22:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 15, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/15/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/15/2004	220.0	683,117	98.3%	93.8	237,785	98.6%	920,902	98.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/14/2004	60	209	0.00	58	134	0.01	343
MTD		1,994	0.60		1,506	0.64	3,500

STREAM FLOWS

Gauging Station	02/14/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	197	2,702
NRTT : Nueces River at Tilden, Texas	131	1,886
FRIT : Frio River at Tilden, Texas	129	1,971
SMTT : San Miguel Creek at Tilden, Texas	5	77
ARWT : Atascosa River at Whitsett, Texas	22	208
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	328	1,943
NCAT : Nueces River at Calallen, Texas	71	429
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	265	3,832

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 3,832	2,500
Estuary Inflows (Measured at NCAT)	429
PassThru Surplus / -Deficit:	-400

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/15/2004
02/14/2004	137	1,931	6,244	3,040	1,109	44.0	44.0

Report Generated: 02/15/2004 at 8:16:53 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 16, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/16/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/16/2004	220.0	682,860	98.2%	93.8	237,977	98.6%	920,837	98.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/15/2004	66	180	0.00	58	134	0.00	314
MTD		2,174	0.60		1,640	0.64	3,814

STREAM FLOWS

Gauging Station	02/15/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	202	2,904
NRRT : Nueces River at Tilden, Texas	127	2,013
FRRT : Frio River at Tilden, Texas	129	2,100
SMTT : San Miguel Creek at Tilden, Texas	5	82
ARWT : Atascosa River at Whitsett, Texas	18	226
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	93	2,037
NCAT : Nueces River at Calallen, Texas	169	598
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	271	4,104

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 4,104	2,500
Estuary Inflows (Measured at NCAT)	598
PassThru Surplus / -Deficit:	-231

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/16/2004
02/15/2004	137	2,068	6,381	3,040	972	44.0	44.0

Report Generated: 02/16/2004 at 8:56:24 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 17, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/17/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/17/2004	220.0	682,603	98.2%	93.8	237,977	98.6%	920,580	98.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/16/2004	71	165	0.00	68	167	0.00	332
MTD		2,339	0.60		1,807	0.64	4,146

STREAM FLOWS

Gauging Station	02/16/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	195	3,099
NRTT : Nueces River at Tilden, Texas	125	2,138
FRIT : Frio River at Tilden, Texas	131	2,231
SMTT : San Miguel Creek at Tilden, Texas	5	87
ARWT : Atascosa River at Whitsett, Texas	19	245
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	85	2,122
NCAT : Nueces River at Calallen, Texas	83	681
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	265	4,369

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 4,369	2,500
Estuary Inflows (Measured at NCAT)	681
PassThru Surplus / -Deficit:	-148

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/17/2004
02/16/2004	137	2,205	6,518	3,040	835	44.0	44.0

Report Generated: 02/17/2004 at 9:20:15 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 18, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/18/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/18/2004	220.0	683,374	98.3%	93.8	237,785	98.6%	921,159	98.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/17/2004	75	210	0.00	74	212	0.00	422
MTD		2,549	0.60		2,019	0.64	4,568

STREAM FLOWS

Gauging Station	02/17/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	187	3,285
NRTT : Nueces River at Tilden, Texas	125	2,263
FRIT : Frio River at Tilden, Texas	133	2,364
SMTT : San Miguel Creek at Tilden, Texas	5	92
ARWT : Atascosa River at Whitsett, Texas	17	262
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	85	2,207
NCAT : Nueces River at Calallen, Texas	11	692
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	259	4,628

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 4,628	2,500
Estuary Inflows (Measured at NCAT)	692
PassThru Surplus / -Deficit:	-137

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/18/2004
02/17/2004	137	2,342	6,655	3,040	698	44.0	43.9

Report Generated: 02/18/2004 at 8:57:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 19, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/19/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/19/2004	220.0	683,374	98.3%	93.8	237,211	98.3%	920,585	98.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/18/2004	76	269	0.00	73	200	0.00	469
MTD		2,818	0.60		2,219	0.64	5,037

STREAM FLOWS

Gauging Station	02/18/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	183	3,468
NRTT : Nueces River at Tilden, Texas	127	2,390
FRIT : Frio River at Tilden, Texas	135	2,499
SMTT : San Miguel Creek at Tilden, Texas	5	97
ARWT : Atascosa River at Whitsett, Texas	15	277
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	93	2,301
NCAT : Nueces River at Calallen, Texas	2	694
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	257	4,885

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 4,885	2,500
Estuary Inflows (Measured at NCAT)	694
PassThru Surplus / -Deficit:	-135

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/19/2004
02/18/2004	138	2,480	6,793	3,040	560	44.0	43.9

Report Generated: 02/19/2004 at 8:39:59 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 20, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/20/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/20/2004	220.0	683,374	98.3%	93.8	238,168	98.7%	921,542	98.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/19/2004	81	344	0.00	78	234	0.00	578
MTD		3,162	0.60		2,453	0.64	5,615

STREAM FLOWS

Gauging Station	02/19/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	183	3,650
NRTT : Nueces River at Tilden, Texas	127	2,517
FRTT : Frio River at Tilden, Texas	161	2,660
SMTT : San Miguel Creek at Tilden, Texas	5	102
ARWT : Atascosa River at Whitsett, Texas	14	291
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	2,479
NCAT : Nueces River at Calallen, Texas	8	702
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	283	5,167

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 5,167	2,500
Estuary Inflows (Measured at NCAT)	702
PassThru Surplus / -Deficit:	-127

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/20/2004
02/19/2004	137	2,617	6,930	3,040	423	44.0	44.0

Report Generated: 02/20/2004 at 8:43:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 21, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/21/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/21/2004	220.0	683,117	98.3%	93.8	237,977	98.6%	921,094	98.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/20/2004	76	239	0.00	76	201	0.00	440
MTD		3,401	0.60		2,654	0.64	6,055

STREAM FLOWS

Gauging Station	02/20/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	185	3,835
NRTT : Nueces River at Tilden, Texas	67	2,584
FRIT : Frio River at Tilden, Texas	161	2,821
SMTT : San Miguel Creek at Tilden, Texas	5	106
ARWT : Atascosa River at Whitsett, Texas	15	306
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	198	2,678
NCAT : Nueces River at Calallen, Texas	15	716
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	285	5,452

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 5,452	2,500
Estuary Inflows (Measured at NCAT)	716
PassThru Surplus / -Deficit:	-113

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/21/2004
02/20/2004	101	2,718	7,031	3,040	322	44.0	44.0

Report Generated: 02/21/2004 at 10:37:18 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 22, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/22/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/22/2004	220.0	683,117	98.3%	93.8	237,403	98.4%	920,520	98.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/21/2004	75	299	0.00	72	290	0.00	589
MTD		3,700	0.60		2,944	0.64	6,644

STREAM FLOWS

Gauging Station	02/21/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	183	4,018
NRTT : Nueces River at Tilden, Texas	64	2,648
FRIT : Frio River at Tilden, Texas	161	2,981
SMTT : San Miguel Creek at Tilden, Texas	5	111
ARWT : Atascosa River at Whitsett, Texas	14	320
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	246	2,924
NCAT : Nueces River at Calallen, Texas	0	716
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	283	5,735

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 5,735	2,500
Estuary Inflows (Measured at NCAT)	716
PassThru Surplus / -Deficit:	-113

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/22/2004
02/21/2004	110	2,828	7,141	3,040	212	44.0	44.0

Report Generated: 02/22/2004 at 8:50:58 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 23, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/23/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/23/2004	220.0	683,117	98.3%	93.8	237,403	98.4%	920,520	98.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/22/2004	77	150	0.00	75	111	0.00	261
MTD		3,850	0.60		3,055	0.64	6,905

STREAM FLOWS

Gauging Station	02/22/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	179	4,196
NRTT : Nueces River at Tilden, Texas	62	2,710
FRTT : Frio River at Tilden, Texas	163	3,144
SMTT : San Miguel Creek at Tilden, Texas	5	116
ARWT : Atascosa River at Whitsett, Texas	13	333
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	3,079
NCAT : Nueces River at Calallen, Texas	42	758
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	281	6,016

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 6,016	2,500
Estuary Inflows (Measured at NCAT)	758
PassThru Surplus / -Deficit:	-71

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/23/2004
02/22/2004	138	2,966	7,279	3,040	74	44.0	44.0

Report Generated: 02/23/2004 at 9:09:05 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 24, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/24/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/24/2004	220.2	686,214	98.7%	93.8	237,785	98.6%	923,999	98.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/23/2004	78	300	1.70	79	190	0.20	490
MTD		4,150	2.30		3,245	0.84	7,395

STREAM FLOWS

Gauging Station	02/23/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	161	4,357
NRTT : Nueces River at Tilden, Texas	60	2,769
FRIT : Frio River at Tilden, Texas	159	3,303
SMTT : San Miguel Creek at Tilden, Texas	5	121
ARWT : Atascosa River at Whitsett, Texas	14	347
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	135	3,214
NCAT : Nueces River at Calallen, Texas	52	810
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	259	6,275

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 6,275	2,500
Estuary Inflows (Measured at NCAT)	810
PassThru Surplus / -Deficit:	-19

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/24/2004
02/23/2004	138	3,104	7,417	3,040	-64	44.0	44.0

Report Generated: 02/24/2004 at 9:15:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 25, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/25/2003	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%
02/25/2004	220.2	688,797	99.1%	93.8	238,168	98.7%	926,965	99.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/24/2004	65	181	0.70	66	Pan overflow	0.88	181	
MTD		4,331	3.00		3,245	1.72	7,576	

STREAM FLOWS

Gauging Station	02/24/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	206	4,564
NRTT : Nueces River at Tilden, Texas	73	2,843
FRIT : Frio River at Tilden, Texas	187	3,490
SMTT : San Miguel Creek at Tilden, Texas	8	129
ARWT : Atascosa River at Whitsett, Texas	22	368
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	171	3,384
NCAT : Nueces River at Calallen, Texas	48	857
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	335	6,610

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 6,610	2,500
Estuary Inflows (Measured at NCAT)	857
PassThru Surplus / -Deficit:	28

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/25/2004
02/24/2004	137	3,241	7,554	3,040	-201	44.0	44.0

Report Generated: 02/25/2004 at 9:35:14 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 26, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/26/2003	220.4	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
02/26/2004	220.2	688,025	99.0%	93.9	238,551	98.9%	926,576	98.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/25/2004	52	180	0.00	54	234	0.00	414
MTD		4,511	3.00		3,479	1.72	7,990

STREAM FLOWS

Gauging Station	02/25/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	572	5,135
NRTT : Nueces River at Tilden, Texas	143	2,985
FRIT : Frio River at Tilden, Texas	230	3,720
SMTT : San Miguel Creek at Tilden, Texas	8	137
ARWT : Atascosa River at Whitsett, Texas	161	529
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	998	4,383
NCAT : Nueces River at Calallen, Texas	75	933
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	744	7,354

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 7,354	2,500
Estuary Inflows (Measured at NCAT)	933
PassThru Surplus / -Deficit:	104

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/26/2004
02/25/2004	137	3,378	7,691	3,040	-338	44.0	44.1

Report Generated: 02/26/2004 at 8:55:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 27, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/28/2003	220.4	692,936	99.7%	94.0	241,241	100.0%	934,177	99.8%
02/28/2004	220.2	687,252	98.8%	93.9	238,935	99.0%	926,187	98.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/27/2004	69	255	0.00	67	190	0.00	445	
MTD		4,976	3.00		3,825	1.72	8,801	

STREAM FLOWS

Gauging Station	02/27/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	756	6,461
NRTT : Nueces River at Tilden, Texas	812	4,103
FRTT : Frio River at Tilden, Texas	252	4,182
SMTT : San Miguel Creek at Tilden, Texas	6	149
ARWT : Atascosa River at Whitsett, Texas	198	1,192
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	95	4,615
NCAT : Nueces River at Calallen, Texas	252	1,955
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	949	9,024

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 9,024	2,500
Estuary Inflows (Measured at NCAT)	1,955
PassThru Surplus / -Deficit:	1,126

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/28/2004
02/27/2004	137	3,651	7,964	3,040	-611	44.0	44.0

Report Generated: 02/28/2004 at 7:44:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 28, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/28/2003	220.4	692,936	99.7%	94.0	241,241	100.0%	934,177	99.8%
02/28/2004	220.2	687,252	98.8%	93.9	238,935	99.0%	926,187	98.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/27/2004	69	255	0.00	67	190	0.00	445	
MTD		4,976	3.00		3,825	1.72	8,801	

STREAM FLOWS

Gauging Station	02/27/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	756	6,461
NRTT : Nueces River at Tilden, Texas	812	4,103
FRIT : Frio River at Tilden, Texas	252	4,182
SMTT : San Miguel Creek at Tilden, Texas	6	149
ARWT : Atascosa River at Whitsett, Texas	198	1,192
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	95	4,615
NCAT : Nueces River at Calallen, Texas	252	1,955
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	949	9,024

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 9,024	2,500
Estuary Inflows (Measured at NCAT)	1,955
PassThru Surplus / -Deficit:	1,126

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/28/2004
02/27/2004	137	3,651	7,964	3,040	-611	44.0	44.0

Report Generated: 02/28/2004 at 7:44:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 29, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/28/2003	220.4	692,936	99.7%	94.0	241,241	100.0%	934,177	99.8%
02/29/2004	220.2	686,992	98.8%	93.8	237,977	98.6%	924,969	98.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/28/2004	68	225	0.00	69	145	0.00	370
MTD		5,201	3.00		3,970	1.72	9,171

STREAM FLOWS

Gauging Station	02/27/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1024	7,485
NRRT : Nueces River at Tilden, Texas	850	4,953
FRRT : Frio River at Tilden, Texas	224	4,406
SMTT : San Miguel Creek at Tilden, Texas	5	154
ARWT : Atascosa River at Whitsett, Texas	85	1,277
Release from Choke Canyon Reservoir	66	1,835
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	99	4,714
NCAT : Nueces River at Calallen, Texas	60	2,015
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,187	10,211

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 10,211	2,500
Estuary Inflows (Measured at NCAT)	2,015
PassThru Surplus / -Deficit:	1,186

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	02/29/2004
02/28/2004	137	3,788	8,101	3,040	-748	44.0	44.0

Report Generated: 03/01/2004 at 10:35:00 AM