

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 1, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/01/2003	220.4	693,455	99.7%	94.0	241,241	100.0%	934,696	99.8%
03/01/2004	220.2	686,992	98.8%	94.0	240,471	99.7%	927,463	99.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/29/2004	76	300	0.22	80	168	0.02	468
MTD		5,501	3.22		4,138	1.74	9,639

STREAM FLOWS

Gauging Station	02/29/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,060	8,545
NRTT : Nueces River at Tilden, Texas	677	5,629
FRTT : Frio River at Tilden, Texas	195	4,601
SMTT : San Miguel Creek at Tilden, Texas	5	160
ARWT : Atascosa River at Whitsett, Texas	50	1,327
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	101	4,816
NCAT : Nueces River at Calallen, Texas	22	2,036
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,194	11,407

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,171
Return Flow Credit (Effective: 02/01/2004)	500
Passthru Target: 2,500 Reservoir Inflow: 11,407	2,500
Estuary Inflows (Measured at NCAT)	2,036
PassThru Surplus / -Deficit:	1,207

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/01/2004
02/29/2004	137	3,925	8,238	3,040	-885	44.0	44.0

Report Generated: 03/01/2004 at 9:47:28 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 2, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/02/2003	220.4	693,455	99.7%	94.0	241,241	100.0%	934,696	99.8%
03/02/2004	220.2	687,768	98.9%	94.0	241,241	100.0%	929,009	99.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/01/2004	68	150	0.02	66	79	0.06	229
MTD		150	0.02		79	0.06	229

STREAM FLOWS

Gauging Station	03/01/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	889	889
NRTT : Nueces River at Tilden, Texas	339	339
FRIT : Frio River at Tilden, Texas	185	185
SMTT : San Miguel Creek at Tilden, Texas	5	5
ARWT : Atascosa River at Whitsett, Texas	34	34
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	149
NCAT : Nueces River at Calallen, Texas	3	3
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,014	1,014

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 1,014	1,014
Estuary Inflows (Measured at NCAT)	3
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/02/2004
03/01/2004	137	137	8,375	3,050	2,913	44.0	44.0

Report Generated: 03/02/2004 at 9:56:32 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 3, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/03/2003	220.4	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
03/03/2004	220.2	688,283	99.0%	94.0	241,048	99.9%	929,331	99.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/02/2004	66	105	0.00	78	90	0.00	195	
MTD		255	0.02		169	0.06	424	

STREAM FLOWS

Gauging Station	03/02/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	584	1,473
NRTT : Nueces River at Tilden, Texas	173	512
FRTT : Frio River at Tilden, Texas	197	381
SMTT : San Miguel Creek at Tilden, Texas	8	13
ARWT : Atascosa River at Whitsett, Texas	208	242
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	149	298
NCAT : Nueces River at Calallen, Texas	15	18
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	723	1,736

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 1,736	1,736
Estuary Inflows (Measured at NCAT)	18
PassThru Surplus / -Deficit:	-11

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/03/2004
03/02/2004	137	273	8,511	3,050	2,777	44.0	44.0

Report Generated: 03/03/2004 at 8:47:48 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 4, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/04/2003	220.4	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
03/04/2004	220.2	687,768	98.9%	94.0	241,241	100.0%	929,009	99.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/03/2004	77	180	0.01	76	157	0.05	337	
MTD		435	0.03		326	0.11	761	

STREAM FLOWS

Gauging Station	03/03/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	560	2,033
NRTT : Nueces River at Tilden, Texas	115	627
FRIT : Frio River at Tilden, Texas	200	582
SMTT : San Miguel Creek at Tilden, Texas	8	21
ARWT : Atascosa River at Whitsett, Texas	405	647
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	177	474
NCAT : Nueces River at Calallen, Texas	52	70
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	702	2,439

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 2,439	2,439
Estuary Inflows (Measured at NCAT)	70
PassThru Surplus / -Deficit:	-662

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/04/2004
03/03/2004	137	410	8,648	3,050	2,640	44.0	44.0

Report Generated: 03/04/2004 at 8:38:10 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 5, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/05/2003	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
03/05/2004	220.2	688,025	99.0%	94.0	241,241	100.0%	929,266	99.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/04/2004	78	150	0.03	74	45	0.00	195	
MTD		585	0.06		371	0.11	956	

STREAM FLOWS

Gauging Station	03/04/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	526	2,559
NRTT : Nueces River at Tilden, Texas	109	736
FRIT : Frio River at Tilden, Texas	191	772
SMTT : San Miguel Creek at Tilden, Texas	6	27
ARWT : Atascosa River at Whitsett, Texas	127	774
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	655
NCAT : Nueces River at Calallen, Texas	60	130
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	657	3,096

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 3,096	3,096
Estuary Inflows (Measured at NCAT)	130
PassThru Surplus / -Deficit:	-1,260

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/05/2004
03/04/2004	137	547	8,785	3,050	2,503	44.0	44.0

Report Generated: 03/05/2004 at 8:32:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 6, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/06/2003	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%
03/06/2004	220.2	688,797	99.1%	94.0	241,241	100.0%	930,038	99.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/05/2004	79	286	0.00	77	213	0.00	499
MTD		871	0.06		584	0.11	1,455

STREAM FLOWS

Gauging Station	03/05/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	345	2,904
NRTT : Nueces River at Tilden, Texas	111	848
FRIT : Frio River at Tilden, Texas	183	955
SMTT : San Miguel Creek at Tilden, Texas	6	33
ARWT : Atascosa River at Whitsett, Texas	89	863
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	222	877
NCAT : Nueces River at Calallen, Texas	38	167
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	468	3,564

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 3,564	3,500
Estuary Inflows (Measured at NCAT)	167
PassThru Surplus / -Deficit:	-1,626

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/06/2004
03/05/2004	136	683	8,921	3,050	2,367	44.0	44.0

Report Generated: 03/06/2004 at 8:32:09 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 7, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/07/2003	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%
03/07/2004	220.2	688,283	99.0%	94.0	241,241	100.0%	929,524	99.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/06/2004	79	286	0.00	79	247	0.00	533	
MTD		1,157	0.06		831	0.11	1,988	

STREAM FLOWS

Gauging Station	03/06/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	298	3,202
NRTT : Nueces River at Tilden, Texas	101	949
FRIT : Frio River at Tilden, Texas	181	1,135
SMTT : San Miguel Creek at Tilden, Texas	5	39
ARWT : Atascosa River at Whitsett, Texas	58	921
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	191	1,068
NCAT : Nueces River at Calallen, Texas	83	251
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	418	3,983

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 3,983	3,500
Estuary Inflows (Measured at NCAT)	251
PassThru Surplus / -Deficit:	-1,542

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/07/2004
03/06/2004	137	820	9,058	3,050	2,230	44.0	44.0

Report Generated: 03/07/2004 at 8:34:57 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 8, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/08/2003	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%
03/08/2004	220.2	688,025	99.0%	94.0	241,241	100.0%	929,266	99.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/07/2004	84	346	0.00	79	179	0.00	525
MTD		1,503	0.06		1,010	0.11	2,513

STREAM FLOWS

Gauging Station	03/07/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	262	3,464
NRTT : Nueces River at Tilden, Texas	91	1,040
FRIT : Frio River at Tilden, Texas	181	1,316
SMTT : San Miguel Creek at Tilden, Texas	5	43
ARWT : Atascosa River at Whitsett, Texas	44	965
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	185	1,253
NCAT : Nueces River at Calallen, Texas	52	302
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	382	4,365

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 4,365	3,500
Estuary Inflows (Measured at NCAT)	302
PassThru Surplus / -Deficit:	-1,491

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/08/2004
03/07/2004	136	956	9,194	3,050	2,094	44.0	44.0

Report Generated: 03/08/2004 at 8:50:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 9, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/09/2003	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%
03/09/2004	220.2	688,283	99.0%	94.0	241,241	100.0%	929,524	99.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/08/2004	76	376	0.00	73	292	0.00	668	
MTD		1,879	0.06		1,302	0.11	3,181	

STREAM FLOWS

Gauging Station	03/08/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	234	3,698
NRTT : Nueces River at Tilden, Texas	85	1,125
FRIT : Frio River at Tilden, Texas	181	1,497
SMTT : San Miguel Creek at Tilden, Texas	5	48
ARWT : Atascosa River at Whitsett, Texas	38	1,002
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	202	1,455
NCAT : Nueces River at Calallen, Texas	32	334
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	354	4,719

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 4,719	3,500
Estuary Inflows (Measured at NCAT)	334
PassThru Surplus / -Deficit:	-1,459

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/09/2004
03/08/2004	136	1,093	9,331	3,050	1,957	44.0	44.0

Report Generated: 03/09/2004 at 9:33:59 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 10, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/10/2003	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
03/10/2004	220.2	688,283	99.0%	94.0	241,241	100.0%	929,524	99.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/09/2004	82	376	0.00	78	101	0.00	477
MTD		2,255	0.06		1,403	0.11	3,658

STREAM FLOWS

Gauging Station	03/09/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	216	3,914
NRTT : Nueces River at Tilden, Texas	83	1,209
FRIT : Frio River at Tilden, Texas	173	1,669
SMTT : San Miguel Creek at Tilden, Texas	2	50
ARWT : Atascosa River at Whitsett, Texas	34	1,036
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	175	1,630
NCAT : Nueces River at Calallen, Texas	66	400
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	326	5,045

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 5,045	3,500
Estuary Inflows (Measured at NCAT)	400
PassThru Surplus / -Deficit:	-1,393

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/10/2004
03/09/2004	136	1,229	9,467	3,050	1,821	44.0	44.0

Report Generated: 03/10/2004 at 10:00:04 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 11, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/11/2003	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
03/11/2004	220.2	688,025	99.0%	94.0	241,241	100.0%	929,266	99.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/10/2004	79	361	0.00	76	359	0.00	720
MTD		2,616	0.06		1,762	0.11	4,378

STREAM FLOWS

Gauging Station	03/10/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	202	4,117
NRTT : Nueces River at Tilden, Texas	77	1,286
FRIT : Frio River at Tilden, Texas	173	1,842
SMTT : San Miguel Creek at Tilden, Texas	2	52
ARWT : Atascosa River at Whitsett, Texas	30	1,066
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	125	1,755
NCAT : Nueces River at Calallen, Texas	67	467
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	311	5,356

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 5,356	3,500
Estuary Inflows (Measured at NCAT)	467
PassThru Surplus / -Deficit:	-1,326

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/11/2004
03/10/2004	136	1,365	9,603	3,050	1,685	44.0	43.9

Report Generated: 03/11/2004 at 8:26:50 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 12, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/12/2003	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
03/12/2004	220.2	688,283	99.0%	94.0	241,241	100.0%	929,524	99.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/11/2004	76	256	0.00	73	336	0.00	592
MTD		2,872	0.06		2,098	0.11	4,970

STREAM FLOWS

Gauging Station	03/11/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	195	4,311
NRTT : Nueces River at Tilden, Texas	71	1,358
FRIT : Frio River at Tilden, Texas	173	2,015
SMTT : San Miguel Creek at Tilden, Texas	1	53
ARWT : Atascosa River at Whitsett, Texas	28	1,094
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	123	1,878
NCAT : Nueces River at Calallen, Texas	32	499
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	303	5,659

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 5,659	3,500
Estuary Inflows (Measured at NCAT)	499
PassThru Surplus / -Deficit:	-1,294

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/12/2004
03/11/2004	136	1,501	9,739	3,050	1,549	44.0	43.9

Report Generated: 03/12/2004 at 8:15:25 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 13, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/13/2003	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%
03/13/2004	220.3	689,311	99.1%	94.0	241,241	100.0%	930,552	99.4%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/12/2004	67	120	0.59	68	11	0.13	131
MTD		2,992	0.65		2,109	0.24	5,101

STREAM FLOWS

Gauging Station	03/12/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	185	4,496
NRTT : Nueces River at Tilden, Texas	67	1,425
FRIT : Frio River at Tilden, Texas	173	2,187
SMTT : San Miguel Creek at Tilden, Texas	1	54
ARWT : Atascosa River at Whitsett, Texas	26	1,120
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	123	2,001
NCAT : Nueces River at Calallen, Texas	4	503
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	293	5,952

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	
Monthly Target: 3,500	3,500
Salinity Relief Credit : 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru	
Target: 3,500	3,500
Reservoir Inflow: 5,952	
Estuary Inflows (Measured at NCAT)	503
PassThru Surplus / -Deficit:	-1,290

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/13/2004
03/12/2004	136	1,637	9,874	3,050	1,413	44.0	44.0

Report Generated: 03/13/2004 at 8:18:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 14, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/14/2003	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%
03/14/2004	220.3	691,121	99.4%	94.0	241,241	100.0%	932,362	99.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/13/2004	68	166	0.75	67	101	0.17	267
MTD		3,158	1.40		2,210	0.41	5,368

STREAM FLOWS

Gauging Station	03/13/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	202	4,698
NRTT : Nueces River at Tilden, Texas	81	1,507
FRIT : Frio River at Tilden, Texas	195	2,382
SMTT : San Miguel Creek at Tilden, Texas	69	124
ARWT : Atascosa River at Whitsett, Texas	12	1,131
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	2,146
NCAT : Nueces River at Calallen, Texas	26	528
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	401	6,353

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 6,353	3,500
Estuary Inflows (Measured at NCAT)	528
PassThru Surplus / -Deficit:	-1,265

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/14/2004
03/13/2004	129	1,765	10,003	3,050	1,285	44.0	44.0

Report Generated: 03/14/2004 at 8:16:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 15, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/15/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/15/2004	220.4	691,639	99.5%	94.0	241,241	100.0%	932,880	99.6%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/14/2004	71	30	0.16	73	101	0.33	131
MTD		3,188	1.56		2,311	0.74	5,499

STREAM FLOWS

Gauging Station	03/14/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	326	5,024
NRTT : Nueces River at Tilden, Texas	115	1,622
FRIT : Frio River at Tilden, Texas	216	2,598
SMTT : San Miguel Creek at Tilden, Texas	13	136
ARWT : Atascosa River at Whitsett, Texas	73	1,204
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	139	2,285
NCAT : Nueces River at Calallen, Texas	73	602
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	489	6,842

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 6,842	3,500
Estuary Inflows (Measured at NCAT)	602
PassThru Surplus / -Deficit:	-1,191

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/15/2004
03/14/2004	137	1,903	10,141	3,050	1,147	44.0	44.0

Report Generated: 03/15/2004 at 8:15:53 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 16, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/16/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/16/2004	220.4	693,715	99.8%	94.0	241,241	100.0%	934,956	99.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/15/2004	71	121	0.00	69	123	0.07	244
MTD		3,309	1.56		2,434	0.81	5,743

STREAM FLOWS

Gauging Station	03/15/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	413	5,437
NRTT : Nueces River at Tilden, Texas	292	1,914
FRIT : Frio River at Tilden, Texas	355	2,954
SMTT : San Miguel Creek at Tilden, Texas	6	142
ARWT : Atascosa River at Whitsett, Texas	73	1,278
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	2,432
NCAT : Nueces River at Calallen, Texas	77	679
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	708	7,550

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 7,550	3,500
Estuary Inflows (Measured at NCAT)	679
PassThru Surplus / -Deficit:	-1,114

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/16/2004
03/15/2004	137	2,040	10,278	3,050	1,010	44.0	44.1

Report Generated: 03/16/2004 at 9:09:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 17, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/17/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/17/2004	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/16/2004	77	242	0.00	79	213	0.00	455
MTD		3,551	1.56		2,647	0.81	6,198

STREAM FLOWS

Gauging Station	03/16/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	518	5,955
NRTT : Nueces River at Tilden, Texas	925	2,839
FRIT : Frio River at Tilden, Texas	292	3,245
SMTT : San Miguel Creek at Tilden, Texas	3	145
ARWT : Atascosa River at Whitsett, Texas	490	1,768
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	2,614
NCAT : Nueces River at Calallen, Texas	62	741
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	748	8,298

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 8,298	3,500
Estuary Inflows (Measured at NCAT)	741
PassThru Surplus / -Deficit:	-1,052

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/17/2004
03/16/2004	137	2,177	10,415	3,050	873	44.0	44.0

Report Generated: 03/17/2004 at 10:34:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 18, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/18/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/18/2004	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/17/2004	82	378	0.00	78	236	0.00	614
MTD		3,929	1.56		2,883	0.81	6,812

STREAM FLOWS

Gauging Station	03/17/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,314	7,269
NRTT : Nueces River at Tilden, Texas	1,223	4,061
FRIT : Frio River at Tilden, Texas	234	3,480
SMTT : San Miguel Creek at Tilden, Texas	2	147
ARWT : Atascosa River at Whitsett, Texas	191	1,959
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	562	3,176
NCAT : Nueces River at Calallen, Texas	32	773
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,485	9,783

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 9,783	3,500
Estuary Inflows (Measured at NCAT)	773
PassThru Surplus / -Deficit:	-1,020

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/18/2004
03/17/2004	137	2,314	10,552	3,050	736	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 19, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/19/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/19/2004	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/18/2004	79	151	0.00	78	101	0.00	252
MTD		4,080	1.56		2,984	0.81	7,064

STREAM FLOWS

Gauging Station	03/18/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,457	8,726
NRIT : Nueces River at Tilden, Texas	1,129	5,191
FRIT : Frio River at Tilden, Texas	254	3,734
SMTT : San Miguel Creek at Tilden, Texas	20	167
ARWT : Atascosa River at Whitsett, Texas	105	2,064
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,405	4,581
NCAT : Nueces River at Calallen, Texas	379	1,152
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,665	11,448

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 11,448	3,500
Estuary Inflows (Measured at NCAT)	1,152
PassThru Surplus / -Deficit:	-641

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/19/2004
03/18/2004	136	2,451	10,689	3,050	599	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 20, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/20/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/20/2004	220.4	693,455	99.7%	94.0	241,241	100.0%	934,696	99.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/19/2004	77	136	0.00	78	168	0.00	304
MTD		4,216	1.56		3,152	0.81	7,368

STREAM FLOWS

Gauging Station	03/19/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,366	10,092
NRTT : Nueces River at Tilden, Texas	994	6,185
FRTT : Frio River at Tilden, Texas	584	4,317
SMTT : San Miguel Creek at Tilden, Texas	139	306
ARWT : Atascosa River at Whitsett, Texas	71	2,135
Release from Choke Canyon Reservoir	645	1,824
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,405	5,987
NCAT : Nueces River at Calallen, Texas	1,755	2,906
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,443	12,891

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 12,891	3,500
Estuary Inflows (Measured at NCAT)	2,906
PassThru Surplus / -Deficit:	1,113

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/20/2004
03/19/2004	137	2,587	10,825	3,050	463	44.0	44.0

Report Generated: 03/20/2004 at 9:04:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 21, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/21/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/21/2004	220.5	696,052	100.1%	94.0	241,241	100.0%	937,293	100.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/20/2004	80	152	0.00	80	135	0.00	287
MTD		4,368	1.56		3,287	0.81	7,655

STREAM FLOWS

Gauging Station	03/20/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,719	11,811
NRTT : Nueces River at Tilden, Texas	671	6,856
FRIT : Frio River at Tilden, Texas	903	5,221
SMTT : San Miguel Creek at Tilden, Texas	71	378
ARWT : Atascosa River at Whitsett, Texas	56	2,191
Release from Choke Canyon Reservoir	645	2,469
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,846	7,833
NCAT : Nueces River at Calallen, Texas	2,362	5,269
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,049	14,940

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 14,940	3,500
Estuary Inflows (Measured at NCAT)	5,269
PassThru Surplus / -Deficit:	3,476

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/21/2004
03/20/2004	136	2,724	10,962	3,050	326	44.0	44.0

Report Generated: 03/21/2004 at 9:17:58 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 22, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/22/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/22/2004	220.5	696,052	100.1%	94.0	241,241	100.0%	937,293	100.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/21/2004	77	182	0.07	77	179	0.00	361
MTD		4,550	1.63		3,466	0.81	8,016

STREAM FLOWS

Gauging Station	03/21/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,582	13,393
NRIT : Nueces River at Tilden, Texas	306	7,162
FRIT : Frio River at Tilden, Texas	1,384	6,604
SMTT : San Miguel Creek at Tilden, Texas	44	421
ARWT : Atascosa River at Whitsett, Texas	48	2,239
Release from Choke Canyon Reservoir	645	2,753
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,910	9,742
NCAT : Nueces River at Calallen, Texas	2,719	7,988
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,364	17,665

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 17,665	3,500
Estuary Inflows (Measured at NCAT)	7,988
PassThru Surplus / -Deficit:	6,195

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/22/2004
03/21/2004	136	2,860	11,098	3,050	190	44.0	44.0

Report Generated: 03/22/2004 at 9:53:57 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 23, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/23/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/23/2004	220.6	696,832	100.2%	94.0	241,241	100.0%	938,073	100.2%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/22/2004	73	288	0.00	73	191	0.00	479
MTD		4,838	1.63		3,657	0.81	8,495

STREAM FLOWS

Gauging Station	03/22/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,213	14,606
NRIT : Nueces River at Tilden, Texas	328	7,489
FRIT : Frio River at Tilden, Texas	1,675	8,279
SMTT : San Miguel Creek at Tilden, Texas	28	449
ARWT : Atascosa River at Whitsett, Texas	42	2,280
Release from Choke Canyon Reservoir	645	3,398
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,100	10,842
NCAT : Nueces River at Calallen, Texas	2,938	10,926
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,271	19,936

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 19,936	3,500
Estuary Inflows (Measured at NCAT)	10,926
PassThru Surplus / -Deficit:	9,133

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/23/2004
03/22/2004	137	2,997	11,234	3,050	53	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 24, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/24/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/24/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/23/2004	72	76	0.08	74	168	0.00	244
MTD		4,914	1.71		3,825	0.81	8,739

STREAM FLOWS

Gauging Station	03/23/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,141	15,747
NRTT : Nueces River at Tilden, Texas	701	8,190
FRIT : Frio River at Tilden, Texas	1,213	9,492
SMTT : San Miguel Creek at Tilden, Texas	19	468
ARWT : Atascosa River at Whitsett, Texas	38	2,318
Release from Choke Canyon Reservoir	645	4,043
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,346	12,188
NCAT : Nueces River at Calallen, Texas	2,759	13,685
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,728	21,664

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 21,664	3,500
Estuary Inflows (Measured at NCAT)	13,685
PassThru Surplus / -Deficit:	11,892

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/24/2004
03/23/2004	136	3,133	11,371	3,050	-83	44.0	44.0

Report Generated: 03/24/2004 at 9:07:51 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 25, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/25/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/25/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/24/2004	77	151	0.00	77	191	0.00	342
MTD		5,065	1.71		4,016	0.81	9,081

STREAM FLOWS

Gauging Station	03/24/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,465	17,212
NRIT : Nueces River at Tilden, Texas	1,014	9,204
FRIT : Frio River at Tilden, Texas	586	10,078
SMTT : San Miguel Creek at Tilden, Texas	13	481
ARWT : Atascosa River at Whitsett, Texas	38	2,356
Release from Choke Canyon Reservoir	645	4,689
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,161	13,349
NCAT : Nueces River at Calallen, Texas	2,124	15,809
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,419	23,082

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 23,082	3,500
Estuary Inflows (Measured at NCAT)	15,809
PassThru Surplus / -Deficit:	14,016

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/25/2004
03/24/2004	136	3,269	11,507	3,050	-219	44.0	44.0

Report Generated: 03/25/2004 at 8:18:05 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 26, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/26/2003	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/26/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/25/2004	76	167	0.03	76	123	0.00	290	
MTD		5,232	1.74		4,139	0.81	9,371	

STREAM FLOWS

Gauging Station	03/25/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,731	18,943
NRTT : Nueces River at Tilden, Texas	1,189	10,393
FRIT : Frio River at Tilden, Texas	383	10,461
SMTT : San Miguel Creek at Tilden, Texas	11	492
ARWT : Atascosa River at Whitsett, Texas	36	2,392
Release from Choke Canyon Reservoir	645	5,334
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,161	14,510
NCAT : Nueces River at Calallen, Texas	1,693	17,502
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,479	24,562

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 24,562	3,500
Estuary Inflows (Measured at NCAT)	17,502
PassThru Surplus / -Deficit:	15,709

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/26/2004
03/25/2004	136	3,406	11,643	3,050	-356	44.0	44.0

Report Generated: 03/26/2004 at 8:17:21 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 27, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/27/2003	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/27/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/26/2004	78	212	0.00	78	202	0.00	414
MTD		5,444	1.74		4,341	0.81	9,785

STREAM FLOWS

Gauging Station	03/26/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,894	20,837
NRTT : Nueces River at Tilden, Texas	1,274	11,668
FRTT : Frio River at Tilden, Texas	341	10,802
SMTT : San Miguel Creek at Tilden, Texas	8	500
ARWT : Atascosa River at Whitsett, Texas	34	2,425
Release from Choke Canyon Reservoir	476	5,810
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,296	15,807
NCAT : Nueces River at Calallen, Texas	1,566	19,068
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,767	26,329

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	
Monthly Target: 3,500	3,500
Salinity Relief Credit : 0 Effective:	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru	
Target: 3,500	3,500
Reservoir Inflow: 26,329	
Estuary Inflows (Measured at NCAT)	19,068
PassThru Surplus / -Deficit:	17,275

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/27/2004
03/26/2004	136	3,542	11,779	3,050	-492	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 28, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/28/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/28/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/27/2004	82	348	0.00	80	269	0.00	617
MTD		5,792	1.74		4,610	0.81	10,402

STREAM FLOWS

Gauging Station	03/27/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,489	22,325
NRTT : Nueces River at Tilden, Texas	10	11,678
FRIT : Frio River at Tilden, Texas	302	11,104
SMTT : San Miguel Creek at Tilden, Texas	7	507
ARWT : Atascosa River at Whitsett, Texas	34	2,459
Release from Choke Canyon Reservoir	198	6,009
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,425	17,232
NCAT : Nueces River at Calallen, Texas	1,888	20,956
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,599	27,928

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 27,928	3,500
Estuary Inflows (Measured at NCAT)	20,956
PassThru Surplus / -Deficit:	19,163

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/28/2004
03/27/2004	136	3,678	11,915	3,050	-628	44.0	44.0

Report Generated: 03/28/2004 at 8:07:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 29, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/29/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/29/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/28/2004	81	151	0.02	81	179	0.00	330
MTD		5,943	1.76		4,789	0.81	10,732

STREAM FLOWS

Gauging Station	03/28/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,362	23,687
NRTT : Nueces River at Tilden, Texas	1,028	12,706
FRTT : Frio River at Tilden, Texas	298	11,402
SMTT : San Miguel Creek at Tilden, Texas	6	513
ARWT : Atascosa River at Whitsett, Texas	32	2,491
Release from Choke Canyon Reservoir	198	6,207
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,378	18,609
NCAT : Nueces River at Calallen, Texas	2,104	23,060
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,467	29,395

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 29,395	3,500
Estuary Inflows (Measured at NCAT)	23,060
PassThru Surplus / -Deficit:	21,267

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/29/2004
03/28/2004	136	3,813	12,051	3,050	-763	44.0	44.0

Report Generated: 03/29/2004 at 8:19:57 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 30, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/30/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/30/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/29/2004	70	197	0.00	70	213	0.09	410
MTD		6,140	1.76		5,002	0.90	11,142

STREAM FLOWS

Gauging Station	03/29/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,185	24,872
NRIT : Nueces River at Tilden, Texas	734	13,441
FRIT : Frio River at Tilden, Texas	292	11,694
SMTT : San Miguel Creek at Tilden, Texas	5	518
ARWT : Atascosa River at Whitsett, Texas	30	2,521
Release from Choke Canyon Reservoir	198	6,406
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,348	19,957
NCAT : Nueces River at Calallen, Texas	2,064	25,125
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,284	30,678

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 30,678	3,500
Estuary Inflows (Measured at NCAT)	25,125
PassThru Surplus / -Deficit:	23,332

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/30/2004
03/29/2004	136	3,949	12,187	3,050	-899	44.0	44.0

Report Generated: 03/30/2004 at 9:24:57 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 31, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/31/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/31/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/30/2004	82	303	0.00	81	236	0.00	539
MTD		6,443	1.76		5,238	0.90	11,681

STREAM FLOWS

Gauging Station	03/30/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	899	25,771
NRTT : Nueces River at Tilden, Texas	601	14,042
FRIT : Frio River at Tilden, Texas	288	11,981
SMTT : San Miguel Creek at Tilden, Texas	5	523
ARWT : Atascosa River at Whitsett, Texas	30	2,550
Release from Choke Canyon Reservoir	198	6,604
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,094	21,051
NCAT : Nueces River at Calallen, Texas	1,921	27,046
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	993	31,671

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,207
Return Flow Credit (Effective: 03/01/2004)	500
Passthru Target: 3,500 Reservoir Inflow: 31,671	3,500
Estuary Inflows (Measured at NCAT)	27,046
PassThru Surplus / -Deficit:	25,253

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2004		Elevation (Ft)	
				Allocation	Remaining	Full	03/31/2004
03/30/2004	135	4,085	12,322	3,050	-1,035	44.0	43.9

Report Generated: 03/31/2004 at 9:40:07 AM