

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 1, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/01/2003	220.4	693,974	99.8%	93.8	237,020	98.3%	930,994	99.4%
05/01/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/30/2004	84	227	0.00	84	135	0.00	362
MTD		8,237	6.60		6,382	5.77	14,619

STREAM FLOWS

Gauging Station	04/30/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,761	178,398
NRTT : Nueces River at Tilden, Texas	2,958	110,511
FRTT : Frio River at Tilden, Texas	3,255	45,322
SMTT : San Miguel Creek at Tilden, Texas	224	11,916
ARWT : Atascosa River at Whitsett, Texas	1,235	42,431
Release from Choke Canyon Reservoir	3,871	64,030
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	12,962	205,870
NCAT : Nueces River at Calallen, Texas	13,200	271,350
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7,370	171,606

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 04/11/2004	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2004)	500
Passthru Target: 875 Reservoir Inflow: 171,606	875
Estuary Inflows (Measured at NCAT)	271,350
PassThru Surplus / -Deficit:	270,974

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/01/2004
04/30/2004	143	4,224	16,682	3,050	-1,174	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 2, 2004

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/02/2003	220.4	693,974	99.8%	93.8	236,829	98.2%	930,803	99.4%
05/02/2004	220.8	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/01/2004	74	151	0.41	64	258	0.93	409
MTD		151	0.41		258	0.93	409

STREAM FLOWS

Gauging Station	05/01/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,146	7,146
NRTT : Nueces River at Tilden, Texas	2,719	2,719
FRTT : Frio River at Tilden, Texas	4,784	4,784
SMTT : San Miguel Creek at Tilden, Texas	391	391
ARWT : Atascosa River at Whitsett, Texas	1,296	1,296
Release from Choke Canyon Reservoir	3,869	3,869
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	13,061	13,061
NCAT : Nueces River at Calallen, Texas	15,820	15,820
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	8,452	8,452

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	12,750
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 25,500 Reservoir Inflow: 8,452	8,452
Estuary Inflows (Measured at NCAT)	15,820
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/02/2004
05/01/2004	143	143	16,825	4,100	3,957	44.0	44.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 3, 2004

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/03/2003	220.4	693,715	99.8%	93.8	236,447	98.0%	930,162	99.3%
05/03/2004	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/02/2004	75	409	0.00	72	303	0.00	712	
MTD		560	0.41		561	0.93	1,121	

STREAM FLOWS

Gauging Station	05/02/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,503	14,649
NRTT : Nueces River at Tilden, Texas	2,580	5,300
FRTT : Frio River at Tilden, Texas	3,533	8,317
SMTT : San Miguel Creek at Tilden, Texas	234	625
ARWT : Atascosa River at Whitsett, Texas	2,501	3,797
Release from Choke Canyon Reservoir	3,869	7,738
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	9,429	22,490
NCAT : Nueces River at Calallen, Texas	17,607	33,427
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	7,402	15,854

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	12,750
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 25,500 Reservoir Inflow: 15,854	15,854
Estuary Inflows (Measured at NCAT)	33,427
PassThru Surplus / -Deficit:	30,823

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/03/2004
05/02/2004	143	286	16,968	4,100	3,814	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 4, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/04/2003	220.4	693,715	99.8%	93.7	235,302	97.5%	929,017	99.2%
05/04/2004	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/03/2004	80	394	0.00	78	314	0.00	708	
MTD		954	0.41		875	0.93	1,829	

STREAM FLOWS

Gauging Station	05/03/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,722	22,371
NRRT : Nueces River at Tilden, Texas	2,561	7,861
FRRT : Frio River at Tilden, Texas	1,967	10,284
SMTT : San Miguel Creek at Tilden, Texas	169	794
ARWT : Atascosa River at Whitsett, Texas	3,057	6,854
Release from Choke Canyon Reservoir	3,871	11,608
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	6,431	28,921
NCAT : Nueces River at Calallen, Texas	16,476	49,903
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	5,987	21,841

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	12,750
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 25,500 Reservoir Inflow: 21,841	21,841
Estuary Inflows (Measured at NCAT)	49,903
PassThru Surplus / -Deficit:	41,312

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/04/2004
05/03/2004	143	429	17,111	4,100	3,671	44.0	44.0

Report Generated: 05/04/2004 at 8:31:35 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 5, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/05/2003	220.4	693,715	99.8%	93.7	235,302	97.5%	929,017	99.2%
05/05/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/04/2004	81	424	0.00	80	247	0.00	671	
MTD		1,378	0.41		1,122	0.93	2,500	

STREAM FLOWS

Gauging Station	05/04/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,503	29,874
NRRT : Nueces River at Tilden, Texas	2,640	10,501
FRRT : Frio River at Tilden, Texas	1,262	11,547
SMTT : San Miguel Creek at Tilden, Texas	373	1,167
ARWT : Atascosa River at Whitsett, Texas	965	7,819
Release from Choke Canyon Reservoir	3,869	15,477
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	7,742	36,663
NCAT : Nueces River at Calallen, Texas	13,339	63,242
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	5,270	27,111

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	12,750
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 25,500 Reservoir Inflow: 27,111	25,500
Estuary Inflows (Measured at NCAT)	63,242
PassThru Surplus / -Deficit:	50,992

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/05/2004
05/04/2004	143	572	17,254	4,100	3,528	44.0	44.0

Report Generated: 05/05/2004 at 8:18:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 6, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/06/2003	220.4	693,715	99.8%	93.7	235,493	97.6%	929,208	99.2%
05/06/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/05/2004	81	303	0.00	80	247	0.00	550	
MTD		1,681	0.41		1,369	0.93	3,050	

STREAM FLOWS

Gauging Station	05/05/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	6,173	36,048
NRRT : Nueces River at Tilden, Texas	2,739	13,240
FRRT : Frio River at Tilden, Texas	1,122	12,668
SMTT : San Miguel Creek at Tilden, Texas	222	1,390
ARWT : Atascosa River at Whitsett, Texas	409	8,228
Release from Choke Canyon Reservoir	3,116	18,593
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	8,238	44,901
NCAT : Nueces River at Calallen, Texas	11,314	74,557
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	4,401	31,512

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	12,750
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 25,500 Reservoir Inflow: 31,512	25,500
Estuary Inflows (Measured at NCAT)	74,557
PassThru Surplus / -Deficit:	62,307

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/06/2004
05/05/2004	143	715	17,397	4,100	3,385	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 7, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/07/2003	220.4	693,715	99.8%	93.7	235,302	97.5%	929,017	99.2%
05/07/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/06/2004	82	227	0.00	77	224	0.00	451
MTD		1,908	0.41		1,593	0.93	3,501

STREAM FLOWS

Gauging Station	05/06/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,327	40,375
NRRT : Nueces River at Tilden, Texas	2,839	16,078
FRRT : Frio River at Tilden, Texas	1,129	13,798
SMTT : San Miguel Creek at Tilden, Texas	151	1,540
ARWT : Atascosa River at Whitsett, Texas	331	8,559
Release from Choke Canyon Reservoir	1,290	19,884
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	6,094	50,995
NCAT : Nueces River at Calallen, Texas	11,493	86,050
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	4,317	35,829

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	12,750
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 25,500 Reservoir Inflow: 35,829	25,500
Estuary Inflows (Measured at NCAT)	86,050
PassThru Surplus / -Deficit:	73,800

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/07/2004
05/06/2004	143	858	17,541	4,100	3,242	44.0	44.1

Report Generated: 05/07/2004 at 8:14:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 8, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/08/2003	220.4	693,455	99.7%	93.7	234,921	97.4%	928,376	99.1%
05/08/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/07/2004	77	121	0.00	75	224	0.71	345
MTD		2,029	0.41		1,817	1.64	3,846

STREAM FLOWS

Gauging Station	05/07/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,791	44,166
NRRT : Nueces River at Tilden, Texas	2,898	18,977
FRRT : Frio River at Tilden, Texas	1,135	14,933
SMTT : San Miguel Creek at Tilden, Texas	111	1,652
ARWT : Atascosa River at Whitsett, Texas	276	8,835
Release from Choke Canyon Reservoir	1,290	21,174
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	4,248	55,243
NCAT : Nueces River at Calallen, Texas	11,195	97,245
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,748	39,577

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	12,750
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 25,500 Reservoir Inflow: 39,577	25,500
Estuary Inflows (Measured at NCAT)	97,245
PassThru Surplus / -Deficit:	84,995

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/08/2004
05/07/2004	143	1,002	17,684	4,100	3,098	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 9, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/09/2003	220.4	693,196	99.7%	93.7	234,921	97.4%	928,117	99.1%
05/09/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/08/2004	75	182	0.01	71	Pan overflow	2.61	182
MTD		2,211	0.42		1,817	4.25	4,028

STREAM FLOWS

Gauging Station	05/08/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,791	47,958
NRRT : Nueces River at Tilden, Texas	2,938	21,914
FRRT : Frio River at Tilden, Texas	937	15,870
SMTT : San Miguel Creek at Tilden, Texas	89	1,741
ARWT : Atascosa River at Whitsett, Texas	242	9,077
Release from Choke Canyon Reservoir	1,290	22,464
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	5,062	60,304
NCAT : Nueces River at Calallen, Texas	9,865	107,111
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,527	43,104

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	12,750
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 25,500 Reservoir Inflow: 43,104	25,500
Estuary Inflows (Measured at NCAT)	107,111
PassThru Surplus / -Deficit:	94,861

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/09/2004
05/08/2004	143	1,145	17,827	4,100	2,955	44.0	44.1

Report Generated: 05/09/2004 at 8:03:48 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 10, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/10/2003	220.4	692,936	99.7%	93.6	233,589	96.8%	926,525	98.9%
05/10/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/09/2004	82	333	0.03	79	314	0.05	647
MTD		2,544	0.45		2,131	4.30	4,675

STREAM FLOWS

Gauging Station	05/09/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,652	51,610
NRRT : Nueces River at Tilden, Texas	2,819	24,733
FRRT : Frio River at Tilden, Texas	683	16,553
SMTT : San Miguel Creek at Tilden, Texas	75	1,816
ARWT : Atascosa River at Whitsett, Texas	226	9,304
Release from Choke Canyon Reservoir	669	23,133
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	8,516	68,820
NCAT : Nueces River at Calallen, Texas	9,607	116,718
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,742	46,846

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	12,750
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 25,500 Reservoir Inflow: 46,846	25,500
Estuary Inflows (Measured at NCAT)	116,718
PassThru Surplus / -Deficit:	104,468

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/10/2004
05/09/2004	143	1,288	17,971	4,100	2,812	44.0	44.1

Report Generated: 05/10/2004 at 8:10:09 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 11, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/11/2003	220.4	692,677	99.6%	93.6	233,780	96.9%	926,457	98.9%
05/11/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/10/2004	85	348	0.00	83	280	0.00	628
MTD		2,892	0.45		2,411	4.30	5,303

STREAM FLOWS

Gauging Station	05/10/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,819	54,429
NRRT : Nueces River at Tilden, Texas	2,461	27,194
FRRT : Frio River at Tilden, Texas	544	17,097
SMTT : San Miguel Creek at Tilden, Texas	62	1,878
ARWT : Atascosa River at Whitsett, Texas	206	9,510
Release from Choke Canyon Reservoir	298	23,431
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	6,193	75,013
NCAT : Nueces River at Calallen, Texas	11,354	128,072
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,126	49,972

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	12,750
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 25,500 Reservoir Inflow: 49,972	25,500
Estuary Inflows (Measured at NCAT)	128,072
PassThru Surplus / -Deficit:	115,822

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/11/2004
05/10/2004	143	1,432	18,114	4,100	2,668	44.0	44.1

Report Generated: 05/11/2004 at 8:15:28 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 12, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/12/2003	220.4	692,158	99.6%	93.6	234,160	97.1%	926,318	98.9%
05/12/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/11/2004	79	167	0.62	80	247	0.13	414
MTD		3,059	1.07		2,658	4.43	5,717

STREAM FLOWS

Gauging Station	05/11/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,759	57,188
NRRT : Nueces River at Tilden, Texas	2,104	29,299
FRRT : Frio River at Tilden, Texas	558	17,655
SMTT : San Miguel Creek at Tilden, Texas	64	1,941
ARWT : Atascosa River at Whitsett, Texas	322	9,832
Release from Choke Canyon Reservoir	637	24,068
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,620	77,633
NCAT : Nueces River at Calallen, Texas	11,334	139,407
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	2,743	52,716

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 19,125 Effective: 05/11/2004	6,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 6,375 Reservoir Inflow: 52,716	6,375
Estuary Inflows (Measured at NCAT)	139,407
PassThru Surplus / -Deficit:	133,532

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/12/2004
05/11/2004	143	1,575	18,257	4,100	2,525	44.0	44.0

Report Generated: 05/12/2004 at 8:33:05 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 13, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/13/2003	220.4	691,639	99.5%	93.6	232,830	96.5%	924,469	98.7%
05/13/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/12/2004	84	273	0.05	85	202	0.08	475
MTD		3,332	1.12		2,860	4.51	6,192

STREAM FLOWS

Gauging Station	05/12/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,613	60,801
NRRT : Nueces River at Tilden, Texas	1,671	30,970
FRRT : Frio River at Tilden, Texas	621	18,276
SMTT : San Miguel Creek at Tilden, Texas	62	2,003
ARWT : Atascosa River at Whitsett, Texas	294	10,125
Release from Choke Canyon Reservoir	1,691	25,759
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,156	80,790
NCAT : Nueces River at Calallen, Texas	8,536	147,942
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	2,604	55,320

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 19,125 Effective: 05/11/2004	6,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 6,375 Reservoir Inflow: 55,320	6,375
Estuary Inflows (Measured at NCAT)	147,942
PassThru Surplus / -Deficit:	142,067

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/13/2004
05/12/2004	143	1,719	18,401	4,100	2,381	44.0	44.1

Report Generated: 05/13/2004 at 8:26:11 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 14, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/14/2003	220.3	690,602	99.3%	93.5	232,071	96.2%	922,673	98.5%
05/14/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/13/2004	84	273	0.50	87	Pan overflow	1.58	273
MTD		3,605	1.62		2,860	6.09	6,465

STREAM FLOWS

Gauging Station	05/13/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,930	64,731
NRRT : Nueces River at Tilden, Texas	1,318	32,288
FRRT : Frio River at Tilden, Texas	673	18,949
SMRT : San Miguel Creek at Tilden, Texas	52	2,054
ARWT : Atascosa River at Whitsett, Texas	320	10,445
Release from Choke Canyon Reservoir	1,933	27,693
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	4,744	85,534
NCAT : Nueces River at Calallen, Texas	7,067	155,009
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMRT)-Release From Choke Canyon	2,721	58,041

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 19,125 Effective: 05/11/2004	6,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 6,375 Reservoir Inflow: 58,041	6,375
Estuary Inflows (Measured at NCAT)	155,009
PassThru Surplus / -Deficit:	149,134

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/14/2004
05/13/2004	144	1,862	18,545	4,100	2,238	44.0	44.1

Report Generated: 05/14/2004 at 8:28:41 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 15, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/15/2003	220.3	690,602	99.3%	93.6	232,640	96.4%	923,242	98.6%
05/15/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/14/2004	80	303	0.00	77	213	0.00	516
MTD		3,908	1.62		3,073	6.09	6,981

STREAM FLOWS

Gauging Station	05/14/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,990	68,721
NRRT : Nueces River at Tilden, Texas	1,806	34,094
FRRT : Frio River at Tilden, Texas	1,145	20,094
SMTT : San Miguel Creek at Tilden, Texas	139	2,193
ARWT : Atascosa River at Whitsett, Texas	328	10,773
Release from Choke Canyon Reservoir	1,933	29,626
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	18,599	104,133
NCAT : Nueces River at Calallen, Texas	8,297	163,306
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,341	61,382

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 19,125 Effective: 05/11/2004	6,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 6,375 Reservoir Inflow: 61,382	6,375
Estuary Inflows (Measured at NCAT)	163,306
PassThru Surplus / -Deficit:	157,431

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/15/2004
05/14/2004	144	2,006	18,688	4,100	2,094	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 16, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/16/2003	220.3	690,083	99.3%	93.4	229,801	95.3%	919,884	98.2%
05/16/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/15/2004	82	318	0.00	80	224	0.00	542
MTD		4,226	1.62		3,297	6.09	7,523

STREAM FLOWS

Gauging Station	05/15/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	5,121	73,842
NRRT : Nueces River at Tilden, Texas	1,608	35,702
FRRT : Frio River at Tilden, Texas	1,078	21,172
SMTT : San Miguel Creek at Tilden, Texas	77	2,271
ARWT : Atascosa River at Whitsett, Texas	913	11,686
Release from Choke Canyon Reservoir	1,933	31,560
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	12,188	116,321
NCAT : Nueces River at Calallen, Texas	12,684	175,990
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	4,343	65,725

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 19,125 Effective: 05/11/2004	6,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 6,375 Reservoir Inflow: 65,725	6,375
Estuary Inflows (Measured at NCAT)	175,990
PassThru Surplus / -Deficit:	170,115

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/16/2004
05/15/2004	144	2,150	18,832	4,100	1,950	44.0	44.1

Report Generated: 05/16/2004 at 8:13:27 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 17, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/17/2003	220.3	690,083	99.3%	93.5	231,124	95.8%	921,207	98.4%
05/17/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/16/2004	84	394	0.00	82	303	0.00	697
MTD		4,620	1.62		3,600	6.09	8,220

STREAM FLOWS

Gauging Station	05/16/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,764	78,606
NRRT : Nueces River at Tilden, Texas	1,671	37,374
FRRT : Frio River at Tilden, Texas	1,096	22,268
SMTT : San Miguel Creek at Tilden, Texas	48	2,318
ARWT : Atascosa River at Whitsett, Texas	528	12,214
Release from Choke Canyon Reservoir	1,933	33,493
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	5,141	121,462
NCAT : Nueces River at Calallen, Texas	18,639	194,629
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,974	69,699

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 19,125 Effective: 05/11/2004	6,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 6,375 Reservoir Inflow: 69,699	6,375
Estuary Inflows (Measured at NCAT)	194,629
PassThru Surplus / -Deficit:	188,754

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/17/2004
05/16/2004	144	2,294	18,976	4,100	1,806	44.0	44.1

Report Generated: 05/17/2004 at 8:56:08 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 18, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/18/2003	220.3	689,569	99.2%	93.5	231,124	95.8%	920,693	98.3%
05/18/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/17/2004	87	394	0.00	85	247	0.00	641
MTD		5,014	1.62		3,847	6.09	8,861

STREAM FLOWS

Gauging Station	05/17/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,930	82,536
NRRT : Nueces River at Tilden, Texas	2,144	39,517
FRRT : Frio River at Tilden, Texas	1,249	23,516
SMTT : San Miguel Creek at Tilden, Texas	34	2,352
ARWT : Atascosa River at Whitsett, Texas	242	12,456
Release from Choke Canyon Reservoir	1,685	35,178
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	4,089	125,551
NCAT : Nueces River at Calallen, Texas	18,619	213,249
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,527	73,227

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 19,125 Effective: 05/11/2004	6,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 6,375 Reservoir Inflow: 73,227	6,375
Estuary Inflows (Measured at NCAT)	213,249
PassThru Surplus / -Deficit:	207,374

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/18/2004
05/17/2004	144	2,438	19,120	4,100	1,662	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 19, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/19/2003	220.3	689,054	99.1%	93.4	229,801	95.3%	918,855	98.1%
05/19/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/18/2004	87	348	0.00	85	314	0.00	662
MTD		5,362	1.62		4,161	6.09	9,523

STREAM FLOWS

Gauging Station	05/18/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,374	85,911
NRRT : Nueces River at Tilden, Texas	2,184	41,701
FRRT : Frio River at Tilden, Texas	981	24,497
SMTT : San Miguel Creek at Tilden, Texas	30	2,382
ARWT : Atascosa River at Whitsett, Texas	161	12,617
Release from Choke Canyon Reservoir	772	35,950
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,037	128,588
NCAT : Nueces River at Calallen, Texas	10,918	224,166
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,613	76,839

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 19,125 Effective: 05/11/2004	6,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 6,375 Reservoir Inflow: 76,839	6,375
Estuary Inflows (Measured at NCAT)	224,166
PassThru Surplus / -Deficit:	218,291

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/19/2004
05/18/2004	144	2,581	19,263	4,100	1,519	44.0	44.0

Report Generated: 05/19/2004 at 8:33:35 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 20, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/20/2003	220.2	688,540	99.0%	93.4	229,990	95.3%	918,530	98.1%
05/20/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/19/2004	87	454	0.00	85	336	0.00	790
MTD		5,816	1.62		4,497	6.09	10,313

STREAM FLOWS

Gauging Station	05/19/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,501	88,412
NRRT : Nueces River at Tilden, Texas	2,322	44,023
FRRT : Frio River at Tilden, Texas	661	25,158
SMTT : San Miguel Creek at Tilden, Texas	26	2,408
ARWT : Atascosa River at Whitsett, Texas	127	12,744
Release from Choke Canyon Reservoir	397	36,347
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,978	131,566
NCAT : Nueces River at Calallen, Texas	7,702	231,868
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	2,791	79,630

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 19,125 Effective: 05/11/2004	6,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 6,375 Reservoir Inflow: 79,630	6,375
Estuary Inflows (Measured at NCAT)	231,868
PassThru Surplus / -Deficit:	225,993

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/20/2004
05/19/2004	144	2,725	19,407	4,100	1,375	44.0	44.1

Report Generated: 05/20/2004 at 8:19:21 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 21, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/21/2003	220.2	688,283	99.0%	93.4	230,179	95.4%	918,462	98.1%
05/21/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/20/2004	87	484	0.00	85	269	0.00	753
MTD		6,300	1.62		4,766	6.09	11,066

STREAM FLOWS

Gauging Station	05/20/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,481	90,893
NRRT : Nueces River at Tilden, Texas	2,620	46,644
FRRT : Frio River at Tilden, Texas	482	25,640
SMTT : San Miguel Creek at Tilden, Texas	22	2,430
ARWT : Atascosa River at Whitsett, Texas	101	12,845
Release from Choke Canyon Reservoir	397	36,744
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,759	134,325
NCAT : Nueces River at Calallen, Texas	6,273	238,140
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	2,588	82,219

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 19,125 Effective: 05/11/2004	6,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 6,375 Reservoir Inflow: 82,219	6,375
Estuary Inflows (Measured at NCAT)	238,140
PassThru Surplus / -Deficit:	232,265

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/21/2004
05/20/2004	144	2,868	19,551	4,100	1,232	44.0	44.1

Report Generated: 05/21/2004 at 9:39:59 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 22, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/22/2003	220.2	688,025	99.0%	93.4	229,423	95.1%	917,448	98.0%
05/22/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/21/2004	87	484	0.00	85	471	0.00	955
MTD		6,784	1.62		5,237	6.09	12,021

STREAM FLOWS

Gauging Station	05/21/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,640	93,533
NRRT : Nueces River at Tilden, Texas	2,958	49,601
FRRT : Frio River at Tilden, Texas	413	26,053
SMTT : San Miguel Creek at Tilden, Texas	20	2,449
ARWT : Atascosa River at Whitsett, Texas	81	12,926
Release from Choke Canyon Reservoir	286	37,030
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,124	136,449
NCAT : Nueces River at Calallen, Texas	5,498	243,639
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	2,787	85,006

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 19,125 Effective: 05/11/2004	6,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 6,375 Reservoir Inflow: 85,006	6,375
Estuary Inflows (Measured at NCAT)	243,639
PassThru Surplus / -Deficit:	237,764

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/22/2004
05/21/2004	144	3,012	19,694	4,100	1,088	44.0	44.1

Report Generated: 05/22/2004 at 7:50:36 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 23, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/23/2003	220.2	687,768	98.9%	93.3	228,292	94.6%	916,060	97.8%
05/23/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/22/2004	87	454	0.00	85	325	0.00	779
MTD		7,238	1.62		5,562	6.09	12,800

STREAM FLOWS

Gauging Station	05/22/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,700	96,233
NRRT : Nueces River at Tilden, Texas	3,255	52,857
FRRT : Frio River at Tilden, Texas	381	26,434
SMTT : San Miguel Creek at Tilden, Texas	19	2,468
ARWT : Atascosa River at Whitsett, Texas	67	12,994
Release from Choke Canyon Reservoir	66	37,096
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,461	138,910
NCAT : Nueces River at Calallen, Texas	4,665	248,304
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,034	88,040

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 19,125 Effective: 05/11/2004	6,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 6,375 Reservoir Inflow: 88,040	6,375
Estuary Inflows (Measured at NCAT)	248,304
PassThru Surplus / -Deficit:	242,429

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/23/2004
05/22/2004	143	3,155	19,837	4,100	945	44.0	44.1

Report Generated: 05/23/2004 at 9:07:12 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 24, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/24/2003	220.2	687,252	98.8%	93.3	227,728	94.4%	914,980	97.7%
05/24/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/23/2004	88	484	0.00	85	325	0.00	809
MTD		7,722	1.62		5,887	6.09	13,609

STREAM FLOWS

Gauging Station	05/23/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,858	99,091
NRRT : Nueces River at Tilden, Texas	3,394	56,251
FRRT : Frio River at Tilden, Texas	361	26,796
SMTT : San Miguel Creek at Tilden, Texas	17	2,485
ARWT : Atascosa River at Whitsett, Texas	56	13,049
Release from Choke Canyon Reservoir	66	37,161
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,759	141,669
NCAT : Nueces River at Calallen, Texas	4,625	252,929
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,171	91,211

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 19,125 Effective: 05/11/2004	6,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 6,375 Reservoir Inflow: 91,211	6,375
Estuary Inflows (Measured at NCAT)	252,929
PassThru Surplus / -Deficit:	247,054

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/24/2004
05/23/2004	143	3,299	19,981	4,100	801	44.0	44.1

Report Generated: 05/24/2004 at 8:24:36 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 25, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/25/2003	220.2	686,473	98.7%	93.3	227,164	94.2%	913,637	97.6%
05/25/2004	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/24/2004	89	469	0.00	86	325	0.00	794
MTD		8,191	1.62		6,212	6.09	14,403

STREAM FLOWS

Gauging Station	05/24/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,017	102,108
NRRT : Nueces River at Tilden, Texas	3,355	59,606
FRRT : Frio River at Tilden, Texas	347	27,143
SMTT : San Miguel Creek at Tilden, Texas	6	2,491
ARWT : Atascosa River at Whitsett, Texas	50	13,099
Release from Choke Canyon Reservoir	66	37,227
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,374	145,044
NCAT : Nueces River at Calallen, Texas	4,824	257,752
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,305	94,516

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 19,125 Effective: 05/11/2004	6,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 6,375 Reservoir Inflow: 94,516	6,375
Estuary Inflows (Measured at NCAT)	257,752
PassThru Surplus / -Deficit:	251,877

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/25/2004
05/24/2004	143	3,441	20,123	4,100	659	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 26, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/26/2003	220.2	686,473	98.7%	93.2	226,600	93.9%	913,073	97.5%
05/26/2004	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/25/2004	95	499	0.00	88	292	0.00	791
MTD		8,690	1.62		6,504	6.09	15,194

STREAM FLOWS

Gauging Station	05/25/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,077	105,185
NRIT : Nueces River at Tilden, Texas	3,136	62,742
FRIT : Frio River at Tilden, Texas	337	27,480
SMTT : San Miguel Creek at Tilden, Texas	5	2,496
ARWT : Atascosa River at Whitsett, Texas	44	13,143
Release from Choke Canyon Reservoir	66	37,292
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,997	148,041
NCAT : Nueces River at Calallen, Texas	5,479	263,231
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	3,353	97,869

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 19,125 Effective: 05/11/2004	6,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 6,375 Reservoir Inflow: 97,869	6,375
Estuary Inflows (Measured at NCAT)	263,231
PassThru Surplus / -Deficit:	257,356

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/26/2004
05/25/2004	142	3,583	20,265	4,100	517	44.0	44.1

Report Generated: 05/26/2004 at 8:28:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 27, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/27/2003	220.1	685,695	98.6%	93.2	226,600	93.9%	912,295	97.4%
05/27/2004	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/26/2004	89	439	0.00	87	303	0.00	742
MTD		9,129	1.62		6,807	6.09	15,936

STREAM FLOWS

Gauging Station	05/26/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,037	108,222
NRRT : Nueces River at Tilden, Texas	1,931	64,673
FRRT : Frio River at Tilden, Texas	326	27,806
SMTT : San Miguel Creek at Tilden, Texas	4	2,500
ARWT : Atascosa River at Whitsett, Texas	44	13,186
Release from Choke Canyon Reservoir	66	37,358
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,025	150,066
NCAT : Nueces River at Calallen, Texas	5,340	268,570
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,301	101,170

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 19,125 Effective: 05/11/2004	6,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 6,375 Reservoir Inflow: 101,170	6,375
Estuary Inflows (Measured at NCAT)	268,570
PassThru Surplus / -Deficit:	262,696

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/27/2004
05/26/2004	141	3,724	20,406	4,100	376	44.0	44.1

Report Generated: 05/27/2004 at 8:29:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 28, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/28/2003	220.1	685,695	98.6%	93.2	226,225	93.8%	911,920	97.4%
05/28/2004	220.4	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/27/2004	91	484	0.00	88	325	0.00	809
MTD		9,613	1.62		7,132	6.09	16,745

STREAM FLOWS

Gauging Station	05/27/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,382	110,604
NRRT : Nueces River at Tilden, Texas	840	65,513
FRRT : Frio River at Tilden, Texas	318	28,123
SMTT : San Miguel Creek at Tilden, Texas	3	2,503
ARWT : Atascosa River at Whitsett, Texas	42	13,228
Release from Choke Canyon Reservoir	66	37,423
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,382	152,448
NCAT : Nueces River at Calallen, Texas	4,367	272,938
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	2,637	103,808

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 19,125 Effective: 05/11/2004	6,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 6,375 Reservoir Inflow: 103,808	6,375
Estuary Inflows (Measured at NCAT)	272,938
PassThru Surplus / -Deficit:	267,062

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/28/2004
05/27/2004	141	3,865	20,548	4,100	235	44.0	44.0

Report Generated: 05/28/2004 at 8:25:42 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 29, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/29/2003	220.1	685,695	98.6%	93.2	225,662	93.5%	911,357	97.3%
05/29/2004	220.4	693,196	99.7%	94.0	241,241	100.0%	934,437	99.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/28/2004	91	453	0.00	90	336	0.00	789
MTD		10,066	1.62		7,468	6.09	17,534

STREAM FLOWS

Gauging Station	05/28/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,062	111,666
NRRT : Nueces River at Tilden, Texas	701	66,214
FRRT : Frio River at Tilden, Texas	310	28,433
SMTT : San Miguel Creek at Tilden, Texas	3	2,506
ARWT : Atascosa River at Whitsett, Texas	44	13,272
Release from Choke Canyon Reservoir	66	37,489
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,104	154,552
NCAT : Nueces River at Calallen, Texas	4,327	277,265
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,309	105,117

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 19,125 Effective: 05/11/2004	6,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 6,375 Reservoir Inflow: 105,117	6,375
Estuary Inflows (Measured at NCAT)	277,265
PassThru Surplus / -Deficit:	271,390

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/29/2004
05/28/2004	142	4,007	20,689	4,100	93	44.0	44.0

Report Generated: 05/29/2004 at 8:06:05 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 30, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/30/2003	220.1	685,176	98.5%	93.1	224,351	93.0%	909,527	97.1%
05/30/2004	220.4	692,677	99.6%	94.0	241,241	100.0%	933,918	99.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/29/2004	89	438	0.00	87	303	0.00	741
MTD		10,504	1.62		7,771	6.09	18,275

STREAM FLOWS

Gauging Station	05/29/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	828	112,494
NRRT : Nueces River at Tilden, Texas	635	66,849
FRRT : Frio River at Tilden, Texas	304	28,737
SMTT : San Miguel Creek at Tilden, Texas	2	2,508
ARWT : Atascosa River at Whitsett, Texas	42	13,313
Release from Choke Canyon Reservoir	66	37,554
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	933	155,485
NCAT : Nueces River at Calallen, Texas	3,633	280,897
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,068	106,185

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 19,125 Effective: 05/11/2004	6,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 6,375 Reservoir Inflow: 106,185	6,375
Estuary Inflows (Measured at NCAT)	280,897
PassThru Surplus / -Deficit:	275,022

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/30/2004
05/29/2004	141	4,148	20,830	4,100	-48	44.0	44.0

Report Generated: 05/30/2004 at 8:15:19 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 31, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/31/2003	220.1	684,660	98.5%	93.1	223,604	92.7%	908,264	97.0%
05/31/2004	220.4	692,418	99.6%	94.0	241,241	100.0%	933,659	99.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/30/2004	91	272	0.00	94	292	0.00	564
MTD		10,776	1.62		8,063	6.09	18,839

STREAM FLOWS

Gauging Station	05/30/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	748	113,242
NRRT : Nueces River at Tilden, Texas	594	67,442
FRRT : Frio River at Tilden, Texas	296	29,033
SMTT : San Miguel Creek at Tilden, Texas	2	2,510
ARWT : Atascosa River at Whitsett, Texas	36	13,349
Release from Choke Canyon Reservoir	66	37,620
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	639	156,124
NCAT : Nueces River at Calallen, Texas	1,777	282,674
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	981	107,166

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 19,125 Effective: 05/11/2004	6,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 6,375 Reservoir Inflow: 107,166	6,375
Estuary Inflows (Measured at NCAT)	282,674
PassThru Surplus / -Deficit:	276,799

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	05/31/2004
05/30/2004	140	4,288	20,971	4,100	-188	44.0	44.0

Report Generated: 05/31/2004 at 8:19:56 AM