

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 1, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/01/2003	220.1	683,889	98.4%	93.0	223,230	92.5%	907,119	96.9%
06/01/2004	220.4	692,418	99.6%	94.0	241,241	100.0%	933,659	99.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
05/31/2004	96	423	0.00	94	280	0.00	703	
MTD		11,199	1.62		8,343	6.09	19,542	

STREAM FLOWS

Gauging Station	05/31/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	701	113,943
NRTT : Nueces River at Tilden, Texas	560	68,002
FRTT : Frio River at Tilden, Texas	290	29,322
SMTT : San Miguel Creek at Tilden, Texas	1	2,512
ARWT : Atascosa River at Whitsett, Texas	36	13,385
Release from Choke Canyon Reservoir	66	37,685
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	395	156,519
NCAT : Nueces River at Calallen, Texas	901	283,575
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	926	108,092

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 19,125 Effective: 05/11/2004	6,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 05/01/2004)	500
Passthru Target: 6,375 Reservoir Inflow: 108,092	6,375
Estuary Inflows (Measured at NCAT)	283,575
PassThru Surplus / -Deficit:	277,700

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/01/2004
05/31/2004	140	4,429	21,111	4,100	-329	44.0	44.0

Report Generated: 06/01/2004 at 9:07:28 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 2, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/02/2003	220.0	683,374	98.3%	93.0	222,671	92.3%	906,045	96.7%
06/02/2004	220.4	692,418	99.6%	94.0	241,241	100.0%	933,659	99.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/01/2004	96	543	0.00	92	359	0.00		902
MTD		543	0.00		359	0.00		902

STREAM FLOWS

Gauging Station	06/01/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	659	659
NRTT : Nueces River at Tilden, Texas	524	524
FRIT : Frio River at Tilden, Texas	284	284
SMTT : San Miguel Creek at Tilden, Texas	1	1
ARWT : Atascosa River at Whitsett, Texas	34	34
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	359	359
NCAT : Nueces River at Calallen, Texas	447	447
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	878	878

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 25,500 Effective: 06/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 878	0
Estuary Inflows (Measured at NCAT)	447
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/02/2004
06/01/2004	141	141	21,252	4,100	3,959	44.0	44.0

Report Generated: 06/02/2004 at 8:13:16 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 3, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/03/2003	220.0	682,860	98.2%	93.0	222,298	92.1%	905,158	96.7%
06/03/2004	220.4	692,418	99.6%	94.0	241,241	100.0%	933,659	99.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/02/2004	93	468	0.02	89	314	0.00	782
MTD		1,011	0.02		673	0.00	1,684

STREAM FLOWS

Gauging Station	06/02/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	619	1,278
NRTT : Nueces River at Tilden, Texas	490	1,014
FRTT : Frio River at Tilden, Texas	280	564
SMTT : San Miguel Creek at Tilden, Texas	0	1
ARWT : Atascosa River at Whitsett, Texas	32	66
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	345	705
NCAT : Nueces River at Calallen, Texas	320	766
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	834	1,712

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 25,500 Effective: 06/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 1,712	0
Estuary Inflows (Measured at NCAT)	766
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/03/2004
06/02/2004	142	283	21,394	4,100	3,817	44.0	44.0

Report Generated: 06/03/2004 at 8:09:27 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 4, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/04/2003	220.0	683,374	98.3%	93.1	224,351	93.0%	907,725	96.9%
06/04/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/03/2004	92	469	0.10	88	303	0.00	772
MTD		1,510	0.12		976	0.00	2,486

STREAM FLOWS

Gauging Station	06/03/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	582	1,860
NRTT : Nueces River at Tilden, Texas	459	1,473
FRIT : Frio River at Tilden, Texas	276	840
SMTT : San Miguel Creek at Tilden, Texas	0	1
ARWT : Atascosa River at Whitsett, Texas	30	95
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	246	951
NCAT : Nueces River at Calallen, Texas	274	1,040
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	792	2,504

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 25,500 Effective: 06/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 2,504	0
Estuary Inflows (Measured at NCAT)	1,040
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/04/2004
06/03/2004	143	426	21,537	4,100	3,674	44.0	44.0

Report Generated: 06/04/2004 at 8:25:29 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 5, 2004

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/05/2003	220.0	683,374	98.3%	93.0	222,484	92.2%	905,858	96.7%
06/05/2004	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/04/2004	94	530	0.00	93	258	0.00	788	
MTD		2,040	0.12		1,234	0.00	3,274	

STREAM FLOWS

Gauging Station	06/04/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	550	2,410
NRTT : Nueces River at Tilden, Texas	431	1,904
FRTT : Frio River at Tilden, Texas	268	1,108
SMTT : San Miguel Creek at Tilden, Texas	0	1
ARWT : Atascosa River at Whitsett, Texas	28	123
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	236	1,187
NCAT : Nueces River at Calallen, Texas	204	1,245
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	752	3,256

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 25,500 Effective: 06/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 3,256	0
Estuary Inflows (Measured at NCAT)	1,245
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/05/2004
06/04/2004	144	570	21,681	4,100	3,530	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 6, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/06/2003	220.1	683,889	98.4%	93.0	223,044	92.5%	906,933	96.8%
06/06/2004	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/05/2004	95	620	0.00	93	348	0.00	968	
MTD		2,660	0.12		1,582	0.00	4,242	

STREAM FLOWS

Gauging Station	06/05/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	518	2,928
NRTT : Nueces River at Tilden, Texas	405	2,309
FRTT : Frio River at Tilden, Texas	262	1,370
SMTT : San Miguel Creek at Tilden, Texas	0	1
ARWT : Atascosa River at Whitsett, Texas	28	151
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	222	1,409
NCAT : Nueces River at Calallen, Texas	173	1,417
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	715	3,971

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 25,500 Effective: 06/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 3,971	0
Estuary Inflows (Measured at NCAT)	1,417
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/06/2004
06/05/2004	144	714	21,824	4,100	3,386	44.0	44.0

Report Generated: 06/06/2004 at 8:00:28 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 7, 2004

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/07/2003	220.0	683,374	98.3%	93.0	222,298	92.1%	905,672	96.7%
06/07/2004	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/06/2004	95	499	0.00	88	516	0.00	1,015	
MTD		3,159	0.12		2,098	0.00	5,257	

STREAM FLOWS

Gauging Station	06/06/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	492	3,420
NRTT : Nueces River at Tilden, Texas	371	2,680
FRTT : Frio River at Tilden, Texas	254	1,624
SMTT : San Miguel Creek at Tilden, Texas	0	1
ARWT : Atascosa River at Whitsett, Texas	28	179
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	208	1,618
NCAT : Nueces River at Calallen, Texas	141	1,558
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	681	4,652

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 25,500 Effective: 06/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 4,652	0
Estuary Inflows (Measured at NCAT)	1,558
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/07/2004
06/06/2004	144	858	21,969	4,100	3,242	44.0	44.0

Report Generated: 06/07/2004 at 8:02:43 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 8, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/08/2003	220.0	682,860	98.2%	93.0	221,367	91.8%	904,227	96.6%
06/08/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/07/2004	92	348	0.56	84	202	0.25	550	
MTD		3,507	0.68		2,300	0.25	5,807	

STREAM FLOWS

Gauging Station	06/07/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	474	3,895
NRTT : Nueces River at Tilden, Texas	341	3,021
FRIT : Frio River at Tilden, Texas	246	1,870
SMTT : San Miguel Creek at Tilden, Texas	0	1
ARWT : Atascosa River at Whitsett, Texas	26	204
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	1,832
NCAT : Nueces River at Calallen, Texas	85	1,644
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	655	5,307

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 25,500 Effective: 06/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 5,307	0
Estuary Inflows (Measured at NCAT)	1,644
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/08/2004
06/07/2004	144	1,002	22,113	4,100	3,098	44.0	43.9

Report Generated: 06/08/2004 at 8:40:42 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 9, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/09/2003	220.0	682,346	98.1%	92.9	221,181	91.7%	903,527	96.5%
06/09/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/08/2004	83	182	0.20	83	269	0.03	451	
MTD		3,689	0.88		2,569	0.28	6,258	

STREAM FLOWS

Gauging Station	06/08/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	470	4,365
NRTT : Nueces River at Tilden, Texas	330	3,351
FRIT : Frio River at Tilden, Texas	246	2,116
SMTT : San Miguel Creek at Tilden, Texas	0	2
ARWT : Atascosa River at Whitsett, Texas	30	234
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	204	2,037
NCAT : Nueces River at Calallen, Texas	141	1,785
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	651	5,959

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 25,500 Effective: 06/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 5,959	0
Estuary Inflows (Measured at NCAT)	1,785
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/09/2004
06/08/2004	145	1,147	22,258	4,100	2,953	44.0	44.0

Report Generated: 06/09/2004 at 8:27:49 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 10, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/10/2003	220.0	681,836	98.1%	92.9	220,623	91.5%	902,459	96.4%
06/10/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/09/2004	82	45	0.86	84	112	0.11	157	
MTD		3,734	1.74		2,681	0.39	6,415	

STREAM FLOWS

Gauging Station	06/09/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	466	4,831
NRTT : Nueces River at Tilden, Texas	300	3,650
FRIT : Frio River at Tilden, Texas	262	2,378
SMTT : San Miguel Creek at Tilden, Texas	54	55
ARWT : Atascosa River at Whitsett, Texas	34	268
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	419	2,455
NCAT : Nueces River at Calallen, Texas	167	1,951
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	717	6,675

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	
Monthly Target: 25,500	
Salinity Relief Credit : 25,500 Effective: 06/01/2004	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru	
Target: 0	
Reservoir Inflow: 6,675	0
Estuary Inflows (Measured at NCAT)	1,951
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/10/2004
06/09/2004	144	1,291	22,401	4,100	2,809	44.0	44.1

Report Generated: 06/10/2004 at 8:20:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 11, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/11/2003	220.0	683,374	98.3%	92.9	219,695	91.1%	903,069	96.4%
06/11/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/10/2004	89	484	0.00	88	370	0.00	854	
MTD		4,218	1.74		3,051	0.39	7,269	

STREAM FLOWS

Gauging Station	06/10/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	607	5,439
NRTT : Nueces River at Tilden, Texas	274	3,924
FRTT : Frio River at Tilden, Texas	294	2,672
SMTT : San Miguel Creek at Tilden, Texas	989	1,044
ARWT : Atascosa River at Whitsett, Texas	167	435
Release from Choke Canyon Reservoir	663	1,253
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	804	3,259
NCAT : Nueces River at Calallen, Texas	330	2,281
Reservoir Inflow		
Computed as: NRTT+FRTT+SMTT+ARWT	1,723	8,398

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 25,500 Effective: 06/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 8,398	0
Estuary Inflows (Measured at NCAT)	2,281
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/11/2004
06/10/2004	144	1,434	22,545	4,100	2,666	44.0	44.1

Report Generated: 06/11/2004 at 8:14:22 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 12, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/12/2003	220.0	682,860	98.2%	92.9	219,695	91.1%	902,555	96.4%
06/12/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/11/2004	89	378	0.00	88	303	0.00	681	
MTD		4,596	1.74		3,354	0.39	7,950	

STREAM FLOWS

Gauging Station	06/11/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,084	7,523
NRTT : Nueces River at Tilden, Texas	270	4,194
FRIT : Frio River at Tilden, Texas	318	2,989
SMTT : San Miguel Creek at Tilden, Texas	1,727	2,771
ARWT : Atascosa River at Whitsett, Texas	1,225	1,659
Release from Choke Canyon Reservoir	1,691	2,944
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,045	5,304
NCAT : Nueces River at Calallen, Texas	992	3,273
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,438	10,836

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 25,500 Effective: 06/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 10,836	0
Estuary Inflows (Measured at NCAT)	3,273
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/12/2004
06/11/2004	144	1,578	22,689	4,100	2,522	44.0	44.1

Report Generated: 06/12/2004 at 8:19:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 13, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/13/2003	220.0	682,346	98.1%	92.8	218,583	90.6%	900,929	96.2%
06/13/2004	220.6	695,271	100.0%	94.0	240,279	99.6%	935,550	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/12/2004	89	515	0.00	89	202	0.00	717
MTD		5,111	1.74		3,556	0.39	8,667

STREAM FLOWS

Gauging Station	06/12/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,752	11,275
NRIT : Nueces River at Tilden, Texas	617	4,812
FRIT : Frio River at Tilden, Texas	331	3,321
SMTT : San Miguel Creek at Tilden, Texas	357	3,128
ARWT : Atascosa River at Whitsett, Texas	3,275	4,935
Release from Choke Canyon Reservoir	1,127	4,071
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	4,228	9,532
NCAT : Nueces River at Calallen, Texas	3,414	6,687
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	3,313	14,149

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 25,500 Effective: 06/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 14,149	0
Estuary Inflows (Measured at NCAT)	6,687
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/13/2004
06/12/2004	144	1,723	22,834	4,100	2,377	44.0	44.1

Report Generated: 06/13/2004 at 8:06:19 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 14, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/14/2003	220.2	686,473	98.7%	92.9	220,995	91.6%	907,468	96.9%
06/14/2004	220.6	695,271	100.0%	93.9	239,894	99.4%	935,165	99.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/13/2004	91	424	0.00	90	358	0.00	782	
MTD		5,535	1.74		3,914	0.39	9,449	

STREAM FLOWS

Gauging Station	06/13/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,923	16,198
NRTT : Nueces River at Tilden, Texas	703	5,514
FRIT : Frio River at Tilden, Texas	472	3,793
SMTT : San Miguel Creek at Tilden, Texas	189	3,317
ARWT : Atascosa River at Whitsett, Texas	3,593	8,528
Release from Choke Canyon Reservoir	645	4,716
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	4,526	14,058
NCAT : Nueces River at Calallen, Texas	5,637	12,325
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4,939	19,087

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 25,500 Effective: 06/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 19,087	0
Estuary Inflows (Measured at NCAT)	12,325
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/14/2004
06/13/2004	145	1,867	22,978	4,100	2,233	44.0	44.1

Report Generated: 06/14/2004 at 8:40:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 15, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/15/2003	220.2	686,733	98.8%	92.8	219,324	90.9%	906,057	96.7%
06/15/2004	220.5	695,271	100.0%	94.0	240,279	99.6%	935,550	99.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/14/2004	91	409	0.00	90	369	0.00	778	
MTD		5,944	1.74		4,283	0.39	10,227	

STREAM FLOWS

Gauging Station	06/14/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,883	21,081
NRTT : Nueces River at Tilden, Texas	536	6,050
FRIT : Frio River at Tilden, Texas	621	4,415
SMTT : San Miguel Creek at Tilden, Texas	93	3,410
ARWT : Atascosa River at Whitsett, Texas	909	9,437
Release from Choke Canyon Reservoir	645	5,361
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	4,943	19,000
NCAT : Nueces River at Calallen, Texas	6,650	18,975
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	4,953	24,040

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	
Monthly Target: 25,500	
Salinity Relief Credit : 25,500 Effective: 06/01/2004	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru	
Target: 0	
Reservoir Inflow: 24,040	0
Estuary Inflows (Measured at NCAT)	18,975
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/15/2004
06/14/2004	145	2,012	23,123	4,100	2,088	44.0	44.1

Report Generated: 06/15/2004 at 9:49:25 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 16, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/16/2003	220.2	687,768	98.9%	92.8	219,324	90.9%	907,092	96.9%
06/16/2004	220.5	695,271	100.0%	93.9	239,894	99.4%	935,165	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/15/2004	92	515	0.00	92	392	0.00	907
MTD		6,459	1.74		4,675	0.39	11,134

STREAM FLOWS

Gauging Station	06/15/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,729	22,810
NRTT : Nueces River at Tilden, Texas	687	6,737
FRIT : Frio River at Tilden, Texas	538	4,953
SMTT : San Miguel Creek at Tilden, Texas	56	3,465
ARWT : Atascosa River at Whitsett, Texas	335	9,772
Release from Choke Canyon Reservoir	286	5,647
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,362	21,363
NCAT : Nueces River at Calallen, Texas	7,265	26,240
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,037	26,077

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 25,500 Effective: 06/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 26,077	0
Estuary Inflows (Measured at NCAT)	26,240
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/16/2004
06/15/2004	146	2,159	23,269	4,100	1,941	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 17, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/17/2003	220.2	688,025	99.0%	92.9	219,695	91.1%	907,720	96.9%
06/17/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/16/2004	95	469	0.00	96	280	0.01	749	
MTD		6,928	1.74		4,955	0.40	11,883	

STREAM FLOWS

Gauging Station	06/16/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	981	23,790
NRTT : Nueces River at Tilden, Texas	985	7,722
FRTT : Frio River at Tilden, Texas	393	5,346
SMTT : San Miguel Creek at Tilden, Texas	34	3,499
ARWT : Atascosa River at Whitsett, Texas	260	10,032
Release from Choke Canyon Reservoir	66	5,713
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	879	22,242
NCAT : Nueces River at Calallen, Texas	5,876	32,115
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,342	27,418

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	
Monthly Target: 25,500	
Salinity Relief Credit : 25,500 Effective: 06/01/2004	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru	
Target: 0	
Reservoir Inflow: 27,418	0
Estuary Inflows (Measured at NCAT)	32,115
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/17/2004
06/16/2004	144	2,303	23,414	4,100	1,797	44.0	44.0

Report Generated: 06/17/2004 at 8:42:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 18, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/18/2003	220.2	688,540	99.0%	92.8	219,324	90.9%	907,864	96.9%
06/18/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/17/2004	95	439	0.34	91	336	0.00	775
MTD		7,367	2.08		5,291	0.40	12,658

STREAM FLOWS

Gauging Station	06/17/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,135	24,926
NRTT : Nueces River at Tilden, Texas	1,165	8,887
FRIT : Frio River at Tilden, Texas	351	5,697
SMTT : San Miguel Creek at Tilden, Texas	24	3,523
ARWT : Atascosa River at Whitsett, Texas	195	10,227
Release from Choke Canyon Reservoir	66	5,778
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	224	22,466
NCAT : Nueces River at Calallen, Texas	2,541	34,656
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,445	28,864

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 25,500 Effective: 06/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 28,864	0
Estuary Inflows (Measured at NCAT)	34,656
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/18/2004
06/17/2004	145	2,448	23,559	4,100	1,652	44.0	44.1

Report Generated: 06/18/2004 at 8:24:25 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 19, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/19/2003	220.2	688,540	99.0%	92.8	219,139	90.8%	907,679	96.9%
06/19/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/18/2004	93	560	0.00	92	415	0.00	975	
MTD		7,927	2.08		5,706	0.40	13,633	

STREAM FLOWS

Gauging Station	06/18/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,294	26,220
NRTT : Nueces River at Tilden, Texas	1,298	10,185
FRIT : Frio River at Tilden, Texas	322	6,019
SMTT : San Miguel Creek at Tilden, Texas	15	3,538
ARWT : Atascosa River at Whitsett, Texas	151	10,378
Release from Choke Canyon Reservoir	66	5,844
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	389	22,855
NCAT : Nueces River at Calallen, Texas	721	35,377
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,566	30,429

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 25,500 Effective: 06/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 30,429	0
Estuary Inflows (Measured at NCAT)	35,377
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/19/2004
06/18/2004	146	2,594	23,705	4,100	1,506	44.0	44.1

Report Generated: 06/19/2004 at 8:04:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 20, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/20/2003	220.2	687,768	98.9%	92.8	218,954	90.8%	906,722	96.8%
06/20/2004	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/19/2004	93	530	0.00	91	404	0.00	934	
MTD		8,457	2.08		6,110	0.40	14,567	

STREAM FLOWS

Gauging Station	06/19/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,407	27,627
NRTT : Nueces River at Tilden, Texas	1,433	11,618
FRIT : Frio River at Tilden, Texas	318	6,336
SMTT : San Miguel Creek at Tilden, Texas	12	3,550
ARWT : Atascosa River at Whitsett, Texas	127	10,505
Release from Choke Canyon Reservoir	66	5,909
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	508	23,363
NCAT : Nueces River at Calallen, Texas	383	35,760
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,672	32,101

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 25,500 Effective: 06/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 32,101	0
Estuary Inflows (Measured at NCAT)	35,760
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/20/2004
06/19/2004	146	2,740	23,851	4,100	1,360	44.0	44.1

Report Generated: 06/20/2004 at 8:30:36 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 21, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/21/2003	220.2	687,252	98.8%	92.8	218,769	90.7%	906,021	96.7%
06/21/2004	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/20/2004	94	514	0.00	92	404	0.00	918
MTD		8,971	2.08		6,514	0.40	15,485

STREAM FLOWS

Gauging Station	06/20/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,511	29,138
NRTT : Nueces River at Tilden, Texas	1,292	12,910
FRIT : Frio River at Tilden, Texas	326	6,662
SMTT : San Miguel Creek at Tilden, Texas	9	3,559
ARWT : Atascosa River at Whitsett, Texas	111	10,616
Release from Choke Canyon Reservoir	66	5,975
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	875	24,239
NCAT : Nueces River at Calallen, Texas	445	36,204
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,780	33,880

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 25,500 Effective: 06/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 33,880	0
Estuary Inflows (Measured at NCAT)	36,204
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/21/2004
06/20/2004	146	2,886	23,997	4,100	1,214	44.0	44.1

Report Generated: 06/21/2004 at 8:32:29 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 22, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/22/2003	220.2	687,252	98.8%	92.7	217,474	90.1%	904,726	96.6%
06/22/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/21/2004	93	500	0.13	93	381	0.00	881	
MTD		9,471	2.21		6,895	0.40	16,366	

STREAM FLOWS

Gauging Station	06/21/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,403	30,541
NRTT : Nueces River at Tilden, Texas	717	13,627
FRIT : Frio River at Tilden, Texas	306	6,967
SMTT : San Miguel Creek at Tilden, Texas	7	3,566
ARWT : Atascosa River at Whitsett, Texas	97	10,713
Release from Choke Canyon Reservoir	66	6,040
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,104	25,342
NCAT : Nueces River at Calallen, Texas	1,044	37,249
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,650	35,531

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	
Monthly Target: 25,500	
Salinity Relief Credit : 25,500 Effective: 06/01/2004	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru	
Target: 0	
Reservoir Inflow: 35,531	0
Estuary Inflows (Measured at NCAT)	37,249
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/22/2004
06/21/2004	146	3,032	24,143	4,100	1,068	44.0	44.1

Report Generated: 06/22/2004 at 9:23:40 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 23, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/23/2003	220.2	686,733	98.8%	92.7	216,182	89.6%	902,915	96.4%
06/23/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/22/2004	83	151	0.99	80	168	1.33	319	
MTD		9,622	3.20		7,063	1.73	16,685	

STREAM FLOWS

Gauging Station	06/22/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	846	31,387
NRTT : Nueces River at Tilden, Texas	443	14,070
FRTT : Frio River at Tilden, Texas	294	7,261
SMTT : San Miguel Creek at Tilden, Texas	276	3,842
ARWT : Atascosa River at Whitsett, Texas	236	10,949
Release from Choke Canyon Reservoir	474	6,515
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,008	26,351
NCAT : Nueces River at Calallen, Texas	1,393	38,642
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	941	36,471

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	
Monthly Target: 25,500	
Salinity Relief Credit : 25,500 Effective: 06/01/2004	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru	
Target: 0	
Reservoir Inflow: 36,471	0
Estuary Inflows (Measured at NCAT)	38,642
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/23/2004
06/22/2004	146	3,178	24,289	4,100	922	44.0	44.1

Report Generated: 06/23/2004 at 9:41:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 24, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/24/2003	220.2	686,214	98.7%	92.6	214,526	88.9%	900,740	96.2%
06/24/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/23/2004	89	273	0.00	84	269	1.13	542	
MTD		9,895	3.20		7,332	2.86	17,227	

STREAM FLOWS

Gauging Station	06/23/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,985	33,372
NRTT : Nueces River at Tilden, Texas	347	14,417
FRIT : Frio River at Tilden, Texas	318	7,579
SMTT : San Miguel Creek at Tilden, Texas	1,346	5,188
ARWT : Atascosa River at Whitsett, Texas	867	11,817
Release from Choke Canyon Reservoir	1,290	7,805
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,124	28,475
NCAT : Nueces River at Calallen, Texas	1,727	40,369
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,358	38,830

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	0
Monthly Target: 25,500	
Salinity Relief Credit : 25,500 Effective: 06/01/2004	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru	0
Target: 0	
Reservoir Inflow: 38,830	
Estuary Inflows (Measured at NCAT)	40,369
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/24/2004
06/23/2004	146	3,324	24,435	4,100	776	44.0	44.1

Report Generated: 06/24/2004 at 8:58:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 25, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/25/2003	220.1	685,955	98.7%	92.5	213,241	88.4%	899,196	96.0%
06/25/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/24/2004	93	469	0.00	93	314	0.20	783	
MTD		10,364	3.20		7,646	3.06	18,010	

STREAM FLOWS

Gauging Station	06/24/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,196	36,568
NRIT : Nueces River at Tilden, Texas	284	14,701
FRIT : Frio River at Tilden, Texas	417	7,996
SMTT : San Miguel Creek at Tilden, Texas	1,120	6,307
ARWT : Atascosa River at Whitsett, Texas	3,454	15,271
Release from Choke Canyon Reservoir	1,290	9,095
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,116	31,591
NCAT : Nueces River at Calallen, Texas	3,474	43,843
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	3,442	42,272

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 25,500 Effective: 06/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 42,272	0
Estuary Inflows (Measured at NCAT)	43,843
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/25/2004
06/24/2004	146	3,470	24,581	4,100	630	44.0	44.1

Report Generated: 06/25/2004 at 8:35:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 26, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/26/2003	220.1	685,436	98.6%	92.4	211,594	87.7%	897,030	95.8%
06/26/2004	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/25/2004	92	424	1.68	88	224	0.38	648	
MTD		10,788	4.88		7,870	3.44	18,658	

STREAM FLOWS

Gauging Station	06/25/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	5,538	42,106
NRTT : Nueces River at Tilden, Texas	252	14,953
FRTT : Frio River at Tilden, Texas	871	8,867
SMTT : San Miguel Creek at Tilden, Texas	1,685	7,993
ARWT : Atascosa River at Whitsett, Texas	4,030	19,300
Release from Choke Canyon Reservoir	1,584	10,679
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	4,645	36,236
NCAT : Nueces River at Calallen, Texas	5,240	49,083
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6,511	48,782

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	
Monthly Target: 25,500	
Salinity Relief Credit : 25,500 Effective: 06/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru	
Target: 0	
Reservoir Inflow: 48,782	0
Estuary Inflows (Measured at NCAT)	49,083
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/26/2004
06/25/2004	146	3,617	24,728	4,100	483	44.0	44.1

Report Generated: 06/26/2004 at 8:37:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 27, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/27/2003	220.1	684,660	98.5%	92.4	211,228	87.6%	895,888	95.7%
06/27/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/26/2004	84	318	0.38	87	236	0.00	554	
MTD		11,106	5.26		8,106	3.44	19,212	

STREAM FLOWS

Gauging Station	06/26/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,404	49,510
NRTT : Nueces River at Tilden, Texas	268	15,221
FRIT : Frio River at Tilden, Texas	1,719	10,586
SMTT : San Miguel Creek at Tilden, Texas	1,052	9,045
ARWT : Atascosa River at Whitsett, Texas	1,771	21,071
Release from Choke Canyon Reservoir	2,580	13,260
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	5,895	42,132
NCAT : Nueces River at Calallen, Texas	6,650	55,733
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	7,595	56,377

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	
Monthly Target: 25,500	
Salinity Relief Credit : 25,500 Effective: 06/01/2004	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru	
Target: 0	
Reservoir Inflow: 56,377	0
Estuary Inflows (Measured at NCAT)	55,733
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/27/2004
06/26/2004	146	3,763	24,874	4,100	337	44.0	44.1

Report Generated: 06/27/2004 at 9:09:17 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 28, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/28/2003	220.1	683,889	98.4%	92.3	209,951	87.0%	893,840	95.4%
06/28/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/27/2004	90	424	0.00	89	325	0.00	749
MTD		11,530	5.26		8,431	3.44	19,961

STREAM FLOWS

Gauging Station	06/27/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	5,816	55,326
NRRT : Nueces River at Tilden, Texas	405	15,626
FRRT : Frio River at Tilden, Texas	1,977	12,563
SMTT : San Miguel Creek at Tilden, Texas	732	9,777
ARWT : Atascosa River at Whitsett, Texas	2,164	23,234
Release from Choke Canyon Reservoir	2,580	15,840
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	7,047	49,178
NCAT : Nueces River at Calallen, Texas	6,967	62,700
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	5,945	62,322

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 25,500 Effective: 06/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 62,322	0
Estuary Inflows (Measured at NCAT)	62,700
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/28/2004
06/27/2004	146	3,910	25,020	4,100	190	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 29, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/29/2003	220.0	682,860	98.2%	92.3	209,041	86.7%	891,901	95.2%
06/29/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/28/2004	88	363	0.07	88	269	0.00	632
MTD		11,893	5.33		8,700	3.44	20,593

STREAM FLOWS

Gauging Station	06/28/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	5,379	60,705
NRIT : Nueces River at Tilden, Texas	673	16,299
FRIT : Frio River at Tilden, Texas	1,155	13,718
SMTT : San Miguel Creek at Tilden, Texas	536	10,313
ARWT : Atascosa River at Whitsett, Texas	2,342	25,577
Release from Choke Canyon Reservoir	969	16,809
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	6,550	55,729
NCAT : Nueces River at Calallen, Texas	8,794	71,494
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	6,102	68,424

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 25,500 Effective: 06/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 68,424	0
Estuary Inflows (Measured at NCAT)	71,494
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/29/2004
06/28/2004	146	4,056	25,166	4,100	44	44.0	44.0

Report Generated: 06/29/2004 at 8:40:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 30, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/30/2003	220.0	682,346	98.1%	92.3	208,850	86.6%	891,196	95.2%
06/30/2004	220.8	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/29/2004	81	91	0.64	77	179	0.74	270	
MTD		11,984	5.97		8,879	4.18	20,863	

STREAM FLOWS

Gauging Station	06/29/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,156	63,861
NRTT : Nueces River at Tilden, Texas	802	17,101
FRTT : Frio River at Tilden, Texas	546	14,264
SMTT : San Miguel Creek at Tilden, Texas	258	10,571
ARWT : Atascosa River at Whitsett, Texas	1,120	26,696
Release from Choke Canyon Reservoir	286	17,095
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	4,685	60,413
NCAT : Nueces River at Calallen, Texas	9,945	81,439
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,674	72,098

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	
Monthly Target: 25,500	
Salinity Relief Credit : 25,500 Effective: 06/01/2004	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 06/01/2004)	500
Passthru	
Target: 0	
Reservoir Inflow: 72,098	0
Estuary Inflows (Measured at NCAT)	81,439
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2004		Elevation (Ft)	
				Allocation	Remaining	Full	06/30/2004
06/29/2004	146	4,202	25,313	4,100	-102	44.0	44.0

Report Generated: 06/30/2004 at 8:01:41 AM