

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 1, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/01/2003	220.0	682,346	98.1%	93.5	230,935	95.7%	913,281	97.5%
09/01/2004	221.4	695,271	100.0%	94.0	240,663	99.8%	935,934	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/31/2004	92	273	0.06	89	314	0.40	587
MTD		14,712	2.23		10,237	2.65	24,949

STREAM FLOWS

Gauging Station	08/31/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	5,082	41,137
NRTT : Nueces River at Tilden, Texas	653	16,851
FRIT : Frio River at Tilden, Texas	1,374	63,637
SMTT : San Miguel Creek at Tilden, Texas	10	1,008
ARWT : Atascosa River at Whitsett, Texas	44	1,493
Release from Choke Canyon Reservoir	4,516	31,347
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	5,101	34,164
NCAT : Nueces River at Calallen, Texas	8,158	35,569
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,949	80,345

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 6,500 Effective: 08/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 08/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 80,345	0
Estuary Inflows (Measured at NCAT)	35,569
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/01/2004
08/31/2004	151	4,607	34,529	4,100	-507	44.0	43.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 2, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/02/2003	220.0	682,346	98.1%	93.4	230,368	95.5%	912,714	97.5%
09/02/2004	221.3	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/01/2004	85	167	0.02	84	280	0.83	447
MTD		167	0.02		280	0.83	447

STREAM FLOWS

Gauging Station	09/01/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	5,439	5,439
NRTT : Nueces River at Tilden, Texas	758	758
FRIT : Frio River at Tilden, Texas	939	939
SMTT : San Miguel Creek at Tilden, Texas	599	599
ARWT : Atascosa River at Whitsett, Texas	91	91
Release from Choke Canyon Reservoir	5,264	5,264
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	4,665	4,665
NCAT : Nueces River at Calallen, Texas	8,397	8,397
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,713	1,713

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	14,250
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 28,500 Reservoir Inflow: 1,713	1,713
Estuary Inflows (Measured at NCAT)	8,397
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/02/2004
09/01/2004	151	151	34,680	4,100	3,949	44.0	43.6

Report Generated: 09/02/2004 at 8:19:48 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 3, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/03/2003	220.0	683,632	98.3%	93.4	230,557	95.6%	914,189	97.6%
09/03/2004	221.1	695,271	100.0%	93.9	239,318	99.2%	934,589	99.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/02/2004	78	15	0.04	77	67	0.17	82	
MTD		182	0.06		347	1.00	529	

STREAM FLOWS

Gauging Station	09/02/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	6,789	12,228
NRTT : Nueces River at Tilden, Texas	917	1,675
FRTT : Frio River at Tilden, Texas	1,177	2,116
SMTT : San Miguel Creek at Tilden, Texas	480	1,080
ARWT : Atascosa River at Whitsett, Texas	67	159
Release from Choke Canyon Reservoir	5,806	11,070
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	6,789	11,453
NCAT : Nueces River at Calallen, Texas	8,873	17,270
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,640	4,353

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	14,250
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 28,500 Reservoir Inflow: 4,353	4,353
Estuary Inflows (Measured at NCAT)	17,270
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/03/2004
09/02/2004	151	302	34,831	4,100	3,798	44.0	43.6

Report Generated: 09/03/2004 at 8:22:04 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 4, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/04/2003	220.1	685,695	98.6%	93.4	230,557	95.6%	916,252	97.8%
09/04/2004	220.9	695,271	100.0%	93.9	239,894	99.4%	935,165	99.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/03/2004	83	61	0.11	83	213	0.00	274
MTD		243	0.17		560	1.00	803

STREAM FLOWS

Gauging Station	09/03/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,047	19,274
NRTT : Nueces River at Tilden, Texas	1,002	2,678
FRIT : Frio River at Tilden, Texas	717	2,833
SMTT : San Miguel Creek at Tilden, Texas	139	1,219
ARWT : Atascosa River at Whitsett, Texas	52	210
Release from Choke Canyon Reservoir	5,806	16,876
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	6,273	17,726
NCAT : Nueces River at Calallen, Texas	9,210	26,480
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,096	6,449

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	14,250
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 28,500 Reservoir Inflow: 6,449	6,449
Estuary Inflows (Measured at NCAT)	26,480
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/04/2004
09/03/2004	151	453	34,982	4,100	3,647	44.0	43.5

Report Generated: 09/04/2004 at 8:06:25 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 5, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/05/2003	220.1	685,176	98.5%	93.5	231,882	96.1%	917,058	97.9%
09/05/2004	220.7	695,271	100.0%	94.0	240,663	99.8%	935,934	99.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/04/2004	82	106	0.38	81	123	0.01	229	
MTD		349	0.55		683	1.01	1,032	

STREAM FLOWS

Gauging Station	09/04/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	6,967	26,242
NRIT : Nueces River at Tilden, Texas	1,227	3,904
FRIT : Frio River at Tilden, Texas	576	3,408
SMTT : San Miguel Creek at Tilden, Texas	71	1,290
ARWT : Atascosa River at Whitsett, Texas	40	250
Release from Choke Canyon Reservoir	5,806	22,683
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	5,975	23,701
NCAT : Nueces River at Calallen, Texas	9,985	36,464
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,808	8,258

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	14,250
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 28,500 Reservoir Inflow: 8,258	8,258
Estuary Inflows (Measured at NCAT)	36,464
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/05/2004
09/04/2004	151	604	35,133	4,100	3,496	44.0	43.5

Report Generated: 09/05/2004 at 7:56:28 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 6, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/06/2003	220.2	686,733	98.8%	93.6	232,830	96.5%	919,563	98.2%
09/06/2004	220.6	695,271	100.0%	94.0	240,663	99.8%	935,934	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/05/2004	93	363	0.00	89	280	0.00	643
MTD		712	0.55		963	1.01	1,675

STREAM FLOWS

Gauging Station	09/05/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	6,928	33,169
NRTT : Nueces River at Tilden, Texas	1,179	5,084
FRTT : Frio River at Tilden, Texas	605	4,014
SMTT : San Miguel Creek at Tilden, Texas	38	1,328
ARWT : Atascosa River at Whitsett, Texas	40	290
Release from Choke Canyon Reservoir	4,514	27,196
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	6,034	29,735
NCAT : Nueces River at Calallen, Texas	9,885	46,350
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,057	11,314

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	14,250
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 28,500 Reservoir Inflow: 11,314	11,314
Estuary Inflows (Measured at NCAT)	46,350
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/06/2004
09/05/2004	151	755	35,284	4,100	3,345	44.0	43.5

Report Generated: 09/06/2004 at 8:21:36 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 7, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/07/2003	220.2	688,025	99.0%	93.7	234,731	97.3%	922,756	98.5%
09/07/2004	220.6	695,271	100.0%	94.0	240,471	99.7%	935,742	99.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/06/2004	94	439	0.09	93	325	0.00	764	
MTD		1,151	0.64		1,288	1.01	2,439	

STREAM FLOWS

Gauging Station	09/06/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,367	37,536
NRTT : Nueces River at Tilden, Texas	979	6,062
FRTT : Frio River at Tilden, Texas	673	4,687
SMTT : San Miguel Creek at Tilden, Texas	24	1,352
ARWT : Atascosa River at Whitsett, Texas	42	331
Release from Choke Canyon Reservoir	1,384	28,580
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	5,737	35,472
NCAT : Nueces River at Calallen, Texas	9,726	56,076
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	3,680	14,995

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	14,250
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 28,500 Reservoir Inflow: 14,995	14,995
Estuary Inflows (Measured at NCAT)	56,076
PassThru Surplus / -Deficit:	55,832

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/07/2004
09/06/2004	151	906	35,434	4,100	3,194	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 8, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/08/2003	220.2	687,252	98.8%	93.7	236,256	97.9%	923,508	98.6%
09/08/2004	220.6	695,271	100.0%	93.9	239,127	99.1%	934,398	99.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/07/2004	89	469	0.00	85	291	0.03	760	
MTD		1,620	0.64		1,579	1.04	3,199	

STREAM FLOWS

Gauging Station	09/07/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,429	38,966
NRTT : Nueces River at Tilden, Texas	1,219	7,281
FRTT : Frio River at Tilden, Texas	597	5,284
SMTT : San Miguel Creek at Tilden, Texas	17	1,369
ARWT : Atascosa River at Whitsett, Texas	40	371
Release from Choke Canyon Reservoir	280	28,860
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,553	39,025
NCAT : Nueces River at Calallen, Texas	9,607	65,684
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,764	16,759

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	14,250
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 28,500 Reservoir Inflow: 16,759	16,759
Estuary Inflows (Measured at NCAT)	65,684
PassThru Surplus / -Deficit:	63,675

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/08/2004
09/07/2004	149	1,055	35,584	4,100	3,045	44.0	43.6

Report Generated: 09/08/2004 at 8:39:55 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 9, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/09/2003	220.2	688,540	99.0%	93.8	237,494	98.4%	926,034	98.9%
09/09/2004	220.5	695,271	100.0%	93.9	239,702	99.4%	934,973	99.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/08/2004	89	348	0.00	85	302	0.00	650	
MTD		1,968	0.64		1,881	1.04	3,849	

STREAM FLOWS

Gauging Station	09/08/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,491	40,456
NRTT : Nueces River at Tilden, Texas	1,356	8,637
FRIT : Frio River at Tilden, Texas	510	5,794
SMTT : San Miguel Creek at Tilden, Texas	12	1,381
ARWT : Atascosa River at Whitsett, Texas	38	409
Release from Choke Canyon Reservoir	280	29,140
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	699	39,724
NCAT : Nueces River at Calallen, Texas	8,397	74,080
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,733	18,491

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	14,250
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 28,500 Reservoir Inflow: 18,491	18,491
Estuary Inflows (Measured at NCAT)	74,080
PassThru Surplus / -Deficit:	70,339

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/09/2004
09/08/2004	150	1,205	35,733	4,100	2,895	44.0	43.4

Report Generated: 09/09/2004 at 7:59:32 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 10, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/10/2003	220.2	688,283	99.0%	93.8	237,785	98.6%	926,068	98.9%
09/10/2004	220.5	695,271	100.0%	93.9	240,087	99.5%	935,358	99.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/09/2004	92	500	0.00	88	201	0.00	701
MTD		2,468	0.64		2,082	1.04	4,550

STREAM FLOWS

Gauging Station	09/09/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,648	42,104
NRTT : Nueces River at Tilden, Texas	1,346	9,983
FRTT : Frio River at Tilden, Texas	502	6,296
SMTT : San Miguel Creek at Tilden, Texas	9	1,389
ARWT : Atascosa River at Whitsett, Texas	42	451
Release from Choke Canyon Reservoir	173	29,312
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	200	39,924
NCAT : Nueces River at Calallen, Texas	3,871	77,951
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,986	20,477

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	14,250
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 28,500 Reservoir Inflow: 20,477	20,477
Estuary Inflows (Measured at NCAT)	77,951
PassThru Surplus / -Deficit:	72,224

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/10/2004
09/09/2004	151	1,355	35,884	4,100	2,745	44.0	43.3

Report Generated: 09/10/2004 at 8:07:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 11, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/11/2003	220.2	688,025	99.0%	93.9	238,551	98.9%	926,576	98.9%
09/11/2004	220.5	695,271	100.0%	94.0	240,856	99.8%	936,127	100.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/10/2004	92	318	0.00	88	303	0.02		621
MTD		2,786	0.64		2,385	1.06		5,171

STREAM FLOWS

Gauging Station	09/10/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,590	43,694
NRTT : Nueces River at Tilden, Texas	1,602	11,584
FRIT : Frio River at Tilden, Texas	474	6,771
SMTT : San Miguel Creek at Tilden, Texas	10	1,399
ARWT : Atascosa River at Whitsett, Texas	77	528
Release from Choke Canyon Reservoir	66	29,378
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	187	40,111
NCAT : Nueces River at Calallen, Texas	1,088	79,039
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,008	22,485

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	14,250
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 28,500 Reservoir Inflow: 22,485	22,485
Estuary Inflows (Measured at NCAT)	79,039
PassThru Surplus / -Deficit:	71,303

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/11/2004
09/10/2004	151	1,506	36,034	4,100	2,594	44.0	43.3

Report Generated: 09/11/2004 at 8:21:32 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 12, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/12/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/12/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/11/2004	94	454	0.00	89	247	0.00	701
MTD		3,240	0.64		2,632	1.06	5,872

STREAM FLOWS

Gauging Station	09/11/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,834	45,528
NRTT : Nueces River at Tilden, Texas	1,947	13,532
FRTT : Frio River at Tilden, Texas	441	7,212
SMTT : San Miguel Creek at Tilden, Texas	9	1,408
ARWT : Atascosa River at Whitsett, Texas	62	590
Release from Choke Canyon Reservoir	66	29,444
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	661	40,772
NCAT : Nueces River at Calallen, Texas	538	79,577
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,218	24,704

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	14,250
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 28,500 Reservoir Inflow: 24,704	24,704
Estuary Inflows (Measured at NCAT)	79,577
PassThru Surplus / -Deficit:	69,623

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/12/2004
09/11/2004	151	1,657	36,185	4,100	2,443	44.0	43.3

Report Generated: 09/12/2004 at 8:00:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 13, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/13/2003	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%
09/13/2004	220.5	695,271	100.0%	94.0	240,856	99.8%	936,127	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/12/2004	94	363	0.00	91	280	0.00	643
MTD		3,603	0.64		2,912	1.06	6,515

STREAM FLOWS

Gauging Station	09/12/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,124	47,652
NRIT : Nueces River at Tilden, Texas	2,203	15,735
FRIT : Frio River at Tilden, Texas	423	7,634
SMTT : San Miguel Creek at Tilden, Texas	8	1,416
ARWT : Atascosa River at Whitsett, Texas	48	637
Release from Choke Canyon Reservoir	66	29,509
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,975	42,747
NCAT : Nueces River at Calallen, Texas	1,147	80,724
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,489	27,193

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	14,250
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 28,500 Reservoir Inflow: 27,193	27,193
Estuary Inflows (Measured at NCAT)	80,724
PassThru Surplus / -Deficit:	68,281

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/13/2004
09/12/2004	151	1,807	36,336	4,100	2,293	44.0	43.3

Report Generated: 09/13/2004 at 8:45:03 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 14, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/14/2003	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%
09/14/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/13/2004	88	167	0.38	92	146	0.50	313	
MTD		3,770	1.02		3,058	1.56	6,828	

STREAM FLOWS

Gauging Station	09/13/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,303	49,955
NRTT : Nueces River at Tilden, Texas	2,402	18,137
FRTT : Frio River at Tilden, Texas	409	8,043
SMTT : San Miguel Creek at Tilden, Texas	7	1,422
ARWT : Atascosa River at Whitsett, Texas	40	677
Release from Choke Canyon Reservoir	66	29,575
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,322	45,069
NCAT : Nueces River at Calallen, Texas	3,077	83,801
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,653	29,845

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	14,250
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 28,500 Reservoir Inflow: 29,845	28,500
Estuary Inflows (Measured at NCAT)	83,801
PassThru Surplus / -Deficit:	70,051

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/14/2004
09/13/2004	150	1,957	36,486	4,100	2,143	44.0	0.0

Report Generated: 09/14/2004 at 8:40:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 15, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/15/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/15/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/14/2004	91	348	0.00	88	314	0.15	662
MTD		4,118	1.02		3,372	1.71	7,490

STREAM FLOWS

Gauging Station	09/14/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,442	52,396
NRIT : Nueces River at Tilden, Texas	2,442	20,578
FRIT : Frio River at Tilden, Texas	395	8,438
SMTT : San Miguel Creek at Tilden, Texas	9	1,431
ARWT : Atascosa River at Whitsett, Texas	48	725
Release from Choke Canyon Reservoir	66	29,640
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,362	47,432
NCAT : Nueces River at Calallen, Texas	3,970	87,771
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	2,780	32,626

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	14,250
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 28,500 Reservoir Inflow: 32,626	28,500
Estuary Inflows (Measured at NCAT)	87,771
PassThru Surplus / -Deficit:	74,021

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/15/2004
09/14/2004	150	2,108	36,636	4,100	1,992	44.0	43.2

Report Generated: 09/15/2004 at 8:43:18 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 16, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/16/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/16/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/15/2004	93	454	0.00	92	280	0.00	734
MTD		4,572	1.02		3,652	1.71	8,224

STREAM FLOWS

Gauging Station	09/15/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,501	54,897
NRTT : Nueces River at Tilden, Texas	1,219	21,797
FRTT : Frio River at Tilden, Texas	322	8,760
SMTT : San Miguel Creek at Tilden, Texas	11	1,443
ARWT : Atascosa River at Whitsett, Texas	48	772
Release from Choke Canyon Reservoir	66	29,706
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,342	49,774
NCAT : Nueces River at Calallen, Texas	4,149	91,919
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,768	35,394

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	14,250
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 28,500 Reservoir Inflow: 35,394	28,500
Estuary Inflows (Measured at NCAT)	91,919
PassThru Surplus / -Deficit:	78,169

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/16/2004
09/15/2004	150	2,257	36,786	4,100	1,843	44.0	43.2

Report Generated: 09/16/2004 at 8:35:27 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 17, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/17/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/17/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/16/2004	95	424	0.00	92	292	0.00	716
MTD		4,996	1.02		3,944	1.71	8,940

STREAM FLOWS

Gauging Station	09/16/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,568	56,465
NRTT : Nueces River at Tilden, Texas	526	22,323
FRTT : Frio River at Tilden, Texas	314	9,073
SMTT : San Miguel Creek at Tilden, Texas	11	1,454
ARWT : Atascosa River at Whitsett, Texas	48	820
Release from Choke Canyon Reservoir	66	29,771
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,695	51,469
NCAT : Nueces River at Calallen, Texas	4,307	96,227
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,827	37,222

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	14,250
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 28,500 Reservoir Inflow: 37,222	28,500
Estuary Inflows (Measured at NCAT)	96,227
PassThru Surplus / -Deficit:	82,477

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/17/2004
09/16/2004	150	2,407	36,936	4,100	1,693	44.0	43.2

Report Generated: 09/17/2004 at 8:15:58 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 18, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/18/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/18/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/17/2004	95	469	0.00	90	280	0.00	749
MTD		5,465	1.02		4,224	1.71	9,689

STREAM FLOWS

Gauging Station	09/17/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	730	57,196
NRTT : Nueces River at Tilden, Texas	435	22,758
FRIT : Frio River at Tilden, Texas	308	9,381
SMTT : San Miguel Creek at Tilden, Texas	10	1,464
ARWT : Atascosa River at Whitsett, Texas	50	869
Release from Choke Canyon Reservoir	66	29,837
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	419	51,888
NCAT : Nueces River at Calallen, Texas	2,997	99,224
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	983	38,204

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	14,250
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 28,500 Reservoir Inflow: 38,204	28,500
Estuary Inflows (Measured at NCAT)	99,224
PassThru Surplus / -Deficit:	85,474

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/18/2004
09/17/2004	150	2,557	37,086	4,100	1,543	44.0	43.3

Report Generated: 09/18/2004 at 8:13:17 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 19, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/19/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/19/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/18/2004	94	484	0.00	90	292	0.00	776
MTD		5,949	1.02		4,516	1.71	10,465

STREAM FLOWS

Gauging Station	09/18/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	619	57,815
NRTT : Nueces River at Tilden, Texas	363	23,121
FRTT : Frio River at Tilden, Texas	304	9,685
SMTT : San Miguel Creek at Tilden, Texas	9	1,473
ARWT : Atascosa River at Whitsett, Texas	38	907
Release from Choke Canyon Reservoir	66	29,902
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	52,067
NCAT : Nueces River at Calallen, Texas	1,024	100,248
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	867	39,071

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	14,250
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 28,500 Reservoir Inflow: 39,071	28,500
Estuary Inflows (Measured at NCAT)	100,248
PassThru Surplus / -Deficit:	86,498

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/19/2004
09/18/2004	150	2,707	37,235	4,100	1,393	44.0	43.3

Report Generated: 09/19/2004 at 8:07:34 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 20, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/20/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/20/2004	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/19/2004	93	469	0.00	90	292	0.00	761
MTD		6,418	1.02		4,808	1.71	11,226

STREAM FLOWS

Gauging Station	09/19/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	562	58,377
NRTT : Nueces River at Tilden, Texas	290	23,411
FRTT : Frio River at Tilden, Texas	304	9,989
SMTT : San Miguel Creek at Tilden, Texas	8	1,481
ARWT : Atascosa River at Whitsett, Texas	32	939
Release from Choke Canyon Reservoir	66	29,968
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	173	52,239
NCAT : Nueces River at Calallen, Texas	367	100,616
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	808	39,879

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	14,250
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 28,500 Reservoir Inflow: 39,879	28,500
Estuary Inflows (Measured at NCAT)	100,616
PassThru Surplus / -Deficit:	86,866

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/20/2004
09/19/2004	149	2,856	37,385	4,100	1,244	44.0	43.3

Report Generated: 09/20/2004 at 8:43:36 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 21, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/21/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/21/2004	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/20/2004	94	454	0.00	90	269	0.00	723
MTD		6,872	1.02		5,077	1.71	11,949

STREAM FLOWS

Gauging Station	09/20/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	494	58,871
NRTT : Nueces River at Tilden, Texas	246	23,657
FRTT : Frio River at Tilden, Texas	298	10,286
SMTT : San Miguel Creek at Tilden, Texas	7	1,489
ARWT : Atascosa River at Whitsett, Texas	28	967
Release from Choke Canyon Reservoir	66	30,033
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	171	52,410
NCAT : Nueces River at Calallen, Texas	169	100,784
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	734	40,613

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 21,375 Effective: 09/14/2004	7,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 7,125 Reservoir Inflow: 40,613	7,125
Estuary Inflows (Measured at NCAT)	100,784
PassThru Surplus / -Deficit:	94,159

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/21/2004
09/20/2004	147	3,003	37,531	4,100	1,097	44.0	43.3

Report Generated: 09/21/2004 at 8:40:14 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 22, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/22/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/22/2004	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/21/2004	90	393	0.00	86	213	0.00	606
MTD		7,265	1.02		5,290	1.71	12,555

STREAM FLOWS

Gauging Station	09/21/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	431	59,302
NRTT : Nueces River at Tilden, Texas	216	23,874
FRIT : Frio River at Tilden, Texas	294	10,580
SMTT : San Miguel Creek at Tilden, Texas	7	1,495
ARWT : Atascosa River at Whitsett, Texas	26	992
Release from Choke Canyon Reservoir	66	30,099
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	171	52,581
NCAT : Nueces River at Calallen, Texas	101	100,886
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	666	41,279

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 21,375 Effective: 09/14/2004	7,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 7,125 Reservoir Inflow: 41,279	7,125
Estuary Inflows (Measured at NCAT)	100,886
PassThru Surplus / -Deficit:	94,261

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/22/2004
09/21/2004	146	3,149	37,677	4,100	951	44.0	43.2

Report Generated: 09/22/2004 at 8:04:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 23, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/23/2003	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/23/2004	220.4	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/22/2004	91	423	0.00	85	269	0.02	692
MTD		7,688	1.02		5,559	1.73	13,247

STREAM FLOWS

Gauging Station	09/22/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	397	59,699
NRTT : Nueces River at Tilden, Texas	198	24,072
FRTT : Frio River at Tilden, Texas	288	10,868
SMTT : San Miguel Creek at Tilden, Texas	6	1,501
ARWT : Atascosa River at Whitsett, Texas	24	1,016
Release from Choke Canyon Reservoir	66	30,164
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	169	52,749
NCAT : Nueces River at Calallen, Texas	145	101,031
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	625	41,904

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 21,375 Effective: 09/14/2004	7,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 7,125 Reservoir Inflow: 41,904	7,125
Estuary Inflows (Measured at NCAT)	101,031
PassThru Surplus / -Deficit:	94,406

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/23/2004
09/22/2004	146	3,294	37,823	4,100	806	44.0	43.1

Report Generated: 09/23/2004 at 8:00:40 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 24, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/24/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/24/2004	220.4	693,715	99.8%	94.0	241,241	100.0%	934,956	99.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/23/2004	90	242	0.15	86	236	0.74	478
MTD		7,930	1.17		5,795	2.47	13,725

STREAM FLOWS

Gauging Station	09/23/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	377	60,076
NRTT : Nueces River at Tilden, Texas	183	24,255
FRTT : Frio River at Tilden, Texas	280	11,148
SMTT : San Miguel Creek at Tilden, Texas	7	1,508
ARWT : Atascosa River at Whitsett, Texas	24	1,040
Release from Choke Canyon Reservoir	66	30,230
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	169	52,918
NCAT : Nueces River at Calallen, Texas	161	101,191
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	599	42,503

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 21,375 Effective: 09/14/2004	7,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 7,125 Reservoir Inflow: 42,503	7,125
Estuary Inflows (Measured at NCAT)	101,191
PassThru Surplus / -Deficit:	94,566

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/24/2004
09/23/2004	146	3,440	37,969	4,100	660	44.0	42.9

Report Generated: 09/24/2004 at 8:08:22 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 25, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/25/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/25/2004	220.4	693,455	99.7%	94.0	241,241	100.0%	934,696	99.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/24/2004	93	438	0.00	88	325	0.00	763
MTD		8,368	1.17		6,120	2.47	14,488

STREAM FLOWS

Gauging Station	09/24/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	363	60,439
NRTT : Nueces River at Tilden, Texas	177	24,431
FRIT : Frio River at Tilden, Texas	278	11,426
SMTT : San Miguel Creek at Tilden, Texas	14	1,522
ARWT : Atascosa River at Whitsett, Texas	24	1,064
Release from Choke Canyon Reservoir	66	30,295
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	53,097
NCAT : Nueces River at Calallen, Texas	103	101,295
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	590	43,092

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 21,375 Effective: 09/14/2004	7,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 7,125 Reservoir Inflow: 43,092	7,125
Estuary Inflows (Measured at NCAT)	101,295
PassThru Surplus / -Deficit:	94,670

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/25/2004
09/24/2004	146	3,586	38,114	4,100	514	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 26, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/26/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/26/2004	220.4	693,196	99.7%	94.0	241,048	99.9%	934,244	99.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/25/2004	85	272	0.00	82	90	0.00	362
MTD		8,640	1.17		6,210	2.47	14,850

STREAM FLOWS

Gauging Station	09/25/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	347	60,787
NRTT : Nueces River at Tilden, Texas	169	24,600
FRIT : Frio River at Tilden, Texas	274	11,700
SMTT : San Miguel Creek at Tilden, Texas	5	1,527
ARWT : Atascosa River at Whitsett, Texas	24	1,088
Release from Choke Canyon Reservoir	66	30,361
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	197	53,293
NCAT : Nueces River at Calallen, Texas	75	101,370
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	561	43,653

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru	
Monthly Target: 28,500	7,125
Salinity Relief Credit : 21,375 Effective: 09/14/2004	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2004)	500
Passthru	
Target: 7,125	7,125
Reservoir Inflow: 43,653	
Estuary Inflows (Measured at NCAT)	101,370
PassThru Surplus / -Deficit:	94,745

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/26/2004
09/25/2004	146	3,732	38,260	4,100	368	44.0	42.8

Report Generated: 09/26/2004 at 7:54:38 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 27, 2004**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/27/2003	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/27/2004	220.4	692,936	99.7%	94.0	240,856	99.8%	933,792	99.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/26/2004	90	408	0.00	87	258	0.00	666
MTD		9,048	1.17		6,468	2.47	15,516

STREAM FLOWS

Gauging Station	09/26/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	345	61,132
NRTT : Nueces River at Tilden, Texas	159	24,759
FRTT : Frio River at Tilden, Texas	276	11,976
SMTT : San Miguel Creek at Tilden, Texas	5	1,532
ARWT : Atascosa River at Whitsett, Texas	24	1,112
Release from Choke Canyon Reservoir	66	30,426
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	53,460
NCAT : Nueces River at Calallen, Texas	155	101,525
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	561	44,214

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 21,375 Effective: 09/14/2004	7,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 7,125 Reservoir Inflow: 44,214	7,125
Estuary Inflows (Measured at NCAT)	101,525
PassThru Surplus / -Deficit:	94,900

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/27/2004
09/26/2004	147	3,879	38,407	4,100	221	44.0	42.8

Report Generated: 09/27/2004 at 8:04:27 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 28, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/28/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/28/2004	220.4	692,677	99.6%	94.0	240,471	99.7%	933,148	99.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/27/2004	78	151	0.10	78	75	0.00	226
MTD		9,199	1.27		6,543	2.47	15,742

STREAM FLOWS

Gauging Station	09/27/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	339	61,471
NRTT : Nueces River at Tilden, Texas	149	24,908
FRTT : Frio River at Tilden, Texas	274	12,249
SMTT : San Miguel Creek at Tilden, Texas	5	1,537
ARWT : Atascosa River at Whitsett, Texas	28	1,139
Release from Choke Canyon Reservoir	66	30,492
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	198	53,659
NCAT : Nueces River at Calallen, Texas	135	101,660
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	553	44,767

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 21,375 Effective: 09/14/2004	7,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 7,125 Reservoir Inflow: 44,767	7,125
Estuary Inflows (Measured at NCAT)	101,660
PassThru Surplus / -Deficit:	95,035

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/28/2004
09/27/2004	148	4,026	38,555	4,100	74	44.0	42.8

Report Generated: 09/28/2004 at 8:37:20 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 29, 2004

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/29/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/29/2004	220.4	692,418	99.6%	94.0	240,279	99.6%	932,697	99.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/28/2004	88	393	0.00	86	258	0.00	651
MTD		9,592	1.27		6,801	2.47	16,393

STREAM FLOWS

Gauging Station	09/28/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	330	61,801
NRIT : Nueces River at Tilden, Texas	139	25,047
FRIT : Frio River at Tilden, Texas	270	12,519
SMTT : San Miguel Creek at Tilden, Texas	6	1,544
ARWT : Atascosa River at Whitsett, Texas	26	1,165
Release from Choke Canyon Reservoir	66	30,557
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	248	53,907
NCAT : Nueces River at Calallen, Texas	66	101,725
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	540	45,307

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru	
Monthly Target: 28,500	7,125
Salinity Relief Credit : 21,375 Effective: 09/14/2004	
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2004)	500
Passthru	
Target: 7,125	7,125
Reservoir Inflow: 45,307	
Estuary Inflows (Measured at NCAT)	101,725
PassThru Surplus / -Deficit:	95,100

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/29/2004
09/28/2004	147	4,174	38,702	4,100	-74	44.0	42.6

Report Generated: 09/29/2004 at 8:13:56 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 30, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
09/30/2003	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%
09/30/2004	220.4	692,158	99.6%	93.9	239,318	99.2%	931,476	99.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/29/2004	91	392	0.00	92	313	0.00	705
MTD		9,984	1.27		7,114	2.47	17,098

STREAM FLOWS

Gauging Station	09/29/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	316	62,117
NRIT : Nueces River at Tilden, Texas	131	25,178
FRIT : Frio River at Tilden, Texas	270	12,789
SMTT : San Miguel Creek at Tilden, Texas	7	1,551
ARWT : Atascosa River at Whitsett, Texas	40	1,205
Release from Choke Canyon Reservoir	66	30,623
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	216	54,123
NCAT : Nueces River at Calallen, Texas	69	101,795
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	527	45,834

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 21,375 Effective: 09/14/2004	7,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 09/01/2004)	500
Passthru Target: 7,125 Reservoir Inflow: 45,834	7,125
Estuary Inflows (Measured at NCAT)	101,795
PassThru Surplus / -Deficit:	95,170

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2004		Elevation (Ft)	
				Allocation	Remaining	Full	09/30/2004
09/29/2004	148	4,321	38,850	4,100	-221	44.0	42.6

Report Generated: 09/30/2004 at 8:48:04 AM