

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 1, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/01/2003	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
11/01/2004	220.4	693,715	99.8%	93.9	240,087	99.5%	933,802	99.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
10/31/2004	90	227	0.35	85	325	0.28	552
MTD		9,607	2.20		6,813	4.51	16,420

STREAM FLOWS

Gauging Station	10/31/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	272	10,675
NRRT : Nueces River at Tilden, Texas	145	6,499
FRRT : Frio River at Tilden, Texas	242	8,101
SMTT : San Miguel Creek at Tilden, Texas	3	702
ARWT : Atascosa River at Whitsett, Texas	28	916
Release from Choke Canyon Reservoir	66	2,031
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	6,058
NCAT : Nueces River at Calallen, Texas	62	2,249
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	451	17,447

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 20,000 Effective: 10/01/2004	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 10/01/2004)	500
Passthru Target: 0 Reservoir Inflow: 17,447	0
Estuary Inflows (Measured at NCAT)	2,249
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/01/2004
10/31/2004	149	4,588	43,585	3,050	-1,538	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 2, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/02/2003	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%
11/02/2004	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/01/2004	74	227	0.06	85	123	0.63	350
MTD		227	0.06		123	0.63	350

STREAM FLOWS

Gauging Station	11/01/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	274	274
NRRT : Nueces River at Tilden, Texas	151	151
FRRT : Frio River at Tilden, Texas	248	248
SMTT : San Miguel Creek at Tilden, Texas	11	11
ARWT : Atascosa River at Whitsett, Texas	28	28
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	187	187
NCAT : Nueces River at Calallen, Texas	34	34
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	467	467

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,249
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 9,000 Reservoir Inflow: 467	467
Estuary Inflows (Measured at NCAT)	34
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/02/2004
11/01/2004	158	158	43,743	3,050	2,892	44.0	44.1

Report Generated: 11/02/2004 at 8:57:49 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 3, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/03/2003	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%
11/03/2004	220.4	693,455	99.7%	94.0	241,048	99.9%	934,503	99.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/02/2004	68	378	0.00	69	168	0.00	546
MTD		605	0.06		291	0.63	896

STREAM FLOWS

Gauging Station	11/02/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	274	548
NRRT : Nueces River at Tilden, Texas	145	296
FRRT : Frio River at Tilden, Texas	234	482
SMTT : San Miguel Creek at Tilden, Texas	13	24
ARWT : Atascosa River at Whitsett, Texas	26	54
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	899	1,086
NCAT : Nueces River at Calallen, Texas	79	113
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	456	923

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,249
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 9,000 Reservoir Inflow: 923	923
Estuary Inflows (Measured at NCAT)	113
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/03/2004
11/02/2004	149	306	43,892	3,050	2,744	44.0	44.0

Report Generated: 11/03/2004 at 8:43:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 4, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/04/2003	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
11/04/2004	220.4	691,639	99.5%	93.9	239,894	99.4%	931,533	99.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/03/2004	65	407	0.00	65	302	0.00	709
MTD		1,012	0.06		593	0.63	1,605

STREAM FLOWS

Gauging Station	11/03/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	272	820
NRTT : Nueces River at Tilden, Texas	143	439
FRIT : Frio River at Tilden, Texas	234	717
SMTT : San Miguel Creek at Tilden, Texas	8	32
ARWT : Atascosa River at Whitsett, Texas	60	113
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	415	1,501
NCAT : Nueces River at Calallen, Texas	520	633
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	449	1,371

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,249
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 9,000 Reservoir Inflow: 1,371	1,371
Estuary Inflows (Measured at NCAT)	633
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/04/2004
11/03/2004	149	455	44,040	3,050	2,595	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 5, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/05/2003	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%
11/05/2004	220.3	690,861	99.4%	93.9	239,510	99.3%	930,371	99.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/04/2004	75	211	0.00	71	179	0.00	390
MTD		1,223	0.06		772	0.63	1,995

STREAM FLOWS

Gauging Station	11/04/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	276	1,096
NRRT : Nueces River at Tilden, Texas	145	584
FRRT : Frio River at Tilden, Texas	242	959
SMTT : San Miguel Creek at Tilden, Texas	5	37
ARWT : Atascosa River at Whitsett, Texas	44	157
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	85	1,586
NCAT : Nueces River at Calallen, Texas	328	961
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	458	1,829

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,249
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 9,000 Reservoir Inflow: 1,829	1,829
Estuary Inflows (Measured at NCAT)	961
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/05/2004
11/04/2004	146	601	44,186	3,050	2,449	44.0	44.0

Report Generated: 11/05/2004 at 9:58:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 6, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/06/2003	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%
11/06/2004	220.3	690,083	99.3%	93.9	238,935	99.0%	929,018	99.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/05/2004	75	196	0.00	72	168	0.00	364
MTD		1,419	0.06		940	0.63	2,359

STREAM FLOWS

Gauging Station	11/05/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	296	1,391
NRRT : Nueces River at Tilden, Texas	147	730
FRRT : Frio River at Tilden, Texas	234	1,193
SMTT : San Miguel Creek at Tilden, Texas	8	44
ARWT : Atascosa River at Whitsett, Texas	60	216
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	139	1,725
NCAT : Nueces River at Calallen, Texas	83	1,044
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	472	2,301

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,249
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 9,000 Reservoir Inflow: 2,301	2,301
Estuary Inflows (Measured at NCAT)	1,044
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/06/2004
11/05/2004	149	750	44,335	3,050	2,300	44.0	44.0

Report Generated: 11/06/2004 at 8:42:17 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 7, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/07/2003	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%
11/07/2004	220.3	689,311	99.1%	93.9	238,743	99.0%	928,054	99.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/06/2004	80	226	0.00	80	179	0.00	405
MTD		1,645	0.06		1,119	0.63	2,764

STREAM FLOWS

Gauging Station	11/06/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	290	1,681
NRTT : Nueces River at Tilden, Texas	131	861
FRIT : Frio River at Tilden, Texas	240	1,433
SMTT : San Miguel Creek at Tilden, Texas	17	62
ARWT : Atascosa River at Whitsett, Texas	56	272
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	137	1,862
NCAT : Nueces River at Calallen, Texas	58	1,102
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	482	2,783

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,249
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 9,000 Reservoir Inflow: 2,783	2,783
Estuary Inflows (Measured at NCAT)	1,102
PassThru Surplus / -Deficit:	1,068

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/07/2004
11/06/2004	149	898	44,483	3,050	2,152	44.0	44.0

Report Generated: 11/07/2004 at 8:29:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 8, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/08/2003	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
11/08/2004	220.3	689,054	99.1%	93.9	238,743	99.0%	927,797	99.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/07/2004	84	226	0.00	82	145	0.00	371
MTD		1,871	0.06		1,264	0.63	3,135

STREAM FLOWS

Gauging Station	11/07/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	272	1,953
NRTT : Nueces River at Tilden, Texas	129	991
FRIT : Frio River at Tilden, Texas	252	1,685
SMTT : San Miguel Creek at Tilden, Texas	13	74
ARWT : Atascosa River at Whitsett, Texas	52	324
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	137	1,999
NCAT : Nueces River at Calallen, Texas	34	1,135
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	471	3,254

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,249
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 9,000 Reservoir Inflow: 3,254	3,254
Estuary Inflows (Measured at NCAT)	1,135
PassThru Surplus / -Deficit:	630

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/08/2004
11/07/2004	149	1,047	44,632	3,050	2,003	44.0	44.0

Report Generated: 11/08/2004 at 8:13:22 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 9, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/09/2003	220.4	693,715	99.8%	94.0	241,241	100.0%	934,956	99.8%
11/09/2004	220.3	689,311	99.1%	93.9	238,551	98.9%	927,862	99.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/08/2004	81	256	0.00	79	201	0.00	457
MTD		2,127	0.06		1,465	0.63	3,592

STREAM FLOWS

Gauging Station	11/08/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	254	2,207
NRRT : Nueces River at Tilden, Texas	143	1,133
FRRT : Frio River at Tilden, Texas	250	1,935
SMTT : San Miguel Creek at Tilden, Texas	9	84
ARWT : Atascosa River at Whitsett, Texas	44	367
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	137	2,136
NCAT : Nueces River at Calallen, Texas	34	1,169
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	448	3,702

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,249
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 9,000 Reservoir Inflow: 3,702	3,702
Estuary Inflows (Measured at NCAT)	1,169
PassThru Surplus / -Deficit:	216

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/09/2004
11/08/2004	148	1,195	44,780	3,050	1,855	44.0	44.0

Report Generated: 11/09/2004 at 8:43:05 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 10, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/10/2003	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
11/10/2004	220.3	689,054	99.1%	93.9	238,360	98.8%	927,414	99.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/09/2004	79	226	0.00	79	246	0.00	472
MTD		2,353	0.06		1,711	0.63	4,064

STREAM FLOWS

Gauging Station	11/09/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	258	2,465
NRRT : Nueces River at Tilden, Texas	151	1,284
FRRT : Frio River at Tilden, Texas	240	2,176
SMTT : San Miguel Creek at Tilden, Texas	8	91
ARWT : Atascosa River at Whitsett, Texas	40	407
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	137	2,273
NCAT : Nueces River at Calallen, Texas	58	1,227
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	440	4,143

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,249
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 9,000 Reservoir Inflow: 4,143	4,143
Estuary Inflows (Measured at NCAT)	1,227
PassThru Surplus / -Deficit:	-167

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/10/2004
11/09/2004	148	1,343	44,929	3,050	1,707	44.0	44.0

Report Generated: 11/10/2004 at 8:47:32 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 11, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/11/2003	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
11/11/2004	220.3	689,054	99.1%	93.9	238,360	98.8%	927,414	99.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/10/2004	84	286	0.00	83	246	0.00	532
MTD		2,639	0.06		1,957	0.63	4,596

STREAM FLOWS

Gauging Station	11/10/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	272	2,737
NRRT : Nueces River at Tilden, Texas	149	1,433
FRRT : Frio River at Tilden, Texas	232	2,408
SMTT : San Miguel Creek at Tilden, Texas	7	98
ARWT : Atascosa River at Whitsett, Texas	42	449
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	127	2,400
NCAT : Nueces River at Calallen, Texas	54	1,280
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	445	4,588

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,249
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 9,000 Reservoir Inflow: 4,588	4,588
Estuary Inflows (Measured at NCAT)	1,280
PassThru Surplus / -Deficit:	-559

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/11/2004
11/10/2004	148	1,492	45,077	3,050	1,558	44.0	43.9

Report Generated: 11/11/2004 at 8:32:23 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 12, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/12/2003	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
11/12/2004	220.3	688,797	99.1%	93.9	238,551	98.9%	927,348	99.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/11/2004	75	346	0.00	72	223	0.00	569
MTD		2,985	0.06		2,180	0.63	5,165

STREAM FLOWS

Gauging Station	11/11/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	272	3,009
NRRT : Nueces River at Tilden, Texas	145	1,578
FRRT : Frio River at Tilden, Texas	228	2,636
SMTT : San Miguel Creek at Tilden, Texas	6	104
ARWT : Atascosa River at Whitsett, Texas	44	492
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	145	2,545
NCAT : Nueces River at Calallen, Texas	7	1,287
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	441	5,029

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 6,750 Effective: 11/11/2004	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 2,250 Reservoir Inflow: 5,029	2,250
Estuary Inflows (Measured at NCAT)	1,287
PassThru Surplus / -Deficit:	-463

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/12/2004
11/11/2004	148	1,640	45,225	3,050	1,410	44.0	43.9

Report Generated: 11/12/2004 at 8:28:16 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 13, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/13/2003	220.4	693,455	99.7%	94.0	241,241	100.0%	934,696	99.8%
11/13/2004	220.3	688,797	99.1%	93.9	238,360	98.8%	927,157	99.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/12/2004	63	196	0.00	61	179	0.00	375
MTD		3,181	0.06		2,359	0.63	5,540

STREAM FLOWS

Gauging Station	11/12/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	264	3,273
NRRT : Nueces River at Tilden, Texas	145	1,723
FRRT : Frio River at Tilden, Texas	228	2,864
SMTT : San Miguel Creek at Tilden, Texas	6	110
ARWT : Atascosa River at Whitsett, Texas	46	538
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	129	2,674
NCAT : Nueces River at Calallen, Texas	15	1,303
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	433	5,462

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 6,750 Effective: 11/11/2004	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 2,250 Reservoir Inflow: 5,462	2,250
Estuary Inflows (Measured at NCAT)	1,303
PassThru Surplus / -Deficit:	-447

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/13/2004
11/12/2004	148	1,788	45,373	3,050	1,262	44.0	43.9

Report Generated: 11/13/2004 at 8:31:27 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 14, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/14/2003	220.4	692,936	99.7%	94.0	241,241	100.0%	934,177	99.8%
11/14/2004	220.2	688,283	99.0%	93.8	237,403	98.4%	925,686	98.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/13/2004	56	15	0.11	58	33	0.06	48
MTD		3,196	0.17		2,392	0.69	5,588

STREAM FLOWS

Gauging Station	11/13/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	260	3,533
NRRT : Nueces River at Tilden, Texas	143	1,866
FRRT : Frio River at Tilden, Texas	226	3,091
SMTT : San Miguel Creek at Tilden, Texas	5	115
ARWT : Atascosa River at Whitsett, Texas	48	586
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	117	2,791
NCAT : Nueces River at Calallen, Texas	56	1,358
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	426	5,888

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 6,750 Effective: 11/11/2004	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 2,250 Reservoir Inflow: 5,888	2,250
Estuary Inflows (Measured at NCAT)	1,358
PassThru Surplus / -Deficit:	-392

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/14/2004
11/13/2004	148	1,936	45,521	3,050	1,114	44.0	43.9

Report Generated: 11/14/2004 at 8:33:07 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 15, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/15/2003	220.4	692,936	99.7%	94.0	241,241	100.0%	934,177	99.8%
11/15/2004	220.2	688,540	99.0%	93.8	238,168	98.7%	926,708	99.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/14/2004	62	15	0.27	66	89	0.20	104
MTD		3,211	0.44		2,481	0.89	5,692

STREAM FLOWS

Gauging Station	11/14/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	262	3,795
NRRT : Nueces River at Tilden, Texas	147	2,013
FRRT : Frio River at Tilden, Texas	232	3,323
SMTT : San Miguel Creek at Tilden, Texas	6	121
ARWT : Atascosa River at Whitsett, Texas	15	600
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	115	2,906
NCAT : Nueces River at Calallen, Texas	52	1,410
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	435	6,322

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 6,750 Effective: 11/11/2004	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 2,250 Reservoir Inflow: 6,322	2,250
Estuary Inflows (Measured at NCAT)	1,410
PassThru Surplus / -Deficit:	-340

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/15/2004
11/14/2004	148	2,084	45,669	3,050	966	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 16, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/16/2003	220.4	692,677	99.6%	94.0	241,241	100.0%	933,918	99.7%
11/16/2004	220.2	688,283	99.0%	93.8	237,494	98.4%	925,777	98.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/15/2004	78	120	0.01	76	167	0.00	287
MTD		3,331	0.45		2,648	0.89	5,979

STREAM FLOWS

Gauging Station	11/15/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	272	4,067
NRTT : Nueces River at Tilden, Texas	151	2,164
FRIT : Frio River at Tilden, Texas	236	3,559
SMTT : San Miguel Creek at Tilden, Texas	6	127
ARWT : Atascosa River at Whitsett, Texas	18	619
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	115	3,021
NCAT : Nueces River at Calallen, Texas	60	1,469
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	449	6,771

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 6,750 Effective: 11/11/2004	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 2,250 Reservoir Inflow: 6,771	2,250
Estuary Inflows (Measured at NCAT)	1,469
PassThru Surplus / -Deficit:	-281

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/16/2004
11/15/2004	147	2,231	45,816	3,050	819	44.0	43.8

Report Generated: 11/16/2004 at 9:22:51 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 17, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/17/2003	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%
11/17/2004	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/16/2004	84	302	0.86	82	258	1.93	560
MTD		3,633	1.31		2,906	2.82	6,539

STREAM FLOWS

Gauging Station	11/16/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	274	4,341
NRTT : Nueces River at Tilden, Texas	159	2,322
FRIT : Frio River at Tilden, Texas	256	3,815
SMTT : San Miguel Creek at Tilden, Texas	103	230
ARWT : Atascosa River at Whitsett, Texas	24	643
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	113	3,134
NCAT : Nueces River at Calallen, Texas	38	1,507
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	568	7,338

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 6,750 Effective: 11/11/2004	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 2,250 Reservoir Inflow: 7,338	2,250
Estuary Inflows (Measured at NCAT)	1,507
PassThru Surplus / -Deficit:	-243

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/17/2004
11/16/2004	147	2,378	45,963	3,050	672	44.0	43.8

Report Generated: 11/18/2004 at 9:09:27 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 18, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/18/2003	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
11/18/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/17/2004	74	106	0.02	79	202	0.00	308
MTD		3,739	1.33		3,108	2.82	6,847

STREAM FLOWS

Gauging Station	11/17/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	345	4,687
NRRT : Nueces River at Tilden, Texas	260	2,582
FRRT : Frio River at Tilden, Texas	1,018	4,833
SMRT : San Miguel Creek at Tilden, Texas	2,898	3,128
ARWT : Atascosa River at Whitsett, Texas	95	738
Release from Choke Canyon Reservoir	524	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	3,275
NCAT : Nueces River at Calallen, Texas	58	1,565
Reservoir Inflow		
Computed as: NRRT+FRRT+SMRT+ARWT	4,272	11,610

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 6,750 Effective: 11/11/2004	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 2,250 Reservoir Inflow: 11,610	2,250
Estuary Inflows (Measured at NCAT)	1,565
PassThru Surplus / -Deficit:	-185

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/18/2004
11/17/2004	149	2,526	46,112	3,050	524	44.0	44.0

Report Generated: 11/18/2004 at 9:01:11 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 19, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/19/2003	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%
11/19/2004	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/18/2004	76	136	0.00	76	11	0.00	147
MTD		3,875	1.33		3,119	2.82	6,994

STREAM FLOWS

Gauging Station	11/18/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,144	6,830
NRTT : Nueces River at Tilden, Texas	478	3,061
FRIT : Frio River at Tilden, Texas	2,660	7,493
SMTT : San Miguel Creek at Tilden, Texas	6,868	9,996
ARWT : Atascosa River at Whitsett, Texas	1,147	1,885
Release from Choke Canyon Reservoir	3,061	4,633
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,316	4,591
NCAT : Nueces River at Calallen, Texas	127	1,692
Reservoir Inflow		
Computed as: NRTT+FRIT+SMTT+ARWT	11,154	22,764

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 6,750 Effective: 11/11/2004	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 2,250 Reservoir Inflow: 22,764	2,250
Estuary Inflows (Measured at NCAT)	1,692
PassThru Surplus / -Deficit:	-58

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/19/2004
11/18/2004	149	2,675	46,260	3,050	375	44.0	44.0

Report Generated: 11/19/2004 at 8:21:19 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 20, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/20/2003	220.4	692,936	99.7%	94.0	241,241	100.0%	934,177	99.8%
11/20/2004	220.8	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/19/2004	75	91	0.00	75	112	0.12	203
MTD		3,966	1.33		3,231	2.94	7,197

STREAM FLOWS

Gauging Station	11/19/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	5,637	12,468
NRTT : Nueces River at Tilden, Texas	1,405	4,466
FRTT : Frio River at Tilden, Texas	3,692	11,185
SMTT : San Miguel Creek at Tilden, Texas	1,616	11,612
ARWT : Atascosa River at Whitsett, Texas	2,332	4,218
Release from Choke Canyon Reservoir	4,516	9,149
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,910	8,502
NCAT : Nueces River at Calallen, Texas	1,403	3,095
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	6,429	29,193

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 6,750 Effective: 11/11/2004	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 2,250 Reservoir Inflow: 29,193	2,250
Estuary Inflows (Measured at NCAT)	3,095
PassThru Surplus / -Deficit:	1,345

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/20/2004
11/19/2004	149	2,824	46,409	3,050	226	44.0	44.0

Report Generated: 11/20/2004 at 8:17:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 21, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/21/2003	220.4	692,677	99.6%	94.0	241,241	100.0%	933,918	99.7%
11/21/2004	220.9	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/20/2004	80	61	0.00	76	90	0.28	151
MTD		4,027	1.33		3,321	3.22	7,348

STREAM FLOWS

Gauging Station	11/20/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,225	19,693
NRRT : Nueces River at Tilden, Texas	1,852	6,318
FRRT : Frio River at Tilden, Texas	4,169	15,354
SMTT : San Miguel Creek at Tilden, Texas	1,898	13,510
ARWT : Atascosa River at Whitsett, Texas	1,840	6,058
Release from Choke Canyon Reservoir	4,516	13,665
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	5,419	13,921
NCAT : Nueces River at Calallen, Texas	3,196	6,291
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	8,776	37,969

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 6,750 Effective: 11/11/2004	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 2,250 Reservoir Inflow: 37,969	2,250
Estuary Inflows (Measured at NCAT)	6,291
PassThru Surplus / -Deficit:	4,541

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/21/2004
11/20/2004	148	2,972	46,557	3,050	78	44.0	44.0

Report Generated: 11/21/2004 at 8:21:57 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 22, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/22/2003	220.4	692,158	99.6%	94.0	241,241	100.0%	933,399	99.7%
11/22/2004	220.9	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/21/2004	75	30	0.27	79	1,155	0.36	1,185
MTD		4,057	1.60		4,476	3.58	8,533

STREAM FLOWS

Gauging Station	11/21/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,345	27,038
NRRT : Nueces River at Tilden, Texas	1,864	8,182
FRRT : Frio River at Tilden, Texas	2,581	17,934
SMTT : San Miguel Creek at Tilden, Texas	615	14,125
ARWT : Atascosa River at Whitsett, Texas	1,435	7,493
Release from Choke Canyon Reservoir	4,516	18,181
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	7,027	20,948
NCAT : Nueces River at Calallen, Texas	4,030	10,321
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	6,024	43,993

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 6,750 Effective: 11/11/2004	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 2,250 Reservoir Inflow: 43,993	2,250
Estuary Inflows (Measured at NCAT)	10,321
PassThru Surplus / -Deficit:	8,571

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/22/2004
11/21/2004	148	3,120	46,706	3,050	-70	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 23, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/23/2003	220.4	691,639	99.5%	94.0	241,241	100.0%	932,880	99.6%
11/23/2004	220.8	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/22/2004	77	76	0.00	82	179	0.00	255
MTD		4,133	1.60		4,655	3.58	8,788

STREAM FLOWS

Gauging Station	11/22/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	6,948	33,985
NRRT : Nueces River at Tilden, Texas	1,919	10,102
FRRT : Frio River at Tilden, Texas	2,064	19,999
SMTT : San Miguel Creek at Tilden, Texas	284	14,409
ARWT : Atascosa River at Whitsett, Texas	576	8,069
Release from Choke Canyon Reservoir	4,516	22,696
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	7,285	28,233
NCAT : Nueces River at Calallen, Texas	4,943	15,263
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	4,780	48,773

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 6,750 Effective: 11/11/2004	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 2,250 Reservoir Inflow: 48,773	2,250
Estuary Inflows (Measured at NCAT)	15,263
PassThru Surplus / -Deficit:	13,513

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/23/2004
11/22/2004	147	3,268	46,853	3,050	-218	44.0	44.0

Report Generated: 11/23/2004 at 10:18:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 24, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/24/2003	220.3	691,121	99.4%	94.0	241,241	100.0%	932,362	99.6%
11/24/2004	220.9	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/23/2004	85	378	0.21	83	258	0.15	636
MTD		4,511	1.81		4,913	3.73	9,424

STREAM FLOWS

Gauging Station	11/23/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	6,312	40,297
NRRT : Nueces River at Tilden, Texas	2,005	12,107
FRRT : Frio River at Tilden, Texas	2,402	22,401
SMTT : San Miguel Creek at Tilden, Texas	2,402	16,811
ARWT : Atascosa River at Whitsett, Texas	330	8,398
Release from Choke Canyon Reservoir	4,516	27,212
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	7,206	35,438
NCAT : Nueces River at Calallen, Texas	6,015	21,278
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	6,600	55,373

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 6,750 Effective: 11/11/2004	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 2,250 Reservoir Inflow: 55,373	2,250
Estuary Inflows (Measured at NCAT)	21,278
PassThru Surplus / -Deficit:	19,528

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/24/2004
11/23/2004	148	3,415	47,000	3,050	-365	44.0	44.0

Report Generated: 11/24/2004 at 8:34:38 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 25, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/25/2003	220.3	690,602	99.3%	94.0	241,241	100.0%	931,843	99.5%
11/25/2004	220.8	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/24/2004	66	227	0.00	64	224	0.00	451
MTD		4,738	1.81		5,137	3.73	9,875

STREAM FLOWS

Gauging Station	11/24/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	6,253	46,550
NRRT : Nueces River at Tilden, Texas	2,025	14,131
FRRT : Frio River at Tilden, Texas	2,283	24,683
SMTT : San Miguel Creek at Tilden, Texas	804	17,615
ARWT : Atascosa River at Whitsett, Texas	586	8,984
Release from Choke Canyon Reservoir	4,516	31,728
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	7,325	42,763
NCAT : Nueces River at Calallen, Texas	6,908	28,186
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	4,824	60,197

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 6,750 Effective: 11/11/2004	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 2,250 Reservoir Inflow: 60,197	2,250
Estuary Inflows (Measured at NCAT)	28,186
PassThru Surplus / -Deficit:	26,436

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/25/2004
11/24/2004	148	3,563	47,149	3,050	-513	44.0	44.0

Report Generated: 11/25/2004 at 8:30:48 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 26, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/26/2003	220.3	690,342	99.3%	94.0	241,241	100.0%	931,583	99.5%
11/26/2004	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/25/2004	69	182	0.00	68	123	0.00	305
MTD		4,920	1.81		5,260	3.73	10,180

STREAM FLOWS

Gauging Station	11/25/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	6,729	53,279
NRRT : Nueces River at Tilden, Texas	1,906	16,037
FRRT : Frio River at Tilden, Texas	1,657	26,341
SMTT : San Miguel Creek at Tilden, Texas	592	18,206
ARWT : Atascosa River at Whitsett, Texas	1,481	10,465
Release from Choke Canyon Reservoir	4,516	36,244
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	5,697	48,460
NCAT : Nueces River at Calallen, Texas	7,086	35,272
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	4,462	64,659

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 6,750 Effective: 11/11/2004	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 2,250 Reservoir Inflow: 64,659	2,250
Estuary Inflows (Measured at NCAT)	35,272
PassThru Surplus / -Deficit:	33,522

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/26/2004
11/25/2004	148	3,711	47,296	3,050	-661	44.0	44.0

Report Generated: 11/26/2004 at 8:31:43 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 27, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/27/2003	220.3	691,121	99.4%	94.0	241,241	100.0%	932,362	99.6%
11/27/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/26/2004	80	121	0.00	78	79	0.00	200
MTD		5,041	1.81		5,339	3.73	10,380

STREAM FLOWS

Gauging Station	11/26/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	7,146	60,425
NRRT : Nueces River at Tilden, Texas	1,866	17,903
FRRT : Frio River at Tilden, Texas	1,199	27,540
SMTT : San Miguel Creek at Tilden, Texas	331	18,538
ARWT : Atascosa River at Whitsett, Texas	1,419	11,884
Release from Choke Canyon Reservoir	3,706	39,950
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	6,154	54,613
NCAT : Nueces River at Calallen, Texas	6,729	42,001
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	4,970	69,630

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 6,750 Effective: 11/11/2004	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 2,250 Reservoir Inflow: 69,630	2,250
Estuary Inflows (Measured at NCAT)	42,001
PassThru Surplus / -Deficit:	40,251

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/27/2004
11/26/2004	147	3,858	47,444	3,050	-808	44.0	44.0

Report Generated: 11/27/2004 at 8:29:08 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 28, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/28/2003	220.3	689,569	99.2%	94.0	241,241	100.0%	930,810	99.4%
11/28/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/27/2004	74	288	0.00	71	381	0.00	669
MTD		5,329	1.81		5,720	3.73	11,049

STREAM FLOWS

Gauging Station	11/27/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	5,935	66,361
NRRT : Nueces River at Tilden, Texas	1,945	19,848
FRRT : Frio River at Tilden, Texas	1,108	28,648
SMTT : San Miguel Creek at Tilden, Texas	220	18,758
ARWT : Atascosa River at Whitsett, Texas	592	12,475
Release from Choke Canyon Reservoir	2,471	42,421
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	7,007	61,620
NCAT : Nueces River at Calallen, Texas	6,352	48,353
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	4,792	74,421

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 6,750 Effective: 11/11/2004	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 2,250 Reservoir Inflow: 74,421	2,250
Estuary Inflows (Measured at NCAT)	48,353
PassThru Surplus / -Deficit:	46,603

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/28/2004
11/27/2004	147	4,005	47,591	3,050	-955	44.0	44.0

Report Generated: 11/28/2004 at 8:21:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 29, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/29/2003	220.3	688,797	99.1%	94.0	241,241	100.0%	930,038	99.3%
11/29/2004	220.6	695,271	100.0%	93.9	239,702	99.4%	934,973	99.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/28/2004	79	167	0.00	77	145	0.00	312
MTD		5,496	1.81		5,865	3.73	11,361

STREAM FLOWS

Gauging Station	11/28/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,248	70,608
NRRT : Nueces River at Tilden, Texas	2,084	21,932
FRRT : Frio River at Tilden, Texas	1,074	29,721
SMTT : San Miguel Creek at Tilden, Texas	165	18,923
ARWT : Atascosa River at Whitsett, Texas	310	12,785
Release from Choke Canyon Reservoir	1,933	44,355
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	5,578	67,198
NCAT : Nueces River at Calallen, Texas	6,650	55,003
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,553	77,975

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 6,750 Effective: 11/11/2004	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 2,250 Reservoir Inflow: 77,975	2,250
Estuary Inflows (Measured at NCAT)	55,003
PassThru Surplus / -Deficit:	53,253

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/29/2004
11/28/2004	147	4,152	47,738	3,050	-1,102	44.0	44.0

Report Generated: 11/29/2004 at 8:41:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 30, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
11/30/2003	220.3	688,797	99.1%	94.0	240,856	99.8%	929,653	99.3%
11/30/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/29/2004	85	257	0.05	86	179	0.16	436
MTD		5,753	1.86		6,044	3.89	11,797

STREAM FLOWS

Gauging Station	11/29/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,871	74,479
NRTT : Nueces River at Tilden, Texas	2,263	24,195
FRIT : Frio River at Tilden, Texas	881	30,603
SMTT : San Miguel Creek at Tilden, Texas	133	19,056
ARWT : Atascosa River at Whitsett, Texas	238	13,023
Release from Choke Canyon Reservoir	1,127	45,482
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	4,109	71,307
NCAT : Nueces River at Calallen, Texas	6,531	61,534
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	3,758	81,732

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 6,750 Effective: 11/11/2004	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 2,250 Reservoir Inflow: 81,732	2,250
Estuary Inflows (Measured at NCAT)	61,534
PassThru Surplus / -Deficit:	59,784

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	11/30/2004
11/29/2004	146	4,299	47,884	3,050	-1,249	44.0	44.0

Report Generated: 11/30/2004 at 9:07:10 AM