

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 1, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/01/2003	220.3	689,569	99.2%	94.0	241,048	99.9%	930,617	99.4%
12/01/2004	220.5	695,271	100.0%	93.9	239,894	99.4%	935,165	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
11/30/2004	55	121	0.00	56	134	0.00	255
MTD		5,874	1.86		6,178	3.89	12,052

STREAM FLOWS

Gauging Station	11/30/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,156	77,635
NRRT : Nueces River at Tilden, Texas	2,501	26,696
FRRT : Frio River at Tilden, Texas	736	31,339
SMRT : San Miguel Creek at Tilden, Texas	111	19,167
ARWT : Atascosa River at Whitsett, Texas	197	13,220
Release from Choke Canyon Reservoir	645	46,127
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,593	74,900
NCAT : Nueces River at Calallen, Texas	5,578	67,111
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMRT)-Release From Choke Canyon	3,359	85,091

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 6,750 Effective: 11/11/2004	2,250
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 11/01/2004)	500
Passthru Target: 2,250 Reservoir Inflow: 85,091	2,250
Estuary Inflows (Measured at NCAT)	67,111
PassThru Surplus / -Deficit:	65,361

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/01/2004
11/30/2004	146	4,445	48,030	3,050	-1,395	44.0	44.1

Report Generated: 12/01/2004 at 8:46:22 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 2, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/02/2003	220.3	690,083	99.3%	94.0	241,241	100.0%	931,324	99.4%
12/02/2004	220.5	695,271	100.0%	94.0	240,663	99.8%	935,934	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/01/2004	56	121	0.00	53	78	0.00	199
MTD		121	0.00		78	0.00	199

STREAM FLOWS

Gauging Station	12/01/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,255	3,255
NRRT : Nueces River at Tilden, Texas	3,057	3,057
FRRT : Frio River at Tilden, Texas	665	665
SMTT : San Miguel Creek at Tilden, Texas	97	97
ARWT : Atascosa River at Whitsett, Texas	161	161
Release from Choke Canyon Reservoir	476	476
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,965	1,965
NCAT : Nueces River at Calallen, Texas	4,466	4,466
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,541	3,541

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 4,500 Reservoir Inflow: 3,541	3,541
Estuary Inflows (Measured at NCAT)	4,466
PassThru Surplus / -Deficit:	3,675

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/02/2004
12/01/2004	146	146	48,175	3,050	2,904	44.0	44.0

Report Generated: 12/02/2004 at 8:29:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 3, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/03/2003	220.3	690,342	99.3%	94.0	241,241	100.0%	931,583	99.5%
12/03/2004	220.5	695,271	100.0%	94.0	241,048	99.9%	936,319	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/02/2004	66	91	0.00	62	78	0.00	169
MTD		212	0.00		156	0.00	368

STREAM FLOWS

Gauging Station	12/02/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,136	6,392
NRRT : Nueces River at Tilden, Texas	4,208	7,265
FRRT : Frio River at Tilden, Texas	625	1,290
SMTT : San Miguel Creek at Tilden, Texas	83	181
ARWT : Atascosa River at Whitsett, Texas	141	302
Release from Choke Canyon Reservoir	131	607
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,422	4,387
NCAT : Nueces River at Calallen, Texas	3,275	7,742
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,714	7,255

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 4,500 Reservoir Inflow: 7,255	4,500
Estuary Inflows (Measured at NCAT)	7,742
PassThru Surplus / -Deficit:	5,992

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/03/2004
12/02/2004	145	291	48,320	3,050	2,759	44.0	44.0

Report Generated: 12/03/2004 at 8:42:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 4, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/04/2003	220.3	690,083	99.3%	94.0	241,241	100.0%	931,324	99.4%
12/04/2004	220.5	695,271	100.0%	94.0	240,663	99.8%	935,934	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/03/2004	65	76	0.02	62	90	0.01	166
MTD		288	0.02		246	0.01	534

STREAM FLOWS

Gauging Station	12/03/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,295	9,687
NRRT : Nueces River at Tilden, Texas	5,935	13,200
FRRT : Frio River at Tilden, Texas	592	1,882
SMTT : San Miguel Creek at Tilden, Texas	73	254
ARWT : Atascosa River at Whitsett, Texas	125	427
Release from Choke Canyon Reservoir	66	673
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,858	7,245
NCAT : Nueces River at Calallen, Texas	2,997	10,739
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,895	11,150

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 4,500 Reservoir Inflow: 11,150	4,500
Estuary Inflows (Measured at NCAT)	10,739
PassThru Surplus / -Deficit:	8,989

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/04/2004
12/03/2004	145	436	48,465	3,050	2,614	44.0	44.0

Report Generated: 12/04/2004 at 8:16:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 5, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/05/2003	220.3	689,826	99.2%	94.0	241,241	100.0%	931,067	99.4%
12/05/2004	220.5	695,271	100.0%	94.0	240,663	99.8%	935,934	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/04/2004	66	106	0.00	60	67	0.00	173
MTD		394	0.02		313	0.01	707

STREAM FLOWS

Gauging Station	12/04/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,772	13,458
NRRT : Nueces River at Tilden, Texas	7,067	20,267
FRRT : Frio River at Tilden, Texas	564	2,446
SMTT : San Miguel Creek at Tilden, Texas	67	322
ARWT : Atascosa River at Whitsett, Texas	113	540
Release from Choke Canyon Reservoir	66	738
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,116	10,362
NCAT : Nueces River at Calallen, Texas	3,196	13,935
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	4,337	15,487

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 4,500 Reservoir Inflow: 15,487	4,500
Estuary Inflows (Measured at NCAT)	13,935
PassThru Surplus / -Deficit:	12,185

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/05/2004
12/04/2004	145	580	48,610	3,050	2,470	44.0	44.0

Report Generated: 12/05/2004 at 8:24:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 6, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/06/2003	220.3	689,826	99.2%	94.0	241,241	100.0%	931,067	99.4%
12/06/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/05/2004	76	61	0.00	77	157	0.00	218
MTD		455	0.02		470	0.01	925

STREAM FLOWS

Gauging Station	12/05/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,446	17,905
NRRT : Nueces River at Tilden, Texas	7,047	27,314
FRRT : Frio River at Tilden, Texas	534	2,979
SMTT : San Miguel Creek at Tilden, Texas	64	385
ARWT : Atascosa River at Whitsett, Texas	103	643
Release from Choke Canyon Reservoir	66	804
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,097	13,458
NCAT : Nueces River at Calallen, Texas	3,414	17,349
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	4,978	20,465

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 4,500 Reservoir Inflow: 20,465	4,500
Estuary Inflows (Measured at NCAT)	17,349
PassThru Surplus / -Deficit:	15,599

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/06/2004
12/05/2004	144	725	48,754	3,050	2,325	44.0	44.0

Report Generated: 12/06/2004 at 8:30:18 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 7, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/07/2003	220.3	689,054	99.1%	94.0	240,471	99.7%	929,525	99.3%
12/07/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/06/2004	76	106	0.00	75	22	0.10	128	
MTD		561	0.02		492	0.11	1,053	

STREAM FLOWS

Gauging Station	12/06/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	5,360	23,264
NRRT : Nueces River at Tilden, Texas	6,292	33,606
FRRT : Frio River at Tilden, Texas	510	3,490
SMTT : San Miguel Creek at Tilden, Texas	58	443
ARWT : Atascosa River at Whitsett, Texas	95	738
Release from Choke Canyon Reservoir	183	987
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,553	17,011
NCAT : Nueces River at Calallen, Texas	3,533	20,882
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	5,745	26,210

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 4,500 Reservoir Inflow: 26,210	4,500
Estuary Inflows (Measured at NCAT)	20,882
PassThru Surplus / -Deficit:	19,132

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/07/2004
12/06/2004	144	869	48,898	3,050	2,181	44.0	44.0

Report Generated: 12/07/2004 at 8:44:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 8, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/08/2003	220.2	688,283	99.0%	93.9	240,087	99.5%	928,370	99.1%
12/08/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/07/2004	75	197	0.00	72	179	0.00	376
MTD		758	0.02		671	0.11	1,429

STREAM FLOWS

Gauging Station	12/07/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	5,955	29,219
NRRT : Nueces River at Tilden, Texas	4,963	38,569
FRRT : Frio River at Tilden, Texas	494	3,984
SMTT : San Miguel Creek at Tilden, Texas	52	494
ARWT : Atascosa River at Whitsett, Texas	77	816
Release from Choke Canyon Reservoir	335	1,322
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	4,446	21,458
NCAT : Nueces River at Calallen, Texas	3,831	24,713
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	6,165	32,375

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 4,500 Reservoir Inflow: 32,375	4,500
Estuary Inflows (Measured at NCAT)	24,713
PassThru Surplus / -Deficit:	22,963

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/08/2004
12/07/2004	144	1,013	49,042	3,050	2,037	44.0	44.0

Report Generated: 12/08/2004 at 8:41:40 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 9, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/09/2003	220.2	688,025	99.0%	93.9	239,318	99.2%	927,343	99.0%
12/09/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/08/2004	70	45	0.00	69	67	0.00	112
MTD		803	0.02		738	0.11	1,541

STREAM FLOWS

Gauging Station	12/08/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	5,915	35,135
NRRT : Nueces River at Tilden, Texas	3,335	41,903
FRRT : Frio River at Tilden, Texas	484	4,468
SMTT : San Miguel Creek at Tilden, Texas	48	542
ARWT : Atascosa River at Whitsett, Texas	69	885
Release from Choke Canyon Reservoir	397	1,719
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	5,459	26,917
NCAT : Nueces River at Calallen, Texas	4,268	28,981
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	6,050	38,426

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 4,500 Reservoir Inflow: 38,426	4,500
Estuary Inflows (Measured at NCAT)	28,981
PassThru Surplus / -Deficit:	27,231

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/09/2004
12/08/2004	112	1,125	49,155	3,050	1,925	44.0	44.0

Report Generated: 12/09/2004 at 8:31:23 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 10, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/10/2003	220.2	687,511	98.9%	94.0	240,279	99.6%	927,790	99.1%
12/10/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/09/2004	80	167	0.00	81	157	0.00	324
MTD		970	0.02		895	0.11	1,865

STREAM FLOWS

Gauging Station	12/09/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	5,240	40,375
NRRT : Nueces River at Tilden, Texas	1,777	43,680
FRRT : Frio River at Tilden, Texas	474	4,943
SMTT : San Miguel Creek at Tilden, Texas	44	586
ARWT : Atascosa River at Whitsett, Texas	77	963
Release from Choke Canyon Reservoir	322	2,041
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	5,439	32,356
NCAT : Nueces River at Calallen, Texas	4,724	33,705
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	5,437	43,863

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	2,250
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 4,500 Reservoir Inflow: 43,863	4,500
Estuary Inflows (Measured at NCAT)	33,705
PassThru Surplus / -Deficit:	31,955

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/10/2004
12/09/2004	56	1,181	49,211	3,050	1,869	44.0	44.0

Report Generated: 12/10/2004 at 8:35:19 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 11, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/11/2003	220.2	687,252	98.8%	93.9	239,510	99.3%	926,762	99.0%
12/11/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/10/2004	76	303	0.00	71	213	0.00	516
MTD		1,273	0.02		1,108	0.11	2,381

STREAM FLOWS

Gauging Station	12/10/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,275	43,650
NRTT : Nueces River at Tilden, Texas	1,336	45,016
FRIT : Frio River at Tilden, Texas	464	5,407
SMTT : San Miguel Creek at Tilden, Texas	40	625
ARWT : Atascosa River at Whitsett, Texas	79	1,042
Release from Choke Canyon Reservoir	199	2,239
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	4,268	36,623
NCAT : Nueces River at Calallen, Texas	5,141	38,846
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	3,581	47,443

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 3,375 Effective: 12/10/2004	1,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 1,125 Reservoir Inflow: 47,443	1,125
Estuary Inflows (Measured at NCAT)	38,846
PassThru Surplus / -Deficit:	38,221

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/11/2004
12/10/2004	57	1,238	49,268	3,050	1,812	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 12, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/12/2003	220.2	686,733	98.8%	93.9	239,510	99.3%	926,243	98.9%
12/12/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/11/2004	77	182	0.00	78	191	0.00	373
MTD		1,455	0.02		1,299	0.11	2,754

STREAM FLOWS

Gauging Station	12/11/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,761	45,411
NRRT : Nueces River at Tilden, Texas	1,235	46,251
FRRT : Frio River at Tilden, Texas	457	5,864
SMTT : San Miguel Creek at Tilden, Texas	38	663
ARWT : Atascosa River at Whitsett, Texas	75	1,118
Release from Choke Canyon Reservoir	199	2,438
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,953	38,576
NCAT : Nueces River at Calallen, Texas	4,764	43,610
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	2,056	49,500

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 3,375 Effective: 12/10/2004	1,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 1,125 Reservoir Inflow: 49,500	1,125
Estuary Inflows (Measured at NCAT)	43,610
PassThru Surplus / -Deficit:	42,985

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/12/2004
12/11/2004	57	1,295	49,325	3,050	1,755	44.0	44.0

Report Generated: 12/12/2004 at 8:30:56 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 13, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/13/2003	220.2	687,252	98.8%	94.0	241,241	100.0%	928,493	99.1%
12/13/2004	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/12/2004	83	166	0.00	82	135	0.01	301
MTD		1,621	0.02		1,434	0.12	3,055

STREAM FLOWS

Gauging Station	12/12/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,546	46,957
NRIT : Nueces River at Tilden, Texas	1,173	47,424
FRIT : Frio River at Tilden, Texas	447	6,310
SMTT : San Miguel Creek at Tilden, Texas	36	699
ARWT : Atascosa River at Whitsett, Texas	75	1,193
Release from Choke Canyon Reservoir	121	2,559
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,076	39,652
NCAT : Nueces River at Calallen, Texas	2,858	46,469
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,908	51,408

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 3,375 Effective: 12/10/2004	1,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 1,125 Reservoir Inflow: 51,408	1,125
Estuary Inflows (Measured at NCAT)	46,469
PassThru Surplus / -Deficit:	45,844

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/13/2004
12/12/2004	57	1,352	49,382	3,050	1,698	44.0	44.0

Report Generated: 12/13/2004 at 8:53:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 14, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/14/2003	220.2	686,473	98.7%	93.9	239,702	99.4%	926,175	98.9%
12/14/2004	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/13/2004	61	378	0.00	60	269	0.00	647
MTD		1,999	0.02		1,703	0.12	3,702

STREAM FLOWS

Gauging Station	12/13/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,342	48,299
NRRT : Nueces River at Tilden, Texas	1,120	48,543
FRRT : Frio River at Tilden, Texas	429	6,739
SMTT : San Miguel Creek at Tilden, Texas	34	732
ARWT : Atascosa River at Whitsett, Texas	67	1,260
Release from Choke Canyon Reservoir	66	2,624
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,266	40,919
NCAT : Nueces River at Calallen, Texas	1,511	47,979
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,739	53,146

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 3,375 Effective: 12/10/2004	1,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 1,125 Reservoir Inflow: 53,146	1,125
Estuary Inflows (Measured at NCAT)	47,979
PassThru Surplus / -Deficit:	47,354

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/14/2004
12/13/2004	56	1,409	49,438	3,050	1,641	44.0	44.1

Report Generated: 12/14/2004 at 8:53:56 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 15, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/15/2003	220.2	686,214	98.7%	93.9	238,360	98.8%	924,574	98.7%
12/15/2004	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/14/2004	54	197	0.00	51	191	0.00	388
MTD		2,196	0.02		1,894	0.12	4,090

STREAM FLOWS

Gauging Station	12/14/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,268	49,567
NRRT : Nueces River at Tilden, Texas	1,076	49,619
FRRT : Frio River at Tilden, Texas	421	7,160
SMTT : San Miguel Creek at Tilden, Texas	32	764
ARWT : Atascosa River at Whitsett, Texas	64	1,324
Release from Choke Canyon Reservoir	66	2,690
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	703	41,621
NCAT : Nueces River at Calallen, Texas	1,149	49,129
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,655	54,802

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 3,375 Effective: 12/10/2004	1,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 1,125 Reservoir Inflow: 54,802	1,125
Estuary Inflows (Measured at NCAT)	49,129
PassThru Surplus / -Deficit:	48,504

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/15/2004
12/14/2004	57	1,465	49,495	3,050	1,585	44.0	44.0

Report Generated: 12/15/2004 at 8:53:43 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 16, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/16/2003	220.1	685,695	98.6%	94.0	241,241	100.0%	926,936	99.0%
12/16/2004	220.4	693,715	99.8%	94.0	241,241	100.0%	934,956	99.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/15/2004	61	151	0.00	64	101	0.00	252
MTD		2,347	0.02		1,995	0.12	4,342

STREAM FLOWS

Gauging Station	12/15/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,215	50,782
NRRT : Nueces River at Tilden, Texas	1,044	50,663
FRRT : Frio River at Tilden, Texas	411	7,571
SMTT : San Miguel Creek at Tilden, Texas	32	796
ARWT : Atascosa River at Whitsett, Texas	62	1,386
Release from Choke Canyon Reservoir	66	2,755
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	383	42,005
NCAT : Nueces River at Calallen, Texas	641	49,770
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,592	56,394

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 3,375 Effective: 12/10/2004	1,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 1,125 Reservoir Inflow: 56,394	1,125
Estuary Inflows (Measured at NCAT)	49,770
PassThru Surplus / -Deficit:	49,145

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/16/2004
12/15/2004	57	1,522	49,552	3,050	1,528	44.0	44.0

Report Generated: 12/16/2004 at 9:50:19 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 17, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/17/2003	220.1	685,176	98.5%	93.9	238,935	99.0%	924,111	98.7%
12/17/2004	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/16/2004	60	121	0.00	67	112	0.00	233
MTD		2,468	0.02		2,107	0.12	4,575

STREAM FLOWS

Gauging Station	12/16/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,185	51,967
NRRT : Nueces River at Tilden, Texas	1,008	51,672
FRRT : Frio River at Tilden, Texas	401	7,972
SMTT : San Miguel Creek at Tilden, Texas	30	826
ARWT : Atascosa River at Whitsett, Texas	62	1,447
Release from Choke Canyon Reservoir	66	2,821
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	550	42,554
NCAT : Nueces River at Calallen, Texas	324	50,093
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,550	57,944

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 3,375 Effective: 12/10/2004	1,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 1,125 Reservoir Inflow: 57,944	1,125
Estuary Inflows (Measured at NCAT)	50,093
PassThru Surplus / -Deficit:	49,468

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/17/2004
12/16/2004	57	1,579	49,608	3,050	1,471	44.0	44.0

Report Generated: 12/17/2004 at 8:35:41 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 18, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/18/2003	220.1	684,660	98.5%	93.9	239,127	99.1%	923,787	98.6%
12/18/2004	220.4	693,715	99.8%	94.0	241,241	100.0%	934,956	99.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/17/2004	61	136	0.00	61	112	0.00	248
MTD		2,604	0.02		2,219	0.12	4,823

STREAM FLOWS

Gauging Station	12/17/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,153	53,121
NRRT : Nueces River at Tilden, Texas	977	52,648
FRRT : Frio River at Tilden, Texas	391	8,363
SMTT : San Miguel Creek at Tilden, Texas	30	856
ARWT : Atascosa River at Whitsett, Texas	60	1,507
Release from Choke Canyon Reservoir	66	2,886
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	651	43,206
NCAT : Nueces River at Calallen, Texas	310	50,403
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,509	59,453

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 3,375 Effective: 12/10/2004	1,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 1,125 Reservoir Inflow: 59,453	1,125
Estuary Inflows (Measured at NCAT)	50,403
PassThru Surplus / -Deficit:	49,778

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/18/2004
12/17/2004	56	1,635	49,665	3,050	1,415	44.0	44.0

Report Generated: 12/18/2004 at 8:30:08 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 19, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/19/2003	220.1	684,146	98.4%	93.9	238,935	99.0%	923,081	98.6%
12/19/2004	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/18/2004	67	151	0.00	64	213	0.00	364
MTD		2,755	0.02		2,432	0.12	5,187

STREAM FLOWS

Gauging Station	12/18/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,114	54,234
NRRT : Nueces River at Tilden, Texas	953	53,601
FRRT : Frio River at Tilden, Texas	385	8,748
SMTT : San Miguel Creek at Tilden, Texas	28	883
ARWT : Atascosa River at Whitsett, Texas	62	1,568
Release from Choke Canyon Reservoir	66	2,952
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	514	43,720
NCAT : Nueces River at Calallen, Texas	365	50,768
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,461	60,914

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 3,375 Effective: 12/10/2004	1,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 1,125 Reservoir Inflow: 60,914	1,125
Estuary Inflows (Measured at NCAT)	50,768
PassThru Surplus / -Deficit:	50,143

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/19/2004
12/18/2004	56	1,692	49,721	3,050	1,358	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 20, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/20/2003	220.1	683,889	98.4%	93.9	238,551	98.9%	922,440	98.5%
12/20/2004	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/19/2004	70	166	0.00	67	146	0.00	312
MTD		2,921	0.02		2,578	0.12	5,499

STREAM FLOWS

Gauging Station	12/19/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,080	55,314
NRRT : Nueces River at Tilden, Texas	927	54,528
FRRT : Frio River at Tilden, Texas	381	9,129
SMTT : San Miguel Creek at Tilden, Texas	24	907
ARWT : Atascosa River at Whitsett, Texas	62	1,630
Release from Choke Canyon Reservoir	66	3,017
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	532	44,252
NCAT : Nueces River at Calallen, Texas	341	51,110
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,419	62,333

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 3,375 Effective: 12/10/2004	1,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 1,125 Reservoir Inflow: 62,333	1,125
Estuary Inflows (Measured at NCAT)	51,110
PassThru Surplus / -Deficit:	50,485

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/20/2004
12/19/2004	57	1,748	49,778	3,050	1,302	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 21, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/21/2003	220.1	683,632	98.3%	93.8	237,977	98.6%	921,609	98.4%
12/21/2004	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/20/2004	74	257	0.00	73	258	0.00	515
MTD		3,178	0.02		2,836	0.12	6,014

STREAM FLOWS

Gauging Station	12/20/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,052	56,366
NRRT : Nueces River at Tilden, Texas	899	55,427
FRRT : Frio River at Tilden, Texas	377	9,506
SMTT : San Miguel Creek at Tilden, Texas	24	931
ARWT : Atascosa River at Whitsett, Texas	60	1,689
Release from Choke Canyon Reservoir	66	3,083
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	496	44,748
NCAT : Nueces River at Calallen, Texas	298	51,408
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,388	63,720

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 3,375 Effective: 12/10/2004	1,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 1,125 Reservoir Inflow: 63,720	1,125
Estuary Inflows (Measured at NCAT)	51,408
PassThru Surplus / -Deficit:	50,783

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/21/2004
12/20/2004	57	1,805	49,834	3,050	1,245	44.0	44.0

Report Generated: 12/21/2004 at 8:51:04 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 22, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/22/2003	220.1	683,632	98.3%	93.8	237,403	98.4%	921,035	98.3%
12/22/2004	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/21/2004	76	181	0.00	79	179	0.00	360
MTD		3,359	0.02		3,015	0.12	6,374

STREAM FLOWS

Gauging Station	12/21/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,022	57,388
NRRT : Nueces River at Tilden, Texas	875	56,303
FRRT : Frio River at Tilden, Texas	377	9,883
SMTT : San Miguel Creek at Tilden, Texas	22	953
ARWT : Atascosa River at Whitsett, Texas	58	1,747
Release from Choke Canyon Reservoir	66	3,148
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,179	45,927
NCAT : Nueces River at Calallen, Texas	232	51,640
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,356	65,076

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 3,375 Effective: 12/10/2004	1,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 1,125 Reservoir Inflow: 65,076	1,125
Estuary Inflows (Measured at NCAT)	51,640
PassThru Surplus / -Deficit:	51,015

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/22/2004
12/21/2004	56	1,861	49,891	3,050	1,189	44.0	44.0

Report Generated: 12/22/2004 at 8:38:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 23, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/23/2003	220.0	683,374	98.3%	93.9	239,318	99.2%	922,692	98.5%
12/23/2004	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/22/2004	58	227	0.00	57	247	0.00	474
MTD		3,586	0.02		3,262	0.12	6,848

STREAM FLOWS

Gauging Station	12/22/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	996	58,385
NRTT : Nueces River at Tilden, Texas	854	57,156
FRIT : Frio River at Tilden, Texas	377	10,260
SMTT : San Miguel Creek at Tilden, Texas	22	975
ARWT : Atascosa River at Whitsett, Texas	58	1,804
Release from Choke Canyon Reservoir	66	3,214
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,171	47,098
NCAT : Nueces River at Calallen, Texas	740	52,380
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,330	66,406

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 3,375 Effective: 12/10/2004	1,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 1,125 Reservoir Inflow: 66,406	1,125
Estuary Inflows (Measured at NCAT)	52,380
PassThru Surplus / -Deficit:	51,755

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/23/2004
12/22/2004	56	1,918	49,947	3,050	1,132	44.0	44.0

Report Generated: 12/23/2004 at 8:30:42 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 24, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/24/2003	220.0	682,860	98.2%	93.8	238,168	98.7%	921,028	98.3%
12/24/2004	220.4	693,715	99.8%	94.0	241,241	100.0%	934,956	99.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/23/2004	46	227	0.00	41	123	0.00	350
MTD		3,813	0.02		3,385	0.12	7,198

STREAM FLOWS

Gauging Station	12/23/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	969	59,353
NRRT : Nueces River at Tilden, Texas	830	57,986
FRRT : Frio River at Tilden, Texas	373	10,634
SMTT : San Miguel Creek at Tilden, Texas	20	994
ARWT : Atascosa River at Whitsett, Texas	56	1,860
Release from Choke Canyon Reservoir	66	3,279
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	504	47,602
NCAT : Nueces River at Calallen, Texas	798	53,178
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,296	67,702

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 3,375 Effective: 12/10/2004	1,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 1,125 Reservoir Inflow: 67,702	1,125
Estuary Inflows (Measured at NCAT)	53,178
PassThru Surplus / -Deficit:	52,553

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/24/2004
12/23/2004	56	1,974	50,004	3,050	1,076	44.0	44.0

Report Generated: 12/24/2004 at 8:23:50 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 25, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/25/2003	220.0	682,860	98.2%	93.8	237,977	98.6%	920,837	98.3%
12/25/2004	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/24/2004	35	Pan Froze	0.40	34	Pan Froze	1.47	0
MTD		3,813	0.42		3,385	1.59	7,198

STREAM FLOWS

Gauging Station	12/24/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	953	60,306
NRRT : Nueces River at Tilden, Texas	804	58,790
FRRT : Frio River at Tilden, Texas	373	11,007
SMTT : San Miguel Creek at Tilden, Texas	20	1,014
ARWT : Atascosa River at Whitsett, Texas	54	1,914
Release from Choke Canyon Reservoir	66	3,345
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	830	48,432
NCAT : Nueces River at Calallen, Texas	369	53,547
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,280	68,983

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 3,375 Effective: 12/10/2004	1,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 1,125 Reservoir Inflow: 68,983	1,125
Estuary Inflows (Measured at NCAT)	53,547
PassThru Surplus / -Deficit:	52,922

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/25/2004
12/24/2004	56	2,030	50,060	3,050	1,020	44.0	44.0

Report Generated: 12/27/2004 at 9:40:13 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 26, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/26/2003	220.0	682,860	98.2%	93.8	237,977	98.6%	920,837	98.3%
12/26/2004	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/25/2004	46	Pan Froze	0.00	47	Pan Froze	0.00	0
MTD		3,813	0.42		3,385	1.59	7,198

STREAM FLOWS

Gauging Station	12/25/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	939	61,245
NRRT : Nueces River at Tilden, Texas	788	59,578
FRRT : Frio River at Tilden, Texas	375	11,382
SMTT : San Miguel Creek at Tilden, Texas	22	1,036
ARWT : Atascosa River at Whitsett, Texas	56	1,969
Release from Choke Canyon Reservoir	66	3,410
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	518	48,950
NCAT : Nueces River at Calallen, Texas	492	54,040
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,270	70,253

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 3,375 Effective: 12/10/2004	1,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 1,125 Reservoir Inflow: 70,253	1,125
Estuary Inflows (Measured at NCAT)	54,040
PassThru Surplus / -Deficit:	53,415

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/26/2004
12/25/2004	56	2,087	50,116	3,050	963	44.0	44.0

Report Generated: 12/27/2004 at 9:44:02 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 27, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/27/2003	220.0	683,374	98.3%	93.8	237,785	98.6%	921,159	98.4%
12/27/2004	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/26/2004	62	121	0.00	60	22	0.00	143
MTD		3,934	0.42		3,407	1.59	7,341

STREAM FLOWS

Gauging Station	12/26/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	909	62,154
NRRT : Nueces River at Tilden, Texas	774	60,352
FRRT : Frio River at Tilden, Texas	375	11,757
SMTT : San Miguel Creek at Tilden, Texas	20	1,056
ARWT : Atascosa River at Whitsett, Texas	56	2,025
Release from Choke Canyon Reservoir	66	3,476
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	347	49,297
NCAT : Nueces River at Calallen, Texas	302	54,341
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,239	71,492

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 3,375 Effective: 12/10/2004	1,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 1,125 Reservoir Inflow: 71,492	1,125
Estuary Inflows (Measured at NCAT)	54,341
PassThru Surplus / -Deficit:	53,716

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/27/2004
12/26/2004	56	2,143	50,173	3,050	907	44.0	44.0

Report Generated: 12/27/2004 at 9:46:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 28, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/28/2003	220.1	683,889	98.4%	93.8	238,168	98.7%	922,057	98.5%
12/28/2004	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/27/2004	68	106	0.00	67	79	0.00	185
MTD		4,040	0.42		3,486	1.59	7,526

STREAM FLOWS

Gauging Station	12/27/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	891	63,046
NRRT : Nueces River at Tilden, Texas	754	61,106
FRRT : Frio River at Tilden, Texas	371	12,128
SMTT : San Miguel Creek at Tilden, Texas	19	1,075
ARWT : Atascosa River at Whitsett, Texas	54	2,078
Release from Choke Canyon Reservoir	66	3,541
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	355	49,653
NCAT : Nueces River at Calallen, Texas	135	54,476
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,216	72,708

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 3,375 Effective: 12/10/2004	1,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 1,125 Reservoir Inflow: 72,708	1,125
Estuary Inflows (Measured at NCAT)	54,476
PassThru Surplus / -Deficit:	53,851

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/28/2004
12/27/2004	21	2,165	50,194	3,050	885	44.0	44.0

Report Generated: 12/28/2004 at 8:45:24 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 29, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/29/2003	220.1	684,403	98.4%	93.9	238,743	99.0%	923,146	98.6%
12/29/2004	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/28/2004	75	136	0.00	77	135	0.00	271
MTD		4,176	0.42		3,621	1.59	7,797

STREAM FLOWS

Gauging Station	12/28/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	873	63,919
NRRT : Nueces River at Tilden, Texas	725	61,831
FRRT : Frio River at Tilden, Texas	365	12,494
SMTT : San Miguel Creek at Tilden, Texas	19	1,094
ARWT : Atascosa River at Whitsett, Texas	54	2,132
Release from Choke Canyon Reservoir	66	3,607
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	669	50,322
NCAT : Nueces River at Calallen, Texas	117	54,593
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,192	73,900

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 3,375 Effective: 12/10/2004	1,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 1,125 Reservoir Inflow: 73,900	1,125
Estuary Inflows (Measured at NCAT)	54,593
PassThru Surplus / -Deficit:	53,968

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/29/2004
12/28/2004	0	2,165	50,194	3,050	885	44.0	44.0

Report Generated: 12/29/2004 at 8:37:34 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 30, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/30/2003	220.1	683,889	98.4%	93.8	237,977	98.6%	921,866	98.4%
12/30/2004	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/29/2004	77	151	0.00	76	112	0.00	263
MTD		4,327	0.42		3,733	1.59	8,060

STREAM FLOWS

Gauging Station	12/29/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	844	64,763
NRRT : Nueces River at Tilden, Texas	711	62,541
FRRT : Frio River at Tilden, Texas	359	12,853
SMTT : San Miguel Creek at Tilden, Texas	19	1,113
ARWT : Atascosa River at Whitsett, Texas	54	2,185
Release from Choke Canyon Reservoir	66	3,672
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	885	51,207
NCAT : Nueces River at Calallen, Texas	330	54,923
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,156	75,056

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 3,375 Effective: 12/10/2004	1,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 1,125 Reservoir Inflow: 75,056	1,125
Estuary Inflows (Measured at NCAT)	54,923
PassThru Surplus / -Deficit:	54,298

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/30/2004
12/29/2004	34	2,198	50,228	3,050	852	44.0	44.0

Report Generated: 12/30/2004 at 8:13:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 31, 2004**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
12/31/2003	220.1	684,146	98.4%	93.8	237,785	98.6%	921,931	98.4%
12/31/2004	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/30/2004	74	76	0.00	75	112	0.00	188
MTD		4,403	0.42		3,845	1.59	8,248

STREAM FLOWS

Gauging Station	12/30/2004 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	826	65,588
NRRT : Nueces River at Tilden, Texas	709	63,250
FRRT : Frio River at Tilden, Texas	361	13,214
SMTT : San Miguel Creek at Tilden, Texas	19	1,131
ARWT : Atascosa River at Whitsett, Texas	52	2,237
Release from Choke Canyon Reservoir	66	3,738
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	576	51,783
NCAT : Nueces River at Calallen, Texas	506	55,429
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,140	76,196

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 3,375 Effective: 12/10/2004	1,125
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 12/01/2004)	500
Passthru Target: 1,125 Reservoir Inflow: 76,196	1,125
Estuary Inflows (Measured at NCAT)	55,429
PassThru Surplus / -Deficit:	54,804

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2004		Elevation (Ft)	
				Allocation	Remaining	Full	12/31/2004
12/30/2004	57	2,255	50,285	3,050	795	44.0	43.9

Report Generated: 12/31/2004 at 8:26:45 AM