

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 1, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/01/2004	220.1	684,403	98.4%	93.9	238,360	98.8%	922,763	98.5%
02/01/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
01/31/2005	47	136	0.47	46	0	0.22	136
MTD		4,751	1.55		3,959	1.79	8,710

STREAM FLOWS

Gauging Station	01/31/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,018	25,442
NRTT : Nueces River at Tilden, Texas	419	16,720
FRIT : Frio River at Tilden, Texas	361	10,806
SMTT : San Miguel Creek at Tilden, Texas	22	639
ARWT : Atascosa River at Whitsett, Texas	129	1,832
Release from Choke Canyon Reservoir	397	6,400
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,735	22,587
NCAT : Nueces River at Calallen, Texas	1,064	16,049
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,004	30,487

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 01/11/2005	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 01/01/2005)	0
Return Flow Credit (Effective: 01/01/2005)	500
Passthru Target: 625 Reservoir Inflow: 30,487	625
Estuary Inflows (Measured at NCAT)	16,049
PassThru Surplus / -Deficit:	15,924

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/01/2005
01/31/2005	144	4,305	4,305	3,050	-1,255	44.0	44.0

Report Generated: 02/01/2005 at 10:22:41 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 2, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/02/2004	220.1	684,403	98.4%	93.9	238,360	98.8%	922,763	98.5%
02/02/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/01/2005	46	45	0.11	47	67	0.06	112
MTD		45	0.11		67	0.06	112

STREAM FLOWS

Gauging Station	02/01/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	965	965
NRTT : Nueces River at Tilden, Texas	421	421
FRIT : Frio River at Tilden, Texas	409	409
SMTT : San Miguel Creek at Tilden, Texas	40	40
ARWT : Atascosa River at Whitsett, Texas	107	107
Release from Choke Canyon Reservoir	399	399
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,378	1,378
NCAT : Nueces River at Calallen, Texas	1,566	1,566
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,014	1,014

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 2,500 Reservoir Inflow: 1,014	1,014
Estuary Inflows (Measured at NCAT)	1,566
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/02/2005
02/01/2005	143	143	4,447	3,040	2,897	44.0	44.1

Report Generated: 02/02/2005 at 8:35:12 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 3, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/03/2004	220.1	684,146	98.4%	93.8	237,977	98.6%	922,123	98.5%
02/03/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/02/2005	48	106	0.00	48	79	0.00	185
MTD		151	0.11		146	0.06	297

STREAM FLOWS

Gauging Station	02/02/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	989	1,953
NRTT : Nueces River at Tilden, Texas	544	965
FRIT : Frio River at Tilden, Texas	459	867
SMTT : San Miguel Creek at Tilden, Texas	48	87
ARWT : Atascosa River at Whitsett, Texas	129	236
Release from Choke Canyon Reservoir	514	913
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,322	2,700
NCAT : Nueces River at Calallen, Texas	1,358	2,924
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	981	1,995

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 2,500 Reservoir Inflow: 1,995	1,995
Estuary Inflows (Measured at NCAT)	2,924
PassThru Surplus / -Deficit:	2,679

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/03/2005
02/02/2005	143	286	4,591	3,040	2,754	44.0	44.0

Report Generated: 02/03/2005 at 8:31:42 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 4, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/04/2004	220.1	684,146	98.4%	93.8	237,494	98.4%	921,640	98.4%
02/04/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/03/2005	52	91	0.00	56	79	0.00	170
MTD		242	0.11		225	0.06	467

STREAM FLOWS

Gauging Station	02/03/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,233	3,186
NRRT : Nueces River at Tilden, Texas	498	1,463
FRRT : Frio River at Tilden, Texas	425	1,292
SMTT : San Miguel Creek at Tilden, Texas	40	127
ARWT : Atascosa River at Whitsett, Texas	204	441
Release from Choke Canyon Reservoir	597	1,511
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,060	3,760
NCAT : Nueces River at Calallen, Texas	1,163	4,087
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,100	3,095

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 2,500 Reservoir Inflow: 3,095	2,500
Estuary Inflows (Measured at NCAT)	4,087
PassThru Surplus / -Deficit:	3,337

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/04/2005
02/03/2005	144	430	4,734	3,040	2,610	44.0	44.0

Report Generated: 02/04/2005 at 8:41:46 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 5, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/05/2004	220.1	684,403	98.4%	93.9	238,360	98.8%	922,763	98.5%
02/05/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/04/2005	56	76	0.00	57	67	0.00	143
MTD		318	0.11		292	0.06	610

STREAM FLOWS

Gauging Station	02/04/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,292	4,478
NRRT : Nueces River at Tilden, Texas	510	1,973
FRRT : Frio River at Tilden, Texas	393	1,685
SMTT : San Miguel Creek at Tilden, Texas	36	163
ARWT : Atascosa River at Whitsett, Texas	147	588
Release from Choke Canyon Reservoir	597	2,108
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	907	4,667
NCAT : Nueces River at Calallen, Texas	889	4,976
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,124	4,218

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 2,500 Reservoir Inflow: 4,218	2,500
Estuary Inflows (Measured at NCAT)	4,976
PassThru Surplus / -Deficit:	4,226

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/05/2005
02/04/2005	143	573	4,878	3,040	2,467	44.0	44.0

Report Generated: 02/05/2005 at 8:25:08 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 6, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/06/2004	220.1	684,403	98.4%	93.8	238,168	98.7%	922,571	98.5%
02/06/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/05/2005	62	61	0.13	66	34	0.07	95
MTD		379	0.24		326	0.13	705

STREAM FLOWS

Gauging Station	02/05/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,253	5,731
NRRT : Nueces River at Tilden, Texas	516	2,489
FRRT : Frio River at Tilden, Texas	381	2,066
SMTT : San Miguel Creek at Tilden, Texas	34	197
ARWT : Atascosa River at Whitsett, Texas	109	697
Release from Choke Canyon Reservoir	597	2,706
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,070	5,737
NCAT : Nueces River at Calallen, Texas	762	5,739
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,070	5,288

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 2,500 Reservoir Inflow: 5,288	2,500
Estuary Inflows (Measured at NCAT)	5,739
PassThru Surplus / -Deficit:	4,989

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/06/2005
02/05/2005	143	716	5,021	3,040	2,324	44.0	44.0

Report Generated: 02/06/2005 at 8:24:17 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 7, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/07/2004	220.1	684,146	98.4%	93.8	237,494	98.4%	921,640	98.4%
02/07/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/06/2005	70	61	0.01	75	67	0.00	128
MTD		440	0.25		393	0.13	833

STREAM FLOWS

Gauging Station	02/06/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,227	6,957
NRRT : Nueces River at Tilden, Texas	518	3,007
FRRT : Frio River at Tilden, Texas	377	2,444
SMTT : San Miguel Creek at Tilden, Texas	32	228
ARWT : Atascosa River at Whitsett, Texas	85	782
Release from Choke Canyon Reservoir	597	3,303
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,380	7,116
NCAT : Nueces River at Calallen, Texas	998	6,737
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,038	6,326

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 2,500 Reservoir Inflow: 6,326	2,500
Estuary Inflows (Measured at NCAT)	6,737
PassThru Surplus / -Deficit:	5,987

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/07/2005
02/06/2005	143	860	5,165	3,040	2,180	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 8, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/08/2004	220.1	683,889	98.4%	93.8	237,494	98.4%	921,383	98.4%
02/08/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/07/2005	66	76	0.00	79	90	0.02	166
MTD		516	0.25		483	0.15	999

STREAM FLOWS

Gauging Station	02/07/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,205	8,162
NRRT : Nueces River at Tilden, Texas	520	3,527
FRRT : Frio River at Tilden, Texas	379	2,823
SMTT : San Miguel Creek at Tilden, Texas	38	266
ARWT : Atascosa River at Whitsett, Texas	73	856
Release from Choke Canyon Reservoir	596	3,899
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,316	8,432
NCAT : Nueces River at Calallen, Texas	1,324	8,061
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,026	7,352

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 2,500 Reservoir Inflow: 7,352	2,500
Estuary Inflows (Measured at NCAT)	8,061
PassThru Surplus / -Deficit:	7,311

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/08/2005
02/07/2005	77	936	5,241	3,040	2,104	44.0	44.0

Report Generated: 02/08/2005 at 8:42:11 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 9, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/09/2004	220.1	683,889	98.4%	93.8	237,403	98.4%	921,292	98.4%
02/09/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/08/2005	65	15	0.03	71	45	0.00	60
MTD		531	0.28		528	0.15	1,059

STREAM FLOWS

Gauging Station	02/08/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,191	9,353
NRRT : Nueces River at Tilden, Texas	504	4,032
FRRT : Frio River at Tilden, Texas	377	3,200
SMTT : San Miguel Creek at Tilden, Texas	40	306
ARWT : Atascosa River at Whitsett, Texas	67	923
Release from Choke Canyon Reservoir	596	4,494
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,215	9,647
NCAT : Nueces River at Calallen, Texas	1,213	9,274
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,012	8,365

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 2,500 Reservoir Inflow: 8,365	2,500
Estuary Inflows (Measured at NCAT)	9,274
PassThru Surplus / -Deficit:	8,524

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/09/2005
02/08/2005	35	971	5,276	3,040	2,069	44.0	44.1

Report Generated: 02/09/2005 at 8:41:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 10, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/10/2004	220.1	683,632	98.3%	93.8	237,977	98.6%	921,609	98.4%
02/10/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/09/2005	59	212	0.00	65	146	0.00	358
MTD		743	0.28		674	0.15	1,417

STREAM FLOWS

Gauging Station	02/09/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,183	10,536
NRTT : Nueces River at Tilden, Texas	492	4,524
FRIT : Frio River at Tilden, Texas	375	3,575
SMTT : San Miguel Creek at Tilden, Texas	36	341
ARWT : Atascosa River at Whitsett, Texas	66	989
Release from Choke Canyon Reservoir	596	5,090
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,257	10,904
NCAT : Nueces River at Calallen, Texas	1,066	10,340
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	998	9,363

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 2,500 Reservoir Inflow: 9,363	2,500
Estuary Inflows (Measured at NCAT)	10,340
PassThru Surplus / -Deficit:	9,590

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/10/2005
02/09/2005	34	1,006	5,311	3,040	2,034	44.0	44.1

Report Generated: 02/10/2005 at 8:28:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 11, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/11/2004	220.1	683,889	98.4%	93.9	238,551	98.9%	922,440	98.5%
02/11/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/10/2005	59	167	0.00	60	90	0.00	257
MTD		910	0.28		764	0.15	1,674

STREAM FLOWS

Gauging Station	02/10/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,133	11,670
NRTT : Nueces River at Tilden, Texas	486	5,010
FRIT : Frio River at Tilden, Texas	371	3,946
SMTT : San Miguel Creek at Tilden, Texas	32	373
ARWT : Atascosa River at Whitsett, Texas	62	1,050
Release from Choke Canyon Reservoir	399	5,489
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,251	12,154
NCAT : Nueces River at Calallen, Texas	1,191	11,531
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,137	10,501

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 2,500 Reservoir Inflow: 10,501	2,500
Estuary Inflows (Measured at NCAT)	11,531
PassThru Surplus / -Deficit:	10,781

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/11/2005
02/10/2005	34	1,039	5,344	3,040	2,001	44.0	44.1

Report Generated: 02/11/2005 at 8:16:13 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 12, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/12/2004	220.0	683,374	98.3%	93.9	239,702	99.4%	923,076	98.6%
02/12/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/11/2005	62	151	0.00	66	168	0.00	319
MTD		1,061	0.28		932	0.15	1,993

STREAM FLOWS

Gauging Station	02/11/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	788	12,458
NRTT : Nueces River at Tilden, Texas	482	5,492
FRIT : Frio River at Tilden, Texas	377	4,323
SMTT : San Miguel Creek at Tilden, Texas	28	401
ARWT : Atascosa River at Whitsett, Texas	58	1,108
Release from Choke Canyon Reservoir	199	5,687
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	865	13,020
NCAT : Nueces River at Calallen, Texas	989	12,519
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	994	11,495

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 2,500 Reservoir Inflow: 11,495	2,500
Estuary Inflows (Measured at NCAT)	12,519
PassThru Surplus / -Deficit:	11,769

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/12/2005
02/11/2005	68	1,107	5,412	3,040	1,933	44.0	44.0

Report Generated: 02/18/2005 at 11:20:23 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 13, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/13/2004	220.0	683,117	98.3%	93.9	238,360	98.8%	921,477	98.4%
02/13/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/12/2005	77	136	0.00	76	112	0.04	248
MTD		1,197	0.28		1,044	0.19	2,241

STREAM FLOWS

Gauging Station	02/12/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	768	13,226
NRRT : Nueces River at Tilden, Texas	478	5,971
FRRT : Frio River at Tilden, Texas	403	4,726
SMTT : San Miguel Creek at Tilden, Texas	36	437
ARWT : Atascosa River at Whitsett, Texas	60	1,167
Release from Choke Canyon Reservoir	199	5,886
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	584	13,603
NCAT : Nueces River at Calallen, Texas	727	13,246
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,008	12,504

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 2,500 Reservoir Inflow: 12,504	2,500
Estuary Inflows (Measured at NCAT)	13,246
PassThru Surplus / -Deficit:	12,496

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/13/2005
02/12/2005	143	1,251	5,555	3,040	1,789	44.0	44.0

Report Generated: 02/18/2005 at 11:23:51 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 14, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/14/2004	220.1	683,632	98.3%	93.9	239,127	99.1%	922,759	98.5%
02/14/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/13/2005	77	273	0.00	82	224	0.00	497
MTD		1,470	0.28		1,268	0.19	2,738

STREAM FLOWS

Gauging Station	02/13/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	766	13,992
NRRT : Nueces River at Tilden, Texas	474	6,445
FRRT : Frio River at Tilden, Texas	403	5,129
SMTT : San Miguel Creek at Tilden, Texas	46	482
ARWT : Atascosa River at Whitsett, Texas	56	1,223
Release from Choke Canyon Reservoir	199	6,084
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	516	14,119
NCAT : Nueces River at Calallen, Texas	524	13,770
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,016	13,520

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,250
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 2,500 Reservoir Inflow: 13,520	2,500
Estuary Inflows (Measured at NCAT)	13,770
PassThru Surplus / -Deficit:	13,020

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/14/2005
02/13/2005	143	1,394	5,698	3,040	1,646	44.0	44.0

Report Generated: 02/18/2005 at 11:26:28 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 15, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/15/2004	220.0	683,117	98.3%	93.8	237,785	98.6%	920,902	98.3%
02/15/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/14/2005	84	288	0.00	86	280	0.00	568
MTD		1,758	0.28		1,548	0.19	3,306

STREAM FLOWS

Gauging Station	02/14/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	756	14,749
NRRT : Nueces River at Tilden, Texas	468	6,914
FRRT : Frio River at Tilden, Texas	383	5,512
SMTT : San Miguel Creek at Tilden, Texas	38	520
ARWT : Atascosa River at Whitsett, Texas	52	1,274
Release from Choke Canyon Reservoir	199	6,283
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	490	14,610
NCAT : Nueces River at Calallen, Texas	401	14,171
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	979	14,498

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/15/2005	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 625 Reservoir Inflow: 14,498	625
Estuary Inflows (Measured at NCAT)	14,171
PassThru Surplus / -Deficit:	14,046

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/15/2005
02/14/2005	87	1,480	5,785	3,040	1,560	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 16, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/16/2004	220.0	682,860	98.2%	93.8	237,977	98.6%	920,837	98.3%
02/16/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/15/2005	87	318	0.00	87	325	0.00	643
MTD		2,076	0.28		1,873	0.19	3,949

STREAM FLOWS

Gauging Station	02/15/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	748	15,497
NRRT : Nueces River at Tilden, Texas	463	7,376
FRRT : Frio River at Tilden, Texas	371	5,884
SMTT : San Miguel Creek at Tilden, Texas	34	554
ARWT : Atascosa River at Whitsett, Texas	50	1,324
Release from Choke Canyon Reservoir	199	6,481
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	486	15,096
NCAT : Nueces River at Calallen, Texas	306	14,477
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	955	15,453

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/15/2005	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 625 Reservoir Inflow: 15,453	625
Estuary Inflows (Measured at NCAT)	14,477
PassThru Surplus / -Deficit:	14,352

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/16/2005
02/15/2005	36	1,516	5,821	3,040	1,524	44.0	44.1

Report Generated: 02/18/2005 at 11:33:13 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 17, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/17/2004	220.0	682,603	98.2%	93.8	237,977	98.6%	920,580	98.3%
02/17/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/16/2005	73	227	0.00	77	146	0.00	373
MTD		2,303	0.28		2,019	0.19	4,322

STREAM FLOWS

Gauging Station	02/16/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	734	16,231
NRRT : Nueces River at Tilden, Texas	463	7,839
FRRT : Frio River at Tilden, Texas	365	6,249
SMTT : San Miguel Creek at Tilden, Texas	34	588
ARWT : Atascosa River at Whitsett, Texas	50	1,374
Release from Choke Canyon Reservoir	199	6,680
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	544	15,640
NCAT : Nueces River at Calallen, Texas	244	14,721
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	935	16,388

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/15/2005	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 625 Reservoir Inflow: 16,388	625
Estuary Inflows (Measured at NCAT)	14,721
PassThru Surplus / -Deficit:	14,596

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/17/2005
02/16/2005	35	1,552	5,856	3,040	1,488	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 18, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/18/2004	220.0	683,374	98.3%	93.8	237,785	98.6%	921,159	98.4%
02/18/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/17/2005	62	227	0.00	64	168	0.00	395
MTD		2,530	0.28		2,187	0.19	4,717

STREAM FLOWS

Gauging Station	02/17/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	723	16,954
NRRT : Nueces River at Tilden, Texas	457	8,295
FRRT : Frio River at Tilden, Texas	365	6,614
SMTT : San Miguel Creek at Tilden, Texas	30	617
ARWT : Atascosa River at Whitsett, Texas	48	1,421
Release from Choke Canyon Reservoir	199	6,878
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	617	16,257
NCAT : Nueces River at Calallen, Texas	326	15,046
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	919	17,307

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/15/2005	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 625 Reservoir Inflow: 17,307	625
Estuary Inflows (Measured at NCAT)	15,046
PassThru Surplus / -Deficit:	14,921

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/18/2005
02/17/2005	101	1,653	5,958	3,040	1,387	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 19, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/19/2004	220.0	683,374	98.3%	93.8	237,211	98.3%	920,585	98.3%
02/19/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/18/2005	63	136	0.06	68	146	0.03	282
MTD		2,666	0.34		2,333	0.22	4,999

STREAM FLOWS

Gauging Station	02/18/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	717	17,670
NRRT : Nueces River at Tilden, Texas	455	8,750
FRRT : Frio River at Tilden, Texas	367	6,981
SMTT : San Miguel Creek at Tilden, Texas	26	643
ARWT : Atascosa River at Whitsett, Texas	48	1,469
Release from Choke Canyon Reservoir	248	7,126
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	578	16,835
NCAT : Nueces River at Calallen, Texas	463	15,509
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	861	18,169

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/15/2005	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 625 Reservoir Inflow: 18,169	625
Estuary Inflows (Measured at NCAT)	15,509
PassThru Surplus / -Deficit:	15,384

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/19/2005
02/18/2005	144	1,796	6,101	3,040	1,244	44.0	44.0

Report Generated: 02/19/2005 at 8:22:15 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 20, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/20/2004	220.0	683,374	98.3%	93.8	238,168	98.7%	921,542	98.4%
02/20/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/19/2005	73	76	0.01	72	45	0.04	121
MTD		2,742	0.35		2,378	0.26	5,120

STREAM FLOWS

Gauging Station	02/19/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	778	18,449
NRTT : Nueces River at Tilden, Texas	451	9,200
FRIT : Frio River at Tilden, Texas	365	7,346
SMTT : San Miguel Creek at Tilden, Texas	24	667
ARWT : Atascosa River at Whitsett, Texas	48	1,517
Release from Choke Canyon Reservoir	298	7,424
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	488	17,323
NCAT : Nueces River at Calallen, Texas	455	15,963
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	869	19,038

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/15/2005	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 625 Reservoir Inflow: 19,038	625
Estuary Inflows (Measured at NCAT)	15,963
PassThru Surplus / -Deficit:	15,838

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/20/2005
02/19/2005	143	1,940	6,245	3,040	1,100	44.0	44.0

Report Generated: 02/20/2005 at 8:16:10 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 21, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/21/2004	220.0	683,117	98.3%	93.8	237,977	98.6%	921,094	98.4%
02/21/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/20/2005	78	136	0.00	81	123	0.00	259
MTD		2,878	0.35		2,501	0.26	5,379

STREAM FLOWS

Gauging Station	02/20/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	778	19,227
NRRT : Nueces River at Tilden, Texas	443	9,643
FRRT : Frio River at Tilden, Texas	357	7,704
SMTT : San Miguel Creek at Tilden, Texas	22	689
ARWT : Atascosa River at Whitsett, Texas	48	1,564
Release from Choke Canyon Reservoir	298	7,722
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	484	17,807
NCAT : Nueces River at Calallen, Texas	395	16,358
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	860	19,898

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/15/2005	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 625 Reservoir Inflow: 19,898	625
Estuary Inflows (Measured at NCAT)	16,358
PassThru Surplus / -Deficit:	16,233

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/21/2005
02/20/2005	143	2,083	6,388	3,040	957	44.0	44.0

Report Generated: 02/21/2005 at 8:26:40 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 22, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/22/2004	220.0	683,117	98.3%	93.8	237,403	98.4%	920,520	98.3%
02/22/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/21/2005	77	91	0.00	78	67	0.00	158
MTD		2,969	0.35		2,568	0.26	5,537

STREAM FLOWS

Gauging Station	02/21/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	772	19,999
NRRT : Nueces River at Tilden, Texas	435	10,078
FRRT : Frio River at Tilden, Texas	355	8,059
SMTT : San Miguel Creek at Tilden, Texas	22	711
ARWT : Atascosa River at Whitsett, Texas	48	1,612
Release from Choke Canyon Reservoir	298	8,019
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	484	18,292
NCAT : Nueces River at Calallen, Texas	359	16,718
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	852	20,749

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/15/2005	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 625 Reservoir Inflow: 20,749	625
Estuary Inflows (Measured at NCAT)	16,718
PassThru Surplus / -Deficit:	16,593

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/22/2005
02/21/2005	143	2,227	6,531	3,040	813	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 23, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/23/2004	220.0	683,117	98.3%	93.8	237,403	98.4%	920,520	98.3%
02/23/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/22/2005	79	212	0.00	80	157	0.00	369
MTD		3,181	0.35		2,725	0.26	5,906

STREAM FLOWS

Gauging Station	02/22/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	812	20,811
NRRT : Nueces River at Tilden, Texas	427	10,505
FRRT : Frio River at Tilden, Texas	353	8,412
SMTT : San Miguel Creek at Tilden, Texas	20	730
ARWT : Atascosa River at Whitsett, Texas	48	1,659
Release from Choke Canyon Reservoir	472	8,492
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	540	18,832
NCAT : Nueces River at Calallen, Texas	367	17,085
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	713	21,462

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/15/2005	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 625 Reservoir Inflow: 21,462	625
Estuary Inflows (Measured at NCAT)	17,085
PassThru Surplus / -Deficit:	16,960

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/23/2005
02/22/2005	143	2,370	6,675	3,040	670	44.0	44.1

Report Generated: 02/23/2005 at 9:21:23 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 24, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/24/2004	220.2	686,214	98.7%	93.8	237,785	98.6%	923,999	98.7%
02/24/2005	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/23/2005	85	303	1.41	87	213	0.46	516
MTD		3,484	1.76		2,938	0.72	6,422

STREAM FLOWS

Gauging Station	02/23/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,070	21,881
NRTT : Nueces River at Tilden, Texas	427	10,931
FRIT : Frio River at Tilden, Texas	349	8,762
SMTT : San Miguel Creek at Tilden, Texas	19	749
ARWT : Atascosa River at Whitsett, Texas	48	1,707
Release from Choke Canyon Reservoir	596	9,087
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	824	19,655
NCAT : Nueces River at Calallen, Texas	417	17,502
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	842	22,304

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/15/2005	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 625 Reservoir Inflow: 22,304	625
Estuary Inflows (Measured at NCAT)	17,502
PassThru Surplus / -Deficit:	17,377

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/24/2005
02/23/2005	143	2,512	6,817	3,040	528	44.0	44.0

Report Generated: 02/24/2005 at 11:28:12 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 25, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/25/2004	220.3	688,797	99.1%	93.8	238,168	98.7%	926,965	99.0%
02/25/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/24/2005	66	257	0.00	67	179	0.01	436
MTD		3,741	1.76		3,117	0.73	6,858

STREAM FLOWS

Gauging Station	02/24/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,298	22,109
NRIT : Nueces River at Tilden, Texas	429	10,933
FRIT : Frio River at Tilden, Texas	379	8,792
SMIT : San Miguel Creek at Tilden, Texas	129	860
ARWT : Atascosa River at Whitsett, Texas	48	1,707
Release from Choke Canyon Reservoir	1,272	9,764
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,276	20,108
NCAT : Nueces River at Calallen, Texas	693	17,778
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	534	21,996

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/15/2005	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 625 Reservoir Inflow: 21,996	625
Estuary Inflows (Measured at NCAT)	17,778
PassThru Surplus / -Deficit:	17,653

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/25/2005
02/24/2005	142	2,654	6,959	3,040	386	44.0	44.1

Report Generated: 02/25/2005 at 9:51:19 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 26, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/26/2004	220.2	688,025	99.0%	93.9	238,551	98.9%	926,576	98.9%
02/26/2005	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/25/2005	57	182	0.47	58	34	0.45	216
MTD		3,923	2.23		3,151	1.18	7,074

STREAM FLOWS

Gauging Station	02/25/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,382	24,491
NRRT : Nueces River at Tilden, Texas	425	11,358
FRRT : Frio River at Tilden, Texas	389	9,181
SMTT : San Miguel Creek at Tilden, Texas	377	1,237
ARWT : Atascosa River at Whitsett, Texas	1,886	3,593
Release from Choke Canyon Reservoir	1,818	11,582
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,459	21,567
NCAT : Nueces River at Calallen, Texas	1,195	18,973
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,330	23,326

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/15/2005	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 625 Reservoir Inflow: 23,326	625
Estuary Inflows (Measured at NCAT)	18,973
PassThru Surplus / -Deficit:	18,848

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/26/2005
02/25/2005	141	2,796	7,101	3,040	244	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 27, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/27/2004	220.2	687,768	98.9%	93.9	238,743	99.0%	926,511	98.9%
02/27/2005	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/26/2005	53	76	0.71	50	157	1.51	233
MTD		3,999	2.94		3,308	2.69	7,307

STREAM FLOWS

Gauging Station	02/26/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,997	27,488
NRRT : Nueces River at Tilden, Texas	447	11,805
FRRT : Frio River at Tilden, Texas	399	9,580
SMTT : San Miguel Creek at Tilden, Texas	540	1,777
ARWT : Atascosa River at Whitsett, Texas	1,630	5,223
Release from Choke Canyon Reservoir	1,612	13,194
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,342	23,909
NCAT : Nueces River at Calallen, Texas	1,713	20,686
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	2,324	25,650

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/15/2005	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 625 Reservoir Inflow: 25,650	625
Estuary Inflows (Measured at NCAT)	20,686
PassThru Surplus / -Deficit:	20,561

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/27/2005
02/26/2005	141	2,937	7,242	3,040	103	44.0	44.1

Report Generated: 02/28/2005 at 9:12:18 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 28, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
02/28/2004	220.2	687,252	98.8%	93.9	238,935	99.0%	926,187	98.9%
02/28/2005	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/27/2005	71	151	0.00	73	314	0.01	465
MTD		4,150	2.94		3,622	2.70	7,772

STREAM FLOWS

Gauging Station	02/27/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,871	31,359
NRRT : Nueces River at Tilden, Texas	453	12,257
FRRT : Frio River at Tilden, Texas	546	10,125
SMTT : San Miguel Creek at Tilden, Texas	1,118	2,894
ARWT : Atascosa River at Whitsett, Texas	1,491	6,713
Release from Choke Canyon Reservoir	1,612	14,806
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,672	27,582
NCAT : Nueces River at Calallen, Texas	3,017	23,703
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,922	29,573

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/15/2005	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 625 Reservoir Inflow: 29,573	625
Estuary Inflows (Measured at NCAT)	23,703
PassThru Surplus / -Deficit:	23,578

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	02/28/2005
02/27/2005	141	3,078	7,383	3,040	-38	44.0	44.1

Report Generated: 02/28/2005 at 9:17:19 AM