

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 1, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/01/2004	220.2	686,992	98.8%	94.0	240,471	99.7%	927,463	99.0%
03/01/2005	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
02/28/2005	71	257	0.00	71	146	0.00	403
MTD		4,407	2.94		3,768	2.70	8,175

STREAM FLOWS

Gauging Station	02/28/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,672	35,031
NRIT : Nueces River at Tilden, Texas	439	12,696
FRIT : Frio River at Tilden, Texas	768	10,894
SMIT : San Miguel Creek at Tilden, Texas	548	3,442
ARWT : Atascosa River at Whitsett, Texas	1,850	8,563
Release from Choke Canyon Reservoir	1,612	16,418
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,633	31,214
NCAT : Nueces River at Calallen, Texas	3,851	27,554
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	3,376	32,949

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 1,875 Effective: 02/15/2005	625
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 02/01/2005)	500
Passthru Target: 625 Reservoir Inflow: 32,949	625
Estuary Inflows (Measured at NCAT)	27,554
PassThru Surplus / -Deficit:	27,429

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/01/2005
02/28/2005	141	3,220	7,525	3,040	-180	44.0	44.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 2, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/02/2004	220.2	687,768	98.9%	94.0	241,241	100.0%	929,009	99.2%
03/02/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/01/2005	76	363	0.00	76	269	0.00	632
MTD		363	0.00		269	0.00	632

STREAM FLOWS

Gauging Station	03/01/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,712	3,712
NRTT : Nueces River at Tilden, Texas	490	490
FRIT : Frio River at Tilden, Texas	865	865
SMTT : San Miguel Creek at Tilden, Texas	544	544
ARWT : Atascosa River at Whitsett, Texas	1,074	1,074
Release from Choke Canyon Reservoir	1,737	1,737
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,454	3,454
NCAT : Nueces River at Calallen, Texas	4,149	4,149
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	3,384	3,384

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 3,500 Reservoir Inflow: 3,384	3,384
Estuary Inflows (Measured at NCAT)	4,149
PassThru Surplus / -Deficit:	3,014

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/02/2005
03/01/2005	78	78	7,602	3,050	2,972	44.0	44.1

Report Generated: 03/02/2005 at 8:33:43 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 3, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/03/2004	220.2	688,283	99.0%	94.0	241,048	99.9%	929,331	99.2%
03/03/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/02/2005	69	136	0.12	75	101	0.02	237
MTD		499	0.12		370	0.02	869

STREAM FLOWS

Gauging Station	03/02/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	3,136	6,848
NRRT : Nueces River at Tilden, Texas	592	1,082
FRRT : Frio River at Tilden, Texas	727	1,592
SMTT : San Miguel Creek at Tilden, Texas	300	844
ARWT : Atascosa River at Whitsett, Texas	673	1,747
Release from Choke Canyon Reservoir	1,939	3,676
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,613	7,067
NCAT : Nueces River at Calallen, Texas	4,188	8,337
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	2,223	5,608

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 3,500 Reservoir Inflow: 5,608	3,500
Estuary Inflows (Measured at NCAT)	8,337
PassThru Surplus / -Deficit:	7,087

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/03/2005
03/02/2005	37	114	7,639	3,050	2,936	44.0	44.0

Report Generated: 03/03/2005 at 8:31:01 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 4, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/04/2004	220.2	687,768	98.9%	94.0	241,241	100.0%	929,009	99.2%
03/04/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/03/2005	64	151	0.00	60	79	0.00	230
MTD		650	0.12		449	0.02	1,099

STREAM FLOWS

Gauging Station	03/03/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,898	9,746
NRRT : Nueces River at Tilden, Texas	596	1,677
FRRT : Frio River at Tilden, Texas	601	2,193
SMTT : San Miguel Creek at Tilden, Texas	187	1,030
ARWT : Atascosa River at Whitsett, Texas	387	2,134
Release from Choke Canyon Reservoir	1,939	5,616
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,553	10,620
NCAT : Nueces River at Calallen, Texas	4,248	12,585
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,747	7,354

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 3,500 Reservoir Inflow: 7,354	3,500
Estuary Inflows (Measured at NCAT)	12,585
PassThru Surplus / -Deficit:	11,335

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/04/2005
03/03/2005	103	217	7,741	3,050	2,833	44.0	44.0

Report Generated: 03/04/2005 at 8:30:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 5, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/05/2004	220.2	688,025	99.0%	94.0	241,241	100.0%	929,266	99.2%
03/05/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/04/2005	74	227	0.00	75	146	0.00	373
MTD		877	0.12		595	0.02	1,472

STREAM FLOWS

Gauging Station	03/04/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,561	12,307
NRRT : Nueces River at Tilden, Texas	576	2,253
FRRT : Frio River at Tilden, Texas	530	2,723
SMTT : San Miguel Creek at Tilden, Texas	131	1,161
ARWT : Atascosa River at Whitsett, Texas	284	2,418
Release from Choke Canyon Reservoir	1,239	6,854
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,057	13,677
NCAT : Nueces River at Calallen, Texas	4,288	16,873
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,983	9,337

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 3,500 Reservoir Inflow: 9,337	3,500
Estuary Inflows (Measured at NCAT)	16,873
PassThru Surplus / -Deficit:	15,623

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/05/2005
03/04/2005	143	360	7,884	3,050	2,690	44.0	44.1

Report Generated: 03/05/2005 at 9:03:08 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 6, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/06/2004	220.3	688,797	99.1%	94.0	241,241	100.0%	930,038	99.3%
03/06/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/05/2005	66	76	1.23	67	Pan overflow	2.18	76
MTD		953	1.35		595	2.20	1,548

STREAM FLOWS

Gauging Station	03/05/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,505	13,812
NRRT : Nueces River at Tilden, Texas	576	2,829
FRRT : Frio River at Tilden, Texas	464	3,188
SMTT : San Miguel Creek at Tilden, Texas	103	1,264
ARWT : Atascosa River at Whitsett, Texas	224	2,642
Release from Choke Canyon Reservoir	647	7,501
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,461	16,138
NCAT : Nueces River at Calallen, Texas	3,990	20,862
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,425	10,763

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 3,500 Reservoir Inflow: 10,763	3,500
Estuary Inflows (Measured at NCAT)	20,862
PassThru Surplus / -Deficit:	19,612

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/06/2005
03/05/2005	143	502	8,027	3,050	2,548	44.0	44.1

Report Generated: 03/06/2005 at 8:54:24 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 7, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/07/2004	220.2	688,283	99.0%	94.0	241,241	100.0%	929,524	99.3%
03/07/2005	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/06/2005	70	76	0.30	72	90	0.16	166
MTD		1,029	1.65		685	2.36	1,714

STREAM FLOWS

Gauging Station	03/06/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,536	15,348
NRRT : Nueces River at Tilden, Texas	774	3,603
FRRT : Frio River at Tilden, Texas	592	3,779
SMTT : San Miguel Creek at Tilden, Texas	337	1,602
ARWT : Atascosa River at Whitsett, Texas	528	3,170
Release from Choke Canyon Reservoir	647	8,148
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,077	19,215
NCAT : Nueces River at Calallen, Texas	3,692	24,554
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,818	12,581

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 3,500 Reservoir Inflow: 12,581	3,500
Estuary Inflows (Measured at NCAT)	24,554
PassThru Surplus / -Deficit:	23,304

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/07/2005
03/06/2005	143	645	8,169	3,050	2,405	44.0	44.1

Report Generated: 03/07/2005 at 8:37:55 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 8, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/08/2004	220.2	688,025	99.0%	94.0	241,241	100.0%	929,266	99.2%
03/08/2005	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/07/2005	79	273	0.00	82	224	0.00	497
MTD		1,302	1.65		909	2.36	2,211

STREAM FLOWS

Gauging Station	03/07/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,759	18,107
NRIT : Nueces River at Tilden, Texas	1,171	4,774
FRIT : Frio River at Tilden, Texas	869	4,649
SMIT : San Miguel Creek at Tilden, Texas	339	1,941
ARWT : Atascosa River at Whitsett, Texas	1,802	4,972
Release from Choke Canyon Reservoir	1,024	9,173
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	4,248	23,463
NCAT : Nueces River at Calallen, Texas	3,930	28,485
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	2,944	15,525

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 3,500 Reservoir Inflow: 15,525	3,500
Estuary Inflows (Measured at NCAT)	28,485
PassThru Surplus / -Deficit:	27,235

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/08/2005
03/07/2005	143	788	8,313	3,050	2,262	44.0	44.1

Report Generated: 03/08/2005 at 8:49:08 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 9, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/09/2004	220.2	688,283	99.0%	94.0	241,241	100.0%	929,524	99.3%
03/09/2005	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/08/2005	73	303	0.00	71	157	0.01	460
MTD		1,605	1.65		1,066	2.37	2,671

STREAM FLOWS

Gauging Station	03/08/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,566	22,673
NRRT : Nueces River at Tilden, Texas	1,318	6,092
FRRT : Frio River at Tilden, Texas	816	5,465
SMTT : San Miguel Creek at Tilden, Texas	270	2,211
ARWT : Atascosa River at Whitsett, Texas	2,104	7,077
Release from Choke Canyon Reservoir	1,290	10,463
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	4,030	27,492
NCAT : Nueces River at Calallen, Texas	4,387	32,872
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	4,361	19,886

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 3,500 Reservoir Inflow: 19,886	3,500
Estuary Inflows (Measured at NCAT)	32,872
PassThru Surplus / -Deficit:	31,622

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/09/2005
03/08/2005	143	931	8,456	3,050	2,119	44.0	4.1

Report Generated: 03/09/2005 at 8:24:02 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 10, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/10/2004	220.2	688,283	99.0%	94.0	241,241	100.0%	929,524	99.3%
03/10/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/09/2005	77	318	0.00	74	236	0.00	554
MTD		1,923	1.65		1,302	2.37	3,225

STREAM FLOWS

Gauging Station	03/09/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,367	27,040
NRTT : Nueces River at Tilden, Texas	1,552	7,644
FRIT : Frio River at Tilden, Texas	742	6,207
SMTT : San Miguel Creek at Tilden, Texas	439	2,650
ARWT : Atascosa River at Whitsett, Texas	1,106	8,182
Release from Choke Canyon Reservoir	1,616	12,079
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	4,585	32,078
NCAT : Nueces River at Calallen, Texas	4,069	36,941
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	3,932	23,818

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 3,500 Reservoir Inflow: 23,818	3,500
Estuary Inflows (Measured at NCAT)	36,941
PassThru Surplus / -Deficit:	35,691

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/10/2005
03/09/2005	142	1,073	8,598	3,050	1,977	44.0	44.0

Report Generated: 03/10/2005 at 8:25:19 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 11, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/11/2004	220.2	688,025	99.0%	94.0	241,241	100.0%	929,266	99.2%
03/11/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/10/2005	82	303	0.00	83	168	0.00	471
MTD		2,226	1.65		1,470	2.37	3,696

STREAM FLOWS

Gauging Station	03/10/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,268	31,307
NRRT : Nueces River at Tilden, Texas	1,719	9,363
FRRT : Frio River at Tilden, Texas	675	6,882
SMTT : San Miguel Creek at Tilden, Texas	272	2,922
ARWT : Atascosa River at Whitsett, Texas	1,072	9,254
Release from Choke Canyon Reservoir	1,935	14,014
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	4,486	36,564
NCAT : Nueces River at Calallen, Texas	4,268	41,209
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,279	27,097

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	1,750
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 3,500 Reservoir Inflow: 27,097	3,500
Estuary Inflows (Measured at NCAT)	41,209
PassThru Surplus / -Deficit:	39,959

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/11/2005
03/10/2005	142	1,215	8,740	3,050	1,835	44.0	44.1

Report Generated: 03/11/2005 at 8:16:04 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 12, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/12/2004	220.2	688,283	99.0%	94.0	241,241	100.0%	929,524	99.3%
03/12/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/11/2005	78	409	0.00	77	381	0.00	790
MTD		2,635	1.65		1,851	2.37	4,486

STREAM FLOWS

Gauging Station	03/11/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	4,228	35,535
NRRT : Nueces River at Tilden, Texas	1,846	11,209
FRRT : Frio River at Tilden, Texas	723	7,605
SMTT : San Miguel Creek at Tilden, Texas	173	3,095
ARWT : Atascosa River at Whitsett, Texas	564	9,818
Release from Choke Canyon Reservoir	1,372	15,386
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	4,804	41,367
NCAT : Nueces River at Calallen, Texas	4,526	45,734
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,752	30,849

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 03/11/2005	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 875 Reservoir Inflow: 30,849	875
Estuary Inflows (Measured at NCAT)	45,734
PassThru Surplus / -Deficit:	45,359

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/12/2005
03/11/2005	142	1,358	8,882	3,050	1,692	44.0	44.1

Report Generated: 03/12/2005 at 9:04:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 13, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/13/2004	220.3	689,311	99.1%	94.0	241,241	100.0%	930,552	99.4%
03/13/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/12/2005	84	394	0.00	85	303	0.00	697
MTD		3,029	1.65		2,154	2.37	5,183

STREAM FLOWS

Gauging Station	03/12/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,997	38,533
NRRT : Nueces River at Tilden, Texas	1,663	12,873
FRRT : Frio River at Tilden, Texas	754	8,359
SMTT : San Miguel Creek at Tilden, Texas	121	3,216
ARWT : Atascosa River at Whitsett, Texas	292	10,110
Release from Choke Canyon Reservoir	645	16,031
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	4,506	45,873
NCAT : Nueces River at Calallen, Texas	4,665	50,399
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	3,228	34,076

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 03/11/2005	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 875 Reservoir Inflow: 34,076	875
Estuary Inflows (Measured at NCAT)	50,399
PassThru Surplus / -Deficit:	50,024

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/13/2005
03/12/2005	142	1,499	9,024	3,050	1,551	44.0	44.1

Report Generated: 03/13/2005 at 7:46:17 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 14, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/14/2004	220.3	691,121	99.4%	94.0	241,241	100.0%	932,362	99.6%
03/14/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/13/2005	88	484	0.00	91	247	0.00	731
MTD		3,513	1.65		2,401	2.37	5,914

STREAM FLOWS

Gauging Station	03/13/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,600	41,133
NRRT : Nueces River at Tilden, Texas	1,241	14,113
FRRT : Frio River at Tilden, Texas	744	9,103
SMTT : San Miguel Creek at Tilden, Texas	93	3,309
ARWT : Atascosa River at Whitsett, Texas	228	10,338
Release from Choke Canyon Reservoir	645	16,676
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	3,871	49,744
NCAT : Nueces River at Calallen, Texas	4,585	54,985
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	2,793	36,869

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 03/11/2005	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 875 Reservoir Inflow: 36,869	875
Estuary Inflows (Measured at NCAT)	54,985
PassThru Surplus / -Deficit:	54,610

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/14/2005
03/13/2005	141	1,641	9,165	3,050	1,409	44.0	44.1

Report Generated: 03/14/2005 at 8:19:58 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 15, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/15/2004	220.4	691,639	99.5%	94.0	241,241	100.0%	932,880	99.6%
03/15/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/14/2005	71	333	0.02	71	292	0.01	625
MTD		3,846	1.67		2,693	2.38	6,539

STREAM FLOWS

Gauging Station	03/14/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,005	43,138
NRRT : Nueces River at Tilden, Texas	1,157	15,271
FRRT : Frio River at Tilden, Texas	651	9,754
SMTT : San Miguel Creek at Tilden, Texas	75	3,384
ARWT : Atascosa River at Whitsett, Texas	183	10,521
Release from Choke Canyon Reservoir	308	16,984
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,541	52,285
NCAT : Nueces River at Calallen, Texas	3,930	58,915
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	2,424	39,293

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 03/11/2005	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 875 Reservoir Inflow: 39,293	875
Estuary Inflows (Measured at NCAT)	58,915
PassThru Surplus / -Deficit:	58,540

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/15/2005
03/14/2005	141	1,781	9,306	3,050	1,269	44.0	44.1

Report Generated: 03/15/2005 at 9:04:31 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 16, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/16/2004	220.4	693,715	99.8%	94.0	241,241	100.0%	934,956	99.8%
03/16/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/15/2005	61	257	0.74	65	123	0.28	380
MTD		4,103	2.41		2,816	2.66	6,919

STREAM FLOWS

Gauging Station	03/15/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,380	44,518
NRRT : Nueces River at Tilden, Texas	1,120	16,390
FRRT : Frio River at Tilden, Texas	556	10,310
SMTT : San Miguel Creek at Tilden, Texas	62	3,446
ARWT : Atascosa River at Whitsett, Texas	161	10,681
Release from Choke Canyon Reservoir	66	17,049
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,483	53,768
NCAT : Nueces River at Calallen, Texas	2,938	61,853
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,931	41,224

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 03/11/2005	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 875 Reservoir Inflow: 41,224	875
Estuary Inflows (Measured at NCAT)	61,853
PassThru Surplus / -Deficit:	61,478

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/16/2005
03/15/2005	142	1,923	9,448	3,050	1,127	44.0	44.1

Report Generated: 03/16/2005 at 8:25:19 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 17, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/17/2004	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%
03/17/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/16/2005	56	182	0.04	57	146	0.06	328
MTD		4,285	2.45		2,962	2.72	7,247

STREAM FLOWS

Gauging Station	03/16/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,390	45,907
NRIT : Nueces River at Tilden, Texas	1,066	17,456
FRIT : Frio River at Tilden, Texas	518	10,828
SMTT : San Miguel Creek at Tilden, Texas	64	3,509
ARWT : Atascosa River at Whitsett, Texas	151	10,832
Release from Choke Canyon Reservoir	375	17,424
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	2,322	56,090
NCAT : Nueces River at Calallen, Texas	2,025	63,877
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,596	42,820

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 03/11/2005	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 875 Reservoir Inflow: 42,820	875
Estuary Inflows (Measured at NCAT)	63,877
PassThru Surplus / -Deficit:	63,502

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/17/2005
03/16/2005	141	2,064	9,589	3,050	986	44.0	44.1

Report Generated: 03/17/2005 at 8:24:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 18, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/18/2004	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%
03/18/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/17/2005	66	227	0.00	65	179	0.00	406
MTD		4,512	2.45		3,141	2.72	7,653

STREAM FLOWS

Gauging Station	03/17/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,719	47,626
NRRT : Nueces River at Tilden, Texas	1,010	18,466
FRRT : Frio River at Tilden, Texas	504	11,332
SMTT : San Miguel Creek at Tilden, Texas	58	3,567
ARWT : Atascosa River at Whitsett, Texas	133	10,965
Release from Choke Canyon Reservoir	596	18,020
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	953	57,043
NCAT : Nueces River at Calallen, Texas	1,957	65,835
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,685	44,506

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 03/11/2005	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 875 Reservoir Inflow: 44,506	875
Estuary Inflows (Measured at NCAT)	65,835
PassThru Surplus / -Deficit:	65,460

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/18/2005
03/17/2005	142	2,206	9,731	3,050	844	44.0	44.0

Report Generated: 03/18/2005 at 8:19:48 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 19, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/19/2004	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%
03/19/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/18/2005	81	318	0.00	81	247	0.00	565
MTD		4,830	2.45		3,388	2.72	8,218

STREAM FLOWS

Gauging Station	03/18/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,642	49,268
NRRT : Nueces River at Tilden, Texas	933	19,399
FRRT : Frio River at Tilden, Texas	498	11,831
SMTT : San Miguel Creek at Tilden, Texas	50	3,617
ARWT : Atascosa River at Whitsett, Texas	123	11,088
Release from Choke Canyon Reservoir	377	18,397
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,157	58,200
NCAT : Nueces River at Calallen, Texas	1,122	66,956
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,812	46,318

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 03/11/2005	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 875 Reservoir Inflow: 46,318	875
Estuary Inflows (Measured at NCAT)	66,956
PassThru Surplus / -Deficit:	66,581

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/19/2005
03/18/2005	142	2,348	9,872	3,050	702	44.0	44.0

Report Generated: 03/19/2005 at 8:17:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 20, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/20/2004	220.4	693,455	99.7%	94.0	241,241	100.0%	934,696	99.8%
03/20/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/19/2005	79	197	0.00	79	Pan overflow	2.99	197
MTD		5,027	2.45		3,388	5.71	8,415

STREAM FLOWS

Gauging Station	03/19/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,175	50,443
NRRT : Nueces River at Tilden, Texas	939	20,338
FRRT : Frio River at Tilden, Texas	488	12,319
SMTT : San Miguel Creek at Tilden, Texas	40	3,656
ARWT : Atascosa River at Whitsett, Texas	111	11,199
Release from Choke Canyon Reservoir	119	18,516
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,393	59,594
NCAT : Nueces River at Calallen, Texas	1,052	68,008
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,584	47,902

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 03/11/2005	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 875 Reservoir Inflow: 47,902	875
Estuary Inflows (Measured at NCAT)	68,008
PassThru Surplus / -Deficit:	67,633

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/20/2005
03/19/2005	141	2,489	10,014	3,050	561	44.0	44.0

Report Generated: 03/21/2005 at 10:25:39 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 21, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/21/2004	220.5	696,052	100.1%	94.0	241,241	100.0%	937,293	100.1%
03/21/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/20/2005	80	197	0.00	84	236	0.00	433
MTD		5,224	2.45		3,624	5.71	8,848

STREAM FLOWS

Gauging Station	03/20/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,114	51,556
NRTT : Nueces River at Tilden, Texas	1,034	21,372
FRIT : Frio River at Tilden, Texas	482	12,801
SMTT : San Miguel Creek at Tilden, Texas	11	3,667
ARWT : Atascosa River at Whitsett, Texas	195	11,394
Release from Choke Canyon Reservoir	119	18,635
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,677	61,271
NCAT : Nueces River at Calallen, Texas	1,616	69,624
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,488	49,390

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 03/11/2005	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 875 Reservoir Inflow: 49,390	875
Estuary Inflows (Measured at NCAT)	69,624
PassThru Surplus / -Deficit:	69,249

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/21/2005
03/20/2005	142	2,631	10,155	3,050	419	44.0	44.0

Report Generated: 03/21/2005 at 10:30:13 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 22, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/22/2004	220.5	696,052	100.1%	94.0	241,241	100.0%	937,293	100.1%
03/22/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/21/2005	82	182	0.00	81	101	0.02	283
MTD		5,406	2.45		3,725	5.73	9,131

STREAM FLOWS

Gauging Station	03/21/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,568	53,125
NRRT : Nueces River at Tilden, Texas	1,028	22,401
FRRT : Frio River at Tilden, Texas	478	13,280
SMTT : San Miguel Creek at Tilden, Texas	44	3,711
ARWT : Atascosa River at Whitsett, Texas	1,201	12,595
Release from Choke Canyon Reservoir	119	18,754
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,489	62,760
NCAT : Nueces River at Calallen, Texas	1,878	71,502
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,971	51,361

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 03/11/2005	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 875 Reservoir Inflow: 51,361	875
Estuary Inflows (Measured at NCAT)	71,502
PassThru Surplus / -Deficit:	71,127

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/22/2005
03/21/2005	142	2,772	10,297	3,050	278	44.0	44.0

Report Generated: 03/22/2005 at 9:37:02 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 23, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/23/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/23/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/22/2005	80	424	0.00	81	45	0.00	469
MTD		5,830	2.45		3,770	5.73	9,600

STREAM FLOWS

Gauging Station	03/22/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,223	55,348
NRRT : Nueces River at Tilden, Texas	989	23,389
FRRT : Frio River at Tilden, Texas	470	13,750
SMTT : San Miguel Creek at Tilden, Texas	26	3,737
ARWT : Atascosa River at Whitsett, Texas	566	13,161
Release from Choke Canyon Reservoir	119	18,873
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,983	64,743
NCAT : Nueces River at Calallen, Texas	1,604	73,106
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	2,600	53,961

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 03/11/2005	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 875 Reservoir Inflow: 53,961	875
Estuary Inflows (Measured at NCAT)	73,106
PassThru Surplus / -Deficit:	72,731

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/23/2005
03/22/2005	141	2,914	10,438	3,050	136	44.0	44.0

Report Generated: 03/23/2005 at 10:37:53 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 24, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/24/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/24/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/23/2005	79	424	0.00	78	179	0.00	603
MTD		6,254	2.45		3,949	5.73	10,203

STREAM FLOWS

Gauging Station	03/23/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,386	56,733
NRRT : Nueces River at Tilden, Texas	794	24,183
FRRT : Frio River at Tilden, Texas	470	14,221
SMTT : San Miguel Creek at Tilden, Texas	38	3,775
ARWT : Atascosa River at Whitsett, Texas	191	13,351
Release from Choke Canyon Reservoir	87	18,961
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,743	66,486
NCAT : Nueces River at Calallen, Texas	1,753	74,858
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,806	55,768

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 03/11/2005	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 875 Reservoir Inflow: 55,768	875
Estuary Inflows (Measured at NCAT)	74,858
PassThru Surplus / -Deficit:	74,483

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/24/2005
03/23/2005	141	3,055	10,579	3,050	-5	44.0	44.0

Report Generated: 03/24/2005 at 8:47:09 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 25, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/25/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/25/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/24/2005	83	348	0.00	82	202	0.00	550
MTD		6,602	2.45		4,151	5.73	10,753

STREAM FLOWS

Gauging Station	03/24/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	993	57,726
NRRT : Nueces River at Tilden, Texas	695	24,878
FRRT : Frio River at Tilden, Texas	466	14,687
SMTT : San Miguel Creek at Tilden, Texas	36	3,810
ARWT : Atascosa River at Whitsett, Texas	137	13,488
Release from Choke Canyon Reservoir	66	19,026
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,296	67,782
NCAT : Nueces River at Calallen, Texas	1,572	76,430
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,429	57,197

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 03/11/2005	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 875 Reservoir Inflow: 57,197	875
Estuary Inflows (Measured at NCAT)	76,430
PassThru Surplus / -Deficit:	76,055

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/25/2005
03/24/2005	141	3,196	10,720	3,050	-146	44.0	44.0

Report Generated: 03/25/2005 at 1:53:09 PM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 26, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/26/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/26/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/25/2005	84	348	0.00	82	202	0.00	550
MTD		6,950	2.45		4,353	5.73	11,303

STREAM FLOWS

Gauging Station	03/25/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	989	58,714
NRRT : Nueces River at Tilden, Texas	3	24,881
FRRT : Frio River at Tilden, Texas	463	15,150
SMTT : San Miguel Creek at Tilden, Texas	34	3,844
ARWT : Atascosa River at Whitsett, Texas	109	13,597
Release from Choke Canyon Reservoir	66	19,092
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	856	68,637
NCAT : Nueces River at Calallen, Texas	1,187	77,617
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,419	58,616

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 03/11/2005	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 875 Reservoir Inflow: 58,616	875
Estuary Inflows (Measured at NCAT)	77,617
PassThru Surplus / -Deficit:	77,242

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/26/2005
03/25/2005	141	3,337	10,862	3,050	-287	44.0	44.0

Report Generated: 03/26/2005 at 8:41:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 27, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/27/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/27/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/26/2005	79	378	0.14	53	325	0.01	703
MTD		7,328	2.59		4,678	5.74	12,006

STREAM FLOWS

Gauging Station	03/26/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	784	59,498
NRRT : Nueces River at Tilden, Texas	617	25,499
FRRT : Frio River at Tilden, Texas	461	15,610
SMTT : San Miguel Creek at Tilden, Texas	32	3,876
ARWT : Atascosa River at Whitsett, Texas	95	13,693
Release from Choke Canyon Reservoir	66	19,157
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	867	69,505
NCAT : Nueces River at Calallen, Texas	719	78,336
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,211	59,827

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 03/11/2005	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 875 Reservoir Inflow: 59,827	875
Estuary Inflows (Measured at NCAT)	78,336
PassThru Surplus / -Deficit:	77,961

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/27/2005
03/26/2005	141	3,478	11,002	3,050	-428	44.0	44.0

Report Generated: 03/27/2005 at 8:39:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 28, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/28/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/28/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/27/2005	79	363	0.00	69	303	0.00	666
MTD		7,691	2.59		4,981	5.74	12,672

STREAM FLOWS

Gauging Station	03/27/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	740	60,239
NRTT : Nueces River at Tilden, Texas	586	26,084
FRIT : Frio River at Tilden, Texas	447	16,057
SMTT : San Miguel Creek at Tilden, Texas	30	3,906
ARWT : Atascosa River at Whitsett, Texas	83	13,776
Release from Choke Canyon Reservoir	66	19,223
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,941	71,446
NCAT : Nueces River at Calallen, Texas	959	79,295
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,151	60,978

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 03/11/2005	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 875 Reservoir Inflow: 60,978	875
Estuary Inflows (Measured at NCAT)	79,295
PassThru Surplus / -Deficit:	78,920

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/28/2005
03/27/2005	140	3,618	11,143	3,050	-568	44.0	44.0

Report Generated: 03/28/2005 at 8:37:04 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 29, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/29/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/29/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/28/2005	80	394	0.00	82	292	0.00	686
MTD		8,085	2.59		5,273	5.74	13,358

STREAM FLOWS

Gauging Station	03/28/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	705	60,943
NRRT : Nueces River at Tilden, Texas	556	26,640
FRRT : Frio River at Tilden, Texas	443	16,499
SMTT : San Miguel Creek at Tilden, Texas	28	3,933
ARWT : Atascosa River at Whitsett, Texas	69	13,845
Release from Choke Canyon Reservoir	66	19,288
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	429	71,875
NCAT : Nueces River at Calallen, Texas	1,386	80,680
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,110	62,088

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 03/11/2005	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 875 Reservoir Inflow: 62,088	875
Estuary Inflows (Measured at NCAT)	80,680
PassThru Surplus / -Deficit:	80,305

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/29/2005
03/28/2005	141	3,759	11,283	3,050	-709	44.0	44.0

Report Generated: 03/29/2005 at 8:55:06 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 30, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/30/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/30/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/29/2005	85	273	0.00	89	247	0.00	520
MTD		8,358	2.59		5,520	5.74	13,878

STREAM FLOWS

Gauging Station	03/29/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	673	61,616
NRIT : Nueces River at Tilden, Texas	530	27,170
FRIT : Frio River at Tilden, Texas	443	16,942
SMTT : San Miguel Creek at Tilden, Texas	28	3,961
ARWT : Atascosa River at Whitsett, Texas	67	13,913
Release from Choke Canyon Reservoir	66	19,354
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	294	72,169
NCAT : Nueces River at Calallen, Texas	526	81,206
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,078	63,166

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 03/11/2005	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 875 Reservoir Inflow: 63,166	875
Estuary Inflows (Measured at NCAT)	81,206
PassThru Surplus / -Deficit:	80,831

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/30/2005
03/29/2005	140	3,899	11,424	3,050	-849	44.0	44.0

Report Generated: 03/30/2005 at 8:34:57 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 31, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
03/31/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/31/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/30/2005	88	439	0.00	86	393	0.00	832
MTD		8,797	2.59		5,913	5.74	14,710

STREAM FLOWS

Gauging Station	03/30/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	651	62,267
NRRT : Nueces River at Tilden, Texas	508	27,678
FRRT : Frio River at Tilden, Texas	437	17,379
SMTT : San Miguel Creek at Tilden, Texas	28	3,989
ARWT : Atascosa River at Whitsett, Texas	71	13,984
Release from Choke Canyon Reservoir	66	19,419
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	197	72,365
NCAT : Nueces River at Calallen, Texas	226	81,433
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	1,050	64,216

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 03/11/2005	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 875 Reservoir Inflow: 64,216	875
Estuary Inflows (Measured at NCAT)	81,433
PassThru Surplus / -Deficit:	81,058

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	03/31/2005
03/30/2005	140	4,040	11,564	3,050	-990	44.0	44.1

Report Generated: 03/31/2005 at 8:38:31 AM