

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 1, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/01/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/01/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/31/2005	83	454	0.00	84	292	0.00	746
MTD		9,251	2.59		6,205	5.74	15,456

STREAM FLOWS

Gauging Station	03/31/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	645	62,913
NRTT : Nueces River at Tilden, Texas	492	28,170
FRIT : Frio River at Tilden, Texas	431	17,809
SMTT : San Miguel Creek at Tilden, Texas	24	4,013
ARWT : Atascosa River at Whitsett, Texas	77	14,062
Release from Choke Canyon Reservoir	264	19,683
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	193	72,558
NCAT : Nueces River at Calallen, Texas	137	81,570
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	836	65,052

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 2,625 Effective: 03/11/2005	875
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 03/01/2005)	500
Passthru Target: 875 Reservoir Inflow: 65,052	875
Estuary Inflows (Measured at NCAT)	81,570
PassThru Surplus / -Deficit:	81,195

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/01/2005
03/31/2005	140	4,180	11,705	3,050	-1,130	44.0	44.1

Report Generated: 04/01/2005 at 8:28:21 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 2, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/02/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/02/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/01/2005	72	484	0.00	72	482	0.00	966
MTD		484	0.00		482	0.00	966

STREAM FLOWS

Gauging Station	04/01/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,090	1,090
NRTT : Nueces River at Tilden, Texas	476	476
FRIT : Frio River at Tilden, Texas	447	447
SMTT : San Miguel Creek at Tilden, Texas	19	19
ARWT : Atascosa River at Whitsett, Texas	73	73
Release from Choke Canyon Reservoir	597	597
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,652	1,652
NCAT : Nueces River at Calallen, Texas	173	173
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	958	958

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 958	0
Estuary Inflows (Measured at NCAT)	173
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/02/2005
04/01/2005	140	140	11,845	3,050	2,910	44.0	44.2

Report Generated: 04/02/2005 at 8:42:27 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 3, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/03/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/03/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/02/2005	77	348	0.00	77	303	0.00	651
MTD		832	0.00		785	0.00	1,617

STREAM FLOWS

Gauging Station	04/02/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,068	2,158
NRTT : Nueces River at Tilden, Texas	463	939
FRIT : Frio River at Tilden, Texas	459	905
SMTT : San Miguel Creek at Tilden, Texas	16	35
ARWT : Atascosa River at Whitsett, Texas	66	139
Release from Choke Canyon Reservoir	411	1,008
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	230	1,882
NCAT : Nueces River at Calallen, Texas	865	1,038
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,132	2,090

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 2,090	0
Estuary Inflows (Measured at NCAT)	1,038
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/03/2005
04/02/2005	140	280	11,985	3,050	2,770	44.0	44.2

Report Generated: 04/03/2005 at 8:14:29 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 4, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/04/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/04/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/03/2005	78	409	0.00	78	303	0.00	712
MTD		1,241	0.00		1,088	0.00	2,329

STREAM FLOWS

Gauging Station	04/03/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	818	2,976
NRTT : Nueces River at Tilden, Texas	459	1,397
FRIT : Frio River at Tilden, Texas	447	1,352
SMTT : San Miguel Creek at Tilden, Texas	16	51
ARWT : Atascosa River at Whitsett, Texas	60	199
Release from Choke Canyon Reservoir	300	1,308
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	252	2,134
NCAT : Nueces River at Calallen, Texas	312	1,350
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	981	3,070

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 3,070	0
Estuary Inflows (Measured at NCAT)	1,350
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/04/2005
04/03/2005	140	420	12,125	3,050	2,630	44.0	44.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 5, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/05/2004	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/05/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/04/2005	80	318	0.00	79	213	0.00	531
MTD		1,559	0.00		1,301	0.00	2,860

STREAM FLOWS

Gauging Station	04/04/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	800	3,775
NRTT : Nueces River at Tilden, Texas	449	1,846
FRIT : Frio River at Tilden, Texas	429	1,781
SMTT : San Miguel Creek at Tilden, Texas	15	66
ARWT : Atascosa River at Whitsett, Texas	58	256
Release from Choke Canyon Reservoir	298	1,606
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	304	2,438
NCAT : Nueces River at Calallen, Texas	147	1,497
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	946	4,016

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 4,016	0
Estuary Inflows (Measured at NCAT)	1,497
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/05/2005
04/04/2005	135	555	12,260	3,050	2,495	44.0	44.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 6, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/06/2004	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/06/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/05/2005	86	273	0.07	89	168	0.00	441
MTD		1,832	0.07		1,469	0.00	3,301

STREAM FLOWS

Gauging Station	04/05/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	788	4,564
NRIT : Nueces River at Tilden, Texas	433	2,279
FRIT : Frio River at Tilden, Texas	415	2,195
SMTT : San Miguel Creek at Tilden, Texas	14	81
ARWT : Atascosa River at Whitsett, Texas	54	310
Release from Choke Canyon Reservoir	264	1,870
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	312	2,749
NCAT : Nueces River at Calallen, Texas	151	1,648
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	953	4,970

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 4,970	0
Estuary Inflows (Measured at NCAT)	1,648
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/06/2005
04/05/2005	140	695	12,400	3,050	2,355	44.0	44.0

Report Generated: 04/06/2005 at 8:21:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 7, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/07/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/07/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/06/2005	81	515	0.00	84	471	0.00	986
MTD		2,347	0.07		1,940	0.00	4,287

STREAM FLOWS

Gauging Station	04/06/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	691	5,254
NRRT : Nueces River at Tilden, Texas	423	2,702
FRRT : Frio River at Tilden, Texas	405	2,600
SMTT : San Miguel Creek at Tilden, Texas	14	95
ARWT : Atascosa River at Whitsett, Texas	54	363
Release from Choke Canyon Reservoir	199	2,068
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	597	3,347
NCAT : Nueces River at Calallen, Texas	143	1,790
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	911	5,881

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 5,881	0
Estuary Inflows (Measured at NCAT)	1,790
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/07/2005
04/06/2005	140	835	12,540	3,050	2,215	44.0	44.0

Report Generated: 04/07/2005 at 8:24:50 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 8, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/08/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/08/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/07/2005	84	454	0.00	83	325	0.00	779
MTD		2,801	0.07		2,265	0.00	5,066

STREAM FLOWS

Gauging Station	04/07/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	665	5,919
NRTT : Nueces River at Tilden, Texas	413	3,114
FRIT : Frio River at Tilden, Texas	391	2,991
SMTT : San Miguel Creek at Tilden, Texas	13	108
ARWT : Atascosa River at Whitsett, Texas	50	413
Release from Choke Canyon Reservoir	199	2,267
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	510	3,857
NCAT : Nueces River at Calallen, Texas	262	2,052
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	870	6,751

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 6,751	0
Estuary Inflows (Measured at NCAT)	2,052
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/08/2005
04/07/2005	140	975	12,680	3,050	2,075	44.0	43.9

Report Generated: 04/08/2005 at 9:31:56 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 9, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/09/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/09/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/08/2005	82	333	0.00	84	247	0.00	580
MTD		3,134	0.07		2,512	0.00	5,646

STREAM FLOWS

Gauging Station	04/08/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	645	6,564
NRTT : Nueces River at Tilden, Texas	401	3,515
FRIT : Frio River at Tilden, Texas	391	3,382
SMTT : San Miguel Creek at Tilden, Texas	12	119
ARWT : Atascosa River at Whitsett, Texas	48	461
Release from Choke Canyon Reservoir	133	2,400
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	326	4,182
NCAT : Nueces River at Calallen, Texas	298	2,350
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	915	7,666

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 7,666	0
Estuary Inflows (Measured at NCAT)	2,350
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/09/2005
04/08/2005	140	1,115	12,819	3,050	1,935	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 10, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/10/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/10/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/09/2005	84	484	0.00	81	393	0.00	877
MTD		3,618	0.07		2,905	0.00	6,523

STREAM FLOWS

Gauging Station	04/09/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	534	7,098
NRRT : Nueces River at Tilden, Texas	385	3,901
FRRT : Frio River at Tilden, Texas	393	3,775
SMTT : San Miguel Creek at Tilden, Texas	12	131
ARWT : Atascosa River at Whitsett, Texas	46	506
Release from Choke Canyon Reservoir	66	2,465
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	294	4,476
NCAT : Nueces River at Calallen, Texas	187	2,537
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	873	8,539

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 8,539	0
Estuary Inflows (Measured at NCAT)	2,537
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/10/2005
04/09/2005	139	1,254	12,959	3,050	1,796	44.0	43.9

Report Generated: 04/10/2005 at 7:47:17 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 11, 2005

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/11/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/11/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
Weather Related Information								
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
04/10/2005	84	273	0.00	84	213	0.03	486	
MTD		3,891	0.07		3,118	0.03	7,009	

STREAM FLOWS

Gauging Station	04/10/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	514	7,612
NRTT : Nueces River at Tilden, Texas	365	4,266
FRTT : Frio River at Tilden, Texas	383	4,159
SMTT : San Miguel Creek at Tilden, Texas	11	142
ARWT : Atascosa River at Whitsett, Texas	44	550
Release from Choke Canyon Reservoir	66	2,531
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	197	4,673
NCAT : Nueces River at Calallen, Texas	149	2,686
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	843	9,382

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 9,382	0
Estuary Inflows (Measured at NCAT)	2,686
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/11/2005
04/10/2005	140	1,394	13,098	3,050	1,656	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 12, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/12/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/12/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/11/2005	85	545	0.00	86	415	0.00	960
MTD		4,436	0.07		3,533	0.03	7,969

STREAM FLOWS

Gauging Station	04/11/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	502	8,115
NRRT : Nueces River at Tilden, Texas	345	4,611
FRRT : Frio River at Tilden, Texas	369	4,528
SMTT : San Miguel Creek at Tilden, Texas	11	153
ARWT : Atascosa River at Whitsett, Texas	44	594
Release from Choke Canyon Reservoir	66	2,596
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	427	5,099
NCAT : Nueces River at Calallen, Texas	101	2,787
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	817	10,199

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 10,199	0
Estuary Inflows (Measured at NCAT)	2,787
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/12/2005
04/11/2005	140	1,533	13,238	3,050	1,517	44.0	43.9

Report Generated: 04/12/2005 at 8:14:09 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 13, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/13/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/13/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/12/2005	87	394	0.00	88	404	0.00	798
MTD		4,830	0.07		3,937	0.03	8,767

STREAM FLOWS

Gauging Station	04/12/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	484	8,599
NRRT : Nueces River at Tilden, Texas	326	4,937
FRRT : Frio River at Tilden, Texas	361	4,889
SMTT : San Miguel Creek at Tilden, Texas	10	163
ARWT : Atascosa River at Whitsett, Texas	42	635
Release from Choke Canyon Reservoir	66	2,662
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	191	5,290
NCAT : Nueces River at Calallen, Texas	175	2,962
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	790	10,989

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 10,989	0
Estuary Inflows (Measured at NCAT)	2,962
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/13/2005
04/12/2005	140	1,673	13,378	3,050	1,377	44.0	43.8

Report Generated: 04/13/2005 at 8:18:23 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 14, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/14/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/14/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/13/2005	90	454	0.00	88	393	0.00	847
MTD		5,284	0.07		4,330	0.03	9,614

STREAM FLOWS

Gauging Station	04/13/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	468	9,067
NRRT : Nueces River at Tilden, Texas	306	5,242
FRRT : Frio River at Tilden, Texas	357	5,246
SMTT : San Miguel Creek at Tilden, Texas	10	173
ARWT : Atascosa River at Whitsett, Texas	42	677
Release from Choke Canyon Reservoir	66	2,727
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	185	5,475
NCAT : Nueces River at Calallen, Texas	62	3,023
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	770	11,759

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 11,759	0
Estuary Inflows (Measured at NCAT)	3,023
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/14/2005
04/13/2005	140	1,814	13,518	3,050	1,236	44.0	43.8

Report Generated: 04/14/2005 at 8:42:03 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 15, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/15/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/15/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/14/2005	85	484	0.00	86	359	0.00	843
MTD		5,768	0.07		4,689	0.03	10,457

STREAM FLOWS

Gauging Station	04/14/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	451	9,518
NRTT : Nueces River at Tilden, Texas	290	5,532
FRIT : Frio River at Tilden, Texas	355	5,602
SMTT : San Miguel Creek at Tilden, Texas	9	182
ARWT : Atascosa River at Whitsett, Texas	40	717
Release from Choke Canyon Reservoir	66	2,793
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	5,655
NCAT : Nueces River at Calallen, Texas	40	3,063
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	750	12,509

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 12,509	0
Estuary Inflows (Measured at NCAT)	3,063
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/15/2005
04/14/2005	140	1,954	13,659	3,050	1,096	44.0	43.8

Report Generated: 04/15/2005 at 8:59:24 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 16, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/16/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/16/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/15/2005	80	378	0.00	79	280	0.00	658
MTD		6,146	0.07		4,969	0.03	11,115

STREAM FLOWS

Gauging Station	04/15/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	439	9,957
NRTT : Nueces River at Tilden, Texas	286	5,818
FRIT : Frio River at Tilden, Texas	355	5,957
SMTT : San Miguel Creek at Tilden, Texas	10	192
ARWT : Atascosa River at Whitsett, Texas	40	756
Release from Choke Canyon Reservoir	66	2,858
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	5,836
NCAT : Nueces River at Calallen, Texas	44	3,107
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	738	13,247

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 13,247	0
Estuary Inflows (Measured at NCAT)	3,107
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/16/2005
04/15/2005	141	2,095	13,799	3,050	955	44.0	43.7

Report Generated: 04/16/2005 at 8:03:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 17, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/17/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/17/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/16/2005	82	394	0.00	81	303	0.00	697
MTD		6,540	0.07		5,272	0.03	11,812

STREAM FLOWS

Gauging Station	04/16/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	435	10,391
NRRT : Nueces River at Tilden, Texas	290	6,108
FRRT : Frio River at Tilden, Texas	353	6,310
SMTT : San Miguel Creek at Tilden, Texas	11	202
ARWT : Atascosa River at Whitsett, Texas	44	800
Release from Choke Canyon Reservoir	66	2,924
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	6,017
NCAT : Nueces River at Calallen, Texas	66	3,172
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	733	13,980

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 13,980	0
Estuary Inflows (Measured at NCAT)	3,172
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/17/2005
04/16/2005	141	2,235	13,940	3,050	815	44.0	43.7

Report Generated: 04/17/2005 at 8:07:51 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 18, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/18/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/18/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/17/2005	79	333	0.00	79	213	0.00	546
MTD		6,873	0.07		5,485	0.03	12,358

STREAM FLOWS

Gauging Station	04/17/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	441	10,832
NRRT : Nueces River at Tilden, Texas	288	6,396
FRRT : Frio River at Tilden, Texas	345	6,656
SMTT : San Miguel Creek at Tilden, Texas	10	212
ARWT : Atascosa River at Whitsett, Texas	42	842
Release from Choke Canyon Reservoir	66	2,989
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	6,195
NCAT : Nueces River at Calallen, Texas	66	3,238
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	730	14,710

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 14,710	0
Estuary Inflows (Measured at NCAT)	3,238
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/18/2005
04/17/2005	141	2,376	14,081	3,050	674	44.0	43.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 19, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/19/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/19/2005	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/18/2005	75	136	0.05	75	191	0.03	327
MTD		7,009	0.12		5,676	0.06	12,685

STREAM FLOWS

Gauging Station	04/18/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	441	11,273
NRRT : Nueces River at Tilden, Texas	280	6,676
FRRT : Frio River at Tilden, Texas	341	6,997
SMTT : San Miguel Creek at Tilden, Texas	9	221
ARWT : Atascosa River at Whitsett, Texas	40	881
Release from Choke Canyon Reservoir	66	3,055
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	6,416
NCAT : Nueces River at Calallen, Texas	24	3,261
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	726	15,436

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 15,436	0
Estuary Inflows (Measured at NCAT)	3,261
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/19/2005
04/18/2005	141	2,517	14,222	3,050	533	44.0	43.6

Report Generated: 04/19/2005 at 8:10:35 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 20, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/20/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/20/2005	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/19/2005	85	363	0.00	85	292	0.00	655
MTD		7,372	0.12		5,968	0.06	13,340

STREAM FLOWS

Gauging Station	04/19/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	433	11,706
NRRT : Nueces River at Tilden, Texas	268	6,944
FRRT : Frio River at Tilden, Texas	341	7,339
SMTT : San Miguel Creek at Tilden, Texas	9	230
ARWT : Atascosa River at Whitsett, Texas	40	921
Release from Choke Canyon Reservoir	66	3,120
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	6,678
NCAT : Nueces River at Calallen, Texas	56	3,317
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	718	16,154

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 16,154	0
Estuary Inflows (Measured at NCAT)	3,317
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/20/2005
04/19/2005	141	2,658	14,362	3,050	392	44.0	43.5

Report Generated: 04/20/2005 at 9:03:20 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 21, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/21/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/21/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/20/2005	82	273	0.00	80	168	0.00	441
MTD		7,645	0.12		6,136	0.06	13,781

STREAM FLOWS

Gauging Station	04/20/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	423	12,128
NRTT : Nueces River at Tilden, Texas	248	7,192
FRIT : Frio River at Tilden, Texas	337	7,676
SMTT : San Miguel Creek at Tilden, Texas	9	239
ARWT : Atascosa River at Whitsett, Texas	38	959
Release from Choke Canyon Reservoir	66	3,186
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	238	6,916
NCAT : Nueces River at Calallen, Texas	107	3,424
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	704	16,857

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 16,857	0
Estuary Inflows (Measured at NCAT)	3,424
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/21/2005
04/20/2005	141	2,799	14,503	3,050	251	44.0	43.5

Report Generated: 04/21/2005 at 8:25:20 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 22, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/22/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/22/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/21/2005	85	212	0.00	85	146	0.00	358
MTD		7,857	0.12		6,282	0.06	14,139

STREAM FLOWS

Gauging Station	04/21/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	407	12,535
NRRT : Nueces River at Tilden, Texas	224	7,416
FRRT : Frio River at Tilden, Texas	333	8,009
SMTT : San Miguel Creek at Tilden, Texas	9	248
ARWT : Atascosa River at Whitsett, Texas	38	996
Release from Choke Canyon Reservoir	66	3,251
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	202	7,118
NCAT : Nueces River at Calallen, Texas	95	3,519
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	684	17,541

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 17,541	0
Estuary Inflows (Measured at NCAT)	3,519
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/22/2005
04/21/2005	141	2,939	14,644	3,050	111	44.0	43.4

Report Generated: 04/22/2005 at 8:18:33 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 23, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/23/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/23/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/22/2005	87	424	0.05	87	314	0.00	738
MTD		8,281	0.17		6,596	0.06	14,877

STREAM FLOWS

Gauging Station	04/22/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	385	12,920
NRTT : Nueces River at Tilden, Texas	210	7,626
FRIT : Frio River at Tilden, Texas	335	8,345
SMTT : San Miguel Creek at Tilden, Texas	9	256
ARWT : Atascosa River at Whitsett, Texas	36	1,032
Release from Choke Canyon Reservoir	66	3,317
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	204	7,323
NCAT : Nueces River at Calallen, Texas	101	3,621
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	664	18,204

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 18,204	0
Estuary Inflows (Measured at NCAT)	3,621
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/23/2005
04/22/2005	141	3,081	14,785	3,050	-31	44.0	43.4

Report Generated: 04/23/2005 at 8:00:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 24, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/24/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/24/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/23/2005	76	439	0.00	75	359	0.00	798
MTD		8,720	0.17		6,955	0.06	15,675

STREAM FLOWS

Gauging Station	04/23/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	371	13,292
NRRT : Nueces River at Tilden, Texas	200	7,827
FRRT : Frio River at Tilden, Texas	335	8,680
SMTT : San Miguel Creek at Tilden, Texas	9	265
ARWT : Atascosa River at Whitsett, Texas	36	1,068
Release from Choke Canyon Reservoir	66	3,382
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	284	7,607
NCAT : Nueces River at Calallen, Texas	56	3,676
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	650	18,854

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 18,854	0
Estuary Inflows (Measured at NCAT)	3,676
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/24/2005
04/23/2005	141	3,222	14,927	3,050	-172	44.0	43.4

Report Generated: 04/24/2005 at 8:25:03 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 25, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/25/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/25/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/24/2005	78	454	0.00	77	348	0.05	802
MTD		9,174	0.17		7,303	0.11	16,477

STREAM FLOWS

Gauging Station	04/24/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	359	13,651
NRRT : Nueces River at Tilden, Texas	197	8,023
FRRT : Frio River at Tilden, Texas	337	9,018
SMTT : San Miguel Creek at Tilden, Texas	8	272
ARWT : Atascosa River at Whitsett, Texas	36	1,104
Release from Choke Canyon Reservoir	66	3,448
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	206	7,813
NCAT : Nueces River at Calallen, Texas	121	3,797
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	639	19,493

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 19,493	0
Estuary Inflows (Measured at NCAT)	3,797
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/25/2005
04/24/2005	141	3,363	15,068	3,050	-313	44.0	43.4

Report Generated: 04/25/2005 at 8:21:17 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 26, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/26/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/26/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/25/2005	70	45	0.05	74	34	0.04	79
MTD		9,219	0.22		7,337	0.15	16,556

STREAM FLOWS

Gauging Station	04/25/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	357	14,008
NRTT : Nueces River at Tilden, Texas	191	8,214
FRIT : Frio River at Tilden, Texas	333	9,351
SMTT : San Miguel Creek at Tilden, Texas	7	279
ARWT : Atascosa River at Whitsett, Texas	38	1,141
Release from Choke Canyon Reservoir	66	3,513
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	212	8,025
NCAT : Nueces River at Calallen, Texas	111	3,908
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	632	20,125

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 20,125	0
Estuary Inflows (Measured at NCAT)	3,908
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/26/2005
04/25/2005	142	3,505	15,209	3,050	-455	44.0	43.3

Report Generated: 04/26/2005 at 8:46:10 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 27, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/27/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/27/2005	220.5	695,271	100.0%	94.0	240,856	99.8%	936,127	100.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/26/2005	84	500	0.00	82	359	0.00	859
MTD		9,719	0.22		7,696	0.15	17,415

STREAM FLOWS

Gauging Station	04/26/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	399	14,407
NRIT : Nueces River at Tilden, Texas	181	8,395
FRIT : Frio River at Tilden, Texas	328	9,679
SMIT : San Miguel Creek at Tilden, Texas	8	287
ARWT : Atascosa River at Whitsett, Texas	42	1,183
Release from Choke Canyon Reservoir	66	3,579
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	268	8,293
NCAT : Nueces River at Calallen, Texas	99	4,008
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	669	20,794

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 20,794	0
Estuary Inflows (Measured at NCAT)	4,008
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/27/2005
04/26/2005	141	3,646	15,351	3,050	-596	44.0	43.4

Report Generated: 04/27/2005 at 8:27:29 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 28, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/28/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/28/2005	220.5	695,012	100.0%	93.9	239,510	99.3%	934,522	99.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/27/2005	89	530	0.00	87	324	0.00	854
MTD		10,249	0.22		8,020	0.15	18,269

STREAM FLOWS

Gauging Station	04/27/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	326	14,733
NRTT : Nueces River at Tilden, Texas	167	8,561
FRIT : Frio River at Tilden, Texas	308	9,987
SMTT : San Miguel Creek at Tilden, Texas	8	295
ARWT : Atascosa River at Whitsett, Texas	36	1,219
Release from Choke Canyon Reservoir	66	3,644
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	199	8,492
NCAT : Nueces River at Calallen, Texas	95	4,103
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	576	21,370

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 21,370	0
Estuary Inflows (Measured at NCAT)	4,103
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/28/2005
04/27/2005	142	3,788	15,492	3,050	-738	44.0	43.3

Report Generated: 04/28/2005 at 8:34:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 29, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/29/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/29/2005	220.5	695,012	100.0%	94.0	240,279	99.6%	935,291	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/28/2005	92	439	0.00	89	358	0.00	797
MTD		10,688	0.22		8,378	0.15	19,066

STREAM FLOWS

Gauging Station	04/28/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	302	15,034
NRIT : Nueces River at Tilden, Texas	155	8,716
FRIT : Frio River at Tilden, Texas	302	10,288
SMTT : San Miguel Creek at Tilden, Texas	8	303
ARWT : Atascosa River at Whitsett, Texas	34	1,253
Release from Choke Canyon Reservoir	66	3,710
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	8,672
NCAT : Nueces River at Calallen, Texas	52	4,155
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	546	21,916

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 21,916	0
Estuary Inflows (Measured at NCAT)	4,155
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/29/2005
04/28/2005	141	3,929	15,634	3,050	-879	44.0	43.3

Report Generated: 04/29/2005 at 8:24:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: April 30, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
04/30/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
04/30/2005	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/29/2005	94	530	0.00	93	404	0.00	934
MTD		11,218	0.22		8,782	0.15	20,000

STREAM FLOWS

Gauging Station	04/29/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	284	15,318
NRRT : Nueces River at Tilden, Texas	151	8,867
FRRT : Frio River at Tilden, Texas	296	10,584
SMTT : San Miguel Creek at Tilden, Texas	7	310
ARWT : Atascosa River at Whitsett, Texas	34	1,286
Release from Choke Canyon Reservoir	66	3,775
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	8,851
NCAT : Nueces River at Calallen, Texas	20	4,174
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	521	22,437

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 22,437	0
Estuary Inflows (Measured at NCAT)	4,174
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	04/30/2005
04/29/2005	141	4,070	15,775	3,050	-1,020	44.0	43.2