

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 1, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/01/2004	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/01/2005	220.5	694,493	99.9%	93.9	239,127	99.1%	933,620	99.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
04/30/2005	75	484	0.00	73	346	0.00	830
MTD		11,702	0.22		9,128	0.15	20,830

STREAM FLOWS

Gauging Station	04/30/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	280	15,598
NRRT : Nueces River at Tilden, Texas	149	9,016
FRRT : Frio River at Tilden, Texas	294	10,878
SMTT : San Miguel Creek at Tilden, Texas	6	316
ARWT : Atascosa River at Whitsett, Texas	34	1,320
Release from Choke Canyon Reservoir	66	3,841
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	609	9,461
NCAT : Nueces River at Calallen, Texas	64	4,238
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	514	22,951

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 3,500 Effective: 04/01/2005	0
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	0
Return Flow Credit (Effective: 04/01/2005)	500
Passthru Target: 0 Reservoir Inflow: 22,951	0
Estuary Inflows (Measured at NCAT)	4,238
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	April 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/01/2005
04/30/2005	141	4,211	15,916	3,050	-1,161	44.0	43.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 2, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/02/2004	220.8	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/02/2005	220.5	694,233	99.9%	93.9	239,127	99.1%	933,360	99.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/01/2005	80	454	0.00	81	212	0.00	666
MTD		454	0.00		212	0.00	666

STREAM FLOWS

Gauging Station	05/01/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	270	270
NRTT : Nueces River at Tilden, Texas	149	149
FRIT : Frio River at Tilden, Texas	286	286
SMTT : San Miguel Creek at Tilden, Texas	5	5
ARWT : Atascosa River at Whitsett, Texas	32	32
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	173	173
NCAT : Nueces River at Calallen, Texas	280	280
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	495	495

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 495	495
Estuary Inflows (Measured at NCAT)	280
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/02/2005
05/01/2005	141	141	16,057	4,100	3,959	44.0	43.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 3, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/03/2004	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/03/2005	220.5	693,974	99.8%	93.9	239,318	99.2%	933,292	99.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/02/2005	81	378	0.00	80	112	0.00	490
MTD		832	0.00		324	0.00	1,156

STREAM FLOWS

Gauging Station	05/02/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	262	532
NRTT : Nueces River at Tilden, Texas	145	294
FRIT : Frio River at Tilden, Texas	280	566
SMTT : San Miguel Creek at Tilden, Texas	5	10
ARWT : Atascosa River at Whitsett, Texas	32	64
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	339
NCAT : Nueces River at Calallen, Texas	117	397
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	481	977

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 977	977
Estuary Inflows (Measured at NCAT)	397
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/03/2005
05/02/2005	141	282	16,198	4,100	3,818	44.0	43.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 4, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/04/2004	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/04/2005	220.5	693,974	99.8%	93.9	238,360	98.8%	932,334	99.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/03/2005	82	438	0.00	81	324	0.00	762
MTD		1,270	0.00		648	0.00	1,918

STREAM FLOWS

Gauging Station	05/03/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	258	790
NRTT : Nueces River at Tilden, Texas	139	433
FRIT : Frio River at Tilden, Texas	278	844
SMTT : San Miguel Creek at Tilden, Texas	5	14
ARWT : Atascosa River at Whitsett, Texas	30	93
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	500
NCAT : Nueces River at Calallen, Texas	46	443
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	475	1,452

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 1,452	1,452
Estuary Inflows (Measured at NCAT)	443
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/04/2005
05/03/2005	141	423	16,339	4,100	3,677	44.0	43.1

Report Generated: 05/04/2005 at 9:32:28 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 5, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/05/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/05/2005	220.4	693,715	99.8%	93.8	237,977	98.6%	931,692	99.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/04/2005	76	257	0.00	75	100	0.00	357
MTD		1,527	0.00		748	0.00	2,275

STREAM FLOWS

Gauging Station	05/04/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	250	1,040
NRTT : Nueces River at Tilden, Texas	131	564
FRIT : Frio River at Tilden, Texas	274	1,118
SMTT : San Miguel Creek at Tilden, Texas	4	19
ARWT : Atascosa River at Whitsett, Texas	30	123
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	429	929
NCAT : Nueces River at Calallen, Texas	30	472
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	463	1,915

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 1,915	1,915
Estuary Inflows (Measured at NCAT)	472
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/05/2005
05/04/2005	141	564	16,481	4,100	3,536	44.0	43.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 6, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/06/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/06/2005	220.4	693,455	99.7%	93.8	237,211	98.3%	930,666	99.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/05/2005	84	453	0.00	82	356	0.00	809
MTD		1,980	0.00		1,104	0.00	3,084

STREAM FLOWS

Gauging Station	05/05/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	240	1,280
NRTT : Nueces River at Tilden, Texas	135	699
FRIT : Frio River at Tilden, Texas	272	1,390
SMTT : San Miguel Creek at Tilden, Texas	4	23
ARWT : Atascosa River at Whitsett, Texas	30	153
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	139	1,068
NCAT : Nueces River at Calallen, Texas	163	635
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	451	2,366

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 2,366	2,366
Estuary Inflows (Measured at NCAT)	635
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/06/2005
05/05/2005	141	706	16,622	4,100	3,394	44.0	42.9

Report Generated: 05/06/2005 at 8:22:39 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 7, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/07/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/07/2005	220.4	693,196	99.7%	93.8	237,020	98.3%	930,216	99.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/06/2005	85	483	0.00	81	122	0.00	605
MTD		2,463	0.00		1,226	0.00	3,689

STREAM FLOWS

Gauging Station	05/06/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	234	1,515
NRTT : Nueces River at Tilden, Texas	131	830
FRIT : Frio River at Tilden, Texas	268	1,657
SMTT : San Miguel Creek at Tilden, Texas	4	28
ARWT : Atascosa River at Whitsett, Texas	30	183
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	135	1,203
NCAT : Nueces River at Calallen, Texas	64	699
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	441	2,807

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 2,807	2,807
Estuary Inflows (Measured at NCAT)	699
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/07/2005
05/06/2005	141	847	16,763	4,100	3,253	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 8, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/08/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/08/2005	220.4	692,936	99.7%	93.8	236,829	98.2%	929,765	99.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/07/2005	80	227	0.00	83	345	0.00	572
MTD		2,690	0.00		1,571	0.00	4,261

STREAM FLOWS

Gauging Station	05/07/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	234	1,749
NRTT : Nueces River at Tilden, Texas	133	963
FRIT : Frio River at Tilden, Texas	262	1,919
SMTT : San Miguel Creek at Tilden, Texas	4	32
ARWT : Atascosa River at Whitsett, Texas	30	212
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	135	1,338
NCAT : Nueces River at Calallen, Texas	16	714
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	435	3,242

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 3,242	3,242
Estuary Inflows (Measured at NCAT)	714
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/08/2005
05/07/2005	141	988	16,905	4,100	3,112	44.0	42.9

Report Generated: 05/08/2005 at 7:49:25 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 9, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/09/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/09/2005	220.4	692,936	99.7%	93.9	238,551	98.9%	931,487	99.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/08/2005	85	181	0.18	84	33	0.88	214
MTD		2,871	0.18		1,604	0.88	4,475

STREAM FLOWS

Gauging Station	05/08/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	238	1,987
NRRT : Nueces River at Tilden, Texas	133	1,096
FRRT : Frio River at Tilden, Texas	260	2,180
SMTT : San Miguel Creek at Tilden, Texas	6	38
ARWT : Atascosa River at Whitsett, Texas	30	242
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	1,485
NCAT : Nueces River at Calallen, Texas	40	754
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	438	3,680

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 3,680	3,680
Estuary Inflows (Measured at NCAT)	754
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/09/2005
05/08/2005	141	1,130	17,046	4,100	2,970	44.0	42.9

Report Generated: 05/09/2005 at 8:17:29 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 10, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/10/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/10/2005	220.4	692,677	99.6%	93.8	237,977	98.6%	930,654	99.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/09/2005	89	393	0.00	87	323	0.00	716
MTD		3,264	0.18		1,927	0.88	5,191

STREAM FLOWS

Gauging Station	05/09/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	240	2,227
NRRT : Nueces River at Tilden, Texas	127	1,223
FRRT : Frio River at Tilden, Texas	262	2,442
SMTT : San Miguel Creek at Tilden, Texas	8	45
ARWT : Atascosa River at Whitsett, Texas	30	272
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	135	1,620
NCAT : Nueces River at Calallen, Texas	73	828
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	444	4,124

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 4,124	4,124
Estuary Inflows (Measured at NCAT)	828
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/10/2005
05/09/2005	142	1,271	17,187	4,100	2,829	44.0	43.1

Report Generated: 05/10/2005 at 9:42:48 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 11, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/11/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/11/2005	220.4	692,418	99.6%	93.8	238,168	98.7%	930,586	99.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/10/2005	90	408	0.00	87	346	0.00	754
MTD		3,672	0.18		2,273	0.88	5,945

STREAM FLOWS

Gauging Station	05/10/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	230	2,457
NRTT : Nueces River at Tilden, Texas	123	1,346
FRIT : Frio River at Tilden, Texas	268	2,710
SMTT : San Miguel Creek at Tilden, Texas	7	52
ARWT : Atascosa River at Whitsett, Texas	30	302
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	135	1,755
NCAT : Nueces River at Calallen, Texas	52	879
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	440	4,564

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 4,564	4,564
Estuary Inflows (Measured at NCAT)	879
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/11/2005
05/10/2005	142	1,413	17,329	4,100	2,687	44.0	43.5

Report Generated: 05/11/2005 at 8:20:53 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 12, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/12/2004	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/12/2005	220.4	691,899	99.5%	93.8	237,020	98.3%	928,919	99.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/11/2005	86	392	0.00	84	301	0.00	693
MTD		4,064	0.18		2,574	0.88	6,638

STREAM FLOWS

Gauging Station	05/11/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	224	2,682
NRRT : Nueces River at Tilden, Texas	127	1,473
FRRT : Frio River at Tilden, Texas	266	2,976
SMTT : San Miguel Creek at Tilden, Texas	7	59
ARWT : Atascosa River at Whitsett, Texas	30	331
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	1,898
NCAT : Nueces River at Calallen, Texas	18	897
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	432	4,996

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 4,996	4,996
Estuary Inflows (Measured at NCAT)	897
PassThru Surplus / -Deficit:	639

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/12/2005
05/11/2005	142	1,555	17,471	4,100	2,545	44.0	43.6

Report Generated: 05/12/2005 at 8:11:44 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 13, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/13/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/13/2005	220.4	692,158	99.6%	93.8	237,494	98.4%	929,652	99.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/12/2005	85	317	0.00	84	212	0.00	529
MTD		4,381	0.18		2,786	0.88	7,167

STREAM FLOWS

Gauging Station	05/12/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	226	2,908
NRTT : Nueces River at Tilden, Texas	121	1,594
FRIT : Frio River at Tilden, Texas	264	3,240
SMTT : San Miguel Creek at Tilden, Texas	6	65
ARWT : Atascosa River at Whitsett, Texas	38	369
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	2,041
NCAT : Nueces River at Calallen, Texas	6	903
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	431	5,427

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 5,427	5,427
Estuary Inflows (Measured at NCAT)	903
PassThru Surplus / -Deficit:	215

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/13/2005
05/12/2005	142	1,697	17,613	4,100	2,403	44.0	43.6

Report Generated: 05/13/2005 at 8:39:32 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 14, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/14/2004	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/14/2005	220.4	691,899	99.5%	93.8	237,494	98.4%	929,393	99.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/13/2005	89	453	0.00	85	279	0.00	732
MTD		4,834	0.18		3,065	0.88	7,899

STREAM FLOWS

Gauging Station	05/13/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	230	3,138
NRTT : Nueces River at Tilden, Texas	111	1,705
FRIT : Frio River at Tilden, Texas	264	3,504
SMTT : San Miguel Creek at Tilden, Texas	6	71
ARWT : Atascosa River at Whitsett, Texas	40	409
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	2,182
NCAT : Nueces River at Calallen, Texas	38	941
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	435	5,862

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 5,862	5,862
Estuary Inflows (Measured at NCAT)	941
PassThru Surplus / -Deficit:	-182

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/14/2005
05/13/2005	142	1,839	17,755	4,100	2,261	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 15, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/15/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/15/2005	220.4	691,899	99.5%	93.8	237,403	98.4%	929,302	99.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/14/2005	89	377	0.00	87	245	0.02	622
MTD		5,211	0.18		3,310	0.90	8,521

STREAM FLOWS

Gauging Station	05/14/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	220	3,359
NRIT : Nueces River at Tilden, Texas	103	1,808
FRIT : Frio River at Tilden, Texas	268	3,772
SMTT : San Miguel Creek at Tilden, Texas	6	77
ARWT : Atascosa River at Whitsett, Texas	40	449
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	2,322
NCAT : Nueces River at Calallen, Texas	42	983
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	429	6,290

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 6,290	6,290
Estuary Inflows (Measured at NCAT)	983
PassThru Surplus / -Deficit:	-569

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/15/2005
05/14/2005	142	1,981	17,897	4,100	2,119	44.0	43.5

Report Generated: 05/15/2005 at 8:12:52 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 16, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/16/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/16/2005	220.4	692,677	99.6%	93.8	237,211	98.3%	929,888	99.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/15/2005	89	468	0.29	89	423	0.00	891
MTD		5,679	0.47		3,733	0.90	9,412

STREAM FLOWS

Gauging Station	05/15/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	212	3,571
NRTT : Nueces River at Tilden, Texas	103	1,912
FRIT : Frio River at Tilden, Texas	264	4,036
SMTT : San Miguel Creek at Tilden, Texas	5	82
ARWT : Atascosa River at Whitsett, Texas	38	486
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	2,465
NCAT : Nueces River at Calallen, Texas	22	1,005
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	416	6,706

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 6,706	6,706
Estuary Inflows (Measured at NCAT)	1,005
PassThru Surplus / -Deficit:	-964

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/16/2005
05/15/2005	142	2,123	18,039	4,100	1,977	44.0	43.5

Report Generated: 05/16/2005 at 8:14:05 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 17, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/17/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/17/2005	220.4	692,418	99.6%	93.8	236,829	98.2%	929,247	99.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/16/2005	77	136	0.00	76	67	0.01	203
MTD		5,815	0.47		3,800	0.91	9,615

STREAM FLOWS

Gauging Station	05/16/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	214	3,785
NRRT : Nueces River at Tilden, Texas	105	2,017
FRRT : Frio River at Tilden, Texas	260	4,296
SMTT : San Miguel Creek at Tilden, Texas	7	89
ARWT : Atascosa River at Whitsett, Texas	145	631
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	2,612
NCAT : Nueces River at Calallen, Texas	6	1,011
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	415	7,122

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 7,122	7,122
Estuary Inflows (Measured at NCAT)	1,011
PassThru Surplus / -Deficit:	-1,373

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/17/2005
05/16/2005	142	2,265	18,181	4,100	1,835	44.0	43.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 18, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/18/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/18/2005	220.4	692,158	99.6%	93.8	236,447	98.0%	928,605	99.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/17/2005	89	453	0.00	86	289	0.00	742
MTD		6,268	0.47		4,089	0.91	10,357

STREAM FLOWS

Gauging Station	05/17/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	308	4,093
NRTT : Nueces River at Tilden, Texas	101	2,118
FRIT : Frio River at Tilden, Texas	256	4,552
SMTT : San Miguel Creek at Tilden, Texas	584	673
ARWT : Atascosa River at Whitsett, Texas	220	852
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	2,753
NCAT : Nueces River at Calallen, Texas	20	1,030
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	1,082	8,204

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 8,204	8,204
Estuary Inflows (Measured at NCAT)	1,030
PassThru Surplus / -Deficit:	-2,435

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/18/2005
05/17/2005	140	2,405	18,321	4,100	1,695	44.0	43.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 19, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/19/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/19/2005	220.4	691,899	99.5%	93.8	236,638	98.1%	928,537	99.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/18/2005	91	498	0.00	88	211	0.00	709
MTD		6,766	0.47		4,300	0.91	11,066

STREAM FLOWS

Gauging Station	05/18/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	441	4,534
NRTT : Nueces River at Tilden, Texas	95	2,213
FRIT : Frio River at Tilden, Texas	260	4,812
SMTT : San Miguel Creek at Tilden, Texas	159	831
ARWT : Atascosa River at Whitsett, Texas	312	1,163
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	139	2,892
NCAT : Nueces River at Calallen, Texas	26	1,056
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	794	8,998

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 8,998	8,998
Estuary Inflows (Measured at NCAT)	1,056
PassThru Surplus / -Deficit:	-3,203

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/19/2005
05/18/2005	142	2,547	18,463	4,100	1,553	44.0	43.7

Report Generated: 05/19/2005 at 8:11:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 20, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/20/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/20/2005	220.4	692,677	99.6%	93.8	236,638	98.1%	929,315	99.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/19/2005	92	483	0.00	91	456	0.00	939
MTD		7,249	0.47		4,756	0.91	12,005

STREAM FLOWS

Gauging Station	05/19/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	423	4,957
NRTT : Nueces River at Tilden, Texas	103	2,316
FRIT : Frio River at Tilden, Texas	260	5,072
SMTT : San Miguel Creek at Tilden, Texas	62	893
ARWT : Atascosa River at Whitsett, Texas	147	1,310
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	137	3,029
NCAT : Nueces River at Calallen, Texas	34	1,090
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	679	9,676

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 9,676	9,676
Estuary Inflows (Measured at NCAT)	1,090
PassThru Surplus / -Deficit:	-3,849

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/20/2005
05/19/2005	142	2,690	18,606	4,100	1,410	44.0	43.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 21, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/21/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/21/2005	220.4	692,936	99.7%	93.7	236,256	97.9%	929,192	99.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/20/2005	93	423	0.00	93	189	0.00	612
MTD		7,672	0.47		4,945	0.91	12,617

STREAM FLOWS

Gauging Station	05/20/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	304	5,260
NRTT : Nueces River at Tilden, Texas	115	2,432
FRIT : Frio River at Tilden, Texas	268	5,340
SMTT : San Miguel Creek at Tilden, Texas	32	925
ARWT : Atascosa River at Whitsett, Texas	75	1,386
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	179	3,208
NCAT : Nueces River at Calallen, Texas	0	1,090
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	538	10,214

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 10,214	10,214
Estuary Inflows (Measured at NCAT)	1,090
PassThru Surplus / -Deficit:	-4,386

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/21/2005
05/20/2005	142	2,832	18,748	4,100	1,268	44.0	43.7

Report Generated: 05/21/2005 at 8:20:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 22, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/22/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/22/2005	220.4	692,418	99.6%	93.7	235,684	97.7%	928,102	99.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/21/2005	96	559	0.00	93	356	0.00	915
MTD		8,231	0.47		5,301	0.91	13,532

STREAM FLOWS

Gauging Station	05/21/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	268	5,528
NRRT : Nueces River at Tilden, Texas	119	2,551
FRRT : Frio River at Tilden, Texas	320	5,659
SMTT : San Miguel Creek at Tilden, Texas	26	950
ARWT : Atascosa River at Whitsett, Texas	54	1,439
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	232	3,440
NCAT : Nueces River at Calallen, Texas	11	1,101
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	548	10,762

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 10,762	10,762
Estuary Inflows (Measured at NCAT)	1,101
PassThru Surplus / -Deficit:	-4,924

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/22/2005
05/21/2005	143	2,975	18,891	4,100	1,125	44.0	43.7

Report Generated: 05/22/2005 at 8:13:14 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 23, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/23/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/23/2005	220.4	692,158	99.6%	93.7	235,302	97.5%	927,460	99.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/22/2005	97	649	0.00	94	389	0.00	1,038
MTD		8,880	0.47		5,690	0.91	14,570

STREAM FLOWS

Gauging Station	05/22/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	252	5,780
NRRT : Nueces River at Tilden, Texas	135	2,686
FRRT : Frio River at Tilden, Texas	318	5,977
SMTT : San Miguel Creek at Tilden, Texas	26	976
ARWT : Atascosa River at Whitsett, Texas	42	1,481
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	246	3,686
NCAT : Nueces River at Calallen, Texas	54	1,154
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	530	11,292

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 11,292	11,292
Estuary Inflows (Measured at NCAT)	1,154
PassThru Surplus / -Deficit:	-5,400

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/23/2005
05/22/2005	143	3,117	19,033	4,100	983	44.0	43.7

Report Generated: 05/23/2005 at 8:19:45 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 24, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/24/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
05/24/2005	220.4	691,899	99.5%	93.7	234,921	97.4%	926,820	99.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/23/2005	96	634	0.00	95	399	0.00	1,033
MTD		9,514	0.47		6,089	0.91	15,603

STREAM FLOWS

Gauging Station	05/23/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	250	6,030
NRRT : Nueces River at Tilden, Texas	149	2,835
FRRT : Frio River at Tilden, Texas	286	6,263
SMTT : San Miguel Creek at Tilden, Texas	18	995
ARWT : Atascosa River at Whitsett, Texas	36	1,517
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	310	3,996
NCAT : Nueces River at Calallen, Texas	56	1,210
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	489	11,781

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 11,781	11,781
Estuary Inflows (Measured at NCAT)	1,210
PassThru Surplus / -Deficit:	-5,833

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/24/2005
05/23/2005	143	3,260	19,176	4,100	840	44.0	43.7

Report Generated: 05/24/2005 at 9:16:05 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 25, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/25/2004	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%
05/25/2005	220.4	691,899	99.5%	93.7	234,540	97.2%	926,439	98.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/24/2005	97	604	0.00	95	432	0.00	1,036
MTD		10,118	0.47		6,521	0.91	16,639

STREAM FLOWS

Gauging Station	05/24/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	262	6,292
NRRT : Nueces River at Tilden, Texas	155	2,989
FRRT : Frio River at Tilden, Texas	268	6,531
SMTT : San Miguel Creek at Tilden, Texas	13	1,008
ARWT : Atascosa River at Whitsett, Texas	32	1,548
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	437	4,433
NCAT : Nueces River at Calallen, Texas	89	1,299
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	478	12,259

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 12,259	12,259
Estuary Inflows (Measured at NCAT)	1,299
PassThru Surplus / -Deficit:	-6,222

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/25/2005
05/24/2005	143	3,403	19,319	4,100	697	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 26, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/26/2004	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%
05/26/2005	220.4	691,639	99.5%	93.6	233,780	96.9%	925,419	98.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/25/2005	97	588	0.00	94	565	0.00	1,153
MTD		10,706	0.47		7,086	0.91	17,792

STREAM FLOWS

Gauging Station	05/25/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	310	6,602
NRTT : Nueces River at Tilden, Texas	151	3,140
FRIT : Frio River at Tilden, Texas	252	6,783
SMTT : San Miguel Creek at Tilden, Texas	10	1,018
ARWT : Atascosa River at Whitsett, Texas	4	1,552
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	538	4,970
NCAT : Nueces River at Calallen, Texas	145	1,444
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	506	12,765

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 12,765	12,765
Estuary Inflows (Measured at NCAT)	1,444
PassThru Surplus / -Deficit:	-6,583

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/26/2005
05/25/2005	143	3,546	19,462	4,100	554	44.0	43.5

Report Generated: 05/26/2005 at 8:21:10 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 27, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/27/2004	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%
05/27/2005	220.4	691,380	99.4%	93.6	233,209	96.7%	924,589	98.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/26/2005	92	437	0.00	92	288	0.00	725
MTD		11,143	0.47		7,374	0.91	18,517

STREAM FLOWS

Gauging Station	05/26/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	302	6,904
NRTT : Nueces River at Tilden, Texas	145	3,285
FRIT : Frio River at Tilden, Texas	240	7,023
SMTT : San Miguel Creek at Tilden, Texas	7	1,025
ARWT : Atascosa River at Whitsett, Texas	17	1,569
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	564	5,534
NCAT : Nueces River at Calallen, Texas	218	1,663
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	484	13,249

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 13,249	13,249
Estuary Inflows (Measured at NCAT)	1,663
PassThru Surplus / -Deficit:	-6,848

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/27/2005
05/26/2005	143	3,688	19,604	4,100	412	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 28, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/28/2004	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
05/28/2005	220.3	691,121	99.4%	93.5	231,882	96.1%	923,003	98.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/27/2005	92	452	0.00	93	276	0.00	728
MTD		11,595	0.47		7,650	0.91	19,245

STREAM FLOWS

Gauging Station	05/27/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	292	7,196
NRTT : Nueces River at Tilden, Texas	135	3,420
FRIT : Frio River at Tilden, Texas	232	7,255
SMTT : San Miguel Creek at Tilden, Texas	6	1,031
ARWT : Atascosa River at Whitsett, Texas	15	1,584
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	637	6,171
NCAT : Nueces River at Calallen, Texas	272	1,934
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	465	13,713

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 13,713	13,713
Estuary Inflows (Measured at NCAT)	1,934
PassThru Surplus / -Deficit:	-7,041

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/28/2005
05/27/2005	143	3,831	19,747	4,100	269	44.0	43.6

Report Generated: 05/28/2005 at 8:42:26 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 29, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/29/2004	220.4	693,196	99.7%	94.0	241,241	100.0%	934,437	99.8%
05/29/2005	220.4	692,158	99.6%	93.6	233,020	96.6%	925,178	98.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/28/2005	95	589	0.94	93	520	1.32	1,109
MTD		12,184	1.41		8,170	2.23	20,354

STREAM FLOWS

Gauging Station	05/28/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	280	7,476
NRIT : Nueces River at Tilden, Texas	129	3,549
FRIT : Frio River at Tilden, Texas	228	7,483
SMIT : San Miguel Creek at Tilden, Texas	7	1,038
ARWT : Atascosa River at Whitsett, Texas	11	1,595
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	879	7,051
NCAT : Nueces River at Calallen, Texas	335	2,270
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMIT)-Release From Choke Canyon	450	14,163

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 14,163	14,163
Estuary Inflows (Measured at NCAT)	2,270
PassThru Surplus / -Deficit:	-7,155

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/29/2005
05/28/2005	143	3,974	19,890	4,100	126	44.0	43.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 30, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/30/2004	220.4	692,677	99.6%	94.0	241,241	100.0%	933,918	99.7%
05/30/2005	220.4	692,418	99.6%	93.5	232,450	96.4%	924,868	98.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/29/2005	94	362	0.00	94	508	0.74	870
MTD		12,546	1.41		8,678	2.97	21,224

STREAM FLOWS

Gauging Station	05/29/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	288	7,763
NRRT : Nueces River at Tilden, Texas	137	3,686
FRRT : Frio River at Tilden, Texas	232	7,716
SMTT : San Miguel Creek at Tilden, Texas	7	1,046
ARWT : Atascosa River at Whitsett, Texas	12	1,607
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,129	8,180
NCAT : Nueces River at Calallen, Texas	596	2,865
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	462	14,625

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 14,625	14,625
Estuary Inflows (Measured at NCAT)	2,865
PassThru Surplus / -Deficit:	-7,022

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/30/2005
05/29/2005	143	4,116	20,033	4,100	-16	44.0	43.6

Report Generated: 05/30/2005 at 8:20:46 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: May 31, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
05/31/2004	220.4	692,418	99.6%	94.0	241,241	100.0%	933,659	99.7%
05/31/2005	220.4	691,899	99.5%	93.5	231,503	96.0%	923,402	98.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/30/2005	92	422	0.00	90	254	0.00	676
MTD		12,968	1.41		8,932	2.97	21,900

STREAM FLOWS

Gauging Station	05/30/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	280	8,043
NRRT : Nueces River at Tilden, Texas	135	3,821
FRRT : Frio River at Tilden, Texas	228	7,944
SMTT : San Miguel Creek at Tilden, Texas	8	1,053
ARWT : Atascosa River at Whitsett, Texas	11	1,617
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,104	9,284
NCAT : Nueces River at Calallen, Texas	816	3,681
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	450	15,075

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 15,075	15,075
Estuary Inflows (Measured at NCAT)	3,681
PassThru Surplus / -Deficit:	-6,656

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	05/31/2005
05/30/2005	143	4,259	20,175	4,100	-159	44.0	43.6

Report Generated: 05/31/2005 at 8:36:58 AM