

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 1, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/01/2004	220.4	692,418	99.6%	94.0	241,241	100.0%	933,659	99.7%
06/01/2005	220.4	693,196	99.7%	93.7	235,112	97.5%	928,308	99.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
05/31/2005	95	468	0.89	92	355	0.00	823
MTD		13,436	2.30		9,287	2.97	22,723

STREAM FLOWS

Gauging Station	05/31/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	272	8,315
NRRT : Nueces River at Tilden, Texas	123	3,944
FRRT : Frio River at Tilden, Texas	240	8,184
SMTT : San Miguel Creek at Tilden, Texas	36	1,089
ARWT : Atascosa River at Whitsett, Texas	36	1,653
Release from Choke Canyon Reservoir	66	2,031
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,135	10,419
NCAT : Nueces River at Calallen, Texas	822	4,503
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	482	15,558

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	4,238
Return Flow Credit (Effective: 05/01/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 15,558	15,558
Estuary Inflows (Measured at NCAT)	4,503
PassThru Surplus / -Deficit:	-6,317

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	May 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/01/2005
05/31/2005	143	4,402	20,318	4,100	-302	44.0	43.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 2, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/02/2004	220.4	692,418	99.6%	94.0	241,241	100.0%	933,659	99.7%
06/02/2005	220.4	693,715	99.8%	93.4	229,990	95.3%	923,705	98.6%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/01/2005	89	378	0.00	88	385	1.01	763
MTD		378	0.00		385	1.01	763

STREAM FLOWS

Gauging Station	06/01/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	308	308
NRTT : Nueces River at Tilden, Texas	117	117
FRIT : Frio River at Tilden, Texas	282	282
SMTT : San Miguel Creek at Tilden, Texas	77	77
ARWT : Atascosa River at Whitsett, Texas	38	38
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,235	1,235
NCAT : Nueces River at Calallen, Texas	923	923
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	601	601

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-6,317
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 601	601
Estuary Inflows (Measured at NCAT)	923
PassThru Surplus / -Deficit:	-5,995

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/02/2005
06/01/2005	143	143	20,461	4,100	3,957	44.0	43.7

Report Generated: 06/02/2005 at 11:36:26 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 3, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/03/2004	220.4	692,418	99.6%	94.0	241,241	100.0%	933,659	99.7%
06/03/2005	220.4	692,936	99.7%	93.3	228,104	94.6%	921,040	98.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/02/2005	92	574	0.00	92	373	0.00	947
MTD		952	0.00		758	1.01	1,710

STREAM FLOWS

Gauging Station	06/02/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	296	603
NRTT : Nueces River at Tilden, Texas	107	224
FRIT : Frio River at Tilden, Texas	304	586
SMTT : San Miguel Creek at Tilden, Texas	95	173
ARWT : Atascosa River at Whitsett, Texas	155	193
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,191	2,426
NCAT : Nueces River at Calallen, Texas	996	1,919
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	629	1,231

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-6,317
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 1,231	1,231
Estuary Inflows (Measured at NCAT)	1,919
PassThru Surplus / -Deficit:	-5,628

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/03/2005
06/02/2005	143	286	20,604	4,100	3,814	44.0	43.7

Report Generated: 06/03/2005 at 8:04:58 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 4, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/04/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
06/04/2005	220.4	693,196	99.7%	93.3	227,540	94.3%	920,736	98.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/03/2005	90	332	0.00	91	285	0.00	617
MTD		1,284	0.00		1,043	1.01	2,327

STREAM FLOWS

Gauging Station	06/03/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	421	1,024
NRTT : Nueces River at Tilden, Texas	91	316
FRIT : Frio River at Tilden, Texas	393	979
SMTT : San Miguel Creek at Tilden, Texas	67	240
ARWT : Atascosa River at Whitsett, Texas	175	367
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,169	3,595
NCAT : Nueces River at Calallen, Texas	961	2,880
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	816	2,047

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-6,317
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 2,047	2,047
Estuary Inflows (Measured at NCAT)	2,880
PassThru Surplus / -Deficit:	-5,483

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/04/2005
06/03/2005	143	429	20,747	4,100	3,671	44.0	43.7

Report Generated: 06/04/2005 at 7:45:10 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 5, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/05/2004	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%
06/05/2005	220.4	693,455	99.7%	93.1	224,538	93.1%	917,993	98.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/04/2005	92	604	0.00	91	327	0.00	931
MTD		1,888	0.00		1,370	1.01	3,258

STREAM FLOWS

Gauging Station	06/04/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	369	1,393
NRTT : Nueces River at Tilden, Texas	83	399
FRIT : Frio River at Tilden, Texas	365	1,344
SMTT : San Miguel Creek at Tilden, Texas	131	371
ARWT : Atascosa River at Whitsett, Texas	62	429
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,157	4,752
NCAT : Nueces River at Calallen, Texas	953	3,833
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	800	2,846

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-6,317
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 2,846	2,846
Estuary Inflows (Measured at NCAT)	3,833
PassThru Surplus / -Deficit:	-5,330

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/05/2005
06/04/2005	143	572	20,891	4,100	3,528	44.0	43.7

Report Generated: 06/05/2005 at 7:45:47 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 6, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/06/2004	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%
06/06/2005	220.4	693,455	99.7%	93.1	224,913	93.2%	918,368	98.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/05/2005	92	484	0.00	89	393	0.00	877
MTD		2,372	0.00		1,763	1.01	4,135

STREAM FLOWS

Gauging Station	06/05/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	266	1,659
NRTT : Nueces River at Tilden, Texas	81	480
FRIT : Frio River at Tilden, Texas	379	1,723
SMTT : San Miguel Creek at Tilden, Texas	69	441
ARWT : Atascosa River at Whitsett, Texas	34	463
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,143	5,895
NCAT : Nueces River at Calallen, Texas	931	4,764
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	649	3,496

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-6,317
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 3,496	3,496
Estuary Inflows (Measured at NCAT)	4,764
PassThru Surplus / -Deficit:	-5,049

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/06/2005
06/05/2005	143	716	21,034	4,100	3,384	44.0	43.7

Report Generated: 06/06/2005 at 8:06:30 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 7, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/07/2004	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%
06/07/2005	220.5	693,974	99.8%	93.1	223,417	92.6%	917,391	98.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/06/2005	93	514	0.00	91	435	0.00	949
MTD		2,886	0.00		2,198	1.01	5,084

STREAM FLOWS

Gauging Station	06/06/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	234	1,894
NRTT : Nueces River at Tilden, Texas	89	570
FRIT : Frio River at Tilden, Texas	492	2,215
SMTT : San Miguel Creek at Tilden, Texas	38	478
ARWT : Atascosa River at Whitsett, Texas	26	488
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,133	7,029
NCAT : Nueces River at Calallen, Texas	957	5,721
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	699	4,194

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-6,317
Return Flow Credit (Effective:)	0
Passthru Target: 25,500 Reservoir Inflow: 4,194	4,194
Estuary Inflows (Measured at NCAT)	5,721
PassThru Surplus / -Deficit:	-4,791

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/07/2005
06/06/2005	143	859	21,177	4,100	3,241	44.0	43.7

Report Generated: 06/07/2005 at 8:24:23 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 8, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/08/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
06/08/2005	220.5	693,974	99.8%	93.0	221,925	92.0%	915,899	97.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/07/2005	93	469	0.00	91	358	0.00	827
MTD		3,355	0.00		2,556	1.01	5,911

STREAM FLOWS

Gauging Station	06/07/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	228	2,122
NRTT : Nueces River at Tilden, Texas	93	663
FRIT : Frio River at Tilden, Texas	423	2,638
SMTT : San Miguel Creek at Tilden, Texas	24	502
ARWT : Atascosa River at Whitsett, Texas	19	508
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,125	8,154
NCAT : Nueces River at Calallen, Texas	895	6,616
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	609	4,804

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 4,804	4,804
Estuary Inflows (Measured at NCAT)	6,616
PassThru Surplus / -Deficit:	-4,005

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/08/2005
06/07/2005	143	1,002	21,321	4,100	3,098	44.0	43.7

Report Generated: 06/08/2005 at 10:34:20 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 9, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/09/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
06/09/2005	220.5	694,233	99.9%	93.0	221,553	91.8%	915,786	97.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/08/2005	93	575	0.00	90	314	0.00	889
MTD		3,930	0.00		2,870	1.01	6,800

STREAM FLOWS

Gauging Station	06/08/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	228	2,350
NRTT : Nueces River at Tilden, Texas	87	750
FRIT : Frio River at Tilden, Texas	367	3,005
SMTT : San Miguel Creek at Tilden, Texas	15	518
ARWT : Atascosa River at Whitsett, Texas	14	521
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	778	8,933
NCAT : Nueces River at Calallen, Texas	836	7,452
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	545	5,349

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 5,349	5,349
Estuary Inflows (Measured at NCAT)	7,452
PassThru Surplus / -Deficit:	-3,714

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/09/2005
06/08/2005	143	1,146	21,464	4,100	2,954	44.0	43.7

Report Generated: 06/09/2005 at 8:52:13 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 10, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/10/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
06/10/2005	220.4	693,715	99.8%	93.0	221,553	91.8%	915,268	97.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/09/2005	93	529	0.00	91	401	0.00	930
MTD		4,459	0.00		3,271	1.01	7,730

STREAM FLOWS

Gauging Station	06/09/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	220	2,571
NRTT : Nueces River at Tilden, Texas	85	836
FRIT : Frio River at Tilden, Texas	347	3,353
SMTT : San Miguel Creek at Tilden, Texas	10	528
ARWT : Atascosa River at Whitsett, Texas	12	533
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	373	9,306
NCAT : Nueces River at Calallen, Texas	554	8,006
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	513	5,862

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 5,862	5,862
Estuary Inflows (Measured at NCAT)	8,006
PassThru Surplus / -Deficit:	-3,673

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/10/2005
06/09/2005	143	1,289	21,607	4,100	2,811	44.0	43.6

Report Generated: 06/10/2005 at 8:27:00 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 11, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/11/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
06/11/2005	220.4	692,677	99.6%	92.9	220,438	91.4%	913,115	97.5%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/10/2005	91	559	0.00	90	465	0.00	1,024
MTD		5,018	0.00		3,736	1.01	8,754

STREAM FLOWS

Gauging Station	06/10/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	210	2,781
NRTT : Nueces River at Tilden, Texas	91	927
FRIT : Frio River at Tilden, Texas	304	3,656
SMTT : San Miguel Creek at Tilden, Texas	7	535
ARWT : Atascosa River at Whitsett, Texas	11	544
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	294	9,599
NCAT : Nueces River at Calallen, Texas	264	8,270
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	455	6,317

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 6,317	6,317
Estuary Inflows (Measured at NCAT)	8,270
PassThru Surplus / -Deficit:	-3,864

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/11/2005
06/10/2005	143	1,433	21,751	4,100	2,667	44.0	43.6

Report Generated: 06/11/2005 at 8:17:39 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 12, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/12/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
06/12/2005	220.4	692,677	99.6%	92.9	219,881	91.1%	912,558	97.4%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/11/2005	95	574	0.00	92	389	0.00	963
MTD		5,592	0.00		4,125	1.01	9,717

STREAM FLOWS

Gauging Station	06/11/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	210	2,991
NRTT : Nueces River at Tilden, Texas	107	1,034
FRIT : Frio River at Tilden, Texas	278	3,934
SMTT : San Miguel Creek at Tilden, Texas	5	539
ARWT : Atascosa River at Whitsett, Texas	9	553
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	296	9,895
NCAT : Nueces River at Calallen, Texas	161	8,430
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	427	6,744

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 6,744	6,744
Estuary Inflows (Measured at NCAT)	8,430
PassThru Surplus / -Deficit:	-4,131

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/12/2005
06/11/2005	144	1,576	21,894	4,100	2,524	44.0	43.6

Report Generated: 06/12/2005 at 8:12:18 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 13, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/13/2004	220.6	695,271	100.0%	94.0	240,279	99.6%	935,550	99.9%
06/13/2005	220.4	692,158	99.6%	92.9	219,510	91.0%	911,668	97.3%

Weather Related Information

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/12/2005	94	513	0.00	91	302	0.00	815	
MTD		6,105	0.00		4,427	1.01	10,532	

STREAM FLOWS

Gauging Station	06/12/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	220	3,212
NRRT : Nueces River at Tilden, Texas	129	1,163
FRRT : Frio River at Tilden, Texas	266	4,200
SMTT : San Miguel Creek at Tilden, Texas	3	542
ARWT : Atascosa River at Whitsett, Texas	8	561
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	294	10,189
NCAT : Nueces River at Calallen, Texas	109	8,539
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	424	7,168

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 7,168	7,168
Estuary Inflows (Measured at NCAT)	8,539
PassThru Surplus / -Deficit:	-4,446

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/13/2005
06/12/2005	144	1,720	22,038	4,100	2,380	44.0	43.6

Report Generated: 06/13/2005 at 8:09:15 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 14, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/14/2004	220.6	695,271	100.0%	93.9	239,894	99.4%	935,165	99.9%
06/14/2005	220.4	691,639	99.5%	92.8	219,139	90.8%	910,778	97.3%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/13/2005	95	422	0.00	93	475	0.00	897
MTD		6,527	0.00		4,902	1.01	11,429

STREAM FLOWS

Gauging Station	06/13/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	246	3,458
NRRT : Nueces River at Tilden, Texas	133	1,296
FRRT : Frio River at Tilden, Texas	254	4,454
SMTT : San Miguel Creek at Tilden, Texas	2	544
ARWT : Atascosa River at Whitsett, Texas	7	568
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	290	10,479
NCAT : Nueces River at Calallen, Texas	91	8,631
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	436	7,605

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 7,605	7,605
Estuary Inflows (Measured at NCAT)	8,631
PassThru Surplus / -Deficit:	-4,791

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/14/2005
06/13/2005	144	1,863	22,181	4,100	2,237	44.0	43.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 15, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/15/2004	220.5	695,271	100.0%	94.0	240,279	99.6%	935,550	99.9%
06/15/2005	220.4	691,639	99.5%	92.8	218,954	90.8%	910,593	97.2%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/14/2005	98	603	0.00	94	151	0.00	754
MTD		7,130	0.00		5,053	1.01	12,183

STREAM FLOWS

Gauging Station	06/14/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	256	3,714
NRRT : Nueces River at Tilden, Texas	145	1,441
FRRT : Frio River at Tilden, Texas	248	4,702
SMTT : San Miguel Creek at Tilden, Texas	1	545
ARWT : Atascosa River at Whitsett, Texas	6	573
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	286	10,765
NCAT : Nueces River at Calallen, Texas	97	8,728
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	439	8,044

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 8,044	8,044
Estuary Inflows (Measured at NCAT)	8,728
PassThru Surplus / -Deficit:	-5,133

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/15/2005
06/14/2005	144	2,007	22,325	4,100	2,093	44.0	43.5

Report Generated: 06/15/2005 at 8:22:40 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 16, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/16/2004	220.5	695,271	100.0%	93.9	239,894	99.4%	935,165	99.9%
06/16/2005	220.4	691,380	99.4%	92.8	218,398	90.5%	909,778	97.1%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/15/2005	97	588	0.00	94	507	0.00	1,095
MTD		7,718	0.00		5,560	1.01	13,278

STREAM FLOWS

Gauging Station	06/15/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	250	3,964
NRRT : Nueces River at Tilden, Texas	139	1,580
FRRT : Frio River at Tilden, Texas	240	4,943
SMTT : San Miguel Creek at Tilden, Texas	0	545
ARWT : Atascosa River at Whitsett, Texas	6	579
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	274	11,039
NCAT : Nueces River at Calallen, Texas	91	8,819
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	425	8,469

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 8,469	8,469
Estuary Inflows (Measured at NCAT)	8,819
PassThru Surplus / -Deficit:	-5,467

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/16/2005
06/15/2005	144	2,151	22,469	4,100	1,949	44.0	43.4

Report Generated: 06/16/2005 at 8:18:09 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 17, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/17/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
06/17/2005	220.3	691,121	99.4%	92.8	217,659	90.2%	908,780	97.0%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/16/2005	98	618	0.00	95	517	0.00	1,135
MTD		8,336	0.00		6,077	1.01	14,413

STREAM FLOWS

Gauging Station	06/16/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	246	4,210
NRTT : Nueces River at Tilden, Texas	131	1,711
FRIT : Frio River at Tilden, Texas	230	5,173
SMTT : San Miguel Creek at Tilden, Texas	0	545
ARWT : Atascosa River at Whitsett, Texas	8	587
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	246	11,285
NCAT : Nueces River at Calallen, Texas	109	8,929
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	411	8,880

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 8,880	8,880
Estuary Inflows (Measured at NCAT)	8,929
PassThru Surplus / -Deficit:	-5,768

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/17/2005
06/16/2005	144	2,295	22,613	4,100	1,805	44.0	43.4

Report Generated: 06/17/2005 at 8:04:42 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 18, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/18/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
06/18/2005	220.3	690,342	99.3%	92.7	217,104	90.0%	907,446	96.9%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/17/2005	100	723	0.00	96	419	0.00	1,142
MTD		9,059	0.00		6,496	1.01	15,555

STREAM FLOWS

Gauging Station	06/17/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	242	4,452
NRTT : Nueces River at Tilden, Texas	123	1,834
FRIT : Frio River at Tilden, Texas	222	5,395
SMTT : San Miguel Creek at Tilden, Texas	0	545
ARWT : Atascosa River at Whitsett, Texas	6	593
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	11,511
NCAT : Nueces River at Calallen, Texas	60	8,988
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	399	9,279

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 9,279	9,279
Estuary Inflows (Measured at NCAT)	8,988
PassThru Surplus / -Deficit:	-6,108

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/18/2005
06/17/2005	144	2,439	22,757	4,100	1,661	44.0	43.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 19, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/19/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
06/19/2005	220.3	689,826	99.2%	92.7	216,920	89.9%	906,746	96.8%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/18/2005	98	587	0.00	96	452	0.00	1,039
MTD		9,646	0.00		6,948	1.01	16,594

STREAM FLOWS

Gauging Station	06/18/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	232	4,685
NRRT : Nueces River at Tilden, Texas	115	1,949
FRRT : Frio River at Tilden, Texas	214	5,610
SMTT : San Miguel Creek at Tilden, Texas	0	545
ARWT : Atascosa River at Whitsett, Texas	4	597
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	11,737
NCAT : Nueces River at Calallen, Texas	50	9,038
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	381	9,660

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 9,660	9,660
Estuary Inflows (Measured at NCAT)	9,038
PassThru Surplus / -Deficit:	-6,439

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/19/2005
06/18/2005	144	2,584	22,902	4,100	1,516	44.0	43.4

Report Generated: 06/19/2005 at 8:01:09 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 20, 2005**

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	241,241	100%	936,512	100%
06/20/2004	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%
06/20/2005	220.3	689,311	99.1%	92.7	216,735	89.8%	906,046	96.7%

Weather Related Information							
Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/19/2005	98	587	0.00	95	333	0.00	920
MTD		10,233	0.00		7,281	1.01	17,514

STREAM FLOWS

Gauging Station	06/19/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	222	4,907
NRTT : Nueces River at Tilden, Texas	115	2,064
FRIT : Frio River at Tilden, Texas	208	5,818
SMTT : San Miguel Creek at Tilden, Texas	0	545
ARWT : Atascosa River at Whitsett, Texas	4	601
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	11,964
NCAT : Nueces River at Calallen, Texas	34	9,071
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	365	10,025

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 10,025	10,025
Estuary Inflows (Measured at NCAT)	9,071
PassThru Surplus / -Deficit:	-6,771

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/20/2005
06/19/2005	144	2,728	23,046	4,100	1,372	44.0	43.4

Report Generated: 06/20/2005 at 8:07:48 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 21, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/21/2004	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
06/21/2005	220.2	688,540	99.0%	92.7	233,313	90.7%	921,853	96.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/20/2005	95	617	0.00	94	403	0.00	1,020	
MTD		10,850	0.00		7,684	1.01	18,534	

STREAM FLOWS

Gauging Station	06/20/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	220	5,127
NRTT : Nueces River at Tilden, Texas	113	2,178
FRTT : Frio River at Tilden, Texas	202	6,021
SMTT : San Miguel Creek at Tilden, Texas	0	545
ARWT : Atascosa River at Whitsett, Texas	3	604
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	12,190
NCAT : Nueces River at Calallen, Texas	24	9,095
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	357	10,383

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 10,383	10,383
Estuary Inflows (Measured at NCAT)	9,095
PassThru Surplus / -Deficit:	-7,104

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/21/2005
06/20/2005	145	2,873	23,191	4,100	1,227	44.0	43.3

Report Generated: 06/21/2005 at 10:44:43 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 22, 2005

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/22/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
06/22/2005	220.2	688,025	99.0%	92.6	232,603	90.4%	920,628	96.7%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
06/21/2005	94	601	0.00	93	382	0.00	983
MTD		11,451	0.00		8,066	1.01	19,517

STREAM FLOWS

Gauging Station	06/21/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	218	5,346
NRTT : Nueces River at Tilden, Texas	101	2,279
FRIT : Frio River at Tilden, Texas	179	6,199
SMTT : San Miguel Creek at Tilden, Texas	0	545
ARWT : Atascosa River at Whitsett, Texas	3	608
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	226	12,416
NCAT : Nueces River at Calallen, Texas	26	9,121
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	331	10,714

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 10,714	10,714
Estuary Inflows (Measured at NCAT)	9,121
PassThru Surplus / -Deficit:	-7,410

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/22/2005
06/21/2005	145	3,017	23,336	4,100	1,083	44.0	43.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 23, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/23/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
06/23/2005	220.2	687,551	98.9%	92.6	232,249	90.3%	919,800	96.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/22/2005	97	571	0.00	94	351	0.00	922	
MTD		12,022	0.00		8,417	1.01	20,439	

STREAM FLOWS

Gauging Station	06/22/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	208	5,554
NRTT : Nueces River at Tilden, Texas	89	2,368
FRTT : Frio River at Tilden, Texas	175	6,374
SMTT : San Miguel Creek at Tilden, Texas	0	545
ARWT : Atascosa River at Whitsett, Texas	2	610
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	328	12,744
NCAT : Nueces River at Calallen, Texas	26	9,147
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	318	11,032

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 11,032	11,032
Estuary Inflows (Measured at NCAT)	9,147
PassThru Surplus / -Deficit:	-7,702

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/23/2005
06/22/2005	145	3,163	23,481	4,100	937	44.0	43.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 24, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/24/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
06/24/2005	220.2	686,992	98.8%	92.6	231,186	89.9%	918,178	96.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/23/2005	97	586	0.00	94	413	0.00	999	
MTD		12,608	0.00		8,830	1.01	21,438	

STREAM FLOWS

Gauging Station	06/23/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	197	5,751
NRTT : Nueces River at Tilden, Texas	81	2,449
FRTT : Frio River at Tilden, Texas	169	6,543
SMTT : San Miguel Creek at Tilden, Texas	0	545
ARWT : Atascosa River at Whitsett, Texas	2	612
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	637	13,381
NCAT : Nueces River at Calallen, Texas	71	9,218
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	300	11,332

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 11,332	11,332
Estuary Inflows (Measured at NCAT)	9,218
PassThru Surplus / -Deficit:	-7,930

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/24/2005
06/23/2005	145	3,308	23,626	4,100	792	44.0	43.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 25, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/25/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
06/25/2005	220.2	686,473	98.7%	92.5	229,770	89.3%	916,243	96.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/24/2005	96	600	0.00	93	278	0.00	878	
MTD		13,208	0.00		9,108	1.01	22,316	

STREAM FLOWS

Gauging Station	06/24/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	187	5,937
NRTT : Nueces River at Tilden, Texas	73	2,523
FRTT : Frio River at Tilden, Texas	163	6,705
SMTT : San Miguel Creek at Tilden, Texas	0	545
ARWT : Atascosa River at Whitsett, Texas	2	614
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	911	14,292
NCAT : Nueces River at Calallen, Texas	264	9,482
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	284	11,615

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 11,615	11,615
Estuary Inflows (Measured at NCAT)	9,482
PassThru Surplus / -Deficit:	-7,950

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/25/2005
06/24/2005	145	3,453	23,771	4,100	647	44.0	43.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 26, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/26/2004	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
06/26/2005	220.2	686,214	98.7%	92.4	228,357	88.8%	914,571	96.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/25/2005	94	525	0.00	93	339	0.02	864	
MTD		13,733	0.00		9,447	1.03	23,180	

STREAM FLOWS

Gauging Station	06/25/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	179	6,116
NRTT : Nueces River at Tilden, Texas	66	2,588
FRTT : Frio River at Tilden, Texas	157	6,862
SMTT : San Miguel Creek at Tilden, Texas	0	545
ARWT : Atascosa River at Whitsett, Texas	6	620
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,070	15,362
NCAT : Nueces River at Calallen, Texas	437	9,919
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	270	11,885

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 11,885	11,885
Estuary Inflows (Measured at NCAT)	9,919
PassThru Surplus / -Deficit:	-7,783

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/26/2005
06/25/2005	145	3,598	23,916	4,100	502	44.0	43.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 27, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/27/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
06/27/2005	220.1	685,695	98.6%	92.3	226,770	88.1%	912,465	95.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/26/2005	95	540	0.02	92	318	0.04	858	
MTD		14,273	0.02		9,765	1.07	24,038	

STREAM FLOWS

Gauging Station	06/26/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	171	6,286
NRTT : Nueces River at Tilden, Texas	58	2,646
FRTT : Frio River at Tilden, Texas	153	7,015
SMTT : San Miguel Creek at Tilden, Texas	0	545
ARWT : Atascosa River at Whitsett, Texas	6	626
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,231	16,593
NCAT : Nueces River at Calallen, Texas	643	10,562
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	258	12,143

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 12,143	12,143
Estuary Inflows (Measured at NCAT)	10,562
PassThru Surplus / -Deficit:	-7,398

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/27/2005
06/26/2005	145	3,743	24,062	4,100	357	44.0	43.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 28, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/28/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
06/28/2005	220.1	684,917	98.5%	92.2	225,011	87.5%	909,928	95.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/27/2005	97	525	0.00	93	328	0.00	853	
MTD		14,798	0.02		10,093	1.07	24,891	

STREAM FLOWS

Gauging Station	06/27/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	163	6,449
NRTT : Nueces River at Tilden, Texas	54	2,700
FRTT : Frio River at Tilden, Texas	149	7,164
SMTT : San Miguel Creek at Tilden, Texas	0	545
ARWT : Atascosa River at Whitsett, Texas	6	632
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,304	17,897
NCAT : Nueces River at Calallen, Texas	786	11,348
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	246	12,390

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 12,390	12,390
Estuary Inflows (Measured at NCAT)	11,348
PassThru Surplus / -Deficit:	-6,858

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/28/2005
06/27/2005	149	3,892	24,211	4,100	208	44.0	43.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 29, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/29/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
06/29/2005	220.1	684,146	98.4%	92.1	223,781	87.0%	907,927	95.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/28/2005	98	569	0.00	95	276	0.00	845	
MTD		15,367	0.02		10,369	1.07	25,736	

STREAM FLOWS

Gauging Station	06/28/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	157	6,606
NRTT : Nueces River at Tilden, Texas	54	2,753
FRTT : Frio River at Tilden, Texas	147	7,311
SMTT : San Miguel Creek at Tilden, Texas	0	545
ARWT : Atascosa River at Whitsett, Texas	7	639
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,304	19,201
NCAT : Nueces River at Calallen, Texas	911	12,259
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	238	12,628

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 12,628	12,628
Estuary Inflows (Measured at NCAT)	12,259
PassThru Surplus / -Deficit:	-6,185

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/29/2005
06/28/2005	177	4,069	24,388	4,100	31	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: June 30, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
06/30/2004	220.8	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
06/30/2005	220.1	683,632	98.3%	92.1	222,379	86.4%	906,011	95.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/29/2005	98	569	0.00	96	214	0.00	783	
MTD		15,936	0.02		10,583	1.07	26,519	

STREAM FLOWS

Gauging Station	06/29/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	153	6,759
NRTT : Nueces River at Tilden, Texas	50	2,803
FRTT : Frio River at Tilden, Texas	145	7,456
SMTT : San Miguel Creek at Tilden, Texas	0	545
ARWT : Atascosa River at Whitsett, Texas	6	645
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	750	19,951
NCAT : Nueces River at Calallen, Texas	873	13,133
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	232	12,860

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 12,860	12,860
Estuary Inflows (Measured at NCAT)	13,133
PassThru Surplus / -Deficit:	-5,544

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	06/30/2005
06/29/2005	180	4,249	24,568	4,100	-149	44.0	42.9