

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 1, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/01/2004	220.9	695,271	100.0%	93.9	240,087	99.5%	935,358	99.9%
07/01/2005	220.0	683,117	98.3%	91.9	220,279	85.6%	903,396	94.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
06/30/2005	100	703	0.00	98	387	0.00	1,090	
MTD		16,639	0.02		10,970	1.07	27,609	

STREAM FLOWS

Gauging Station	06/30/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	151	6,910
NRTT : Nueces River at Tilden, Texas	44	2,846
FRTT : Frio River at Tilden, Texas	141	7,597
SMTT : San Miguel Creek at Tilden, Texas	0	545
ARWT : Atascosa River at Whitsett, Texas	6	651
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,391	21,343
NCAT : Nueces River at Calallen, Texas	576	13,708
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	226	13,086

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 25,500 Salinity Relief Credit : 0 Effective:	25,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 06/07/2005)	-6,317
Return Flow Credit (Effective: 06/08/2005)	500
Passthru Target: 25,500 Reservoir Inflow: 13,086	13,086
Estuary Inflows (Measured at NCAT)	13,708
PassThru Surplus / -Deficit:	-5,195

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	June 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/01/2005
06/30/2005	181	4,430	24,749	4,100	-330	44.0	42.9

Report Generated: 07/01/2005 at 8:45:03 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 2, 2005

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/02/2004	220.7	695,271	100.0%	93.8	236,447	98.0%	931,718	99.5%
07/02/2005	220.0	682,860	98.2%	91.9	219,057	85.2%	901,917	94.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/01/2005	103	628	0.00	99	325	0.00	953	
MTD		628	0.00		325	0.00	953	

STREAM FLOWS

Gauging Station	07/01/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	149	149
NRTT : Nueces River at Tilden, Texas	40	40
FRIT : Frio River at Tilden, Texas	137	137
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	6
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,304	1,304
NCAT : Nueces River at Calallen, Texas	899	899
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	220	220

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,195
Return Flow Credit (Effective:)	0
Passthru Target: 6,500 Reservoir Inflow: 220	220
Estuary Inflows (Measured at NCAT)	899
PassThru Surplus / -Deficit:	-4,516

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/02/2005
07/01/2005	182	182	24,931	4,100	3,918	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 3, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/03/2004	220.5	694,493	99.9%	93.7	235,302	97.5%	929,795	99.3%
07/03/2005	220.0	682,346	98.1%	91.8	217,140	84.4%	899,486	94.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/02/2005	102	658	0.00	99	527	0.00	1,185	
MTD		1,286	0.00		852	0.00	2,138	

STREAM FLOWS

Gauging Station	07/02/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	145	294
NRTT : Nueces River at Tilden, Texas	36	75
FRTT : Frio River at Tilden, Texas	135	272
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	11
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,407	2,712
NCAT : Nueces River at Calallen, Texas	899	1,798
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	214	435

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,195
Return Flow Credit (Effective:)	0
Passthru Target: 6,500 Reservoir Inflow: 435	435
Estuary Inflows (Measured at NCAT)	1,798
PassThru Surplus / -Deficit:	-3,831

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/03/2005
07/02/2005	183	365	25,114	4,100	3,735	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 4, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/04/2004	220.3	691,121	99.4%	93.8	236,829	98.2%	927,950	99.1%
07/04/2005	220.0	681,836	98.1%	91.6	215,228	83.7%	897,064	94.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/03/2005	103	702	0.00	101	465	0.00	1,167	
MTD		1,988	0.00		1,317	0.00	3,305	

STREAM FLOWS

Gauging Station	07/03/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	141	435
NRTT : Nueces River at Tilden, Texas	32	107
FRTT : Frio River at Tilden, Texas	135	407
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	16
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,550	4,262
NCAT : Nueces River at Calallen, Texas	1,072	2,870
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	210	645

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,195
Return Flow Credit (Effective:)	0
Passthru Target: 6,500 Reservoir Inflow: 645	645
Estuary Inflows (Measured at NCAT)	2,870
PassThru Surplus / -Deficit:	-2,970

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/04/2005
07/03/2005	183	548	25,296	4,100	3,552	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 5, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/05/2004	220.2	688,283	99.0%	93.9	238,935	99.0%	927,218	99.0%
07/05/2005	220.0	681,327	98.0%	91.6	214,014	83.2%	895,341	94.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/04/2005	100	717	0.00	97	374	0.00	1,091	
MTD		2,705	0.00		1,691	0.00	4,396	

STREAM FLOWS

Gauging Station	07/04/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	135	570
NRTT : Nueces River at Tilden, Texas	28	135
FRTT : Frio River at Tilden, Texas	131	538
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	20
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	1,445	5,707
NCAT : Nueces River at Calallen, Texas	1,151	4,022
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	200	846

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,195
Return Flow Credit (Effective:)	0
Passthru Target: 6,500 Reservoir Inflow: 846	846
Estuary Inflows (Measured at NCAT)	4,022
PassThru Surplus / -Deficit:	-2,019

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/05/2005
07/04/2005	183	731	25,479	4,100	3,369	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 6, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/06/2004	220.2	688,540	99.0%	94.0	240,279	99.6%	928,819	99.2%
07/06/2005	219.9	680,053	97.8%	91.5	212,974	82.8%	893,027	93.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/05/2005	100	627	0.00	99	424	0.00	1,051	
MTD		3,332	0.00		2,115	0.00	5,447	

STREAM FLOWS

Gauging Station	07/05/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	133	703
NRTT : Nueces River at Tilden, Texas	24	159
FRTT : Frio River at Tilden, Texas	125	663
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	25
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	852	6,558
NCAT : Nueces River at Calallen, Texas	1,018	5,040
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	193	1,038

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-5,195
Return Flow Credit (Effective:)	0
Passthru Target: 6,500 Reservoir Inflow: 1,038	1,038
Estuary Inflows (Measured at NCAT)	5,040
PassThru Surplus / -Deficit:	-1,193

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/06/2005
07/05/2005	183	913	25,662	4,100	3,187	44.0	42.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 7, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/07/2004	220.7	695,271	100.0%	93.9	239,702	99.4%	934,973	99.8%
07/07/2005	219.9	679,284	97.7%	91.4	211,763	82.3%	891,047	93.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/06/2005	103	716	0.00	102	443	0.00	1,159	
MTD		4,048	0.00		2,558	0.00	6,606	

STREAM FLOWS

Gauging Station	07/06/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	131	834
NRTT : Nueces River at Tilden, Texas	22	181
FRTT : Frio River at Tilden, Texas	115	778
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	31
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	701	7,259
NCAT : Nueces River at Calallen, Texas	617	5,657
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	181	1,219

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 1,219	1,219
Estuary Inflows (Measured at NCAT)	5,657
PassThru Surplus / -Deficit:	-257

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/07/2005
07/06/2005	183	1,096	25,845	4,100	3,004	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 8, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/08/2004	221.1	695,271	100.0%	93.7	236,065	97.9%	931,336	99.4%
07/08/2005	219.9	678,770	97.6%	91.4	211,072	82.0%	889,842	93.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/07/2005	106	775	0.00	103	453	0.00	1,228	
MTD		4,823	0.00		3,011	0.00	7,834	

STREAM FLOWS

Gauging Station	07/07/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	129	963
NRTT : Nueces River at Tilden, Texas	19	199
FRTT : Frio River at Tilden, Texas	103	881
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	36
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	270	7,529
NCAT : Nueces River at Calallen, Texas	389	6,046
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	167	1,386

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 1,386	1,386
Estuary Inflows (Measured at NCAT)	6,046
PassThru Surplus / -Deficit:	-34

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/08/2005
07/07/2005	183	1,279	26,027	4,100	2,821	44.0	42.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 9, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/09/2004	221.2	695,271	100.0%	93.8	237,403	98.4%	932,674	99.6%
07/09/2005	219.8	678,255	97.6%	91.4	211,072	82.0%	889,327	93.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/08/2005	103	641	0.00	99	483	0.00	1,124	
MTD		5,464	0.00		3,494	0.00	8,958	

STREAM FLOWS

Gauging Station	07/08/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	127	1,090
NRTT : Nueces River at Tilden, Texas	17	216
FRIT : Frio River at Tilden, Texas	99	981
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	41
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	274	7,803
NCAT : Nueces River at Calallen, Texas	105	6,152
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	161	1,546

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 1,546	1,546
Estuary Inflows (Measured at NCAT)	6,152
PassThru Surplus / -Deficit:	-90

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/09/2005
07/08/2005	183	1,461	26,210	4,100	2,639	44.0	42.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 10, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/10/2004	221.2	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/10/2005	219.8	677,741	97.5%	91.4	210,554	81.8%	888,295	93.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/09/2005	101	625	0.00	100	392	0.00	1,017	
MTD		6,089	0.00		3,886	0.00	9,975	

STREAM FLOWS

Gauging Station	07/09/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	123	1,213
NRTT : Nueces River at Tilden, Texas	14	230
FRTT : Frio River at Tilden, Texas	91	1,072
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	47
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	314	8,117
NCAT : Nueces River at Calallen, Texas	81	6,233
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	149	1,695

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 1,695	1,695
Estuary Inflows (Measured at NCAT)	6,233
PassThru Surplus / -Deficit:	-157

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/10/2005
07/09/2005	183	1,644	26,393	4,100	2,456	44.0	42.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 11, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/11/2004	221.0	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/11/2005	219.8	677,227	97.4%	91.3	209,691	81.5%	886,918	93.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/10/2005	99	581	0.00	97	301	0.00	882	
MTD		6,670	0.00		4,187	0.00	10,857	

STREAM FLOWS

Gauging Station	07/10/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	121	1,334
NRTT : Nueces River at Tilden, Texas	12	243
FRTT : Frio River at Tilden, Texas	89	1,161
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	53
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	268	8,385
NCAT : Nueces River at Calallen, Texas	111	6,344
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	145	1,840

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 1,840	1,840
Estuary Inflows (Measured at NCAT)	6,344
PassThru Surplus / -Deficit:	-191

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/11/2005
07/10/2005	183	1,827	26,575	4,100	2,273	44.0	42.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 12, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/12/2004	220.8	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/12/2005	219.8	676,717	97.3%	91.3	209,002	81.2%	885,719	93.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/11/2005	101	595	0.00	98	371	0.00	966	
MTD		7,265	0.00		4,558	0.00	11,823	

STREAM FLOWS

Gauging Station	07/11/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	121	1,455
NRTT : Nueces River at Tilden, Texas	3	245
FRTT : Frio River at Tilden, Texas	87	1,249
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	60
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	260	8,645
NCAT : Nueces River at Calallen, Texas	75	6,419
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	143	1,983

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 1,983	1,983
Estuary Inflows (Measured at NCAT)	6,419
PassThru Surplus / -Deficit:	-259

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/12/2005
07/11/2005	182	2,009	26,757	4,100	2,091	44.0	42.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 13, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/13/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/13/2005	219.8	676,208	97.3%	91.3	208,658	81.1%	884,866	92.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/12/2005	102	669	0.00	98	421	0.33	1,090	
MTD		7,934	0.00		4,979	0.33	12,913	

STREAM FLOWS

Gauging Station	07/12/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	127	1,582
NRTT : Nueces River at Tilden, Texas	1	246
FRTT : Frio River at Tilden, Texas	83	1,332
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	68
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	8,907
NCAT : Nueces River at Calallen, Texas	77	6,497
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	145	2,128

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 2,128	2,128
Estuary Inflows (Measured at NCAT)	6,497
PassThru Surplus / -Deficit:	-326

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/13/2005
07/12/2005	182	2,191	26,940	4,100	1,909	44.0	42.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 14, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/14/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/14/2005	219.7	674,934	97.1%	91.2	207,797	80.8%	882,731	92.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/13/2005	102	594	0.00	98	301	0.14	895	
MTD		8,528	0.00		5,280	0.47	13,808	

STREAM FLOWS

Gauging Station	07/13/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	125	1,707
NRTT : Nueces River at Tilden, Texas	19	266
FRTT : Frio River at Tilden, Texas	79	1,411
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	3	71
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	274	9,181
NCAT : Nueces River at Calallen, Texas	44	6,541
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	139	2,267

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 2,267	2,267
Estuary Inflows (Measured at NCAT)	6,541
PassThru Surplus / -Deficit:	-421

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/14/2005
07/13/2005	182	2,373	27,122	4,100	1,727	44.0	42.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 15, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/15/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/15/2005	219.9	678,770	97.6%	91.4	210,209	81.7%	888,979	93.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/14/2005	103	447	3.95	101	402	0.48	849	
MTD		8,975	3.95		5,682	0.95	14,657	

STREAM FLOWS

Gauging Station	07/14/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	131	1,838
NRTT : Nueces River at Tilden, Texas	20	286
FRTT : Frio River at Tilden, Texas	79	1,491
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	76
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	294	9,474
NCAT : Nueces River at Calallen, Texas	93	6,634
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	145	2,412

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 2,412	2,412
Estuary Inflows (Measured at NCAT)	6,634
PassThru Surplus / -Deficit:	-473

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/15/2005
07/14/2005	182	2,555	27,303	4,100	1,545	44.0	42.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 16, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/16/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/16/2005	219.9	679,027	97.7%	91.5	213,147	82.9%	892,174	93.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/15/2005	93	373	0.35	89	231	0.75	604	
MTD		9,348	4.30		5,913	1.70	15,261	

STREAM FLOWS

Gauging Station	07/15/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	516	2,354
NRTT : Nueces River at Tilden, Texas	28	313
FRTT : Frio River at Tilden, Texas	91	1,582
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	83
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	268	9,742
NCAT : Nueces River at Calallen, Texas	145	6,779
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	542	2,954

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 2,954	2,954
Estuary Inflows (Measured at NCAT)	6,779
PassThru Surplus / -Deficit:	-870

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/16/2005
07/15/2005	184	2,739	27,488	4,100	1,361	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 17, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/17/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/17/2005	219.9	680,817	97.9%	91.8	217,140	84.4%	897,957	94.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/16/2005	89	299	2.00	89	233	0.12	532	
MTD		9,647	6.30		6,146	1.82	15,793	

STREAM FLOWS

Gauging Station	07/16/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,045	4,399
NRTT : Nueces River at Tilden, Texas	50	363
FRTT : Frio River at Tilden, Texas	103	1,685
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	16	99
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	9,925
NCAT : Nueces River at Calallen, Texas	238	7,017
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,082	5,036

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 5,036	5,036
Estuary Inflows (Measured at NCAT)	7,017
PassThru Surplus / -Deficit:	-2,714

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/17/2005
07/16/2005	187	2,926	27,674	4,100	1,174	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 18, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/18/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/18/2005	220.0	681,327	98.0%	91.8	218,708	85.0%	900,035	94.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/17/2005	94	418	0.00	93	274	0.01	692	
MTD		10,065	6.30		6,420	1.83	16,485	

STREAM FLOWS

Gauging Station	07/17/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	2,084	6,483
NRTT : Nueces River at Tilden, Texas	286	649
FRTT : Frio River at Tilden, Texas	105	1,790
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	123	222
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	143	10,068
NCAT : Nueces River at Calallen, Texas	155	7,172
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	2,124	7,160

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 7,160	6,500
Estuary Inflows (Measured at NCAT)	7,172
PassThru Surplus / -Deficit:	-4,023

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/18/2005
07/17/2005	187	3,113	27,861	4,100	987	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 19, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/19/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/19/2005	220.0	681,327	98.0%	91.9	219,231	85.2%	900,558	94.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/18/2005	95	523	0.00	95	335	0.01	858	
MTD		10,588	6.30		6,755	1.84	17,343	

STREAM FLOWS

Gauging Station	07/18/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	580	7,063
NRTT : Nueces River at Tilden, Texas	929	1,578
FRTT : Frio River at Tilden, Texas	101	1,892
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	131	353
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	197	10,264
NCAT : Nueces River at Calallen, Texas	32	7,204
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	615	7,775

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 7,775	6,500
Estuary Inflows (Measured at NCAT)	7,204
PassThru Surplus / -Deficit:	-3,991

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/19/2005
07/18/2005	186	3,299	28,047	4,100	801	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 20, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/20/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/20/2005	219.9	680,817	97.9%	91.9	220,279	85.6%	901,096	94.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/19/2005	95	418	0.13	94	285	0.52	703	
MTD		11,006	6.43		7,040	2.36	18,046	

STREAM FLOWS

Gauging Station	07/19/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,046	8,109
NRTT : Nueces River at Tilden, Texas	472	2,050
FRTT : Frio River at Tilden, Texas	105	1,997
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	52	405
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	278	10,542
NCAT : Nueces River at Calallen, Texas	60	7,263
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,086	8,861

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 8,861	6,500
Estuary Inflows (Measured at NCAT)	7,263
PassThru Surplus / -Deficit:	-3,932

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/20/2005
07/19/2005	165	3,464	28,212	4,100	636	44.0	43.9

Report Generated: 07/20/2005 at 8:28:07 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 21, 2005

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/21/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/21/2005	219.9	680,817	97.9%	92.1	222,379	86.4%	903,196	94.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/20/2005	87	194	0.40	88	245	0.83	439	
MTD		11,200	6.83		7,285	3.19	18,485	

STREAM FLOWS

Gauging Station	07/20/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	673	8,782
NRTT : Nueces River at Tilden, Texas	328	2,378
FRIT : Frio River at Tilden, Texas	101	2,098
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	30	434
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	282	10,824
NCAT : Nueces River at Calallen, Texas	189	7,452
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	709	9,570

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 9,570	6,500
Estuary Inflows (Measured at NCAT)	7,452
PassThru Surplus / -Deficit:	-3,743

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/21/2005
07/20/2005	149	3,613	28,361	4,100	487	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 22, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/22/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/22/2005	219.9	680,308	97.8%	92.1	222,554	86.5%	902,862	94.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/21/2005	90	224	0.04	92	194	0.00	418	
MTD		11,424	6.87		7,479	3.19	18,903	

STREAM FLOWS

Gauging Station	07/21/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	655	9,437
NRTT : Nueces River at Tilden, Texas	171	2,549
FRTT : Frio River at Tilden, Texas	97	2,195
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	19	453
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	316	11,140
NCAT : Nueces River at Calallen, Texas	155	7,607
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	687	10,257

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 10,257	6,500
Estuary Inflows (Measured at NCAT)	7,607
PassThru Surplus / -Deficit:	-3,588

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/22/2005
07/21/2005	148	3,761	28,510	4,100	339	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 23, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/23/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/23/2005	219.9	679,798	97.8%	92.1	222,379	86.4%	902,177	94.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/22/2005	96	448	0.00	94	276	0.02	724	
MTD		11,872	6.87		7,755	3.21	19,627	

STREAM FLOWS

Gauging Station	07/22/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	427	9,863
NRTT : Nueces River at Tilden, Texas	97	2,646
FRTT : Frio River at Tilden, Texas	97	2,293
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	467
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	472	11,612
NCAT : Nueces River at Calallen, Texas	224	7,831
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	459	10,715

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 10,715	6,500
Estuary Inflows (Measured at NCAT)	7,831
PassThru Surplus / -Deficit:	-3,364

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/23/2005
07/22/2005	148	3,909	28,658	4,100	191	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 24, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/24/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/24/2005	219.9	679,284	97.7%	92.0	221,853	86.2%	901,137	94.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/23/2005	94	492	0.00	94	286	0.00	778	
MTD		12,364	6.87		8,041	3.21	20,405	

STREAM FLOWS

Gauging Station	07/23/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	256	10,120
NRTT : Nueces River at Tilden, Texas	403	3,049
FRTT : Frio River at Tilden, Texas	97	2,390
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	478
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	381	11,993
NCAT : Nueces River at Calallen, Texas	316	8,146
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	288	11,003

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 11,003	6,500
Estuary Inflows (Measured at NCAT)	8,146
PassThru Surplus / -Deficit:	-3,049

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/24/2005
07/23/2005	148	4,057	28,805	4,100	43	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 25, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/25/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/25/2005	219.9	679,027	97.7%	92.0	221,503	86.1%	900,530	94.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/24/2005	92	403	0.00	94	285	0.00	688	
MTD		12,767	6.87		8,326	3.21	21,093	

STREAM FLOWS

Gauging Station	07/24/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	463	10,582
NRTT : Nueces River at Tilden, Texas	667	3,716
FRTT : Frio River at Tilden, Texas	95	2,485
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	487
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	381	12,374
NCAT : Nueces River at Calallen, Texas	286	8,432
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	492	11,495

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 11,495	6,500
Estuary Inflows (Measured at NCAT)	8,432
PassThru Surplus / -Deficit:	-2,763

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/25/2005
07/24/2005	147	4,204	28,953	4,100	-104	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 26, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/26/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/26/2005	219.9	678,513	97.6%	92.0	221,153	86.0%	899,666	94.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/25/2005	93	522	0.00	93	316	0.00	838	
MTD		13,289	6.87		8,642	3.21	21,931	

STREAM FLOWS

Gauging Station	07/25/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	711	11,293
NRTT : Nueces River at Tilden, Texas	941	4,657
FRTT : Frio River at Tilden, Texas	93	2,579
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	500
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	363	12,738
NCAT : Nueces River at Calallen, Texas	278	8,710
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	738	12,234

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 12,234	6,500
Estuary Inflows (Measured at NCAT)	8,710
PassThru Surplus / -Deficit:	-2,485

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/26/2005
07/25/2005	148	4,352	29,100	4,100	-252	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 27, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/27/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/27/2005	219.9	678,513	97.6%	92.0	221,328	86.0%	899,841	94.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/26/2005	94	447	0.00	95	418	0.00	865	
MTD		13,736	6.87		9,060	3.21	22,796	

STREAM FLOWS

Gauging Station	07/26/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	951	12,243
NRTT : Nueces River at Tilden, Texas	1,070	5,727
FRTT : Frio River at Tilden, Texas	91	2,670
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	511
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	472	13,210
NCAT : Nueces River at Calallen, Texas	228	8,938
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	977	13,210

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 13,210	6,500
Estuary Inflows (Measured at NCAT)	8,938
PassThru Surplus / -Deficit:	-2,257

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/27/2005
07/26/2005	147	4,499	29,248	4,100	-399	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 28, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/28/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/28/2005	219.8	677,998	97.5%	92.0	221,503	86.1%	899,501	94.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/27/2005	95	402	0.00	96	275	0.00	677	
MTD		14,138	6.87		9,335	3.21	23,473	

STREAM FLOWS

Gauging Station	07/27/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	1,084	13,327
NRTT : Nueces River at Tilden, Texas	576	6,302
FRTT : Frio River at Tilden, Texas	87	2,757
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	523
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	486	13,697
NCAT : Nueces River at Calallen, Texas	371	9,310
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	1,106	14,316

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 14,316	6,500
Estuary Inflows (Measured at NCAT)	9,310
PassThru Surplus / -Deficit:	-1,885

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/28/2005
07/27/2005	163	4,662	29,410	4,100	-562	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 29, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/29/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/29/2005	219.8	677,741	97.5%	92.0	221,328	86.0%	899,069	94.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/28/2005	95	447	0.00	94	204	0.00	651	
MTD		14,585	6.87		9,539	3.21	24,124	

STREAM FLOWS

Gauging Station	07/28/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	705	14,032
NRTT : Nueces River at Tilden, Texas	240	6,542
FRTT : Frio River at Tilden, Texas	87	2,845
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	534
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	538	14,234
NCAT : Nueces River at Calallen, Texas	361	9,671
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	727	15,042

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 15,042	6,500
Estuary Inflows (Measured at NCAT)	9,671
PassThru Surplus / -Deficit:	-1,524

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/29/2005
07/28/2005	185	4,846	29,595	4,100	-746	44.0	43.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 30, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/30/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/30/2005	219.8	676,972	97.4%	92.0	220,978	85.9%	897,950	94.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/29/2005	94	521	0.00	95	153	0.00	674	
MTD		15,106	6.87		9,692	3.21	24,798	

STREAM FLOWS

Gauging Station	07/29/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	393	14,425
NRTT : Nueces River at Tilden, Texas	550	7,092
FRTT : Frio River at Tilden, Texas	85	2,930
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	544
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	528	14,762
NCAT : Nueces River at Calallen, Texas	433	10,104
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	413	15,455

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 15,455	6,500
Estuary Inflows (Measured at NCAT)	10,104
PassThru Surplus / -Deficit:	-1,091

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/30/2005
07/29/2005	185	5,032	29,780	4,100	-932	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: July 31, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
07/31/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
07/31/2005	219.8	676,717	97.3%	92.0	220,803	85.8%	897,520	94.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/30/2005	94	446	0.00	95	214	0.19	660	
MTD		15,552	6.87		9,906	3.40	25,458	

STREAM FLOWS

Gauging Station	07/30/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	605	15,030
NRTT : Nueces River at Tilden, Texas	187	7,279
FRTT : Frio River at Tilden, Texas	83	3,013
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	554
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	518	15,281
NCAT : Nueces River at Calallen, Texas	393	10,497
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	623	16,079

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 16,079	6,500
Estuary Inflows (Measured at NCAT)	10,497
PassThru Surplus / -Deficit:	-698

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	07/31/2005
07/30/2005	185	5,216	29,965	4,100	-1,116	44.0	43.8