

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 1, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/01/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
08/01/2005	219.8	675,953	97.2%	91.9	220,279	85.6%	896,232	94.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
07/31/2005	94	491	0.00	93	326	0.00	817	
MTD		16,043	6.87		10,232	3.40	26,275	

STREAM FLOWS

Gauging Station	07/31/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	355	15,386
NRTT : Nueces River at Tilden, Texas	97	7,376
FRTT : Frio River at Tilden, Texas	81	3,095
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	565
Release from Choke Canyon Reservoir	66	2,031
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	514	15,795
NCAT : Nueces River at Calallen, Texas	423	10,919
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	371	16,450

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 07/06/2005)	-5,195
Return Flow Credit (Effective: 07/07/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 16,450	6,500
Estuary Inflows (Measured at NCAT)	10,919
PassThru Surplus / -Deficit:	-276

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	July 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/01/2005
07/31/2005	185	5,401	30,150	4,100	-1,301	44.0	43.8

Report Generated: 08/01/2005 at 8:13:38 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 2, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/02/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
08/02/2005	219.7	675,443	97.1%	91.9	219,580	85.4%	895,023	94.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/01/2005	94	505	0.00	95	315	0.00	820	
MTD		505	0.00		315	0.00	820	

STREAM FLOWS

Gauging Station	08/01/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	240	240
NRTT : Nueces River at Tilden, Texas	137	137
FRIT : Frio River at Tilden, Texas	77	77
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	11
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	300	300
NCAT : Nueces River at Calallen, Texas	431	431
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	252	252

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 252	252
Estuary Inflows (Measured at NCAT)	431
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/02/2005
08/01/2005	184	184	30,334	4,100	3,916	44.0	43.8

Report Generated: 08/02/2005 at 10:14:53 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 3, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/03/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
08/03/2005	219.7	674,679	97.0%	91.9	219,406	85.3%	894,085	93.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/02/2005	94	505	0.00	96	346	0.00	851	
MTD		1,010	0.00		661	0.00	1,671	

STREAM FLOWS

Gauging Station	08/02/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	260	500
NRTT : Nueces River at Tilden, Texas	95	232
FRTT : Frio River at Tilden, Texas	75	153
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	22
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	459
NCAT : Nueces River at Calallen, Texas	214	645
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	270	522

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 522	522
Estuary Inflows (Measured at NCAT)	645
PassThru Surplus / -Deficit:	347

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/03/2005
08/02/2005	184	369	30,518	4,100	3,731	44.0	43.8

Report Generated: 08/03/2005 at 8:24:04 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 4, 2005

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/04/2004	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%
08/04/2005	219.7	674,169	97.0%	91.9	218,882	85.1%	893,051	93.8%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
08/03/2005	95	564	0.00	97	366	0.00	930
MTD		1,574	0.00		1,027	0.00	2,601

STREAM FLOWS

Gauging Station	08/03/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	240	740
NRIT : Nueces River at Tilden, Texas	52	284
FRIT : Frio River at Tilden, Texas	75	228
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	32
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	639
NCAT : Nueces River at Calallen, Texas	64	709
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	250	772

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 772	772
Estuary Inflows (Measured at NCAT)	709
PassThru Surplus / -Deficit:	160

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/04/2005
08/03/2005	184	553	30,703	4,100	3,547	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 5, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/05/2004	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
08/05/2005	219.7	673,659	96.9%	91.8	218,708	85.0%	892,367	93.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/04/2005	93	445	0.00	97	376	0.00	821	
MTD		2,019	0.00		1,403	0.00	3,422	

STREAM FLOWS

Gauging Station	08/04/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	199	939
NRTT : Nueces River at Tilden, Texas	28	312
FRTT : Frio River at Tilden, Texas	79	308
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	43
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	199	838
NCAT : Nueces River at Calallen, Texas	13	722
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	212	985

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 985	985
Estuary Inflows (Measured at NCAT)	722
PassThru Surplus / -Deficit:	-39

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/05/2005
08/04/2005	184	737	30,887	4,100	3,363	44.0	43.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 6, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/06/2004	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%
08/06/2005	219.6	673,150	96.8%	91.8	218,185	84.8%	891,335	93.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/05/2005	94	430	0.00	96	335	0.00	765	
MTD		2,449	0.00		1,738	0.00	4,187	

STREAM FLOWS

Gauging Station	08/05/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	175	1,114
NRTT : Nueces River at Tilden, Texas	19	331
FRTT : Frio River at Tilden, Texas	75	383
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	54
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	199	1,036
NCAT : Nueces River at Calallen, Texas	38	760
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	185	1,169

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 1,169	1,169
Estuary Inflows (Measured at NCAT)	760
PassThru Surplus / -Deficit:	-186

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/06/2005
08/05/2005	184	921	31,070	4,100	3,179	44.0	43.8

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 7, 2005

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/07/2004	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%
08/07/2005	219.6	672,640	96.7%	91.8	217,488	84.5%	890,128	93.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/06/2005	95	534	0.00	94	335	0.00		869
MTD		2,983	0.00		2,073	0.00		5,056

STREAM FLOWS

Gauging Station	08/06/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	163	1,276
NRRT : Nueces River at Tilden, Texas	14	344
FRRT : Frio River at Tilden, Texas	69	453
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	66
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	199	1,235
NCAT : Nueces River at Calallen, Texas	40	799
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	167	1,336

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 1,336	1,336
Estuary Inflows (Measured at NCAT)	799
PassThru Surplus / -Deficit:	-313

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/07/2005
08/06/2005	184	1,105	31,254	4,100	2,995	44.0	43.8

Report Generated: 08/07/2005 at 8:03:07 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 8, 2005

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/08/2004	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%
08/08/2005	219.6	672,130	96.7%	91.7	216,966	84.3%	889,096	93.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/07/2005	95	563	0.00	97	365	0.00		928
MTD		3,546	0.00		2,438	0.00		5,984

STREAM FLOWS

Gauging Station	08/07/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	155	1,431
NRTT : Nueces River at Tilden, Texas	10	355
FRTT : Frio River at Tilden, Texas	69	522
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	77
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	199	1,433
NCAT : Nueces River at Calallen, Texas	81	881
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	159	1,495

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 1,495	1,495
Estuary Inflows (Measured at NCAT)	881
PassThru Surplus / -Deficit:	-390

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/08/2005
08/07/2005	184	1,288	31,438	4,100	2,812	44.0	43.8

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 9, 2005

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/09/2004	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%
08/09/2005	219.6	671,625	96.6%	91.7	215,923	83.9%	887,548	93.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/08/2005	96	592	0.00	96	334	0.00		926
MTD		4,138	0.00		2,772	0.00		6,910

STREAM FLOWS

Gauging Station	08/08/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	147	1,578
NRTT : Nueces River at Tilden, Texas	7	361
FRTT : Frio River at Tilden, Texas	66	588
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	87
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	268	1,701
NCAT : Nueces River at Calallen, Texas	20	901
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	147	1,642

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 1,642	1,642
Estuary Inflows (Measured at NCAT)	901
PassThru Surplus / -Deficit:	-517

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/09/2005
08/08/2005	184	1,472	31,621	4,100	2,628	44.0	43.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 10, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/10/2004	220.4	693,715	99.8%	94.0	240,856	99.8%	934,571	99.8%
08/10/2005	219.6	671,120	96.5%	91.6	214,360	83.3%	885,480	93.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/09/2005	98	563	0.00	101	394	0.00	957	
MTD		4,701	0.00		3,166	0.00	7,867	

STREAM FLOWS

Gauging Station	08/09/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	147	1,725
NRTT : Nueces River at Tilden, Texas	4	366
FRTT : Frio River at Tilden, Texas	64	651
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	97
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	199	1,900
NCAT : Nueces River at Calallen, Texas	50	950
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	145	1,787

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 1,787	1,787
Estuary Inflows (Measured at NCAT)	950
PassThru Surplus / -Deficit:	-612

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/10/2005
08/09/2005	183	1,654	31,804	4,100	2,446	44.0	43.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 11, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/11/2004	220.4	693,196	99.7%	94.0	241,048	99.9%	934,244	99.8%
08/11/2005	219.5	670,615	96.5%	91.6	214,881	83.5%	885,496	93.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/10/2005	97	444	0.00	100	495	0.00	939	
MTD		5,145	0.00		3,661	0.00	8,806	

STREAM FLOWS

Gauging Station	08/10/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	131	1,856
NRTT : Nueces River at Tilden, Texas	3	369
FRIT : Frio River at Tilden, Texas	62	713
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	108
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	202	2,102
NCAT : Nueces River at Calallen, Texas	46	996
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	127	1,914

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 0 Effective:	6,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 6,500 Reservoir Inflow: 1,914	1,914
Estuary Inflows (Measured at NCAT)	996
PassThru Surplus / -Deficit:	-694

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/11/2005
08/10/2005	184	1,838	31,988	4,100	2,262	44.0	43.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 12, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/12/2004	220.4	693,715	99.8%	94.0	241,241	100.0%	934,956	99.8%
08/12/2005	219.5	670,110	96.4%	91.6	214,187	83.3%	884,297	92.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/11/2005	98	577	0.00	99	414	0.00	991	
MTD		5,722	0.00		4,075	0.00	9,797	

STREAM FLOWS

Gauging Station	08/11/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	131	1,987
NRTT : Nueces River at Tilden, Texas	7	376
FRTT : Frio River at Tilden, Texas	64	776
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	118
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	202	2,305
NCAT : Nueces River at Calallen, Texas	44	1,040
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	129	2,043

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 1,625 Effective: 08/11/2005	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 4,875 Reservoir Inflow: 2,043	2,043
Estuary Inflows (Measured at NCAT)	1,040
PassThru Surplus / -Deficit:	-779

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/12/2005
08/11/2005	184	2,022	32,171	4,100	2,078	44.0	43.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 13, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/13/2004	220.4	692,677	99.6%	94.0	241,241	100.0%	933,918	99.7%
08/13/2005	219.5	669,095	96.2%	91.5	213,320	82.9%	882,415	92.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/12/2005	97	621	0.00	97	464	0.00	1,085	
MTD		6,343	0.00		4,539	0.00	10,882	

STREAM FLOWS

Gauging Station	08/12/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	127	2,114
NRTT : Nueces River at Tilden, Texas	2	378
FRTT : Frio River at Tilden, Texas	62	838
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	128
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	240	2,545
NCAT : Nueces River at Calallen, Texas	13	1,053
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	123	2,166

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 1,625 Effective: 08/11/2005	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 4,875 Reservoir Inflow: 2,166	2,166
Estuary Inflows (Measured at NCAT)	1,053
PassThru Surplus / -Deficit:	-889

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/13/2005
08/12/2005	184	2,205	32,355	4,100	1,895	44.0	43.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 14, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/14/2004	220.4	692,158	99.6%	94.0	241,241	100.0%	933,399	99.7%
08/14/2005	219.5	669,095	96.2%	91.5	212,974	82.8%	882,069	92.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/13/2005	95	370	0.05	98	282	0.00	652	
MTD		6,713	0.05		4,821	0.00	11,534	

STREAM FLOWS

Gauging Station	08/13/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	125	2,239
NRTT : Nueces River at Tilden, Texas	6	384
FRTT : Frio River at Tilden, Texas	62	899
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	138
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	270	2,815
NCAT : Nueces River at Calallen, Texas	9	1,062
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	121	2,287

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 1,625 Effective: 08/11/2005	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 4,875 Reservoir Inflow: 2,287	2,287
Estuary Inflows (Measured at NCAT)	1,062
PassThru Surplus / -Deficit:	-1,001

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/14/2005
08/13/2005	184	2,389	32,539	4,100	1,711	44.0	43.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 15, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/15/2004	220.4	691,639	99.5%	94.0	241,241	100.0%	932,880	99.6%
08/15/2005	219.5	668,841	96.2%	91.5	212,455	82.6%	881,296	92.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/14/2005	99	576	0.00	97	363	0.00	939	
MTD		7,289	0.05		5,184	0.00	12,473	

STREAM FLOWS

Gauging Station	08/14/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	125	2,364
NRTT : Nueces River at Tilden, Texas	69	454
FRTT : Frio River at Tilden, Texas	62	961
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	149
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	270	3,085
NCAT : Nueces River at Calallen, Texas	64	1,125
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	121	2,408

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 1,625 Effective: 08/11/2005	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 4,875 Reservoir Inflow: 2,408	2,408
Estuary Inflows (Measured at NCAT)	1,125
PassThru Surplus / -Deficit:	-1,059

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/15/2005
08/14/2005	184	2,573	32,723	4,100	1,527	44.0	43.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 16, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/16/2004	220.3	691,121	99.4%	94.0	241,241	100.0%	932,362	99.6%
08/16/2005	219.5	668,331	96.1%	91.5	212,109	82.4%	880,440	92.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/15/2005	95	473	0.00	97	322	0.00	795	
MTD		7,762	0.05		5,506	0.00	13,268	

STREAM FLOWS

Gauging Station	08/15/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	129	2,493
NRTT : Nueces River at Tilden, Texas	60	513
FRTT : Frio River at Tilden, Texas	60	1,020
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	162
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	270	3,355
NCAT : Nueces River at Calallen, Texas	48	1,173
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	123	2,531

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 1,625 Effective: 08/11/2005	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 4,875 Reservoir Inflow: 2,531	2,531
Estuary Inflows (Measured at NCAT)	1,173
PassThru Surplus / -Deficit:	-1,134

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/16/2005
08/15/2005	184	2,757	32,906	4,100	1,343	44.0	43.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 17, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/17/2004	220.3	690,602	99.3%	94.0	240,856	99.8%	931,458	99.5%
08/17/2005	219.4	667,821	96.1%	91.4	211,590	82.2%	879,411	92.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/16/2005	98	517	0.00	98	322	0.09	839	
MTD		8,279	0.05		5,828	0.09	14,107	

STREAM FLOWS

Gauging Station	08/16/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	171	2,664
NRTT : Nueces River at Tilden, Texas	40	553
FRTT : Frio River at Tilden, Texas	62	1,082
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	175
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	288	3,642
NCAT : Nueces River at Calallen, Texas	71	1,244
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	167	2,698

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 1,625 Effective: 08/11/2005	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 4,875 Reservoir Inflow: 2,698	2,698
Estuary Inflows (Measured at NCAT)	1,244
PassThru Surplus / -Deficit:	-1,229

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/17/2005
08/16/2005	184	2,940	33,090	4,100	1,160	44.0	43.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 18, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/18/2004	220.3	690,342	99.3%	94.0	240,471	99.7%	930,813	99.4%
08/18/2005	219.4	667,312	96.0%	91.4	210,899	82.0%	878,211	92.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/17/2005	100	576	0.00	98	382	0.00	958	
MTD		8,855	0.05		6,210	0.09	15,065	

STREAM FLOWS

Gauging Station	08/17/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	165	2,829
NRTT : Nueces River at Tilden, Texas	20	573
FRTT : Frio River at Tilden, Texas	73	1,155
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	187
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	320	3,962
NCAT : Nueces River at Calallen, Texas	40	1,284
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	173	2,870

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 1,625 Effective: 08/11/2005	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 4,875 Reservoir Inflow: 2,870	2,870
Estuary Inflows (Measured at NCAT)	1,284
PassThru Surplus / -Deficit:	-1,362

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/18/2005
08/17/2005	184	3,124	33,274	4,100	976	44.0	43.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 19, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/19/2004	220.3	690,083	99.3%	93.9	239,510	99.3%	929,593	99.3%
08/19/2005	219.4	666,805	95.9%	91.4	210,554	81.8%	877,359	92.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/18/2005	100	575	0.00	98	392	0.00	967	
MTD		9,430	0.05		6,602	0.09	16,032	

STREAM FLOWS

Gauging Station	08/18/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	153	2,981
NRTT : Nueces River at Tilden, Texas	11	584
FRTT : Frio River at Tilden, Texas	79	1,235
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	197
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	296	4,258
NCAT : Nueces River at Calallen, Texas	58	1,341
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	167	3,037

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 1,625 Effective: 08/11/2005	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 4,875 Reservoir Inflow: 3,037	3,037
Estuary Inflows (Measured at NCAT)	1,341
PassThru Surplus / -Deficit:	-1,472

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/19/2005
08/18/2005	184	3,308	33,457	4,100	792	44.0	43.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 20, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/20/2004	220.3	689,826	99.2%	93.9	239,127	99.1%	928,953	99.2%
08/20/2005	219.4	666,300	95.8%	91.3	210,036	81.6%	876,336	92.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/19/2005	101	575	0.00	100	392	0.00	967	
MTD		10,005	0.05		6,994	0.09	16,999	

STREAM FLOWS

Gauging Station	08/19/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	135	3,116
NRTT : Nueces River at Tilden, Texas	5	589
FRTT : Frio River at Tilden, Texas	71	1,306
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	209
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	282	4,540
NCAT : Nueces River at Calallen, Texas	129	1,470
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	141	3,178

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 1,625 Effective: 08/11/2005	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 4,875 Reservoir Inflow: 3,178	3,178
Estuary Inflows (Measured at NCAT)	1,470
PassThru Surplus / -Deficit:	-1,483

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/20/2005
08/19/2005	184	3,492	33,641	4,100	608	44.0	43.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 21, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/21/2004	220.3	688,797	99.1%	93.9	238,935	99.0%	927,732	99.1%
08/21/2005	219.4	665,795	95.8%	91.3	209,347	81.4%	875,142	91.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/20/2005	101	545	0.00	99	371	0.00	916	
MTD		10,550	0.05		7,365	0.09	17,915	

STREAM FLOWS

Gauging Station	08/20/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	131	3,247
NRTT : Nueces River at Tilden, Texas	1	591
FRTT : Frio River at Tilden, Texas	64	1,370
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	220
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	272	4,812
NCAT : Nueces River at Calallen, Texas	81	1,552
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	129	3,307

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 1,625 Effective: 08/11/2005	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 4,875 Reservoir Inflow: 3,307	3,307
Estuary Inflows (Measured at NCAT)	1,552
PassThru Surplus / -Deficit:	-1,531

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/21/2005
08/20/2005	183	3,675	33,825	4,100	425	44.0	43.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 22, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/22/2004	220.3	688,797	99.1%	93.9	238,360	98.8%	927,157	99.0%
08/22/2005	219.3	665,037	95.7%	91.3	208,830	81.2%	873,867	91.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/21/2005	101	604	0.00	98	341	0.00	945	
MTD		11,154	0.05		7,706	0.09	18,860	

STREAM FLOWS

Gauging Station	08/21/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	125	3,373
NRTT : Nueces River at Tilden, Texas	0	591
FRTT : Frio River at Tilden, Texas	60	1,429
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	232
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	266	5,078
NCAT : Nueces River at Calallen, Texas	52	1,603
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	119	3,426

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 1,625 Effective: 08/11/2005	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 4,875 Reservoir Inflow: 3,426	3,426
Estuary Inflows (Measured at NCAT)	1,603
PassThru Surplus / -Deficit:	-1,599

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/22/2005
08/21/2005	183	3,858	34,008	4,100	242	44.0	43.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 23, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/23/2004	220.4	691,380	99.4%	93.9	238,935	99.0%	930,315	99.3%
08/23/2005	219.3	664,279	95.5%	91.2	208,141	80.9%	872,420	91.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/22/2005	100	589	0.00	101	341	0.00	930	
MTD		11,743	0.05		8,047	0.09	19,790	

STREAM FLOWS

Gauging Station	08/22/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	123	3,496
NRTT : Nueces River at Tilden, Texas	0	591
FRTT : Frio River at Tilden, Texas	58	1,487
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	243
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	278	5,356
NCAT : Nueces River at Calallen, Texas	54	1,657
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	115	3,541

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 1,625 Effective: 08/11/2005	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 4,875 Reservoir Inflow: 3,541	3,541
Estuary Inflows (Measured at NCAT)	1,657
PassThru Surplus / -Deficit:	-1,660

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/23/2005
08/22/2005	183	4,042	34,191	4,100	58	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 24, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/24/2004	220.4	692,677	99.6%	93.9	238,360	98.8%	931,037	99.4%
08/24/2005	219.3	663,774	95.5%	91.2	207,109	80.5%	870,883	91.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/23/2005	100	589	0.00	100	330	0.00	919	
MTD		12,332	0.05		8,377	0.09	20,709	

STREAM FLOWS

Gauging Station	08/23/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	121	3,617
NRTT : Nueces River at Tilden, Texas	0	591
FRTT : Frio River at Tilden, Texas	56	1,542
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	254
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	341	5,697
NCAT : Nueces River at Calallen, Texas	44	1,701
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	111	3,652

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 1,625 Effective: 08/11/2005	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 4,875 Reservoir Inflow: 3,652	3,652
Estuary Inflows (Measured at NCAT)	1,701
PassThru Surplus / -Deficit:	-1,728

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/24/2005
08/23/2005	183	4,225	34,374	4,100	-125	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 25, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/25/2004	220.4	692,677	99.6%	93.9	238,551	98.9%	931,228	99.4%
08/25/2005	219.3	663,269	95.4%	91.1	206,594	80.3%	869,863	91.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/24/2005	99	603	0.00	99	410	0.00	1,013	
MTD		12,935	0.05		8,787	0.09	21,722	

STREAM FLOWS

Gauging Station	08/24/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	115	3,732
NRTT : Nueces River at Tilden, Texas	0	591
FRTT : Frio River at Tilden, Texas	54	1,596
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	264
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	397	6,094
NCAT : Nueces River at Calallen, Texas	83	1,784
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	103	3,756

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 1,625 Effective: 08/11/2005	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 4,875 Reservoir Inflow: 3,756	3,756
Estuary Inflows (Measured at NCAT)	1,784
PassThru Surplus / -Deficit:	-1,748

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/25/2005
08/24/2005	183	4,408	34,557	4,100	-308	44.0	42.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 26, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/26/2004	220.3	691,121	99.4%	94.0	240,471	99.7%	931,592	99.5%
08/26/2005	219.2	662,764	95.3%	91.1	206,251	80.2%	869,015	91.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/25/2005	100	573	0.00	98	200	0.09	773	
MTD		13,508	0.05		8,987	0.18	22,495	

STREAM FLOWS

Gauging Station	08/25/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	113	3,845
NRTT : Nueces River at Tilden, Texas	0	591
FRTT : Frio River at Tilden, Texas	52	1,648
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	275
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	433	6,527
NCAT : Nueces River at Calallen, Texas	157	1,941
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	99	3,855

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 1,625 Effective: 08/11/2005	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 4,875 Reservoir Inflow: 3,855	3,855
Estuary Inflows (Measured at NCAT)	1,941
PassThru Surplus / -Deficit:	-1,690

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/26/2005
08/25/2005	182	4,590	34,739	4,100	-490	44.0	42.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 27, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/27/2004	220.5	695,271	100.0%	94.0	240,471	99.7%	935,742	99.9%
08/27/2005	219.2	662,259	95.3%	91.0	204,879	79.6%	867,138	91.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/26/2005	100	544	0.00	100	329	0.00	873	
MTD		14,052	0.05		9,316	0.18	23,368	

STREAM FLOWS

Gauging Station	08/26/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	113	3,958
NRTT : Nueces River at Tilden, Texas	0	591
FRTT : Frio River at Tilden, Texas	50	1,697
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	286
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	746	7,273
NCAT : Nueces River at Calallen, Texas	260	2,201
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	97	3,952

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 1,625 Effective: 08/11/2005	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 4,875 Reservoir Inflow: 3,952	3,952
Estuary Inflows (Measured at NCAT)	2,201
PassThru Surplus / -Deficit:	-1,527

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/27/2005
08/26/2005	182	4,772	34,922	4,100	-672	44.0	42.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 28, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/28/2004	221.2	695,271	100.0%	93.9	240,087	99.5%	935,358	99.9%
08/28/2005	219.2	661,754	95.2%	91.0	203,680	79.2%	865,434	90.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/27/2005	102	602	0.00	101	399	0.00	1,001	
MTD		14,654	0.05		9,715	0.18	24,369	

STREAM FLOWS

Gauging Station	08/27/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	111	4,069
NRTT : Nueces River at Tilden, Texas	0	591
FRTT : Frio River at Tilden, Texas	50	1,747
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	297
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	798	8,071
NCAT : Nueces River at Calallen, Texas	556	2,757
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	95	4,047

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 1,625 Effective: 08/11/2005	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 4,875 Reservoir Inflow: 4,047	4,047
Estuary Inflows (Measured at NCAT)	2,757
PassThru Surplus / -Deficit:	-1,067

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/28/2005
08/27/2005	182	4,954	35,104	4,100	-854	44.0	42.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 29, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/29/2004	221.5	695,271	100.0%	93.9	239,318	99.2%	934,589	99.8%
08/29/2005	219.2	661,249	95.1%	91.0	203,338	79.0%	864,587	90.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/28/2005	97	440	0.00	99	359	0.00	799	
MTD		15,094	0.05		10,074	0.18	25,168	

STREAM FLOWS

Gauging Station	08/28/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	111	4,180
NRTT : Nueces River at Tilden, Texas	0	591
FRTT : Frio River at Tilden, Texas	48	1,794
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	308
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	784	8,855
NCAT : Nueces River at Calallen, Texas	623	3,380
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	93	4,141

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 1,625 Effective: 08/11/2005	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 4,875 Reservoir Inflow: 4,141	4,141
Estuary Inflows (Measured at NCAT)	3,380
PassThru Surplus / -Deficit:	-537

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/29/2005
08/28/2005	182	5,136	35,285	4,100	-1,036	44.0	42.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 30, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/30/2004	221.6	695,271	100.0%	93.9	239,318	99.2%	934,589	99.8%
08/30/2005	219.2	660,744	95.0%	91.0	204,023	79.3%	864,767	90.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/29/2005	99	499	0.00	97	469	0.33	968	
MTD		15,593	0.05		10,543	0.51	26,136	

STREAM FLOWS

Gauging Station	08/29/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	109	4,290
NRTT : Nueces River at Tilden, Texas	0	591
FRTT : Frio River at Tilden, Texas	46	1,840
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	316
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	768	9,623
NCAT : Nueces River at Calallen, Texas	671	4,051
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	89	4,230

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 1,625 Effective: 08/11/2005	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 4,875 Reservoir Inflow: 4,230	4,230
Estuary Inflows (Measured at NCAT)	4,051
PassThru Surplus / -Deficit:	45

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/30/2005
08/29/2005	181	5,317	35,466	4,100	-1,217	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: August 31, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
08/31/2004	221.5	695,271	100.0%	94.0	240,279	99.6%	935,550	99.9%
08/31/2005	219.1	660,239	95.0%	90.9	201,801	78.4%	862,040	90.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/30/2005	101	513	0.00	101	328	0.00	841	
MTD		16,106	0.05		10,871	0.51	26,977	

STREAM FLOWS

Gauging Station	08/30/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	109	4,399
NRTT : Nueces River at Tilden, Texas	0	591
FRTT : Frio River at Tilden, Texas	46	1,886
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	324
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	498	10,122
NCAT : Nueces River at Calallen, Texas	613	4,664
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	89	4,319

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 1,625 Effective: 08/11/2005	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 4,875 Reservoir Inflow: 4,319	4,319
Estuary Inflows (Measured at NCAT)	4,664
PassThru Surplus / -Deficit:	569

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	08/31/2005
08/30/2005	181	5,498	35,647	4,100	-1,398	44.0	42.5