

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 1, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/01/2004	221.4	695,271	100.0%	94.0	240,663	99.8%	935,934	99.9%
09/01/2005	219.1	659,481	94.9%	90.8	200,949	78.1%	860,430	90.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
08/31/2005	104	704	0.00	103	397	0.00	1,101	
MTD		16,810	0.05		11,268	0.51	28,078	

STREAM FLOWS

Gauging Station	08/31/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	109	4,508
NRTT : Nueces River at Tilden, Texas	0	591
FRTT : Frio River at Tilden, Texas	44	1,929
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	332
Release from Choke Canyon Reservoir	66	2,031
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	339	10,461
NCAT : Nueces River at Calallen, Texas	379	5,043
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	87	4,407

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 6,500 Salinity Relief Credit : 1,625 Effective: 08/11/2005	4,875
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 08/01/2005)	-276
Return Flow Credit (Effective: 08/02/2005)	500
Passthru Target: 4,875 Reservoir Inflow: 4,407	4,407
Estuary Inflows (Measured at NCAT)	5,043
PassThru Surplus / -Deficit:	861

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	August 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/01/2005
08/31/2005	181	5,678	35,828	4,100	-1,578	44.0	42.5

Report Generated: 09/01/2005 at 8:27:04 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 2, 2005

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/02/2004	221.3	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/02/2005	219.1	658,981	94.8%	90.8	200,608	78.0%	859,589	90.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/01/2005	101		528	0.00	96		218	0.06
MTD			528	0.00			218	0.06

STREAM FLOWS

Gauging Station	09/01/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	109	109
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	44	44
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	8
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	306	306
NCAT : Nueces River at Calallen, Texas	169	169
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	87	87

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 87	87
Estuary Inflows (Measured at NCAT)	169
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/02/2005
09/01/2005	181	181	36,009	4,100	3,919	44.0	42.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 3, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/03/2004	221.1	695,271	100.0%	93.9	239,318	99.2%	934,589	99.8%
09/03/2005	219.1	658,480	94.7%	90.8	200,608	78.0%	859,088	90.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/02/2005	93	264	0.00	89	149	0.02	413	
MTD		792	0.00		367	0.08	1,159	

STREAM FLOWS

Gauging Station	09/02/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	109	218
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	42	85
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	16
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	286	592
NCAT : Nueces River at Calallen, Texas	226	395
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	85	173

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 173	173
Estuary Inflows (Measured at NCAT)	395
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/03/2005
09/02/2005	180	361	36,189	4,100	3,739	44.0	42.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 4, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/04/2004	220.9	695,271	100.0%	93.9	239,894	99.4%	935,165	99.9%
09/04/2005	219.1	658,981	94.8%	90.8	200,097	77.8%	859,078	90.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/03/2005	95	337	0.00	91	307	0.83		644
MTD		1,129	0.00		674	0.91		1,803

STREAM FLOWS

Gauging Station	09/03/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	109	328
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	42	127
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	25
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	240	832
NCAT : Nueces River at Calallen, Texas	177	572
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	85	258

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 258	258
Estuary Inflows (Measured at NCAT)	572
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/04/2005
09/03/2005	181	542	36,370	4,100	3,558	44.0	42.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 5, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/05/2004	220.7	695,271	100.0%	94.0	240,663	99.8%	935,934	99.9%
09/05/2005	219.1	658,230	94.7%	90.7	199,757	77.6%	857,987	90.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/04/2005	96	337	0.00	94	278	0.00		615
MTD		1,466	0.00		952	0.91		2,418

STREAM FLOWS

Gauging Station	09/04/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	109	437
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	42	169
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	37
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	230	1,062
NCAT : Nueces River at Calallen, Texas	101	673
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	85	343

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 343	343
Estuary Inflows (Measured at NCAT)	673
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/05/2005
09/04/2005	181	722	36,550	4,100	3,378	44.0	42.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 6, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/06/2004	220.6	695,271	100.0%	94.0	240,663	99.8%	935,934	99.9%
09/06/2005	219.0	657,479	94.6%	90.7	199,416	77.5%	856,895	90.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/05/2005	97	439	0.00	94	238	0.08	677	
MTD		1,905	0.00		1,190	0.99	3,095	

STREAM FLOWS

Gauging Station	09/05/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	111	548
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	42	210
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	46
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	242	1,304
NCAT : Nueces River at Calallen, Texas	44	717
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	87	431

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 431	431
Estuary Inflows (Measured at NCAT)	717
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/06/2005
09/05/2005	181	903	36,731	4,100	3,197	44.0	42.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 7, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/07/2004	220.6	695,271	100.0%	94.0	240,471	99.7%	935,742	99.9%
09/07/2005	219.0	657,229	94.5%	90.7	198,906	77.3%	856,135	89.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/06/2005	95	380	0.00	92	247	0.03	627	
MTD		2,285	0.00		1,437	1.02	3,722	

STREAM FLOWS

Gauging Station	09/06/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	111	659
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	42	252
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	54
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	254	1,558
NCAT : Nueces River at Calallen, Texas	46	762
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	87	518

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 518	518
Estuary Inflows (Measured at NCAT)	762
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/07/2005
09/06/2005	181	1,084	36,912	4,100	3,016	44.0	42.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 8, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/08/2004	220.6	695,271	100.0%	93.9	239,127	99.1%	934,398	99.8%
09/08/2005	219.0	656,727	94.5%	90.7	198,397	77.1%	855,124	89.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/07/2005	94	527	0.00	93	346	0.00	873	
MTD		2,812	0.00		1,783	1.02	4,595	

STREAM FLOWS

Gauging Station	09/07/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	766
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	40	292
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	62
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	254	1,812
NCAT : Nueces River at Calallen, Texas	105	867
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	81	599

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 599	599
Estuary Inflows (Measured at NCAT)	867
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/08/2005
09/07/2005	181	1,265	37,093	4,100	2,835	44.0	42.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 9, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/09/2004	220.5	695,271	100.0%	93.9	239,702	99.4%	934,973	99.8%
09/09/2005	219.0	656,222	94.4%	90.6	198,057	77.0%	854,279	89.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/08/2005	94	424	0.00	89	178	0.00	602	
MTD		3,236	0.00		1,961	1.02	5,197	

STREAM FLOWS

Gauging Station	09/08/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	873
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	38	330
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	69
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	242	2,054
NCAT : Nueces River at Calallen, Texas	133	1,000
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	79	679

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 679	679
Estuary Inflows (Measured at NCAT)	1,000
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/09/2005
09/08/2005	181	1,446	37,274	4,100	2,654	44.0	42.2

Report Generated: 09/19/2005 at 10:21:56 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 10, 2005

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/10/2004	220.5	695,271	100.0%	93.9	240,087	99.5%	935,358	99.9%
09/10/2005	219.0	655,717	94.3%	90.6	197,379	76.7%	853,096	89.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/09/2005	94	395	0.00	89	207	0.00	602	
MTD		3,631	0.00		2,168	1.02	5,799	

STREAM FLOWS

Gauging Station	09/09/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	109	983
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	40	369
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	7	77
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	232	2,287
NCAT : Nueces River at Calallen, Texas	107	1,108
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	83	762

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 762	762
Estuary Inflows (Measured at NCAT)	1,108
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/10/2005
09/09/2005	181	1,627	37,455	4,100	2,473	44.0	42.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 11, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/11/2004	220.5	695,271	100.0%	94.0	240,856	99.8%	936,127	100.0%
09/11/2005	218.9	655,212	94.2%	90.6	196,701	76.5%	851,913	89.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/10/2005	94	394	0.03	91	257	0.11		651
MTD		4,025	0.03		2,425	1.13		6,450

STREAM FLOWS

Gauging Station	09/10/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	1,090
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	40	409
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	85
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	212	2,499
NCAT : Nueces River at Calallen, Texas	117	1,225
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	81	844

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 844	844
Estuary Inflows (Measured at NCAT)	1,225
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/11/2005
09/10/2005	181	1,808	37,636	4,100	2,292	44.0	42.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 12, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/12/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/12/2005	219.0	655,969	94.3%	90.6	197,040	76.6%	853,009	89.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/11/2005	83	88	0.22	91	30	0.16	118	
MTD		4,113	0.25		2,455	1.29	6,568	

STREAM FLOWS

Gauging Station	09/11/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	111	1,201
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	42	451
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	95
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	193	2,692
NCAT : Nueces River at Calallen, Texas	125	1,350
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	87	931

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 931	931
Estuary Inflows (Measured at NCAT)	1,350
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/12/2005
09/11/2005	181	1,989	37,817	4,100	2,111	44.0	42.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 13, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/13/2004	220.5	695,271	100.0%	94.0	240,856	99.8%	936,127	100.0%
09/13/2005	219.0	655,969	94.3%	90.5	196,362	76.3%	852,331	89.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/12/2005	94	322	0.00	93	256	0.00	578	
MTD		4,435	0.25		2,711	1.29	7,146	

STREAM FLOWS

Gauging Station	09/12/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	131	1,332
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	40	490
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	106
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	191	2,882
NCAT : Nueces River at Calallen, Texas	75	1,425
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	105	1,036

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 1,036	1,036
Estuary Inflows (Measured at NCAT)	1,425
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/13/2005
09/12/2005	182	2,171	37,999	4,100	1,929	44.0	42.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 14, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/14/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/14/2005	218.9	655,464	94.3%	90.5	196,023	76.2%	851,487	89.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/13/2005	98	497	0.00	95	286	0.00	783	
MTD		4,932	0.25		2,997	1.29	7,929	

STREAM FLOWS

Gauging Station	09/13/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	119	1,451
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	42	532
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	115
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	191	3,073
NCAT : Nueces River at Calallen, Texas	93	1,519
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	95	1,131

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 1,131	1,131
Estuary Inflows (Measured at NCAT)	1,519
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/14/2005
09/13/2005	182	2,353	38,181	4,100	1,747	44.0	42.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 15, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/15/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/15/2005	218.9	654,454	94.1%	90.5	195,685	76.1%	850,139	89.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/14/2005	99	511	0.00	96	325	0.00		836
MTD		5,443	0.25		3,322	1.29		8,765

STREAM FLOWS

Gauging Station	09/14/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	111	1,562
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	40	572
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	124
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	3,220
NCAT : Nueces River at Calallen, Texas	83	1,602
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	85	1,217

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 1,217	1,217
Estuary Inflows (Measured at NCAT)	1,602
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/15/2005
09/14/2005	182	2,534	38,362	4,100	1,566	44.0	42.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 16, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/16/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/16/2005	218.9	654,707	94.2%	90.5	195,178	75.9%	849,885	89.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/15/2005	100	540	0.00	98	344	0.00	884	
MTD		5,983	0.25		3,666	1.29	9,649	

STREAM FLOWS

Gauging Station	09/15/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	109	1,671
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	42	613
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	135
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	3,380
NCAT : Nueces River at Calallen, Texas	48	1,650
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	85	1,302

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 1,302	1,302
Estuary Inflows (Measured at NCAT)	1,650
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/16/2005
09/15/2005	182	2,716	38,544	4,100	1,384	44.0	42.1

Report Generated: 09/19/2005 at 10:34:59 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 17, 2005

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/17/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/17/2005	218.9	653,703	94.0%	90.4	194,672	75.7%	848,375	89.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
09/16/2005	101	584	0.00	99	364	0.00	948
MTD		6,567	0.25		4,030	1.29	10,597

STREAM FLOWS

Gauging Station	09/16/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	1,779
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	145	758
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	17	152
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	3,539
NCAT : Nueces River at Calallen, Texas	58	1,707
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	187	1,489

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 1,489	1,489
Estuary Inflows (Measured at NCAT)	1,707
PassThru Surplus / -Deficit:	1,579

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/17/2005
09/16/2005	182	2,898	38,726	4,100	1,202	44.0	42.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 18, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/18/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/18/2005	218.9	653,453	94.0%	90.4	194,165	75.5%	847,618	89.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/17/2005	101	598	0.00	99	344	0.00	942	
MTD		7,165	0.25		4,374	1.29	11,539	

STREAM FLOWS

Gauging Station	09/17/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	109	1,888
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	256	1,014
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	167
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	3,700
NCAT : Nueces River at Calallen, Texas	17	1,725
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	300	1,788

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 1,788	1,788
Estuary Inflows (Measured at NCAT)	1,725
PassThru Surplus / -Deficit:	1,297

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/18/2005
09/17/2005	182	3,081	38,909	4,100	1,019	44.0	42.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 19, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/19/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
09/19/2005	218.9	653,203	93.9%	90.4	194,334	75.5%	847,537	89.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/18/2005	101	569	0.00	98	344	0.00	913	
MTD		7,734	0.25		4,718	1.29	12,452	

STREAM FLOWS

Gauging Station	09/18/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	111	1,999
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	155	1,169
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	180
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	173	3,873
NCAT : Nueces River at Calallen, Texas	64	1,788
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	200	1,989

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 1,989	1,989
Estuary Inflows (Measured at NCAT)	1,788
PassThru Surplus / -Deficit:	1,160

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/19/2005
09/18/2005	183	3,263	39,091	4,100	837	44.0	42.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 20, 2005

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/20/2004	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%
09/20/2005	218.8	652,952	93.9%	90.4	193,828	75.3%	846,780	88.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/19/2005	98	510	0.00	96	344	0.00	854	
MTD		8,244	0.25		5,062	1.29	13,306	

STREAM FLOWS

Gauging Station	09/19/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	111	2,110
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	97	1,266
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	192
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	175	4,047
NCAT : Nueces River at Calallen, Texas	52	1,840
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	143	2,132

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 2,132	2,132
Estuary Inflows (Measured at NCAT)	1,840
PassThru Surplus / -Deficit:	1,069

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/20/2005
09/19/2005	183	3,446	39,274	4,100	654	44.0	42.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 21, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/21/2004	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
09/21/2005	218.8	652,702	93.9%	90.4	193,491	75.2%	846,193	88.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/20/2005	96	437	0.00	97	187	0.00	624	
MTD		8,681	0.25		5,249	1.29	13,930	

STREAM FLOWS

Gauging Station	09/20/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	111	2,221
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	71	1,338
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	202
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	230	4,278
NCAT : Nueces River at Calallen, Texas	1	1,841
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	117	2,249

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 2,249	2,249
Estuary Inflows (Measured at NCAT)	1,841
PassThru Surplus / -Deficit:	953

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/21/2005
09/20/2005	156	3,602	39,430	4,100	498	44.0	41.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 22, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/22/2004	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%
09/22/2005	218.8	652,702	93.9%	90.3	192,985	75.0%	845,687	88.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/21/2005	99	423	0.00	100	294	0.00	717	
MTD		9,104	0.25		5,543	1.29	14,647	

STREAM FLOWS

Gauging Station	09/21/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	109	2,330
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	58	1,395
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	212
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	335	4,613
NCAT : Nueces River at Calallen, Texas	1	1,842
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	101	2,350

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 2,350	2,350
Estuary Inflows (Measured at NCAT)	1,842
PassThru Surplus / -Deficit:	853

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/22/2005
09/21/2005	129	3,731	39,559	4,100	369	44.0	41.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 23, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/23/2004	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
09/23/2005	218.8	652,452	93.8%	90.3	192,649	74.9%	845,101	88.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/22/2005	99	452	0.00	101	274	0.00	726	
MTD		9,556	0.25		5,817	1.29	15,373	

STREAM FLOWS

Gauging Station	09/22/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	2,438
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	50	1,445
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	222
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	391	5,004
NCAT : Nueces River at Calallen, Texas	93	1,935
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	91	2,442

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 2,442	2,442
Estuary Inflows (Measured at NCAT)	1,935
PassThru Surplus / -Deficit:	855

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/23/2005
09/22/2005	123	3,854	39,682	4,100	246	44.0	41.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 24, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/24/2004	220.4	693,715	99.8%	94.0	241,241	100.0%	934,956	99.8%
09/24/2005	218.8	651,951	93.8%	90.3	191,640	74.5%	843,591	88.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/23/2005	99	685	0.00	97	343	0.00	1,028	
MTD		10,241	0.25		6,160	1.29	16,401	

STREAM FLOWS

Gauging Station	09/23/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	2,545
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	42	1,487
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	232
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	391	5,395
NCAT : Nueces River at Calallen, Texas	238	2,173
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	83	2,525

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 2,525	2,525
Estuary Inflows (Measured at NCAT)	2,173
PassThru Surplus / -Deficit:	1,009

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/24/2005
09/23/2005	69	3,923	39,751	4,100	177	44.0	41.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 25, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/25/2004	220.4	693,455	99.7%	94.0	241,241	100.0%	934,696	99.8%
09/25/2005	218.8	651,451	93.7%	90.2	190,800	74.2%	842,251	88.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/24/2005	102	524	0.00	104	323	0.00	847	
MTD		10,765	0.25		6,483	1.29	17,248	

STREAM FLOWS

Gauging Station	09/24/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	105	2,650
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	38	1,524
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	242
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	284	5,679
NCAT : Nueces River at Calallen, Texas	151	2,324
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	77	2,602

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 2,602	2,602
Estuary Inflows (Measured at NCAT)	2,324
PassThru Surplus / -Deficit:	1,083

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/25/2005
09/24/2005	35	3,958	39,786	4,100	142	44.0	41.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 26, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/26/2004	220.4	693,196	99.7%	94.0	241,048	99.9%	934,244	99.8%
09/26/2005	218.8	650,700	93.6%	90.2	189,794	73.8%	840,494	88.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/25/2005	109	611	0.00	107	342	0.00	953	
MTD		11,376	0.25		6,825	1.29	18,201	

STREAM FLOWS

Gauging Station	09/25/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	2,753
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	36	1,560
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	251
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	282	5,961
NCAT : Nueces River at Calallen, Texas	58	2,382
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	73	2,676

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 2,676	2,676
Estuary Inflows (Measured at NCAT)	2,382
PassThru Surplus / -Deficit:	1,067

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/26/2005
09/25/2005	35	3,993	39,821	4,100	107	44.0	41.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 27, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/27/2004	220.4	692,936	99.7%	94.0	240,856	99.8%	933,792	99.7%
09/27/2005	218.7	650,200	93.5%	90.1	189,459	73.6%	839,659	88.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/26/2005	104	567	0.00	101	419	0.00	986	
MTD		11,943	0.25		7,244	1.29	19,187	

STREAM FLOWS

Gauging Station	09/26/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	2,856
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	34	1,594
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	261
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	335	6,296
NCAT : Nueces River at Calallen, Texas	11	2,393
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	71	2,747

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 2,747	2,747
Estuary Inflows (Measured at NCAT)	2,393
PassThru Surplus / -Deficit:	1,007

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/27/2005
09/26/2005	35	4,028	39,856	4,100	72	44.0	41.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 28, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/28/2004	220.4	692,677	99.6%	94.0	240,471	99.7%	933,148	99.6%
09/28/2005	218.7	649,449	93.4%	90.1	188,790	73.4%	838,239	88.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/27/2005	102	509	0.00	102	253	0.00	762	
MTD		12,452	0.25		7,497	1.29	19,949	

STREAM FLOWS

Gauging Station	09/27/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	2,960
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	32	1,626
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	271
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	339	6,636
NCAT : Nueces River at Calallen, Texas	0	2,393
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	69	2,817

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 2,817	2,817
Estuary Inflows (Measured at NCAT)	2,393
PassThru Surplus / -Deficit:	937

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/28/2005
09/27/2005	43	4,070	39,898	4,100	30	44.0	41.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 29, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/29/2004	220.4	692,418	99.6%	94.0	240,279	99.6%	932,697	99.6%
09/29/2005	218.7	648,953	93.3%	90.1	188,288	73.2%	837,241	87.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/28/2005	105	509	0.00	106	331	0.00	840	
MTD		12,961	0.25		7,828	1.29	20,789	

STREAM FLOWS

Gauging Station	09/28/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	3,061
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	28	1,654
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	281
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	286	6,922
NCAT : Nueces River at Calallen, Texas	30	2,423
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	64	2,880

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 2,880	2,880
Estuary Inflows (Measured at NCAT)	2,423
PassThru Surplus / -Deficit:	904

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/29/2005
09/28/2005	50	4,120	39,948	4,100	-20	44.0	41.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: September 30, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
09/30/2004	220.4	692,158	99.6%	93.9	239,318	99.2%	931,476	99.5%
09/30/2005	218.7	648,457	93.3%	90.1	188,623	73.3%	837,080	87.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
09/29/2005	93	508	0.00	98	292	0.03	800	
MTD		13,469	0.25		8,120	1.32	21,589	

STREAM FLOWS

Gauging Station	09/29/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	3,162
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	28	1,681
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	291
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	286	7,208
NCAT : Nueces River at Calallen, Texas	30	2,453
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	64	2,944

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 28,500 Salinity Relief Credit : 0 Effective:	28,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	861
Return Flow Credit (Effective: 09/01/2005)	500
Passthru Target: 28,500 Reservoir Inflow: 2,944	2,944
Estuary Inflows (Measured at NCAT)	2,453
PassThru Surplus / -Deficit:	870

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	September 2005		Elevation (Ft)	
				Allocation	Remaining	Full	09/30/2005
09/29/2005	97	4,217	40,045	4,100	-117	44.0	41.6