

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 1, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/01/2004	220.4	693,715	99.8%	93.9	240,087	99.5%	933,802	99.7%
11/01/2005	218.2	637,052	91.6%	89.5	179,006	69.6%	816,058	85.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
10/31/2005	86	273	0.00	89	191	0.09	464	
MTD		9,655	1.80		6,475	1.58	16,130	

STREAM FLOWS

Gauging Station	10/31/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	133	7,152
NRRT : Nueces River at Tilden, Texas	36	3,414
FRRT : Frio River at Tilden, Texas	125	1,528
SMTT : San Miguel Creek at Tilden, Texas	0	21
ARWT : Atascosa River at Whitsett, Texas	12	1,399
Release from Choke Canyon Reservoir	66	2,096
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	232	9,244
NCAT : Nueces River at Calallen, Texas	427	5,572
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	193	6,622

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 20,000 Salinity Relief Credit : 0 Effective:	20,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	844
Return Flow Credit (Effective: 10/01/2005)	500
Passthru Target: 20,000 Reservoir Inflow: 6,622	6,622
Estuary Inflows (Measured at NCAT)	5,572
PassThru Surplus / -Deficit:	293

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	October 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/01/2005
10/31/2005	141	4,406	44,584	3,050	-1,356	44.0	42.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 2, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/02/2004	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
11/02/2005	218.2	636,556	91.6%	89.5	178,185	69.3%	814,741	85.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/01/2005	76	259	0.00	73	239	0.00	498	
MTD		259	0.00		239	0.00	498	

STREAM FLOWS

Gauging Station	11/01/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	127	127
NRTT : Nueces River at Tilden, Texas	34	34
FRTT : Frio River at Tilden, Texas	123	123
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	11
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	177	177
NCAT : Nueces River at Calallen, Texas	212	212
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	185	185

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 185	185
Estuary Inflows (Measured at NCAT)	212
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/02/2005
11/01/2005	145	145	44,729	3,050	2,905	44.0	42.1

Report Generated: 11/02/2005 at 8:42:38 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 3, 2005

RESERVOIR STATISTICS

Date	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/03/2004	220.4	693,455	99.7%	94.0	241,048	99.9%	934,503	99.8%
11/03/2005	218.2	635,813	91.4%	89.4	177,857	69.1%	813,670	85.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/02/2005	80	273	0.00	79	172	0.00	445	
MTD		532	0.00		411	0.00	943	

STREAM FLOWS

Gauging Station	11/02/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	125	252
NRTT : Nueces River at Tilden, Texas	30	64
FRIT : Frio River at Tilden, Texas	143	266
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	21
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	359
NCAT : Nueces River at Calallen, Texas	71	284
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	202	387

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 387	387
Estuary Inflows (Measured at NCAT)	284
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/03/2005
11/02/2005	148	292	44,877	3,050	2,758	44.0	42.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 4, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/04/2004	220.4	691,639	99.5%	93.9	239,894	99.4%	931,533	99.5%
11/04/2005	218.1	635,317	91.4%	89.4	177,693	69.1%	813,010	85.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/03/2005	83	244	0.00	82	181	0.00		425
MTD		776	0.00		592	0.00		1,368

STREAM FLOWS

Gauging Station	11/03/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	121	373
NRTT : Nueces River at Tilden, Texas	28	91
FRTT : Frio River at Tilden, Texas	157	423
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	32
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	171	530
NCAT : Nueces River at Calallen, Texas	95	379
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	212	599

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 599	599
Estuary Inflows (Measured at NCAT)	379
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/04/2005
11/03/2005	148	440	45,024	3,050	2,610	44.0	42.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 5, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/05/2004	220.3	690,861	99.4%	93.9	239,510	99.3%	930,371	99.3%
11/05/2005	218.1	635,317	91.4%	89.4	177,202	68.9%	812,519	85.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/04/2005	86	273	0.00	85	200	0.00		473
MTD		1,049	0.00		792	0.00		1,841

STREAM FLOWS

Gauging Station	11/04/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	115	488
NRTT : Nueces River at Tilden, Texas	26	117
FRTT : Frio River at Tilden, Texas	135	558
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	43
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	171	701
NCAT : Nueces River at Calallen, Texas	52	431
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	185	784

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 784	784
Estuary Inflows (Measured at NCAT)	431
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/05/2005
11/04/2005	148	588	45,172	3,050	2,462	44.0	42.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 6, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/06/2004	220.3	690,083	99.3%	93.9	238,935	99.0%	929,018	99.2%
11/06/2005	218.2	635,813	91.4%	89.9	177,202	68.9%	813,015	85.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/05/2005	90	273	0.00	89	191	0.00	464	
MTD		1,322	0.00		983	0.00	2,305	

STREAM FLOWS

Gauging Station	11/05/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	113	601
NRTT : Nueces River at Tilden, Texas	22	139
FRTT : Frio River at Tilden, Texas	127	685
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	55
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	200	901
NCAT : Nueces River at Calallen, Texas	9	439
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	175	959

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 959	959
Estuary Inflows (Measured at NCAT)	439
PassThru Surplus / -Deficit:	274

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/06/2005
11/05/2005	147	735	45,319	3,050	2,315	44.0	42.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 7, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/07/2004	220.3	689,311	99.1%	93.9	238,743	99.0%	928,054	99.1%
11/07/2005	218.1	634,821	91.3%	89.4	177,202	68.9%	812,023	85.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/06/2005	91	259	0.00	91	172	0.01		431
MTD		1,581	0.00		1,155	0.01		2,736

STREAM FLOWS

Gauging Station	11/06/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	111	713
NRTT : Nueces River at Tilden, Texas	24	163
FRTT : Frio River at Tilden, Texas	127	812
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	66
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	189	1,090
NCAT : Nueces River at Calallen, Texas	97	537
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	173	1,131

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 1,131	1,131
Estuary Inflows (Measured at NCAT)	537
PassThru Surplus / -Deficit:	198

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/07/2005
11/06/2005	148	883	45,467	3,050	2,167	44.0	42.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 8, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/08/2004	220.3	689,054	99.1%	93.9	238,743	99.0%	927,797	99.1%
11/08/2005	218.1	634,821	91.3%	89.4	177,038	68.8%	811,859	85.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/07/2005	90	287	0.00	88	143	0.00	430	
MTD		1,868	0.00		1,298	0.01	3,166	

STREAM FLOWS

Gauging Station	11/07/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	109	822
NRTT : Nueces River at Tilden, Texas	22	185
FRTT : Frio River at Tilden, Texas	125	937
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	77
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	177	1,266
NCAT : Nueces River at Calallen, Texas	30	567
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	169	1,300

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 1,300	1,300
Estuary Inflows (Measured at NCAT)	567
PassThru Surplus / -Deficit:	59

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/08/2005
11/07/2005	147	1,030	45,614	3,050	2,020	44.0	42.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 9, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/09/2004	220.3	689,311	99.1%	93.9	238,551	98.9%	927,862	99.1%
11/09/2005	218.1	635,317	91.4%	89.4	176,875	68.8%	812,192	85.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/08/2005	90	230	0.00	91	143	0.00		373
MTD		2,098	0.00		1,441	0.01		3,539

STREAM FLOWS

Gauging Station	11/08/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	111	933
NRTT : Nueces River at Tilden, Texas	20	204
FRTT : Frio River at Tilden, Texas	123	1,060
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	89
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	177	1,443
NCAT : Nueces River at Calallen, Texas	58	624
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	169	1,469

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 1,469	1,469
Estuary Inflows (Measured at NCAT)	624
PassThru Surplus / -Deficit:	-52

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/09/2005
11/08/2005	147	1,178	45,762	3,050	1,872	44.0	41.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 10, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/10/2004	220.3	689,054	99.1%	93.9	238,360	98.8%	927,414	99.0%
11/10/2005	218.1	635,317	91.4%	89.4	176,875	68.8%	812,192	85.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/09/2005	91	259	0.00	91	200	0.00		459
MTD		2,357	0.00		1,641	0.01		3,998

STREAM FLOWS

Gauging Station	11/09/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	111	1,044
NRTT : Nueces River at Tilden, Texas	18	223
FRTT : Frio River at Tilden, Texas	125	1,185
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	100
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	1,626
NCAT : Nueces River at Calallen, Texas	48	672
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	171	1,640

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 1,640	1,640
Estuary Inflows (Measured at NCAT)	672
PassThru Surplus / -Deficit:	-175

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/10/2005
11/09/2005	147	1,325	45,909	3,050	1,725	44.0	41.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 11, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/11/2004	220.3	689,054	99.1%	93.9	238,360	98.8%	927,414	99.0%
11/11/2005	218.1	635,069	91.3%	89.3	176,384	68.6%	811,453	85.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/10/2005	82	287	0.00	84	95	0.00	382	
MTD		2,644	0.00		1,736	0.01	4,380	

STREAM FLOWS

Gauging Station	11/10/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	111	1,155
NRTT : Nueces River at Tilden, Texas	17	240
FRTT : Frio River at Tilden, Texas	123	1,308
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	111
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	187	1,812
NCAT : Nueces River at Calallen, Texas	42	713
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	169	1,808

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 1,808	1,808
Estuary Inflows (Measured at NCAT)	713
PassThru Surplus / -Deficit:	-302

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/11/2005
11/10/2005	147	1,472	46,056	3,050	1,578	44.0	41.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 12, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/12/2004	220.3	688,797	99.1%	93.9	238,551	98.9%	927,348	99.0%
11/12/2005	218.0	633,099	91.1%	89.3	175,894	68.4%	808,993	84.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/11/2005	88	287	0.00	87	171	0.00	458	
MTD		2,931	0.00		1,907	0.01	4,838	

STREAM FLOWS

Gauging Station	11/11/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	109	1,264
NRTT : Nueces River at Tilden, Texas	17	257
FRTT : Frio River at Tilden, Texas	123	1,431
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	121
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	187	1,999
NCAT : Nueces River at Calallen, Texas	58	771
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	167	1,975

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 1,975	1,975
Estuary Inflows (Measured at NCAT)	771
PassThru Surplus / -Deficit:	-411

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/12/2005
11/11/2005	147	1,619	46,204	3,050	1,431	44.0	41.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 13, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/13/2004	220.3	688,797	99.1%	93.9	238,360	98.8%	927,157	99.0%
11/13/2005	218.0	632,854	91.0%	89.3	175,730	68.3%	808,584	84.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/12/2005	90	259	0.00	89	190	0.00		449
MTD		3,190	0.00		2,097	0.01		5,287

STREAM FLOWS

Gauging Station	11/12/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	1,372
NRTT : Nueces River at Tilden, Texas	18	274
FRTT : Frio River at Tilden, Texas	123	1,554
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	129
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	187	2,185
NCAT : Nueces River at Calallen, Texas	56	827
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	165	2,140

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 2,140	2,140
Estuary Inflows (Measured at NCAT)	827
PassThru Surplus / -Deficit:	-520

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/13/2005
11/12/2005	147	1,766	46,351	3,050	1,284	44.0	41.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 14, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/14/2004	220.2	688,283	99.0%	93.8	237,403	98.4%	925,686	98.8%
11/14/2005	218.0	632,608	91.0%	89.3	175,404	68.2%	808,012	84.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/13/2005	86	215	0.00	88	152	0.00		367
MTD		3,405	0.00		2,249	0.01		5,654

STREAM FLOWS

Gauging Station	11/13/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	1,479
NRTT : Nueces River at Tilden, Texas	18	293
FRTT : Frio River at Tilden, Texas	121	1,675
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	139
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	187	2,372
NCAT : Nueces River at Calallen, Texas	52	878
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	163	2,303

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 2,303	2,303
Estuary Inflows (Measured at NCAT)	878
PassThru Surplus / -Deficit:	-631

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/14/2005
11/13/2005	147	1,913	46,498	3,050	1,137	44.0	41.8

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 15, 2005

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/15/2004	220.2	688,540	99.0%	93.8	238,168	98.7%	926,708	99.0%
11/15/2005	218.0	632,363	91.0%	89.3	175,241	68.1%	807,604	84.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/14/2005	88	244	0.00	89	181	0.00		425
MTD		3,649	0.00		2,430	0.01		6,079

STREAM FLOWS

Gauging Station	11/14/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	1,586
NRRT : Nueces River at Tilden, Texas	19	311
FRRT : Frio River at Tilden, Texas	121	1,796
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	149
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	187	2,559
NCAT : Nueces River at Calallen, Texas	42	920
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	163	2,465

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 2,465	2,465
Estuary Inflows (Measured at NCAT)	920
PassThru Surplus / -Deficit:	-753

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/15/2005
11/14/2005	147	2,060	46,644	3,050	990	44.0	41.7

Report Generated: 11/18/2005 at 10:39:37 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 16, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/16/2004	220.2	688,283	99.0%	93.8	237,494	98.4%	925,777	98.9%
11/16/2005	218.0	631,871	90.9%	89.3	176,384	68.6%	808,255	84.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/15/2005	88	530	0.00	89	181	0.00	711	
MTD		4,179	0.00		2,611	0.01	6,790	

STREAM FLOWS

Gauging Station	11/15/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	1,693
NRTT : Nueces River at Tilden, Texas	18	330
FRTT : Frio River at Tilden, Texas	121	1,918
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	159
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	187	2,745
NCAT : Nueces River at Calallen, Texas	91	1,011
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	163	2,628

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 2,628	2,628
Estuary Inflows (Measured at NCAT)	1,011
PassThru Surplus / -Deficit:	-824

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/16/2005
11/15/2005	147	2,207	46,791	3,050	843	44.0	41.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 17, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/17/2004	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
11/17/2005	217.9	630,643	90.7%	89.2	174,426	67.8%	805,069	84.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/16/2005	88	401	0.00	91	372	0.18	773	
MTD		4,580	0.00		2,983	0.19	7,563	

STREAM FLOWS

Gauging Station	11/16/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	109	1,802
NRTT : Nueces River at Tilden, Texas	17	346
FRTT : Frio River at Tilden, Texas	121	2,039
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	169
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	187	2,932
NCAT : Nueces River at Calallen, Texas	109	1,120
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	165	2,793

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 2,793	2,793
Estuary Inflows (Measured at NCAT)	1,120
PassThru Surplus / -Deficit:	-880

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/17/2005
11/16/2005	147	2,354	46,938	3,050	696	44.0	41.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 18, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/18/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
11/18/2005	217.9	628,923	90.5%	89.2	173,775	67.5%	802,698	84.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/17/2005	63	286	0.00	62	209	0.00	495	
MTD		4,866	0.00		3,192	0.19	8,058	

STREAM FLOWS

Gauging Station	11/17/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	111	1,914
NRTT : Nueces River at Tilden, Texas	15	362
FRTT : Frio River at Tilden, Texas	121	2,160
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	179
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	189	3,120
NCAT : Nueces River at Calallen, Texas	71	1,192
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	167	2,960

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 2,960	2,960
Estuary Inflows (Measured at NCAT)	1,192
PassThru Surplus / -Deficit:	-975

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/18/2005
11/17/2005	147	2,501	47,085	3,050	549	44.0	41.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 19, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/19/2004	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
11/19/2005	217.8	627,941	90.3%	89.1	173,125	67.3%	801,066	84.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/18/2005	65	243	0.00	64	66	0.00	309	
MTD		5,109	0.00		3,258	0.19	8,367	

STREAM FLOWS

Gauging Station	11/18/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	2,021
NRTT : Nueces River at Tilden, Texas	16	378
FRIT : Frio River at Tilden, Texas	119	2,279
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	188
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	3,303
NCAT : Nueces River at Calallen, Texas	64	1,255
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	161	3,120

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 3,120	3,120
Estuary Inflows (Measured at NCAT)	1,255
PassThru Surplus / -Deficit:	-1,072

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/19/2005
11/18/2005	146	2,647	47,232	3,050	403	44.0	41.6

Report Generated: 11/19/2005 at 9:02:48 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 20, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/20/2004	220.8	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
11/20/2005	217.8	627,941	90.3%	89.1	173,125	67.3%	801,066	84.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/19/2005	65	157	0.00	64	142	0.00	299	
MTD		5,266	0.00		3,400	0.19	8,666	

STREAM FLOWS

Gauging Station	11/19/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	105	2,126
NRTT : Nueces River at Tilden, Texas	13	391
FRTT : Frio River at Tilden, Texas	119	2,398
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	197
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	3,486
NCAT : Nueces River at Calallen, Texas	71	1,327
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	159	3,279

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 3,279	3,279
Estuary Inflows (Measured at NCAT)	1,327
PassThru Surplus / -Deficit:	-1,159

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/20/2005
11/19/2005	146	2,794	47,378	3,050	256	44.0	41.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 21, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/21/2004	220.9	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
11/21/2005	217.8	627,450	90.2%	89.1	172,314	67.0%	799,764	84.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/20/2005	65	243	0.00	68	208	0.00	451	
MTD		5,509	0.00		3,608	0.19	9,117	

STREAM FLOWS

Gauging Station	11/20/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	2,229
NRTT : Nueces River at Tilden, Texas	11	402
FRTT : Frio River at Tilden, Texas	117	2,515
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	205
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	3,668
NCAT : Nueces River at Calallen, Texas	97	1,424
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	155	3,434

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 3,434	3,434
Estuary Inflows (Measured at NCAT)	1,424
PassThru Surplus / -Deficit:	-1,217

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/21/2005
11/20/2005	147	2,940	47,524	3,050	110	44.0	41.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 22, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/22/2004	220.9	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
11/22/2005	217.8	627,204	90.2%	89.1	172,152	66.9%	799,356	83.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/21/2005	75	200	0.00	73	217	0.00	417	
MTD		5,709	0.00		3,825	0.19	9,534	

STREAM FLOWS

Gauging Station	11/21/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	2,332
NRTT : Nueces River at Tilden, Texas	9	410
FRTT : Frio River at Tilden, Texas	117	2,632
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	213
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	3,851
NCAT : Nueces River at Calallen, Texas	66	1,490
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	155	3,589

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 3,589	3,589
Estuary Inflows (Measured at NCAT)	1,490
PassThru Surplus / -Deficit:	-1,306

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/22/2005
11/21/2005	146	3,086	47,671	3,050	-36	44.0	41.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 23, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/23/2004	220.8	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
11/23/2005	217.8	626,713	90.1%	89.1	171,666	66.7%	798,379	83.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/22/2005	80	171	0.00	80	160	0.00	331	
MTD		5,880	0.00		3,985	0.19	9,865	

STREAM FLOWS

Gauging Station	11/22/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	2,436
NRTT : Nueces River at Tilden, Texas	7	418
FRTT : Frio River at Tilden, Texas	119	2,751
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	222
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	4,034
NCAT : Nueces River at Calallen, Texas	15	1,504
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	157	3,746

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 3,746	3,746
Estuary Inflows (Measured at NCAT)	1,504
PassThru Surplus / -Deficit:	-1,448

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/23/2005
11/22/2005	146	3,232	47,816	3,050	-182	44.0	41.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 24, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/24/2004	220.9	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
11/24/2005	217.8	626,713	90.1%	89.0	171,343	66.6%	798,056	83.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/23/2005	85	214	0.00	88	217	0.00	431	
MTD		6,094	0.00		4,202	0.19	10,296	

STREAM FLOWS

Gauging Station	11/23/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	2,537
NRTT : Nueces River at Tilden, Texas	6	423
FRTT : Frio River at Tilden, Texas	117	2,868
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	231
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	4,216
NCAT : Nueces River at Calallen, Texas	54	1,558
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	153	3,899

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 3,899	3,899
Estuary Inflows (Measured at NCAT)	1,558
PassThru Surplus / -Deficit:	-1,548

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/24/2005
11/23/2005	146	3,378	47,962	3,050	-328	44.0	41.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 25, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/25/2004	220.8	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
11/25/2005	217.8	626,713	90.1%	89.0	171,181	66.5%	797,894	83.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/24/2005	83	157	0.00	83	122	0.00	279	
MTD		6,251	0.00		4,324	0.19	10,575	

STREAM FLOWS

Gauging Station	11/24/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	2,636
NRTT : Nueces River at Tilden, Texas	5	428
FRTT : Frio River at Tilden, Texas	115	2,983
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	9	240
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	4,397
NCAT : Nueces River at Calallen, Texas	60	1,617
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	149	4,047

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 4,047	4,047
Estuary Inflows (Measured at NCAT)	1,617
PassThru Surplus / -Deficit:	-1,637

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/25/2005
11/24/2005	146	3,524	48,108	3,050	-474	44.0	41.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 26, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/26/2004	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
11/26/2005	217.8	626,713	90.1%	89.1	172,314	67.0%	799,027	83.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/25/2005	80	143	0.15	83	142	0.51	285	
MTD		6,394	0.15		4,466	0.70	10,860	

STREAM FLOWS

Gauging Station	11/25/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	2,737
NRTT : Nueces River at Tilden, Texas	5	433
FRTT : Frio River at Tilden, Texas	115	3,099
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	250
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	4,577
NCAT : Nueces River at Calallen, Texas	60	1,677
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	151	4,198

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 4,198	4,198
Estuary Inflows (Measured at NCAT)	1,677
PassThru Surplus / -Deficit:	-1,728

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/26/2005
11/25/2005	146	3,670	48,254	3,050	-620	44.0	41.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 27, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/27/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
11/27/2005	217.8	626,713	90.1%	89.0	171,019	66.5%	797,732	83.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/26/2005	76	100	0.00	74	75	0.00	175	
MTD		6,494	0.15		4,541	0.70	11,035	

STREAM FLOWS

Gauging Station	11/26/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	2,837
NRTT : Nueces River at Tilden, Texas	5	438
FRTT : Frio River at Tilden, Texas	115	3,214
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	261
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	183	4,760
NCAT : Nueces River at Calallen, Texas	85	1,762
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	149	4,347

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 4,347	4,347
Estuary Inflows (Measured at NCAT)	1,762
PassThru Surplus / -Deficit:	-1,792

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/27/2005
11/26/2005	146	3,815	48,400	3,050	-765	44.0	41.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 28, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/28/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
11/28/2005	217.8	626,713	90.1%	89.1	171,666	66.7%	798,379	83.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/27/2005	91	442	0.00	87	273	0.00	715	
MTD		6,936	0.15		4,814	0.70	11,750	

STREAM FLOWS

Gauging Station	11/27/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	2,938
NRTT : Nueces River at Tilden, Texas	6	444
FRTT : Frio River at Tilden, Texas	113	3,327
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	271
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	224	4,984
NCAT : Nueces River at Calallen, Texas	111	1,873
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	149	4,496

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 4,496	4,496
Estuary Inflows (Measured at NCAT)	1,873
PassThru Surplus / -Deficit:	-1,830

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/28/2005
11/27/2005	146	3,962	48,546	3,050	-912	44.0	41.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 29, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/29/2004	220.6	695,271	100.0%	93.9	239,702	99.4%	934,973	99.8%
11/29/2005	217.8	625,976	90.0%	89.0	170,696	66.4%	796,672	83.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/28/2005	70	328	0.00	71	207	0.00	535	
MTD		7,264	0.15		5,021	0.70	12,285	

STREAM FLOWS

Gauging Station	11/28/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	3,037
NRTT : Nueces River at Tilden, Texas	5	450
FRTT : Frio River at Tilden, Texas	113	3,440
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	283
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	314	5,298
NCAT : Nueces River at Calallen, Texas	171	2,044
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	147	4,643

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 4,643	4,643
Estuary Inflows (Measured at NCAT)	2,044
PassThru Surplus / -Deficit:	-1,806

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/29/2005
11/28/2005	147	4,108	48,693	3,050	-1,058	44.0	43.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: November 30, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
11/30/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
11/30/2005	217.7	625,239	89.9%	89.0	170,051	66.1%	795,290	83.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/29/2005	69	171	0.00	70	132	0.00	303	
MTD		7,435	0.15		5,153	0.70	12,588	

STREAM FLOWS

Gauging Station	11/29/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	3,136
NRTT : Nueces River at Tilden, Texas	4	453
FRTT : Frio River at Tilden, Texas	113	3,553
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	12	295
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	381	5,679
NCAT : Nueces River at Calallen, Texas	212	2,257
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	147	4,790

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 4,790	4,790
Estuary Inflows (Measured at NCAT)	2,257
PassThru Surplus / -Deficit:	-1,740

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	11/30/2005
11/29/2005	146	4,254	48,839	3,050	-1,204	44.0	43.4