

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 1, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/01/2004	220.5	695,271	100.0%	93.9	239,894	99.4%	935,165	99.9%
12/01/2005	217.7	624,748	89.9%	88.9	169,092	65.7%	793,840	83.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
11/30/2005	76	171	0.00	75	84	0.00	255	
MTD		7,606	0.15		5,237	0.70	12,843	

STREAM FLOWS

Gauging Station	11/30/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	3,234
NRTT : Nueces River at Tilden, Texas	3	456
FRTT : Frio River at Tilden, Texas	113	3,666
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	306
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	566	6,245
NCAT : Nueces River at Calallen, Texas	359	2,616
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	145	4,935

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 9,000 Salinity Relief Credit : 0 Effective:	9,000
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	293
Return Flow Credit (Effective: 11/01/2005)	500
Passthru Target: 9,000 Reservoir Inflow: 4,935	4,935
Estuary Inflows (Measured at NCAT)	2,616
PassThru Surplus / -Deficit:	-1,526

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	November 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/01/2005
11/30/2005	146	4,400	48,985	3,050	-1,350	44.0	43.4

Report Generated: 12/01/2005 at 8:46:21 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 2, 2005

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/02/2004	220.5	695,271	100.0%	94.0	240,663	99.8%	935,934	99.9%
12/02/2005	217.7	624,261	89.8%	88.9	168,923	65.7%	793,184	83.3%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
12/01/2005	72	399	0.00	72	159	0.00	558
MTD		399	0.00		159	0.00	558

STREAM FLOWS

Gauging Station	12/01/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	95
NRTT : Nueces River at Tilden, Texas	2	2
FRTT : Frio River at Tilden, Texas	111	111
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	10
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	578	578
NCAT : Nueces River at Calallen, Texas	562	562
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	141	141

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,526
Return Flow Credit (Effective:)	0
Passthru Target: 4,500 Reservoir Inflow: 141	141
Estuary Inflows (Measured at NCAT)	562
PassThru Surplus / -Deficit:	-1,105

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/02/2005
12/01/2005	146	146	49,131	3,050	2,904	44.0	43.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 3, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/03/2004	220.5	695,271	100.0%	94.0	241,048	99.9%	936,319	100.0%
12/03/2005	217.7	624,505	89.8%	88.8	167,959	65.3%	792,464	83.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/02/2005	78	43	0.00	81	94	0.00	137	
MTD		442	0.00		253	0.00	695	

STREAM FLOWS

Gauging Station	12/02/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	191
NRTT : Nueces River at Tilden, Texas	79	81
FRTT : Frio River at Tilden, Texas	111	222
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	20
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	441	1,018
NCAT : Nueces River at Calallen, Texas	542	1,104
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	141	282

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	-1,526
Return Flow Credit (Effective:)	0
Passthru Target: 4,500 Reservoir Inflow: 282	282
Estuary Inflows (Measured at NCAT)	1,104
PassThru Surplus / -Deficit:	-704

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/03/2005
12/02/2005	146	292	49,277	3,050	2,758	44.0	43.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 4, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/04/2004	220.5	695,271	100.0%	94.0	240,663	99.8%	935,934	99.9%
12/04/2005	217.7	624,261	89.8%	88.8	167,959	65.3%	792,220	83.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/03/2005	87	157	0.00	88	168	0.00	325	
MTD		599	0.00		421	0.00	1,020	

STREAM FLOWS

Gauging Station	12/03/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	284
NRTT : Nueces River at Tilden, Texas	1	82
FRTT : Frio River at Tilden, Texas	121	343
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	31
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	369	1,388
NCAT : Nueces River at Calallen, Texas	429	1,532
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	149	431

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 4,500 Reservoir Inflow: 431	431
Estuary Inflows (Measured at NCAT)	1,532
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/04/2005
12/03/2005	146	438	49,423	3,050	2,612	44.0	43.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 5, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/05/2004	220.5	695,271	100.0%	94.0	240,663	99.8%	935,934	99.9%
12/05/2005	217.7	623,774	89.7%	88.8	168,120	65.4%	791,894	83.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/04/2005	75	342	0.00	81	196	0.00	538	
MTD		941	0.00		617	0.00	1,558	

STREAM FLOWS

Gauging Station	12/04/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	375
NRTT : Nueces River at Tilden, Texas	1	83
FRTT : Frio River at Tilden, Texas	123	466
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	11	42
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	222	1,610
NCAT : Nueces River at Calallen, Texas	399	1,931
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	149	580

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 4,500 Reservoir Inflow: 580	580
Estuary Inflows (Measured at NCAT)	1,931
PassThru Surplus / -Deficit:	326

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/05/2005
12/04/2005	146	584	49,569	3,050	2,466	44.0	43.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 6, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/06/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/06/2005	217.6	623,288	89.6%	88.8	166,997	64.9%	790,285	83.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/05/2005	61	213	0.00	61	168	0.00	381	
MTD		1,154	0.00		785	0.00	1,939	

STREAM FLOWS

Gauging Station	12/05/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	470
NRTT : Nueces River at Tilden, Texas	1	84
FRTT : Frio River at Tilden, Texas	119	586
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	52
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	1,763
NCAT : Nueces River at Calallen, Texas	165	2,096
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	149	728

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 4,500 Reservoir Inflow: 728	728
Estuary Inflows (Measured at NCAT)	2,096
PassThru Surplus / -Deficit:	342

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/06/2005
12/05/2005	146	730	49,714	3,050	2,320	44.0	43.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 7, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/07/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/07/2005	217.6	623,288	89.6%	88.8	166,997	64.9%	790,285	83.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/06/2005	65	142	0.00	66	93	0.00	235	
MTD		1,296	0.00		878	0.00	2,174	

STREAM FLOWS

Gauging Station	12/06/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	568
NRTT : Nueces River at Tilden, Texas	0	85
FRTT : Frio River at Tilden, Texas	115	701
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	62
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	1,916
NCAT : Nueces River at Calallen, Texas	85	2,182
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	147	875

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 4,500 Reservoir Inflow: 875	875
Estuary Inflows (Measured at NCAT)	2,182
PassThru Surplus / -Deficit:	280

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/07/2005
12/06/2005	146	876	49,860	3,050	2,174	44.0	43.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 8, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/08/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/08/2005	217.6	622,801	89.6%	88.8	167,959	65.3%	790,760	83.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/07/2005	59	71	0.00	66	28	0.02	99	
MTD		1,367	0.00		906	0.02	2,273	

STREAM FLOWS

Gauging Station	12/07/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	661
NRTT : Nueces River at Tilden, Texas	36	121
FRTT : Frio River at Tilden, Texas	113	814
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	10	72
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	2,074
NCAT : Nueces River at Calallen, Texas	50	2,231
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	141	1,016

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 4,500 Reservoir Inflow: 1,016	1,016
Estuary Inflows (Measured at NCAT)	2,231
PassThru Surplus / -Deficit:	189

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/08/2005
12/07/2005	146	1,021	50,006	3,050	2,029	44.0	43.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 9, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/09/2004	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/09/2005	217.6	622,314	89.5%	88.8	167,317	65.0%	789,631	82.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/08/2005	39	128	0.00	39	112	0.00	240	
MTD		1,495	0.00		1,018	0.02	2,513	

STREAM FLOWS

Gauging Station	12/08/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	758
NRTT : Nueces River at Tilden, Texas	1	122
FRTT : Frio River at Tilden, Texas	111	925
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	16	88
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	159	2,233
NCAT : Nueces River at Calallen, Texas	36	2,267
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	143	1,159

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 4,500 Reservoir Inflow: 1,159	1,159
Estuary Inflows (Measured at NCAT)	2,267
PassThru Surplus / -Deficit:	82

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/09/2005
12/08/2005	145	1,166	50,151	3,050	1,884	44.0	43.2

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 10, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/10/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/10/2005	217.6	622,071	89.5%	88.7	165,877	64.5%	787,948	82.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/09/2005	47	142	0.00	48	65	0.00	207	
MTD		1,637	0.00		1,083	0.02	2,720	

STREAM FLOWS

Gauging Station	12/09/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	854
NRTT : Nueces River at Tilden, Texas	0	122
FRTT : Frio River at Tilden, Texas	111	1,036
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	110
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	2,394
NCAT : Nueces River at Calallen, Texas	32	2,299
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	141	1,300

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 4,500 Reservoir Inflow: 1,300	1,300
Estuary Inflows (Measured at NCAT)	2,299
PassThru Surplus / -Deficit:	-28

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/10/2005
12/09/2005	145	1,311	50,296	3,050	1,739	44.0	43.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 11, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/11/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/11/2005	217.6	621,827	89.4%	88.7	166,037	64.5%	787,864	82.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/10/2005	60	128	0.00	58	56	0.01	184	
MTD		1,765	0.00		1,139	0.03	2,904	

STREAM FLOWS

Gauging Station	12/10/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	949
NRTT : Nueces River at Tilden, Texas	0	122
FRTT : Frio River at Tilden, Texas	111	1,147
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	20	130
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	2,555
NCAT : Nueces River at Calallen, Texas	58	2,356
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	141	1,441

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 0 Effective:	4,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 4,500 Reservoir Inflow: 1,441	1,441
Estuary Inflows (Measured at NCAT)	2,356
PassThru Surplus / -Deficit:	-111

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/11/2005
12/10/2005	145	1,456	50,441	3,050	1,594	44.0	43.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 12, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/12/2004	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
12/12/2005	217.6	621,341	89.4%	88.7	165,398	64.3%	786,739	82.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/11/2005	67	213	0.00	69	112	0.00	325	
MTD		1,978	0.00		1,251	0.03	3,229	

STREAM FLOWS

Gauging Station	12/11/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	1,046
NRTT : Nueces River at Tilden, Texas	0	122
FRTT : Frio River at Tilden, Texas	111	1,258
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	16	146
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	2,715
NCAT : Nueces River at Calallen, Texas	79	2,436
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	143	1,584

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 1,125 Effective: 12/11/2005	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 3,375 Reservoir Inflow: 1,584	1,584
Estuary Inflows (Measured at NCAT)	2,436
PassThru Surplus / -Deficit:	-174

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/12/2005
12/11/2005	145	1,601	50,586	3,050	1,449	44.0	43.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 13, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/13/2004	220.5	695,012	100.0%	94.0	241,241	100.0%	936,253	100.0%
12/13/2005	217.6	621,098	89.3%	88.7	165,398	64.3%	786,496	82.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/12/2005	72	170	0.00	72	84	0.00	254	
MTD		2,148	0.00		1,335	0.03	3,483	

STREAM FLOWS

Gauging Station	12/12/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	1,141
NRTT : Nueces River at Tilden, Texas	0	122
FRTT : Frio River at Tilden, Texas	113	1,372
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	160
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	2,876
NCAT : Nueces River at Calallen, Texas	71	2,507
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	143	1,727

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 1,125 Effective: 12/11/2005	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 3,375 Reservoir Inflow: 1,727	1,727
Estuary Inflows (Measured at NCAT)	2,507
PassThru Surplus / -Deficit:	-246

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/13/2005
12/12/2005	144	1,746	50,730	3,050	1,304	44.0	43.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 14, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/14/2004	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
12/14/2005	217.6	621,098	89.3%	88.7	165,239	64.2%	786,337	82.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/13/2005	76	114	0.00	78	112	0.00	226	
MTD		2,262	0.00		1,447	0.03	3,709	

STREAM FLOWS

Gauging Station	12/13/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	1,235
NRTT : Nueces River at Tilden, Texas	0	123
FRTT : Frio River at Tilden, Texas	115	1,487
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	173
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	3,037
NCAT : Nueces River at Calallen, Texas	50	2,557
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	143	1,870

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 1,125 Effective: 12/11/2005	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 3,375 Reservoir Inflow: 1,870	1,870
Estuary Inflows (Measured at NCAT)	2,557
PassThru Surplus / -Deficit:	-339

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/14/2005
12/13/2005	145	1,891	50,875	3,050	1,159	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 15, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/15/2004	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
12/15/2005	217.5	620,854	89.3%	88.7	165,558	64.4%	786,412	82.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/14/2005	72	114	0.00	76	84	0.00	198	
MTD		2,376	0.00		1,531	0.03	3,907	

STREAM FLOWS

Gauging Station	12/14/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	1,326
NRTT : Nueces River at Tilden, Texas	0	123
FRTT : Frio River at Tilden, Texas	119	1,606
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	187
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	3,198
NCAT : Nueces River at Calallen, Texas	46	2,602
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	145	2,015

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 1,125 Effective: 12/11/2005	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 3,375 Reservoir Inflow: 2,015	2,015
Estuary Inflows (Measured at NCAT)	2,602
PassThru Surplus / -Deficit:	-438

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/15/2005
12/14/2005	145	2,036	51,020	3,050	1,014	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 16, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/16/2004	220.4	693,715	99.8%	94.0	241,241	100.0%	934,956	99.8%
12/16/2005	217.5	620,854	89.3%	88.6	165,079	64.2%	785,933	82.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/15/2005	63	241	0.02	62	158	0.00	399	
MTD		2,617	0.02		1,689	0.03	4,306	

STREAM FLOWS

Gauging Station	12/15/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	1,419
NRTT : Nueces River at Tilden, Texas	0	123
FRTT : Frio River at Tilden, Texas	123	1,729
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	202
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	3,359
NCAT : Nueces River at Calallen, Texas	50	2,652
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	151	2,166

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 1,125 Effective: 12/11/2005	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 3,375 Reservoir Inflow: 2,166	2,166
Estuary Inflows (Measured at NCAT)	2,652
PassThru Surplus / -Deficit:	-540

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/16/2005
12/15/2005	144	2,180	51,165	3,050	870	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 17, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/17/2004	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
12/17/2005	217.5	620,368	89.2%	88.7	165,398	64.3%	785,766	82.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/16/2005	51	114	0.26	53	121	0.07	235	
MTD		2,731	0.28		1,810	0.10	4,541	

STREAM FLOWS

Gauging Station	12/16/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	1,515
NRTT : Nueces River at Tilden, Texas	0	123
FRTT : Frio River at Tilden, Texas	125	1,854
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	218
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	3,519
NCAT : Nueces River at Calallen, Texas	58	2,710
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	155	2,320

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 1,125 Effective: 12/11/2005	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 3,375 Reservoir Inflow: 2,320	2,320
Estuary Inflows (Measured at NCAT)	2,710
PassThru Surplus / -Deficit:	-637

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/17/2005
12/16/2005	144	2,324	51,309	3,050	726	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 18, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/18/2004	220.4	693,715	99.8%	94.0	241,241	100.0%	934,956	99.8%
12/18/2005	217.5	620,124	89.2%	88.6	164,601	64.0%	784,725	82.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/17/2005	50	57	0.00	51	19	0.00	76	
MTD		2,788	0.28		1,829	0.10	4,617	

STREAM FLOWS

Gauging Station	12/17/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	1,612
NRTT : Nueces River at Tilden, Texas	0	123
FRTT : Frio River at Tilden, Texas	127	1,981
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	233
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	3,680
NCAT : Nueces River at Calallen, Texas	107	2,817
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	159	2,479

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 1,125 Effective: 12/11/2005	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 3,375 Reservoir Inflow: 2,479	2,479
Estuary Inflows (Measured at NCAT)	2,817
PassThru Surplus / -Deficit:	-689

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/18/2005
12/17/2005	144	2,469	51,453	3,050	581	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 19, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/19/2004	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
12/19/2005	217.5	619,881	89.2%	88.6	164,283	63.9%	784,164	82.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/18/2005	57	71	0.00	60	121	0.01	192	
MTD		2,859	0.28		1,950	0.11	4,809	

STREAM FLOWS

Gauging Station	12/18/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	1,707
NRTT : Nueces River at Tilden, Texas	0	123
FRTT : Frio River at Tilden, Texas	125	2,106
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	247
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	3,841
NCAT : Nueces River at Calallen, Texas	58	2,874
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	155	2,634

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 1,125 Effective: 12/11/2005	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 3,375 Reservoir Inflow: 2,634	2,634
Estuary Inflows (Measured at NCAT)	2,874
PassThru Surplus / -Deficit:	-786

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/19/2005
12/18/2005	141	2,609	51,594	3,050	441	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 20, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/20/2004	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%
12/20/2005	217.5	619,638	89.1%	88.6	163,806	63.7%	783,444	82.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/19/2005	62	156	0.00	58	102	0.00	258	
MTD		3,015	0.28		2,052	0.11	5,067	

STREAM FLOWS

Gauging Station	12/19/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	1,802
NRTT : Nueces River at Tilden, Texas	1	123
FRTT : Frio River at Tilden, Texas	129	2,235
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	16	263
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	206	4,047
NCAT : Nueces River at Calallen, Texas	30	2,904
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	159	2,793

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 1,125 Effective: 12/11/2005	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 3,375 Reservoir Inflow: 2,793	2,793
Estuary Inflows (Measured at NCAT)	2,904
PassThru Surplus / -Deficit:	-915

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/20/2005
12/19/2005	146	2,755	51,740	3,050	295	44.0	43.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 21, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/21/2004	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
12/21/2005	217.5	619,394	89.1%	88.6	163,806	63.7%	783,200	82.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/20/2005	57	85	0.00	58	65	0.00	150	
MTD		3,100	0.28		2,117	0.11	5,217	

STREAM FLOWS

Gauging Station	12/20/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	1,896
NRTT : Nueces River at Tilden, Texas	1	124
FRTT : Frio River at Tilden, Texas	127	2,362
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	16	279
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	292	4,339
NCAT : Nueces River at Calallen, Texas	54	2,958
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	155	2,948

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 1,125 Effective: 12/11/2005	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 3,375 Reservoir Inflow: 2,948	2,948
Estuary Inflows (Measured at NCAT)	2,958
PassThru Surplus / -Deficit:	-1,016

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/21/2005
12/20/2005	145	2,900	51,885	3,050	150	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 22, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/22/2004	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%
12/22/2005	217.5	619,151	89.1%	88.5	163,329	63.5%	782,480	82.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/21/2005	62	113	0.00	63	74	0.00	187	
MTD		3,213	0.28		2,191	0.11	5,404	

STREAM FLOWS

Gauging Station	12/21/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	1,989
NRTT : Nueces River at Tilden, Texas	1	125
FRTT : Frio River at Tilden, Texas	127	2,489
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	16	296
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	361	4,700
NCAT : Nueces River at Calallen, Texas	181	3,138
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	155	3,103

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 1,125 Effective: 12/11/2005	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 3,375 Reservoir Inflow: 3,103	3,103
Estuary Inflows (Measured at NCAT)	3,138
PassThru Surplus / -Deficit:	-990

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/22/2005
12/21/2005	146	3,046	52,031	3,050	4	44.0	42.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 23, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/23/2004	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
12/23/2005	217.5	618,907	89.0%	88.5	162,695	63.2%	781,602	82.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/22/2005	68	170	0.00	67	102	0.00	272	
MTD		3,383	0.28		2,293	0.11	5,676	

STREAM FLOWS

Gauging Station	12/22/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	2,084
NRTT : Nueces River at Tilden, Texas	1	126
FRTT : Frio River at Tilden, Texas	125	2,614
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	17	313
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	361	5,062
NCAT : Nueces River at Calallen, Texas	330	3,468
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	155	3,257

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 1,125 Effective: 12/11/2005	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 3,375 Reservoir Inflow: 3,257	3,257
Estuary Inflows (Measured at NCAT)	3,468
PassThru Surplus / -Deficit:	-816

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/23/2005
12/22/2005	146	3,192	52,177	3,050	-142	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 24, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/24/2004	220.4	693,715	99.8%	94.0	241,241	100.0%	934,956	99.8%
12/24/2005	217.5	619,881	89.2%	88.5	162,378	63.1%	782,259	82.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/23/2005	78	114	0.00	78	194	0.00	308	
MTD		3,497	0.28		2,487	0.11	5,984	

STREAM FLOWS

Gauging Station	12/23/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	2,182
NRTT : Nueces River at Tilden, Texas	0	126
FRTT : Frio River at Tilden, Texas	125	2,739
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	17	330
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	361	5,423
NCAT : Nueces River at Calallen, Texas	282	3,750
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	157	3,414

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 1,125 Effective: 12/11/2005	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 3,375 Reservoir Inflow: 3,414	3,375
Estuary Inflows (Measured at NCAT)	3,750
PassThru Surplus / -Deficit:	-651

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/24/2005
12/23/2005	146	3,338	52,322	3,050	-288	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 25, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/25/2004	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
12/25/2005	217.5	619,394	89.1%	88.5	162,219	63.1%	781,613	82.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/24/2005	75	369	0.00	73	221	0.00	590	
MTD		3,866	0.28		2,708	0.11	6,574	

STREAM FLOWS

Gauging Station	12/24/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	2,279
NRTT : Nueces River at Tilden, Texas	0	126
FRTT : Frio River at Tilden, Texas	127	2,866
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	16	347
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	363	5,786
NCAT : Nueces River at Calallen, Texas	276	4,026
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	159	3,573

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 1,125 Effective: 12/11/2005	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 3,375 Reservoir Inflow: 3,573	3,375
Estuary Inflows (Measured at NCAT)	4,026
PassThru Surplus / -Deficit:	-375

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/25/2005
12/24/2005	146	3,484	52,468	3,050	-434	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 26, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/26/2004	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%
12/26/2005	217.5	619,151	89.1%	88.4	161,429	62.7%	780,580	81.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/25/2005	75	156	0.00	79	156	0.00		312
MTD		4,022	0.28		2,864	0.11		6,886

STREAM FLOWS

Gauging Station	12/25/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	2,374
NRTT : Nueces River at Tilden, Texas	1	127
FRTT : Frio River at Tilden, Texas	127	2,993
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	362
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	365	6,152
NCAT : Nueces River at Calallen, Texas	268	4,294
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	157	3,730

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 1,125 Effective: 12/11/2005	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 3,375 Reservoir Inflow: 3,730	3,375
Estuary Inflows (Measured at NCAT)	4,294
PassThru Surplus / -Deficit:	-107

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/26/2005
12/25/2005	146	3,629	52,614	3,050	-579	44.0	42.8

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 27, 2005

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/27/2004	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
12/27/2005	217.5	619,151	89.1%	88.4	160,955	62.6%	780,106	81.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/26/2005	84	255	0.00	83	129	0.00	384	
MTD		4,277	0.28		2,993	0.11	7,270	

STREAM FLOWS

Gauging Station	12/26/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	2,469
NRTT : Nueces River at Tilden, Texas	2	128
FRTT : Frio River at Tilden, Texas	127	3,120
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	377
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	365	6,517
NCAT : Nueces River at Calallen, Texas	300	4,593
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	157	3,887

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 1,125 Effective: 12/11/2005	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 3,375 Reservoir Inflow: 3,887	3,375
Estuary Inflows (Measured at NCAT)	4,593
PassThru Surplus / -Deficit:	192

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/27/2005
12/26/2005	146	3,775	52,759	3,050	-725	44.0	42.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 28, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/28/2004	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
12/28/2005	217.5	619,394	89.1%	88.4	161,745	62.9%	781,139	82.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/27/2005	80	170	0.00	86	175	0.00	345	
MTD		4,447	0.28		3,168	0.11	7,615	

STREAM FLOWS

Gauging Station	12/27/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	2,563
NRTT : Nueces River at Tilden, Texas	4	132
FRTT : Frio River at Tilden, Texas	125	3,245
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	391
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	6,779
NCAT : Nueces River at Calallen, Texas	276	4,869
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	153	4,039

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 1,125 Effective: 12/11/2005	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 3,375 Reservoir Inflow: 4,039	3,375
Estuary Inflows (Measured at NCAT)	4,869
PassThru Surplus / -Deficit:	468

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/28/2005
12/27/2005	146	3,921	52,905	3,050	-871	44.0	42.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 29, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/29/2004	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%
12/29/2005	217.5	619,151	89.1%	88.4	160,955	62.6%	780,106	81.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/28/2005	80	156	0.00	81	119	0.00	275	
MTD		4,603	0.28		3,287	0.11	7,890	

STREAM FLOWS

Gauging Station	12/28/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	2,658
NRTT : Nueces River at Tilden, Texas	5	137
FRTT : Frio River at Tilden, Texas	123	3,369
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	405
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	171	6,949
NCAT : Nueces River at Calallen, Texas	220	5,090
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	153	4,192

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 1,125 Effective: 12/11/2005	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 3,375 Reservoir Inflow: 4,192	3,375
Estuary Inflows (Measured at NCAT)	5,090
PassThru Surplus / -Deficit:	689

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/29/2005
12/28/2005	146	4,066	53,051	3,050	-1,016	44.0	42.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 30, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/30/2004	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%
12/30/2005	217.5	619,151	89.1%	88.4	161,113	62.6%	780,264	81.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/29/2005	80	184	0.00	79	129	0.00	313	
MTD		4,787	0.28		3,416	0.11	8,203	

STREAM FLOWS

Gauging Station	12/29/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	2,751
NRTT : Nueces River at Tilden, Texas	6	143
FRTT : Frio River at Tilden, Texas	123	3,492
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	14	420
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	161	7,110
NCAT : Nueces River at Calallen, Texas	85	5,175
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	151	4,343

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 1,125 Effective: 12/11/2005	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 3,375 Reservoir Inflow: 4,343	3,375
Estuary Inflows (Measured at NCAT)	5,175
PassThru Surplus / -Deficit:	774

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/30/2005
12/29/2005	146	4,212	53,197	3,050	-1,162	44.0	42.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: December 31, 2005**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
12/31/2004	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
12/31/2005	217.5	618,907	89.0%	88.4	160,798	62.5%	779,705	81.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/30/2005	69	85	0.01	75	64	0.00	149	
MTD		4,872	0.29		3,480	0.11	8,352	

STREAM FLOWS

Gauging Station	12/30/2005 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	2,845
NRTT : Nueces River at Tilden, Texas	6	149
FRTT : Frio River at Tilden, Texas	127	3,619
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	434
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	147	7,257
NCAT : Nueces River at Calallen, Texas	71	5,246
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	155	4,498

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 4,500 Salinity Relief Credit : 1,125 Effective: 12/11/2005	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 3,375 Reservoir Inflow: 4,498	3,375
Estuary Inflows (Measured at NCAT)	5,246
PassThru Surplus / -Deficit:	845

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	12/31/2005
12/30/2005	146	4,358	53,342	3,050	-1,308	44.0	42.6