

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 1, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/01/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/01/2006	217.5	619,151	89.1%	88.3	160,325	62.3%	779,476	81.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
12/31/2005	72	57	0.00	84	119	0.00	176	
MTD		4,929	0.29		3,599	0.11	8,528	

**STREAM FLOWS**

Gauging Station	12/31/2005 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	95	2,940
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	6	155
<a href="#">FRTT</a> : Frio River at Tilden, Texas	129	3,748
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	15	449
<a href="#">Release from Choke Canyon Reservoir</a>	66	2,031
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	121	7,378
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	101	5,348
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	159	4,657

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**

(All values are in AcFt)

Target Passthru Monthly Target: 4,500 <a href="#">Salinity Relief Credit</a> : 1,125 Effective: 12/11/2005	3,375
Credit / -Deficit From Previous Month (Date Deficit Satisfied: 12/03/2005)	-1,526
Return Flow Credit (Effective: 12/04/2005)	500
Passthru Target: 3,375 Reservoir Inflow: 4,657	3,375
Estuary Inflows (Measured at NCAT)	5,348
PassThru Surplus / -Deficit:	947

**LAKE TEXANA STATISTICS**

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	December 2005		Elevation (Ft)	
				Allocation	Remaining	Full	01/01/2006
12/31/2005	146	4,503	53,488	3,050	-1,453	44.0	42.6

Report Generated: 01/01/2006 at 8:36:34 AM

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 2, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/02/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/02/2006	217.5	618,907	89.0%	88.4	160,798	62.5%	779,705	81.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/01/2006	86	199	0.00	87	165	0.00	364	
MTD		199	0.00		165	0.00	364	

**STREAM FLOWS**

Gauging Station	01/01/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	93	93
<a href="#">NRRT</a> : Nueces River at Tilden, Texas	5	5
<a href="#">FRRT</a> : Frio River at Tilden, Texas	133	133
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	16	16
<a href="#">Release from Choke Canyon Reservoir</a>	66	66
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	121	121
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	48	48
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	161	161

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 161	161
Estuary Inflows (Measured at NCAT)	48
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/02/2006
01/01/2006	146	146	146	3,050	2,904	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 3, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/03/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/03/2006	217.5	618,664	89.0%	88.3	160,325	62.3%	778,989	81.8%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/02/2006	87	269	0.00	86	156	0.00	425	
MTD		468	0.00		321	0.00	789	

**STREAM FLOWS**

Gauging Station	01/02/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	95	189
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	6	11
<a href="#">FRTT</a> : Frio River at Tilden, Texas	133	266
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	16	32
<a href="#">Release from Choke Canyon Reservoir</a>	66	131
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	137	258
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	13	60
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	163	324

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 324	324
Estuary Inflows (Measured at NCAT)	60
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/03/2006
01/02/2006	145	291	291	3,050	2,759	44.0	42.6

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 4, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/04/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/04/2006	217.5	618,664	89.0%	88.3	160,010	62.2%	778,674	81.7%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/03/2006	88	284	0.00	84	174	0.00		458
MTD		752	0.00		495	0.00		1,247

**STREAM FLOWS**

Gauging Station	01/03/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	93	282
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	7	17
<a href="#">FRTT</a> : Frio River at Tilden, Texas	131	397
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	16	47
<a href="#">Release from Choke Canyon Reservoir</a>	66	197
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	155	413
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	7	67
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	159	482

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 482	482
Estuary Inflows (Measured at NCAT)	67
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/04/2006
01/03/2006	145	436	436	3,050	2,614	44.0	42.5

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 5, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/05/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/05/2006	217.5	618,664	89.0%	88.4	160,798	62.5%	779,462	81.8%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/04/2006	74	170	0.00	81	138	0.00		308
MTD		922	0.00		633	0.00		1,555

**STREAM FLOWS**

Gauging Station	01/04/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	93	375
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	7	24
<a href="#">FRTT</a> : Frio River at Tilden, Texas	131	528
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	15	63
<a href="#">Release from Choke Canyon Reservoir</a>	66	262
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	153	566
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	34	101
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	159	641

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 641	641
Estuary Inflows (Measured at NCAT)	101
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/05/2006
01/04/2006	146	582	582	3,050	2,468	44.0	42.5

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 6, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/06/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/06/2006	217.4	618,421	88.9%	88.3	159,852	62.1%	778,273	81.7%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/05/2006	72	283	0.00	71	238	0.00	521	
MTD		1,205	0.00		871	0.00	2,076	

**STREAM FLOWS**

Gauging Station	01/05/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	95	470
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	7	31
<a href="#">FRTT</a> : Frio River at Tilden, Texas	129	657
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	16	79
<a href="#">Release from Choke Canyon Reservoir</a>	66	328
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	153	719
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	13	114
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	159	800

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 800	800
Estuary Inflows (Measured at NCAT)	114
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/06/2006
01/05/2006	145	727	727	3,050	2,323	44.0	42.5

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 7, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/07/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/07/2006	217.4	618,177	88.9%	88.2	158,753	61.7%	776,930	81.6%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/06/2006	70	298	0.00	68	210	0.00		508
MTD		1,503	0.00		1,081	0.00		2,584

**STREAM FLOWS**

Gauging Station	01/06/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	95	566
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	4	35
<a href="#">FRTT</a> : Frio River at Tilden, Texas	127	784
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	17	96
<a href="#">Release from Choke Canyon Reservoir</a>	66	393
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	151	869
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	20	134
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	157	957

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 957	957
Estuary Inflows (Measured at NCAT)	134
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/07/2006
01/06/2006	145	872	872	3,050	2,178	44.0	42.4

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 8, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/08/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/08/2006	217.4	617,447	88.8%	88.2	158,596	61.6%	776,043	81.5%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/07/2006	81	283	0.00	79	256	0.00	539	
MTD		1,786	0.00		1,337	0.00	3,123	

**STREAM FLOWS**

Gauging Station	01/07/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	93	659
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	3	38
<a href="#">FRTT</a> : Frio River at Tilden, Texas	125	909
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	18	114
<a href="#">Release from Choke Canyon Reservoir</a>	66	459
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	151	1,020
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	54	187
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	153	1,110

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 1,110	1,110
Estuary Inflows (Measured at NCAT)	187
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/08/2006
01/07/2006	145	1,017	1,017	3,050	2,033	44.0	42.4



**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 9, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/09/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/09/2006	217.4	617,447	88.8%	88.2	158,596	61.6%	776,043	81.5%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/08/2006	82	198	0.00	82	155	0.00	353	
MTD		1,984	0.00		1,492	0.00	3,476	

**STREAM FLOWS**

Gauging Station	01/08/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	91	750
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	4	42
<a href="#">FRTT</a> : Frio River at Tilden, Texas	127	1,036
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	18	132
<a href="#">Release from Choke Canyon Reservoir</a>	66	524
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	127	1,147
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	36	223
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	153	1,262

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 1,262	1,262
Estuary Inflows (Measured at NCAT)	223
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/09/2006
01/08/2006	145	1,162	1,162	3,050	1,888	44.0	42.4

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 10, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/10/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/10/2006	217.4	617,204	88.8%	88.3	159,224	61.9%	776,428	81.5%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/09/2006	82	354	0.00	82	229	0.02		583
MTD		2,338	0.00		1,721	0.02		4,059

**STREAM FLOWS**

Gauging Station	01/09/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	93	844
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	4	46
<a href="#">FRTT</a> : Frio River at Tilden, Texas	125	1,161
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	17	149
<a href="#">Release from Choke Canyon Reservoir</a>	66	590
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	127	1,274
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	4	227
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	153	1,415

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 1,415	1,415
Estuary Inflows (Measured at NCAT)	227
PassThru Surplus / -Deficit:	0

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/10/2006
01/09/2006	145	1,307	1,307	3,050	1,743	44.0	42.3

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 11, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/11/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/11/2006	217.4	616,717	88.7%	88.2	158,283	61.5%	775,000	81.4%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/10/2006	64	212	0.00	63	119	0.00	331	
MTD		2,550	0.00		1,840	0.02	4,390	

**STREAM FLOWS**

Gauging Station	01/10/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	93	937
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	4	50
<a href="#">FRTT</a> : Frio River at Tilden, Texas	121	1,282
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	17	166
<a href="#">Release from Choke Canyon Reservoir</a>	66	655
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	135	1,409
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	227
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	149	1,564

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 1,564	1,564
Estuary Inflows (Measured at NCAT)	227
PassThru Surplus / -Deficit:	110

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/11/2006
01/10/2006	145	1,452	1,452	3,050	1,598	44.0	42.3

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 12, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/12/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/12/2006	217.4	616,717	88.7%	88.2	157,970	61.4%	774,687	81.3%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/11/2006	77	142	0.00	75	100	0.00	242	
MTD		2,692	0.00		1,940	0.02	4,632	

**STREAM FLOWS**

Gauging Station	01/11/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	97	1,034
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	4	54
<a href="#">FRTT</a> : Frio River at Tilden, Texas	117	1,399
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	16	183
<a href="#">Release from Choke Canyon Reservoir</a>	66	721
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	137	1,546
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	1	228
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	149	1,713

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 1,713	1,713
Estuary Inflows (Measured at NCAT)	228
PassThru Surplus / -Deficit:	-38

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/12/2006
01/11/2006	145	1,597	1,597	3,050	1,453	44.0	42.3

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 13, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/13/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/13/2006	217.4	616,231	88.6%	88.3	159,067	61.8%	775,298	81.4%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/12/2006	77	127	0.00	79	91	0.00	218	
MTD		2,819	0.00		2,031	0.02	4,850	

**STREAM FLOWS**

Gauging Station	01/12/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	81	1,116
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	4	58
<a href="#">FRTT</a> : Frio River at Tilden, Texas	117	1,517
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	16	199
<a href="#">Release from Choke Canyon Reservoir</a>	66	786
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	137	1,683
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	40	267
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	133	1,846

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 1,846	1,846
Estuary Inflows (Measured at NCAT)	267
PassThru Surplus / -Deficit:	-132

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/13/2006
01/12/2006	145	1,742	1,742	3,050	1,308	44.0	42.2

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 14, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/14/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/14/2006	217.4	616,717	88.7%	88.2	157,344	61.2%	774,061	81.3%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/13/2006	70	283	0.00	68	182	0.00		465
MTD		3,102	0.00		2,213	0.02		5,315

**STREAM FLOWS**

Gauging Station	01/13/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	81	1,197
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	5	63
<a href="#">FRTT</a> : Frio River at Tilden, Texas	115	1,632
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	16	216
<a href="#">Release from Choke Canyon Reservoir</a>	66	852
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	137	1,820
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	58	325
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	131	1,977

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 1,977	1,977
Estuary Inflows (Measured at NCAT)	325
PassThru Surplus / -Deficit:	-205

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/14/2006
01/13/2006	145	1,887	1,887	3,050	1,163	44.0	42.3

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 15, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/15/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/15/2006	217.4	616,474	88.7%	88.1	156,876	61.0%	773,350	81.2%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/14/2006	70	255	0.00	70	64	0.00	319	
MTD		3,357	0.00		2,277	0.02	5,634	

**STREAM FLOWS**

Gauging Station	01/14/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	89	1,286
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	4	67
<a href="#">FRTT</a> : Frio River at Tilden, Texas	113	1,745
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	17	232
<a href="#">Release from Choke Canyon Reservoir</a>	66	917
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	137	1,957
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	44	369
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	137	2,114

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 2,114	2,114
Estuary Inflows (Measured at NCAT)	369
PassThru Surplus / -Deficit:	-298

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/15/2006
01/14/2006	145	2,032	2,032	3,050	1,018	44.0	42.3

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 16, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/16/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/16/2006	217.4	617,204	88.8%	88.1	156,565	60.9%	773,769	81.2%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/15/2006	79	170	0.00	80	136	0.00	306	
MTD		3,527	0.00		2,413	0.02	5,940	

**STREAM FLOWS**

Gauging Station	01/15/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	87	1,374
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	3	70
<a href="#">FRTT</a> : Frio River at Tilden, Texas	111	1,856
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	17	250
<a href="#">Release from Choke Canyon Reservoir</a>	66	983
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	137	2,094
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	44	412
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	133	2,247

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 2,247	2,247
Estuary Inflows (Measured at NCAT)	412
PassThru Surplus / -Deficit:	-388

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/16/2006
01/15/2006	145	2,177	2,177	3,050	873	44.0	42.3



**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 17, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/17/2005	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%
01/17/2006	217.4	616,960	88.7%	88.2	157,657	61.3%	774,617	81.3%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/16/2006	81	311	0.00	85	209	0.01		520
MTD		3,838	0.00		2,622	0.03		6,460

**STREAM FLOWS**

Gauging Station	01/16/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	85	1,459
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	4	74
<a href="#">FRTT</a> : Frio River at Tilden, Texas	111	1,967
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	17	267
<a href="#">Release from Choke Canyon Reservoir</a>	66	1,048
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	137	2,231
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	28	440
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	131	2,378

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 2,378	2,378
Estuary Inflows (Measured at NCAT)	440
PassThru Surplus / -Deficit:	-491

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/17/2006
01/16/2006	145	2,321	2,321	3,050	729	44.0	42.1

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 18, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/18/2005	220.5	693,974	99.8%	94.0	241,241	100.0%	935,215	99.9%
01/18/2006	217.3	615,501	88.5%	88.1	156,254	60.7%	771,755	81.0%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/17/2006	63	297	0.00	64	245	0.00	542	
MTD		4,135	0.00		2,867	0.03	7,002	

**STREAM FLOWS**

Gauging Station	01/17/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	83	1,542
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	4	78
<a href="#">FRTT</a> : Frio River at Tilden, Texas	111	2,078
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	18	285
<a href="#">Release from Choke Canyon Reservoir</a>	66	1,114
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	137	2,368
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	26	466
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	129	2,507

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 2,507	2,500
Estuary Inflows (Measured at NCAT)	466
PassThru Surplus / -Deficit:	-587

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/18/2006
01/17/2006	145	2,466	2,466	3,050	584	44.0	42.2

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 19, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/19/2005	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%
01/19/2006	217.3	615,014	88.5%	88.0	155,170	60.3%	770,184	80.9%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/18/2006	77	311	0.00	77	242	0.00	553	
MTD		4,446	0.00		3,109	0.03	7,555	

**STREAM FLOWS**

Gauging Station	01/18/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	95	1,638
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	6	84
<a href="#">FRTT</a> : Frio River at Tilden, Texas	107	2,185
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	22	307
<a href="#">Release from Choke Canyon Reservoir</a>	66	1,179
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	149	2,517
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	22	488
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	137	2,644

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 2,644	2,500
Estuary Inflows (Measured at NCAT)	488
PassThru Surplus / -Deficit:	-565

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/19/2006
01/18/2006	145	2,611	2,611	3,050	439	44.0	42.1

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 20, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/20/2005	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%
01/20/2006	217.3	615,014	88.5%	88.1	155,943	60.6%	770,957	80.9%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/19/2006	80	311	0.00	80	235	0.00	546	
MTD		4,757	0.00		3,344	0.03	8,101	

**STREAM FLOWS**

Gauging Station	01/19/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	95	1,733
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	6	90
<a href="#">FRTT</a> : Frio River at Tilden, Texas	109	2,295
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	24	331
<a href="#">Release from Choke Canyon Reservoir</a>	66	1,245
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	149	2,666
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	2	490
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	139	2,783

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 2,783	2,500
Estuary Inflows (Measured at NCAT)	490
PassThru Surplus / -Deficit:	-563

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/20/2006
01/19/2006	145	2,756	2,756	3,050	294	44.0	42.0

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 21, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/21/2005	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%
01/21/2006	217.3	614,771	88.4%	88.1	156,565	60.9%	771,336	81.0%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/20/2006	82	325	0.00	84	172	0.00	497	
MTD		5,082	0.00		3,516	0.03	8,598	

**STREAM FLOWS**

Gauging Station	01/20/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	95	1,828
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	5	95
<a href="#">FRTT</a> : Frio River at Tilden, Texas	107	2,402
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	24	355
<a href="#">Release from Choke Canyon Reservoir</a>	66	1,310
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	212	2,878
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	0	490
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	137	2,920

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 2,920	2,500
Estuary Inflows (Measured at NCAT)	490
PassThru Surplus / -Deficit:	-563

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/21/2006
01/20/2006	144	2,900	2,900	3,050	150	44.0	42.0

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 22, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/22/2005	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
01/22/2006	217.3	614,771	88.4%	88.1	155,943	60.6%	770,714	80.9%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/21/2006	61	155	0.14	59	108	0.12	263	
MTD		5,237	0.14		3,624	0.15	8,861	

**STREAM FLOWS**

Gauging Station	01/21/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	95	1,923
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	5	100
<a href="#">FRTT</a> : Frio River at Tilden, Texas	107	2,509
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	24	378
<a href="#">Release from Choke Canyon Reservoir</a>	66	1,376
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	264	3,142
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	11	501
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	137	3,057

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 3,057	2,500
Estuary Inflows (Measured at NCAT)	501
PassThru Surplus / -Deficit:	-552

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/22/2006
01/21/2006	144	3,044	3,044	3,050	6	44.0	42.0

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 23, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/23/2005	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%
01/23/2006	217.3	615,014	88.5%	88.1	156,098	60.7%	771,112	81.0%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/22/2006	53	85	0.09	55	36	0.05	121	
MTD		5,322	0.23		3,660	0.20	8,982	

**STREAM FLOWS**

Gauging Station	01/22/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	101	2,025
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	5	106
<a href="#">FRTT</a> : Frio River at Tilden, Texas	109	2,618
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	24	402
<a href="#">Release from Choke Canyon Reservoir</a>	66	1,441
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	268	3,410
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	139	640
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	145	3,202

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 3,202	2,500
Estuary Inflows (Measured at NCAT)	640
PassThru Surplus / -Deficit:	-413

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/23/2006
01/22/2006	145	3,189	3,189	3,050	-139	44.0	42.0

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 24, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/24/2005	220.5	694,233	99.9%	94.0	241,241	100.0%	935,474	99.9%
01/24/2006	217.3	615,014	88.5%	88.0	155,324	60.4%	770,338	80.9%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/23/2006	64	170	0.00	62	54	0.00	224	
MTD		5,492	0.23		3,714	0.20	9,206	

**STREAM FLOWS**

Gauging Station	01/23/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	99	2,124
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	3	109
<a href="#">FRTT</a> : Frio River at Tilden, Texas	111	2,729
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	24	426
<a href="#">Release from Choke Canyon Reservoir</a>	66	1,507
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	270	3,680
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	161	801
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	145	3,347

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 3,347	2,500
Estuary Inflows (Measured at NCAT)	801
PassThru Surplus / -Deficit:	-252

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/24/2006
01/23/2006	145	3,334	3,334	3,050	-284	44.0	42.0



**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 25, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/25/2005	220.5	694,493	99.9%	94.0	241,241	100.0%	935,734	99.9%
01/25/2006	217.3	614,771	88.4%	88.0	154,862	60.2%	769,633	80.8%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/24/2006	71	198	0.00	69	108	0.00	306	
MTD		5,690	0.23		3,822	0.20	9,512	

**STREAM FLOWS**

Gauging Station	01/24/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	95	2,219
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	3	112
<a href="#">FRTT</a> : Frio River at Tilden, Texas	111	2,841
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	26	452
<a href="#">Release from Choke Canyon Reservoir</a>	66	1,572
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	254	3,934
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	99	900
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	141	3,488

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 3,488	2,500
Estuary Inflows (Measured at NCAT)	900
PassThru Surplus / -Deficit:	-153

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/25/2006
01/24/2006	144	3,477	3,477	3,050	-427	44.0	42.0

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 26, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/26/2005	220.5	694,752	99.9%	94.0	241,241	100.0%	935,993	99.9%
01/26/2006	217.3	614,527	88.4%	88.0	154,555	60.1%	769,082	80.7%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/25/2006	71	184	0.00	70	116	0.00	300	
MTD		5,874	0.23		3,938	0.20	9,812	

**STREAM FLOWS**

Gauging Station	01/25/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	95	2,315
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	112
<a href="#">FRTT</a> : Frio River at Tilden, Texas	105	2,946
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	26	478
<a href="#">Release from Choke Canyon Reservoir</a>	66	1,638
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	228	4,163
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	115	1,015
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	135	3,623

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 3,623	2,500
Estuary Inflows (Measured at NCAT)	1,015
PassThru Surplus / -Deficit:	-38

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/26/2006
01/25/2006	142	3,620	3,620	3,050	-570	44.0	41.9

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 27, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/27/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/27/2006	217.3	614,771	88.4%	88.0	154,401	60.0%	769,172	80.8%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/26/2006	68	141	0.00	68	98	0.00	239	
MTD		6,015	0.23		4,036	0.20	10,051	

**STREAM FLOWS**

Gauging Station	01/26/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	93	2,408
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	112
<a href="#">FRTT</a> : Frio River at Tilden, Texas	109	3,055
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	24	501
<a href="#">Release from Choke Canyon Reservoir</a>	66	1,703
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	202	4,365
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	87	1,103
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	137	3,760

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 3,760	2,500
Estuary Inflows (Measured at NCAT)	1,103
PassThru Surplus / -Deficit:	50

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/27/2006
01/26/2006	142	3,761	3,761	3,050	-711	44.0	41.9

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 28, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/28/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/28/2006	217.3	614,527	88.4%	87.9	153,634	59.7%	768,161	80.6%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/27/2006	77	226	0.00	77	161	0.01	387	
MTD		6,241	0.23		4,197	0.21	10,438	

**STREAM FLOWS**

Gauging Station	01/27/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	93	2,501
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	112
<a href="#">FRTT</a> : Frio River at Tilden, Texas	107	3,162
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	24	525
<a href="#">Release from Choke Canyon Reservoir</a>	66	1,769
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	169	4,534
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	38	1,140
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	135	3,895

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 3,895	2,500
Estuary Inflows (Measured at NCAT)	1,140
PassThru Surplus / -Deficit:	87

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/28/2006
01/27/2006	141	3,903	3,903	3,050	-853	44.0	41.9

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 29, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/29/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/29/2006	217.3	614,284	88.4%	87.9	154,094	59.9%	768,378	80.7%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/28/2006	72	71	0.10	72	18	0.03	89	
MTD		6,312	0.33		4,215	0.24	10,527	

**STREAM FLOWS**

Gauging Station	01/28/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	91	2,592
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	112
<a href="#">FRTT</a> : Frio River at Tilden, Texas	105	3,267
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	26	551
<a href="#">Release from Choke Canyon Reservoir</a>	66	1,834
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	167	4,700
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	42	1,182
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	131	4,026

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 4,026	2,500
Estuary Inflows (Measured at NCAT)	1,182
PassThru Surplus / -Deficit:	129

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/29/2006
01/28/2006	141	4,044	4,044	3,050	-994	44.0	41.9

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 30, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/30/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/30/2006	217.3	614,284	88.4%	87.9	153,941	59.8%	768,225	80.7%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/29/2006	83	141	0.00	85	170	0.01	311	
MTD		6,453	0.33		4,385	0.25	10,838	

**STREAM FLOWS**

Gauging Station	01/29/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	93	2,686
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	113
<a href="#">FRTT</a> : Frio River at Tilden, Texas	109	3,376
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	28	579
<a href="#">Release from Choke Canyon Reservoir</a>	66	1,900
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	131	4,831
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	77	1,259
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	137	4,163

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 4,163	2,500
Estuary Inflows (Measured at NCAT)	1,259
PassThru Surplus / -Deficit:	206

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/30/2006
01/29/2006	143	4,187	4,187	3,050	-1,137	44.0	41.9

**Choke Canyon / Lake Corpus Christi Reservoir System  
Daily Pass-Thru Status Report  
Report Date: January 31, 2006**

**RESERVOIR STATISTICS**

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
01/31/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
01/31/2006	217.3	614,040	88.3%	87.9	153,788	59.8%	767,828	80.6%
<b>Weather Related Information</b>								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/30/2006	75	367	0.00	74	241	0.00	608	
MTD		6,820	0.33		4,626	0.25	11,446	

**STREAM FLOWS**

Gauging Station	01/30/2006 (AcFt)	MTD (AcFt)
<a href="#">NTRT</a> : Nueces River at Three Rivers, Texas	95	2,781
<a href="#">NRTT</a> : Nueces River at Tilden, Texas	0	113
<a href="#">FRTT</a> : Frio River at Tilden, Texas	109	3,486
<a href="#">SMTT</a> : San Miguel Creek at Tilden, Texas	0	0
<a href="#">ARWT</a> : Atascosa River at Whitsett, Texas	26	605
<a href="#">Release from Choke Canyon Reservoir</a>	66	1,965
<a href="#">NRMT</a> : Nueces River at Mathis, Texas (La Fruta Bridge)	117	4,949
<a href="#">NCAT</a> : Nueces River at Calallen, Texas	44	1,303
<b>Reservoir Inflow</b>		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	139	4,301

**ESTUARY INFLOWS and PASSTHRU REQUIREMENTS**  
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 <a href="#">Salinity Relief Credit</a> : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied: )	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 4,301	2,500
Estuary Inflows (Measured at NCAT)	1,303
PassThru Surplus / -Deficit:	250

**LAKE TEXANA STATISTICS**  
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	01/31/2006
01/30/2006	144	4,331	4,331	3,050	-1,281	44.0	41.9