

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 1, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/01/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/01/2006	217.3	614,040	88.3%	87.9	153,634	59.7%	767,674	80.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
01/31/2006	80	254	0.00	78	187	0.00	441	
MTD		7,074	0.33		4,813	0.25	11,887	

STREAM FLOWS

Gauging Station	01/31/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	2,874
NRTT : Nueces River at Tilden, Texas	0	113
FRIT : Frio River at Tilden, Texas	107	3,593
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	630
Release from Choke Canyon Reservoir	66	2,031
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	117	5,066
NCAT : Nueces River at Calallen, Texas	9	1,312
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	135	4,436

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	947
Return Flow Credit (Effective: 01/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 4,436	2,500
Estuary Inflows (Measured at NCAT)	1,312
PassThru Surplus / -Deficit:	259

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	January 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/01/2006
01/31/2006	144	4,475	4,475	3,050	-1,425	44.0	41.8

Report Generated: 02/01/2006 at 8:40:07 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 2, 2006

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/02/2006	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/02/2006	217.3	613,797	88.3%	87.9	153,634	59.7%	767,431	80.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/01/2006	75	184	0.00	81	161	0.00	345	
MTD		184	0.00		161	0.00	345	

STREAM FLOWS

Gauging Station	02/01/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	91
NRTT : Nueces River at Tilden, Texas	0	0
FRIT : Frio River at Tilden, Texas	105	105
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	26
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	117	117
NCAT : Nueces River at Calallen, Texas	0	0
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	131	131

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 131	131
Estuary Inflows (Measured at NCAT)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/02/2006
02/01/2006	144	144	4,618	3,040	2,896	44.0	41.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 3, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/03/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/03/2006	217.2	613,554	88.2%	87.9	153,634	59.7%	767,188	80.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/02/2006	82	226	0.00	88	178	0.00	404	
MTD		410	0.00		339	0.00	749	

STREAM FLOWS

Gauging Station	02/02/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	183
NRTT : Nueces River at Tilden, Texas	0	0
FRTT : Frio River at Tilden, Texas	103	208
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	50
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	117	234
NCAT : Nueces River at Calallen, Texas	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	129	260

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 260	260
Estuary Inflows (Measured at NCAT)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/03/2006
02/02/2006	144	288	4,762	3,040	2,752	44.0	41.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 4, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/04/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/04/2006	217.2	613,554	88.2%	87.9	152,717	59.4%	766,271	80.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/03/2006	79	381	0.00	85	276	0.00	657	
MTD		791	0.00		615	0.00	1,406	

STREAM FLOWS

Gauging Station	02/03/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	274
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	103	312
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	73
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	191	425
NCAT : Nueces River at Calallen, Texas	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	129	389

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 389	389
Estuary Inflows (Measured at NCAT)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/04/2006
02/03/2006	144	431	4,906	3,040	2,609	44.0	41.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 5, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/05/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/05/2006	217.2	613,310	88.2%	87.8	152,107	59.1%	765,417	80.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/04/2006	76	198	0.00	78	195	0.00	393	
MTD		989	0.00		810	0.00	1,799	

STREAM FLOWS

Gauging Station	02/04/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	87	361
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	105	417
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	97
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	234	659
NCAT : Nueces River at Calallen, Texas	0	0
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	127	516

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 516	516
Estuary Inflows (Measured at NCAT)	0
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/05/2006
02/04/2006	144	575	5,049	3,040	2,465	44.0	41.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 6, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/06/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/06/2006	217.2	613,554	88.2%	87.8	151,651	58.9%	765,205	80.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/05/2006	84	311	0.00	84	248	0.00	559	
MTD		1,300	0.00		1,058	0.00	2,358	

STREAM FLOWS

Gauging Station	02/05/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	87	449
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	107	524
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	121
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	873
NCAT : Nueces River at Calallen, Texas	10	10
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	129	645

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 645	645
Estuary Inflows (Measured at NCAT)	10
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/06/2006
02/05/2006	144	718	5,193	3,040	2,322	44.0	41.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 7, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/07/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/07/2006	217.2	611,857	88.0%	87.8	152,107	59.1%	763,964	80.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/06/2006	71	451	0.00	70	337	0.00	788	
MTD		1,751	0.00		1,395	0.00	3,146	

STREAM FLOWS

Gauging Station	02/06/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	87	536
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	107	631
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	145
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	216	1,090
NCAT : Nueces River at Calallen, Texas	40	50
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	129	774

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 774	774
Estuary Inflows (Measured at NCAT)	50
PassThru Surplus / -Deficit:	35

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/07/2006
02/06/2006	144	862	5,336	3,040	2,178	44.0	41.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 8, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/08/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/08/2006	217.2	612,339	88.1%	87.8	151,347	58.8%	763,686	80.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/07/2006	67	212	0.00	68	106	0.00	318	
MTD		1,963	0.00		1,501	0.00	3,464	

STREAM FLOWS

Gauging Station	02/07/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	625
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	103	734
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	169
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	216	1,306
NCAT : Nueces River at Calallen, Texas	52	102
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	127	901

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 901	901
Estuary Inflows (Measured at NCAT)	102
PassThru Surplus / -Deficit:	-41

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/08/2006
02/07/2006	143	1,005	5,480	3,040	2,035	44.0	41.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 9, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/09/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/09/2006	217.2	611,857	88.0%	87.7	151,043	58.7%	762,900	80.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/08/2006	75	197	0.00	73	133	0.00	330	
MTD		2,160	0.00		1,634	0.00	3,794	

STREAM FLOWS

Gauging Station	02/08/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	79	705
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	99	834
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	193
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	181	1,487
NCAT : Nueces River at Calallen, Texas	58	159
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	113	1,014

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 1,014	1,014
Estuary Inflows (Measured at NCAT)	159
PassThru Surplus / -Deficit:	-96

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/09/2006
02/08/2006	143	1,148	5,623	3,040	1,892	44.0	41.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 10, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/10/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/10/2006	217.2	611,375	87.9%	87.7	150,589	58.5%	761,964	80.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/09/2006	75	240	0.00	76	203	0.00	443	
MTD		2,400	0.00		1,837	0.00	4,237	

STREAM FLOWS

Gauging Station	02/09/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	131	836
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	97	931
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	216
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	1,640
NCAT : Nueces River at Calallen, Texas	38	197
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	163	1,177

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 1,177	1,177
Estuary Inflows (Measured at NCAT)	197
PassThru Surplus / -Deficit:	-221

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/10/2006
02/09/2006	143	1,291	5,766	3,040	1,749	44.0	41.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 11, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/11/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/11/2006	217.1	610,893	87.9%	87.8	151,803	59.0%	762,696	80.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/10/2006	78	296	0.00	82	177	0.00	473	
MTD		2,696	0.00		2,014	0.00	4,710	

STREAM FLOWS

Gauging Station	02/10/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	935
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	93	1,024
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	240
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	153	1,792
NCAT : Nueces River at Calallen, Texas	18	215
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	127	1,304

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 1,304	1,304
Estuary Inflows (Measured at NCAT)	215
PassThru Surplus / -Deficit:	-331

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/11/2006
02/10/2006	143	1,435	5,909	3,040	1,605	44.0	41.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 12, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/12/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/12/2006	217.1	610,411	87.8%	87.7	150,437	58.5%	760,848	79.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/11/2006	57	352	0.00	57	115	0.00	467	
MTD		3,048	0.00		2,129	0.00	5,177	

STREAM FLOWS

Gauging Station	02/11/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	1,026
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	91	1,116
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	264
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	1,947
NCAT : Nueces River at Calallen, Texas	30	244
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	117	1,421

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 1,421	1,421
Estuary Inflows (Measured at NCAT)	244
PassThru Surplus / -Deficit:	-418

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/12/2006
02/11/2006	143	1,578	6,053	3,040	1,462	44.0	41.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 13, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/13/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/13/2006	217.1	610,170	87.8%	87.7	150,135	58.4%	760,305	79.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/12/2006	65	225	0.00	66	229	0.00	454	
MTD		3,273	0.00		2,358	0.00	5,631	

STREAM FLOWS

Gauging Station	02/12/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	1,116
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	85	1,201
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	288
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	155	2,102
NCAT : Nueces River at Calallen, Texas	26	270
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	109	1,530

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 1,530	1,530
Estuary Inflows (Measured at NCAT)	270
PassThru Surplus / -Deficit:	-501

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/13/2006
02/12/2006	143	1,721	6,196	3,040	1,319	44.0	41.6

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 14, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/14/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/14/2006	217.1	609,929	87.7%	87.7	149,682	58.2%	759,611	79.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/13/2006	70	310	0.00	69	281	0.00	591	
MTD		3,583	0.00		2,639	0.00	6,222	

STREAM FLOWS

Gauging Station	02/13/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	83	1,199
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	85	1,286
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	310
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	141	2,243
NCAT : Nueces River at Calallen, Texas	48	318
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	103	1,634

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 1,634	1,634
Estuary Inflows (Measured at NCAT)	318
PassThru Surplus / -Deficit:	-557

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/14/2006
02/13/2006	144	1,865	6,340	3,040	1,175	44.0	41.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 15, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/15/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/15/2006	217.1	609,929	87.7%	87.7	149,682	58.2%	759,611	79.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/14/2006	82	267	0.00	81	334	0.00	601	
MTD		3,850	0.00		2,973	0.00	6,823	

STREAM FLOWS

Gauging Station	02/14/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	1,298
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	83	1,370
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	331
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	171	2,414
NCAT : Nueces River at Calallen, Texas	13	331
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	117	1,751

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 1,751	1,751
Estuary Inflows (Measured at NCAT)	331
PassThru Surplus / -Deficit:	-661

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/15/2006
02/14/2006	143	2,008	6,483	3,040	1,032	44.0	41.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 16, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/16/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/16/2006	217.1	609,929	87.7%	87.6	148,928	57.9%	758,857	79.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/15/2006	85	267	0.00	85	184	0.00	451	
MTD		4,117	0.00		3,157	0.00	7,274	

STREAM FLOWS

Gauging Station	02/15/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	1,399
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	81	1,451
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	355
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	210	2,624
NCAT : Nueces River at Calallen, Texas	30	360
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	117	1,868

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 1,868	1,868
Estuary Inflows (Measured at NCAT)	360
PassThru Surplus / -Deficit:	-748

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/16/2006
02/15/2006	143	2,151	6,626	3,040	889	44.0	41.4

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 17, 2006

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/17/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/17/2006	217.1	609,447	87.7%	87.8	151,651	58.9%	761,098	79.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/16/2006	89	310	0.00	89	221	0.00	531	
MTD		4,427	0.00		3,378	0.00	7,805	

STREAM FLOWS

Gauging Station	02/16/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	1,499
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	81	1,532
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	379
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	210	2,835
NCAT : Nueces River at Calallen, Texas	71	432
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	115	1,983

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 1,983	1,983
Estuary Inflows (Measured at NCAT)	432
PassThru Surplus / -Deficit:	-792

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/17/2006
02/16/2006	143	2,295	6,769	3,040	745	44.0	41.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 18, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/18/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/18/2006	217.0	608,723	87.6%	87.7	150,437	58.5%	759,160	79.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/17/2006	51	211	0.00	55	115	0.00	326	
MTD		4,638	0.00		3,493	0.00	8,131	

STREAM FLOWS

Gauging Station	02/17/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	1,600
NRTT : Nueces River at Tilden, Texas	0	4
FRTT : Frio River at Tilden, Texas	79	1,612
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	401
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	210	3,045
NCAT : Nueces River at Calallen, Texas	46	478
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	115	2,098

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 2,098	2,098
Estuary Inflows (Measured at NCAT)	478
PassThru Surplus / -Deficit:	-862

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/18/2006
02/17/2006	143	2,438	6,912	3,040	602	44.0	41.4

Report Generated: 02/18/2006 at 8:14:18 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 19, 2006

RESERVOIR STATISTICS

Choke Canyon Reservoir				Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/19/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/19/2006	217.0	608,241	87.5%	87.6	149,079	57.9%	757,320	79.5%
Weather Related Information								
Choke Canyon Reservoir			Lake Corpus Christi Reservoir				Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/18/2006	40	28	0.03	41	0	0.04	28	
MTD		4,666	0.03		3,493	0.04	8,159	

STREAM FLOWS

Gauging Station	02/18/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	1,707
NRTT : Nueces River at Tilden, Texas	0	4
FRTT : Frio River at Tilden, Texas	79	1,691
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	423
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	210	3,255
NCAT : Nueces River at Calallen, Texas	125	603
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	121	2,219

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 2,219	2,219
Estuary Inflows (Measured at NCAT)	603
PassThru Surplus / -Deficit:	-858

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/19/2006
02/18/2006	143	2,581	7,055	3,040	459	44.0	41.4

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 20, 2006

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/20/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/20/2006	217.0	607,759	87.4%	87.6	148,627	57.8%	756,386	79.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/19/2006	40	0	0.03	42	9	0.05		9
MTD		4,666	0.06		3,502	0.09		8,168

STREAM FLOWS

Gauging Station	02/19/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	109	1,816
NRTT : Nueces River at Tilden, Texas	0	4
FRTT : Frio River at Tilden, Texas	79	1,771
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	447
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	210	3,466
NCAT : Nueces River at Calallen, Texas	119	722
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	123	2,342

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 2,342	2,342
Estuary Inflows (Measured at NCAT)	722
PassThru Surplus / -Deficit:	-862

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/20/2006
02/19/2006	143	2,724	7,198	3,040	316	44.0	41.4

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 21, 2006

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/21/2006	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/21/2006	217.0	607,759	87.4%	87.6	148,177	57.6%	755,936	79.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/20/2006	46	28	0.06	48	0	0.04	28	
MTD		4,694	0.12		3,502	0.13	8,196	

STREAM FLOWS

Gauging Station	02/20/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	1,923
NRTT : Nueces River at Tilden, Texas	0	4
FRTT : Frio River at Tilden, Texas	83	1,854
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	470
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	234	3,700
NCAT : Nueces River at Calallen, Texas	58	779
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	125	2,467

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 2,467	2,467
Estuary Inflows (Measured at NCAT)	779
PassThru Surplus / -Deficit:	-929

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/21/2006
02/20/2006	143	2,867	7,341	3,040	173	44.0	41.4

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 22, 2006

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/22/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/22/2006	217.0	608,723	87.6%	87.5	147,727	57.4%	756,450	79.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/21/2006	60	14	0.02	65	17	0.01	31	
MTD		4,708	0.14		3,519	0.14	8,227	

STREAM FLOWS

Gauging Station	02/21/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	107	2,031
NRTT : Nueces River at Tilden, Texas	0	4
FRTT : Frio River at Tilden, Texas	85	1,939
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	494
Release from Choke Canyon Reservoir	66	1,376
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	3,962
NCAT : Nueces River at Calallen, Texas	107	887
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	127	2,594

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 2,594	2,500
Estuary Inflows (Measured at NCAT)	887
PassThru Surplus / -Deficit:	-854

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/22/2006
02/21/2006	143	3,010	7,484	3,040	30	44.0	41.3

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 23, 2006

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/23/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/23/2006	217.0	608,241	87.5%	87.6	148,627	57.8%	756,868	79.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/22/2006	77	155	0.00	85	44	0.00	199	
MTD		4,863	0.14		3,563	0.14	8,426	

STREAM FLOWS

Gauging Station	02/22/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	105	2,136
NRTT : Nueces River at Tilden, Texas	0	5
FRTT : Frio River at Tilden, Texas	81	2,021
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	520
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	4,224
NCAT : Nueces River at Calallen, Texas	157	1,043
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	121	2,715

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 2,715	2,500
Estuary Inflows (Measured at NCAT)	1,043
PassThru Surplus / -Deficit:	-698

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/23/2006
02/22/2006	143	3,153	7,627	3,040	-113	44.0	41.3

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 24, 2006

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/24/2005	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/24/2006	217.0	608,241	87.5%	87.5	147,577	57.4%	755,818	79.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/23/2006	74	253	0.00	72	201	0.00	454	
MTD		5,116	0.14		3,764	0.14	8,880	

STREAM FLOWS

Gauging Station	02/23/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	2,239
NRTT : Nueces River at Tilden, Texas	0	5
FRTT : Frio River at Tilden, Texas	97	2,118
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	546
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	262	4,486
NCAT : Nueces River at Calallen, Texas	101	1,145
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	135	2,850

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 2,850	2,500
Estuary Inflows (Measured at NCAT)	1,145
PassThru Surplus / -Deficit:	-596

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/24/2006
02/23/2006	143	3,295	7,770	3,040	-255	44.0	41.3

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 25, 2006

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/25/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/25/2006	217.1	608,965	87.6%	87.5	147,428	57.3%	756,393	79.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/24/2006	71	127	0.00	68	61	0.01		188
MTD		5,243	0.14		3,825	0.15		9,068

STREAM FLOWS

Gauging Station	02/24/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	2,342
NRTT : Nueces River at Tilden, Texas	0	5
FRTT : Frio River at Tilden, Texas	75	2,193
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	572
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	260	4,746
NCAT : Nueces River at Calallen, Texas	191	1,335
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	113	2,964

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 2,964	2,500
Estuary Inflows (Measured at NCAT)	1,335
PassThru Surplus / -Deficit:	-406

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/25/2006
02/24/2006	143	3,438	7,913	3,040	-398	44.0	41.3

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 26, 2006

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/26/2005	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/26/2006	217.0	608,723	87.6%	87.5	147,877	57.5%	756,600	79.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/25/2006	70	141	0.00	68	79	0.03	220	
MTD		5,384	0.14		3,904	0.18	9,288	

STREAM FLOWS

Gauging Station	02/25/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	2,444
NRTT : Nueces River at Tilden, Texas	0	5
FRTT : Frio River at Tilden, Texas	79	2,273
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	597
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	260	5,006
NCAT : Nueces River at Calallen, Texas	177	1,512
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	115	3,079

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 3,079	2,500
Estuary Inflows (Measured at NCAT)	1,512
PassThru Surplus / -Deficit:	-229

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/26/2006
02/25/2006	143	3,581	8,056	3,040	-541	44.0	41.3

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 27, 2006

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/27/2005	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/27/2006	217.0	607,759	87.4%	87.4	146,532	57.0%	754,291	79.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/26/2006	74	337	0.00	72	174	0.00	511	
MTD		5,721	0.14		4,078	0.18	9,799	

STREAM FLOWS

Gauging Station	02/26/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	2,547
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	79	2,352
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	28	625
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	260	5,266
NCAT : Nueces River at Calallen, Texas	131	1,643
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	117	3,196

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 3,196	2,500
Estuary Inflows (Measured at NCAT)	1,643
PassThru Surplus / -Deficit:	-98

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/27/2006
02/26/2006	142	3,723	8,198	3,040	-683	44.0	41.2

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: February 28, 2006

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
02/28/2005	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
02/28/2006	217.0	607,759	87.4%	87.4	146,085	56.8%	753,844	79.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/27/2006	81	365	0.00	78	243	0.00	608	
MTD		6,086	0.14		4,321	0.18	10,407	

STREAM FLOWS

Gauging Station	02/27/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	103	2,650
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	81	2,434
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	28	653
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	206	5,473
NCAT : Nueces River at Calallen, Texas	97	1,740
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	119	3,315

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 3,315	2,500
Estuary Inflows (Measured at NCAT)	1,740
PassThru Surplus / -Deficit:	-1

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	02/28/2006
02/27/2006	142	3,866	8,341	3,040	-826	44.0	41.2