

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 1, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/01/2005	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/01/2006	217.0	608,000	87.4%	87.4	145,640	56.6%	753,640	79.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
02/28/2006	88	422	0.00	85	233	0.00	655	
MTD		6,508	0.14		4,554	0.18	11,062	

STREAM FLOWS

Gauging Station	02/28/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	2,751
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	83	2,517
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	28	681
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	167	5,639
NCAT : Nueces River at Calallen, Texas	44	1,784
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	119	3,434

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 2,500 Salinity Relief Credit : 0 Effective:	2,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	259
Return Flow Credit (Effective: 02/01/2006)	500
Passthru Target: 2,500 Reservoir Inflow: 3,434	2,500
Estuary Inflows (Measured at NCAT)	1,784
PassThru Surplus / -Deficit:	43

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	February 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/01/2006
02/28/2006	142	4,008	8,483	3,040	-968	44.0	41.1

Report Generated: 03/01/2006 at 8:46:39 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 2, 2006

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/02/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/02/2006	217.0	608,241	87.5%	87.4	145,343	56.5%	753,584	79.1%

Weather Related Information							
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)
03/01/2006	91	379	0.00	88	199	0.00	578
MTD		379	0.00		199	0.00	578

STREAM FLOWS

Gauging Station	03/01/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	101	101
NRRT : Nueces River at Tilden, Texas	0	0
FRRT : Frio River at Tilden, Texas	83	83
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	28	28
Release from Choke Canyon Reservoir	66	66
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	220	220
NCAT : Nueces River at Calallen, Texas	8	8
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	119	119

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 119	119
Estuary Inflows (Measured at NCAT)	8
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/02/2006
03/01/2006	142	142	8,625	3,050	2,908	44.0	41.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 3, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/03/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/03/2006	217.0	608,000	87.4%	87.3	144,899	56.3%	752,899	79.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/02/2006	89	351	0.00	88	241	0.00	592	
MTD		730	0.00		440	0.00	1,170	

STREAM FLOWS

Gauging Station	03/02/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	200
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	77	161
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	28	56
Release from Choke Canyon Reservoir	66	131
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	258	478
NCAT : Nueces River at Calallen, Texas	1	9
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	111	230

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 230	230
Estuary Inflows (Measured at NCAT)	9
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/03/2006
03/02/2006	141	283	8,765	3,050	2,767	44.0	41.1

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 4, 2006

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/04/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/04/2006	217.0	608,241	87.5%	87.3	144,606	56.2%	752,847	79.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/03/2006	83	323	0.00	83	203	0.00		526
MTD		1,053	0.00		643	0.00		1,696

STREAM FLOWS

Gauging Station	03/03/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	300
NRTT : Nueces River at Tilden, Texas	0	1
FRIT : Frio River at Tilden, Texas	71	232
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	81
Release from Choke Canyon Reservoir	66	197
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	260	738
NCAT : Nueces River at Calallen, Texas	77	87
Reservoir Inflow		
Computed as: (NTRT+FRIT+SMTT)-Release From Choke Canyon	105	335

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 335	335
Estuary Inflows (Measured at NCAT)	87
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/04/2006
03/03/2006	139	422	8,905	3,050	2,628	44.0	41.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 5, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/05/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/05/2006	217.0	608,000	87.4%	87.3	144,170	56.0%	752,170	79.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/04/2006	82	281	0.00	80	127	0.00	408	
MTD		1,334	0.00		770	0.00	2,104	

STREAM FLOWS

Gauging Station	03/04/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	399
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	69	302
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	107
Release from Choke Canyon Reservoir	66	262
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	216	955
NCAT : Nueces River at Calallen, Texas	89	176
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	103	439

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 439	439
Estuary Inflows (Measured at NCAT)	176
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/05/2006
03/04/2006	139	561	9,044	3,050	2,489	44.0	41.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 6, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/06/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/06/2006	217.0	607,759	87.4%	87.3	143,880	55.9%	751,639	78.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/05/2006	90	393	0.00	88	236	0.00	629	
MTD		1,727	0.00		1,006	0.00	2,733	

STREAM FLOWS

Gauging Station	03/05/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	99	498
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	69	371
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	133
Release from Choke Canyon Reservoir	66	328
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	212	1,167
NCAT : Nueces River at Calallen, Texas	44	220
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	103	542

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 542	542
Estuary Inflows (Measured at NCAT)	220
PassThru Surplus / -Deficit:	0

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/06/2006
03/05/2006	139	700	9,183	3,050	2,350	44.0	41.1

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 7, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/07/2005	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/07/2006	217.0	607,759	87.4%	87.2	143,590	55.8%	751,349	78.9%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/06/2006	87	281	0.00	86	177	0.00	458	
MTD		2,008	0.00		1,183	0.00	3,191	

STREAM FLOWS

Gauging Station	03/06/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	596
NRTT : Nueces River at Tilden, Texas	0	1
FRTT : Frio River at Tilden, Texas	67	439
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	159
Release from Choke Canyon Reservoir	66	393
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	1,382
NCAT : Nueces River at Calallen, Texas	28	247
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	99	641

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 641	641
Estuary Inflows (Measured at NCAT)	247
PassThru Surplus / -Deficit:	149

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/07/2006
03/06/2006	139	839	9,322	3,050	2,211	44.0	41.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 8, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/08/2005	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/08/2006	217.0	607,759	87.4%	87.1	142,148	55.3%	749,907	78.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/07/2006	87	421	0.00	84	243	0.00	664	
MTD		2,429	0.00		1,426	0.00	3,855	

STREAM FLOWS

Gauging Station	03/07/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	97	693
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	67	506
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	185
Release from Choke Canyon Reservoir	66	459
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	1,600
NCAT : Nueces River at Calallen, Texas	40	287
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	99	740

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 740	740
Estuary Inflows (Measured at NCAT)	287
PassThru Surplus / -Deficit:	90

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/08/2006
03/07/2006	140	980	9,462	3,050	2,070	44.0	41.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 9, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/09/2005	220.7	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/09/2006	217.0	607,518	87.4%	87.2	142,868	55.5%	750,386	78.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/08/2006	96	506	0.00	92	319	0.00	825	
MTD		2,935	0.00		1,745	0.00	4,680	

STREAM FLOWS

Gauging Station	03/08/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	788
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	64	570
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	210
Release from Choke Canyon Reservoir	66	524
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	1,818
NCAT : Nueces River at Calallen, Texas	42	329
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	93	834

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 834	834
Estuary Inflows (Measured at NCAT)	329
PassThru Surplus / -Deficit:	38

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/09/2006
03/08/2006	142	1,122	9,604	3,050	1,928	44.0	40.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 10, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/10/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/10/2006	217.0	607,277	87.3%	87.1	142,005	55.2%	749,282	78.7%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/09/2006	84	492	0.00	88	301	0.00	793	
MTD		3,427	0.00		2,046	0.00	5,473	

STREAM FLOWS

Gauging Station	03/09/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	883
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	62	631
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	236
Release from Choke Canyon Reservoir	66	590
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	216	2,035
NCAT : Nueces River at Calallen, Texas	36	365
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	91	925

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 925	925
Estuary Inflows (Measured at NCAT)	365
PassThru Surplus / -Deficit:	-17

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/10/2006
03/09/2006	142	1,264	9,746	3,050	1,786	44.0	40.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 11, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/11/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/11/2006	217.0	607,036	87.3%	87.1	141,431	55.0%	748,467	78.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/10/2006	96	407	0.00	91	250	0.00	657	
MTD		3,834	0.00		2,296	0.00	6,130	

STREAM FLOWS

Gauging Station	03/10/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	979
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	58	689
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	26	262
Release from Choke Canyon Reservoir	66	655
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	218	2,253
NCAT : Nueces River at Calallen, Texas	7	371
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	87	1,012

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 1,012	1,012
Estuary Inflows (Measured at NCAT)	371
PassThru Surplus / -Deficit:	-98

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/11/2006
03/10/2006	142	1,405	9,888	3,050	1,645	44.0	41.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 12, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/12/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/12/2006	217.0	607,036	87.3%	87.0	140,431	54.6%	747,467	78.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/11/2006	90	379	0.00	96	257	0.00		636
MTD		4,213	0.00		2,553	0.00		6,766

STREAM FLOWS

Gauging Station	03/11/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	1,072
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	58	746
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	24	286
Release from Choke Canyon Reservoir	66	721
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	2,467
NCAT : Nueces River at Calallen, Texas	6	377
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	85	1,098

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 1,098	1,098
Estuary Inflows (Measured at NCAT)	377
PassThru Surplus / -Deficit:	-178

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/12/2006
03/11/2006	142	1,547	10,030	3,050	1,503	44.0	41.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 13, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/13/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/13/2006	217.0	606,795	87.3%	87.1	142,005	55.2%	748,800	78.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/12/2006	94	309	0.00	90	109	0.00		418
MTD		4,522	0.00		2,662	0.00		7,184

STREAM FLOWS

Gauging Station	03/12/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	93	1,165
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	56	802
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	22	308
Release from Choke Canyon Reservoir	66	786
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	214	2,682
NCAT : Nueces River at Calallen, Texas	18	395
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	83	1,181

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 1,181	1,181
Estuary Inflows (Measured at NCAT)	395
PassThru Surplus / -Deficit:	-243

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/13/2006
03/12/2006	142	1,689	10,172	3,050	1,361	44.0	41.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 14, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/14/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/14/2006	217.0	606,554	87.2%	87.1	141,718	55.1%	748,272	78.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/13/2006	79	491	0.00	77	342	0.00	833	
MTD		5,013	0.00		3,004	0.00	8,017	

STREAM FLOWS

Gauging Station	03/13/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	1,260
NRTT : Nueces River at Tilden, Texas	0	2
FRTT : Frio River at Tilden, Texas	52	854
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	18	326
Release from Choke Canyon Reservoir	66	852
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	216	2,898
NCAT : Nueces River at Calallen, Texas	34	429
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	81	1,262

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 1,262	1,262
Estuary Inflows (Measured at NCAT)	429
PassThru Surplus / -Deficit:	-291

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/14/2006
03/13/2006	142	1,831	10,313	3,050	1,219	44.0	40.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 15, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/15/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/15/2006	216.9	605,831	87.1%	87.0	140,574	54.6%	746,405	78.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/14/2006	81	533	0.00	81	282	0.00	815	
MTD		5,546	0.00		3,286	0.00	8,832	

STREAM FLOWS

Gauging Station	03/14/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	95	1,356
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	50	903
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	8	334
Release from Choke Canyon Reservoir	66	917
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	252	3,150
NCAT : Nueces River at Calallen, Texas	16	445
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	79	1,342

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 1,342	1,342
Estuary Inflows (Measured at NCAT)	445
PassThru Surplus / -Deficit:	-354

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/15/2006
03/14/2006	142	1,972	10,455	3,050	1,078	44.0	41.0

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 16, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/16/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/16/2006	216.9	605,349	87.1%	87.0	140,146	54.5%	745,495	78.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/15/2006	75	140	0.03	74	174	0.00		314
MTD		5,686	0.03		3,460	0.00		9,146

STREAM FLOWS

Gauging Station	03/15/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	91	1,447
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	48	951
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	340
Release from Choke Canyon Reservoir	66	983
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	252	3,402
NCAT : Nueces River at Calallen, Texas	40	485
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	73	1,415

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 1,415	1,415
Estuary Inflows (Measured at NCAT)	485
PassThru Surplus / -Deficit:	-387

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/16/2006
03/15/2006	142	2,114	10,597	3,050	936	44.0	40.9

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 17, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/17/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/17/2006	216.9	605,105	87.0%	87.0	140,289	54.5%	745,394	78.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/16/2006	88	280	0.00	87	158	0.00		438
MTD		5,966	0.03		3,618	0.00		9,584

STREAM FLOWS

Gauging Station	03/16/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	1,536
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	46	996
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	6	346
Release from Choke Canyon Reservoir	66	1,048
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	250	3,652
NCAT : Nueces River at Calallen, Texas	50	534
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	69	1,485

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 1,485	1,485
Estuary Inflows (Measured at NCAT)	534
PassThru Surplus / -Deficit:	-407

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/17/2006
03/16/2006	142	2,256	10,739	3,050	794	44.0	40.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 18, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/18/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/18/2006	216.9	604,867	87.0%	87.0	139,436	54.2%	744,303	78.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/17/2006	81	210	0.00	84	190	0.00		400
MTD		6,176	0.03		3,808	0.00		9,984

STREAM FLOWS

Gauging Station	03/17/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	87	1,624
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	48	1,044
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	5	351
Release from Choke Canyon Reservoir	66	1,114
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	250	3,903
NCAT : Nueces River at Calallen, Texas	52	586
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	69	1,554

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 1,554	1,554
Estuary Inflows (Measured at NCAT)	586
PassThru Surplus / -Deficit:	-425

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/18/2006
03/17/2006	142	2,399	10,881	3,050	651	44.0	40.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 19, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/19/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/19/2006	216.9	604,626	87.0%	86.9	138,445	53.8%	743,071	78.0%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/18/2006	86	420	0.00	86	239	0.00	659	
MTD		6,596	0.03		4,047	0.00	10,643	

STREAM FLOWS

Gauging Station	03/18/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	1,709
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	48	1,092
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	4	355
Release from Choke Canyon Reservoir	66	1,179
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	250	4,153
NCAT : Nueces River at Calallen, Texas	42	628
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	67	1,622

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 1,622	1,622
Estuary Inflows (Measured at NCAT)	628
PassThru Surplus / -Deficit:	-451

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/19/2006
03/18/2006	142	2,541	11,023	3,050	509	44.0	40.8

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 20, 2006

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/20/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/20/2006	217.0	606,554	87.2%	86.9	139,294	54.1%	745,848	78.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/19/2006	86	253	0.14	85	190	0.00	443	
MTD		6,849	0.17		4,237	0.00	11,086	

STREAM FLOWS

Gauging Station	03/19/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	1,794
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	48	1,139
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	16	371
Release from Choke Canyon Reservoir	66	1,245
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	252	4,405
NCAT : Nueces River at Calallen, Texas	50	677
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	67	1,689

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
 (All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 1,689	1,689
Estuary Inflows (Measured at NCAT)	677
PassThru Surplus / -Deficit:	-469

LAKE TEXANA STATISTICS
 (All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/20/2006
03/19/2006	142	2,682	11,165	3,050	368	44.0	40.8

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 21, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/21/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/21/2006	216.9	604,867	87.0%	87.0	139,720	54.3%	744,587	78.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/20/2006	86	491	0.00	84	290	0.00	781	
MTD		7,340	0.17		4,527	0.00	11,867	

STREAM FLOWS

Gauging Station	03/20/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	87	1,882
NRTT : Nueces River at Tilden, Texas	0	3
FRTT : Frio River at Tilden, Texas	48	1,187
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	17	388
Release from Choke Canyon Reservoir	66	1,310
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	250	4,655
NCAT : Nueces River at Calallen, Texas	56	733
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	69	1,759

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 1,759	1,759
Estuary Inflows (Measured at NCAT)	733
PassThru Surplus / -Deficit:	-483

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/21/2006
03/20/2006	139	2,821	11,304	3,050	229	44.0	40.7

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 22, 2006**

MISSING

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 23, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/23/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/23/2006	216.8	602,457	86.7%	86.9	138,727	53.9%	741,184	77.8%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/22/2006	64	196	0.08	61	132	0.18	328	
MTD		8,054	0.25		4,989	0.18	13,043	

STREAM FLOWS

Gauging Station	03/22/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	2,056
NRTT : Nueces River at Tilden, Texas	0	4
FRTT : Frio River at Tilden, Texas	46	1,278
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	17	422
Release from Choke Canyon Reservoir	66	1,441
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	292	5,215
NCAT : Nueces River at Calallen, Texas	50	806
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	69	1,894

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 1,894	1,894
Estuary Inflows (Measured at NCAT)	806
PassThru Surplus / -Deficit:	-544

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/23/2006
03/22/2006	142	3,105	11,588	3,050	-55	44.0	40.6

Report Generated: 03/23/2006 at 8:33:20 AM

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 24, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/24/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/24/2006	216.8	601,975	86.6%	86.8	137,599	53.5%	739,574	77.6%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/23/2006	61	308	0.00	60	148	0.01	456	
MTD		8,362	0.25		5,137	0.19	13,499	

STREAM FLOWS

Gauging Station	03/23/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	79	2,136
NRTT : Nueces River at Tilden, Texas	0	4
FRTT : Frio River at Tilden, Texas	46	1,324
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	437
Release from Choke Canyon Reservoir	66	1,507
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	292	5,506
NCAT : Nueces River at Calallen, Texas	101	908
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	60	1,953

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS

(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 1,953	1,953
Estuary Inflows (Measured at NCAT)	908
PassThru Surplus / -Deficit:	-503

LAKE TEXANA STATISTICS

(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/24/2006
03/23/2006	142	3,247	11,730	3,050	-197	44.0	40.6

Report Generated: 03/24/2006 at 8:22:55 AM

Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 25, 2006

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/25/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/25/2006	216.7	601,492	86.5%	86.8	136,616	53.1%	738,108	77.5%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/24/2006	64	279	0.00	65	229	0.00		508
MTD		8,641	0.25		5,366	0.19		14,007

STREAM FLOWS

Gauging Station	03/24/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	2,217
NRRT : Nueces River at Tilden, Texas	0	4
FRRT : Frio River at Tilden, Texas	42	1,366
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	451
Release from Choke Canyon Reservoir	66	1,572
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	292	5,798
NCAT : Nueces River at Calallen, Texas	91	999
Reservoir Inflow		
Computed as: (NTRT+FRRT+SMTT)-Release From Choke Canyon	58	2,011

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 2,011	2,011
Estuary Inflows (Measured at NCAT)	999
PassThru Surplus / -Deficit:	-469

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/25/2006
03/24/2006	141	3,388	11,871	3,050	-338	44.0	40.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 26, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/26/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/26/2006	216.7	601,010	86.4%	86.7	136,196	52.9%	737,206	77.4%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/25/2006	74	391	0.00	72	204	0.00	595	
MTD		9,032	0.25		5,570	0.19	14,602	

STREAM FLOWS

Gauging Station	03/25/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	89	2,307
NRTT : Nueces River at Tilden, Texas	0	4
FRTT : Frio River at Tilden, Texas	38	1,403
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	466
Release from Choke Canyon Reservoir	66	1,638
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	292	6,090
NCAT : Nueces River at Calallen, Texas	121	1,120
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	62	2,072

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 2,072	2,072
Estuary Inflows (Measured at NCAT)	1,120
PassThru Surplus / -Deficit:	-409

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/26/2006
03/25/2006	142	3,530	12,013	3,050	-480	44.0	40.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 27, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/27/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/27/2006	216.7	600,528	86.4%	86.7	135,219	52.6%	735,747	77.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/26/2006	75	279	0.00	75	105	0.00	384	
MTD		9,311	0.25		5,675	0.19	14,986	

STREAM FLOWS

Gauging Station	03/26/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	85	2,392
NRTT : Nueces River at Tilden, Texas	0	4
FRTT : Frio River at Tilden, Texas	36	1,439
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	15	482
Release from Choke Canyon Reservoir	66	1,703
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	292	6,382
NCAT : Nueces River at Calallen, Texas	62	1,182
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	56	2,128

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 2,128	2,128
Estuary Inflows (Measured at NCAT)	1,182
PassThru Surplus / -Deficit:	-403

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/27/2006
03/26/2006	141	3,671	12,154	3,050	-621	44.0	40.5

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 28, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/28/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/28/2006	216.7	600,289	86.3%	86.7	135,637	52.7%	735,926	77.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/27/2006	75	126	0.00	74	106	0.02	232	
MTD		9,437	0.25		5,781	0.21	15,218	

STREAM FLOWS

Gauging Station	03/27/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	2,473
NRTT : Nueces River at Tilden, Texas	0	5
FRTT : Frio River at Tilden, Texas	44	1,483
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	17	499
Release from Choke Canyon Reservoir	66	1,769
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	290	6,672
NCAT : Nueces River at Calallen, Texas	81	1,263
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	60	2,187

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 2,187	2,187
Estuary Inflows (Measured at NCAT)	1,263
PassThru Surplus / -Deficit:	-382

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/28/2006
03/27/2006	141	3,813	12,295	3,050	-763	44.0	40.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 29, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/29/2005	220.5	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/29/2006	216.7	600,528	86.4%	86.7	135,637	52.7%	736,165	77.3%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/28/2006	83	223	0.05	82	154	0.35	377	
MTD		9,660	0.30		5,935	0.56	15,595	

STREAM FLOWS

Gauging Station	03/28/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	2,555
NRTT : Nueces River at Tilden, Texas	0	5
FRTT : Frio River at Tilden, Texas	52	1,534
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	18	516
Release from Choke Canyon Reservoir	66	1,834
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	290	6,961
NCAT : Nueces River at Calallen, Texas	97	1,360
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	67	2,255

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 2,255	2,255
Estuary Inflows (Measured at NCAT)	1,360
PassThru Surplus / -Deficit:	-352

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/29/2006
03/28/2006	141	3,954	12,436	3,050	-904	44.0	40.3

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 30, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/30/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/30/2006	216.7	600,289	86.3%	86.6	135,080	52.5%	735,369	77.2%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/29/2006	86	321	0.00	84	154	0.01	475	
MTD		9,981	0.30		6,089	0.57	16,070	

STREAM FLOWS

Gauging Station	03/29/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	81	2,636
NRTT : Nueces River at Tilden, Texas	0	5
FRTT : Frio River at Tilden, Texas	50	1,584
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	13	530
Release from Choke Canyon Reservoir	66	1,900
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	292	7,253
NCAT : Nueces River at Calallen, Texas	115	1,475
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	66	2,320

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 2,320	2,320
Estuary Inflows (Measured at NCAT)	1,475
PassThru Surplus / -Deficit:	-302

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/30/2006
03/29/2006	141	4,095	12,577	3,050	-1,045	44.0	40.4

**Choke Canyon / Lake Corpus Christi Reservoir System
Daily Pass-Thru Status Report
Report Date: March 31, 2006**

RESERVOIR STATISTICS

	Choke Canyon Reservoir			Lake Corpus Christi Reservoir (TWDB Volumetric Survey Effective June 21, 2005)			Combined Reservoir System	
Date	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Elevation (Ft)	Volume (AcFt)	Percent of Capacity	Volume (AcFt)	Percent of Capacity
FULL	220.5	695,271	100%	94.0	257,260	100%	952,531	100%
03/31/2005	220.6	695,271	100.0%	94.0	241,241	100.0%	936,512	100.0%
03/31/2006	216.7	599,812	86.3%	86.6	134,941	52.5%	734,753	77.1%
Weather Related Information								
	Choke Canyon Reservoir			Lake Corpus Christi Reservoir			Combined	
Date	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Air Temp (°F)	Evaporation (AcFt)	Rainfall (Inches)	Evaporation (AcFt)	
03/30/2006	83	251	0.00	79	146	0.00	397	
MTD		10,232	0.30		6,235	0.57	16,467	

STREAM FLOWS

Gauging Station	03/30/2006 (AcFt)	MTD (AcFt)
NTRT : Nueces River at Three Rivers, Texas	79	2,715
NRTT : Nueces River at Tilden, Texas	0	6
FRTT : Frio River at Tilden, Texas	50	1,634
SMTT : San Miguel Creek at Tilden, Texas	0	0
ARWT : Atascosa River at Whitsett, Texas	16	545
Release from Choke Canyon Reservoir	66	1,965
NRMT : Nueces River at Mathis, Texas (La Fruta Bridge)	290	7,543
NCAT : Nueces River at Calallen, Texas	133	1,608
Reservoir Inflow		
Computed as: (NTRT+FRTT+SMTT)-Release From Choke Canyon	64	2,384

ESTUARY INFLOWS and PASSTHRU REQUIREMENTS
(All values are in AcFt)

Target Passthru Monthly Target: 3,500 Salinity Relief Credit : 0 Effective:	3,500
Credit / -Deficit From Previous Month (Date Deficit Satisfied:)	43
Return Flow Credit (Effective: 03/01/2006)	500
Passthru Target: 3,500 Reservoir Inflow: 2,384	2,384
Estuary Inflows (Measured at NCAT)	1,608
PassThru Surplus / -Deficit:	-233

LAKE TEXANA STATISTICS
(All values are in AcFt)

Date	Daily Intake	MTD	YTD	March 2006		Elevation (Ft)	
				Allocation	Remaining	Full	03/31/2006
03/30/2006	141	4,235	12,718	3,050	-1,185	44.0	40.4